

**NEW ZEALAND TEMPORARY AND PRELIMINARY NOTICES IN FORCE**

*(NZ NTM Edition No.24 dated 26 November 2010)*

NZ Notice	T/P	Charts Affected	Locality and Subject
		NZ Chart, INT Chart, ENC Cell	
133/01	T	NZ 6612	Otago Hr.: Shoaling
129/04	T	NZ 52, 53, 522, 5227	Hauraki Gulf: Dredging Operations
194/04	P	NZ 46, 48, 61, 463, 614, 6151, 6152, 6153, 6154	Marlborough Sounds: Use of Automated Navigation Systems
110/05	T	NZ 8248, T 8248	Tonga: Light Unlit
161/05	P	NZ 4633, 4634	Wellington Hr.: Navigation Safety Bylaw
173/05	T	NZ 53, 54, 531, 534, 5318	Whitianga Hr.: Sandbar
176/06	T	NZ 23, 26, 56, 14060, 14600, INT 60, 600, 640	N. Island, E. Coast: Scientific Instruments
177/06	T		Indian Ocean: Operation 'Enduring Freedom'
205/06	T	NZ 532, 5324	Tamaki Strait: Motuihe Is.: E. Cardinal Lt Beacon
244/06	T	NZ 23, 25, 63, 64, INT 640, 648	Lyttelton Hr.: Waverider Buoy
37/07	T	NZ 53, 532, 533, 5327	Firth of Thames: Moorings, Research Instruments
63/07	T	NZ 4633	Wellington Hr.: Race Marker Buoys
219/07	P	NZ 54, 542	Bay of Plenty, Opotiki: Fish Haven
91/08	P	NZ 4424	W. Coast, Taharoa Hr.: Hr. Limits
131/08	T	NZ 68, 69, 681	Foveaux Strait, Ruapuke Is.: Seabed Obstruction
132/08	T	NZ 14051, 14052, 14060, 14061, 14604, 14605, 14606, 14607, 14629, INT 51, 52, 60, 61, 604, 605, 606, 607, 629	North, South Pacific Ocean: ATLAS Buoys
243/08	P	NZ 5612	Napier Hr.: New Wharf Development
244/08	P	NZ 632, 6321	Banks Peninsula: Mussel Farms
259/08	T	NZ 5225	Great Barrier Island: Marine Farm
262/08	T	NZ 2411	Snares Islands/Tini Heke: Seabed Obstruction
118/09	T	NZ 8275, T 8275	Tonga, Nuku'alofa Hr.: Light
139/09	T	NZ 845, 14630, 14631, INT 630, 631	Nuie Is: Lights
143/09	T	NZ 5322, 5323, NZ505322	Auckland Hr.: Vertical Clearance
195/09	T	NZ 6321	Sumner Head: Buoy
202/09	T	NZ 53, 532, 5322, 5324, 5325, NZ305322, 405324, 505322, 505325	Rangitoto Channel: Light
242/09	P	NZ 42, 4265	Kaipara Hr. Entrance: Depths
28/10	T	NZ 5321, 5322, NZ405321, 505322	Auckland Hr. Approaches: Light
45/10	T	NZ 55, NZ300055	Poverty Bay: Scientific Moorings
63/10	T	NZ 53, 532, 533, 5327, NZ300053, 305321	Firth of Thames: Scientific Buoy
84/10	P	NZ 6153, NZ406153	Picton Hr.: Light
93/10	P	NZ 5214, 5215, 5219, NZ505214, 505215	Whangarei Hr.: Lights, Beacons
124/10	T	NZ 4314, 4315, NZ404314, 504315	Manukau Hr.: Light Beacons, Buoys
125/10	T	NZ 82, 827, 8275, 8277, T 82, 827, 8275, 8277	Tonga, Nuku'alofa Hr.: Aids to Navigation
132/10	P	NZ 5113	Rangaunu Hr.: Lights, Beacons, Buoys
135/10	T	NZ 61	Golden Bay: Scientific Instruments
138/10	P	NZ 661, 6612, NZ300661, 506612	Otago Hr.: Light
151/10	P	NZ 4314, NZ404314	Manukau Hr.: Lights, Beacons, Buoys
156/10	T	NZ 46, 463, 615, NZ300463	Cook Strait: Scientific Instruments
159/10	P	NZ 5324, 5325, NZ305322, 405324, 505325	Auckland Hr.: Light
160/10	P	NZ 46, 463, 615, 6153, 6154, NZ300463, 406153, 561541	Tory Channel: Radio Reporting Procedure
161/10	T	NZ 63, 64, 632, 6321, NZ400632, 506321, 606321	Lyttelton Hr.: Aids to Navigation
165/10	T	NZ 542	Whakatane: Scientific Instrument
166/10	T	NZ 4633, 4634, NZ404633, 546341, 546342	Wellington Hr.: Yacht Club Race Marker Buoys
170/10	P	NZ 532, 5321, 5322, NZ305322, 405321, 505322	Mairangi Bay: Pipeline
171/10	P	NZ 6153, NZ406153	Waikawa Bay: Light
176/10	T	NZ 521, 5214, 5215, 5219, NZ505214, 505215	Whangarei Hr.: Scientific Moorings
180/10	T	NZ 4314, NZ404314	Manukau Hr. Entrance: Depths
182/10	T	NZ 614, 6144	Tasman Bay: Scientific Instrument
186/10	T		South West Pacific: Maritime Safety Broadcasts
190/10	T	NZ 615, 6152, NZ300615	Waitata Reach: Scientific Instruments
191/10	T	NZ 6321, NZ506321	Lyttelton Hr.: Dredging Operations
192/10	T	NZ 7142	Greymouth Hr.: Depths
193/10	T	NZ 43, 4421	Raglan Hr.: Scientific Instruments
198/10	T	NZ 61, 614, 6144	Tasman Bay and Golden Bay: Seasonal Spat Catching Areas
200/10	T	NZ 6612, NZ506612	Otago Hr. - Upper Hr.: Beacons, buoys
201/10	T	NZ 66, 661, NZ300661	Approaches to Otago Hr.: Scientific Instrument

*Continued*

**NEW ZEALAND TEMPORARY AND PRELIMINARY NOTICES IN FORCE***(NZ NTM Edition No.24 dated 26 November 2010)**Continued*

NZ Notice	T/P	Charts Affected	Locality and Subject
		NZ Chart, INT Chart, ENC Cell	
202/10	P	NZ 7624, 7625, 7653, 7655, 7656	Doubtful Sound, Breaksea Sound and Dusky Sound: Buoy, beacons
206/10	P	NZ 521, 5214, 5215, 5219, NZ505214, 505215	Marsden Point & Whangarei Hr.: Radio Reporting Points & Anchorage Areas
208/10	T	NZ 7621, NZ576211	Milford Sound: Beacon

**NZ 133(T)/01 NEW ZEALAND – South Island – East Coast – Otago Harbour – Shoaling in Eastern Channel.**

Former notice – NZ 40(T)/01 is cancelled.

Shoaling has been reported between beacons 'L' and 'M' in Company Bay, Eastern Channel (45° 51'.4S., 170° 35'.8E.)

**Chart temporarily affected – NZ 6612**

Otago Regional Council  
NI 91/2001

**NZ 129(T)/04 NEW ZEALAND – North Island – East Coast – Hauraki Gulf – Jellicoe Channel – Dredging Operations.**

1. Sand extraction activities have commenced in Jellicoe Channel west of a line joining :
  - (a) Taranga Island 35° 57'.85S., 174° 44'.60E.
  - (b) Little Barrier Island 36° 10'.30S., 175° 06'.35S.,
  - (c) Horn Rock 36° 15'.35S., 175° 11'.40E.
  - (d) Anchorite Rock 36° 25'.95S., 175° 07'.85E.
2. Dredgers may be operating anywhere within this area.

**Charts temporarily affected – NZ 52 – NZ 53 – NZ 522 – NZ 5227**

Kaipara Ltd.  
NI 111/2004

**NZ 194(P)/04 NEW ZEALAND – South Island – North Coast – Marlborough Sounds – Use of Automated Navigation Systems.**

Direction pursuant to Section 650C (3)(a) of the Local Government Act 2002  
Use of Automated Navigation Systems.

1. The use of automated navigation systems that act on their own (e.g. linked to GPS or DGPS receivers) without the immediate preceding direction of the Master or Officer of the Watch is prohibited within the areas set out below.
2. Areas to which this Direction applies:
  - Queen Charlotte Sound/Tory Channel Pilotage District
  - Pelorus Sound Pilotage District
  - French Pass
3. This Direction will remain in force until further notice.

A. van Wijngaarden  
Harbourmaster.

**Charts temporarily affected – NZ 46 – NZ 48 – NZ 61 – NZ 463 – NZ 614 – NZ 6151 – NZ 6152 – NZ 6153 – NZ 6154**

Marlborough Regional Council  
NI 181/2004

**NZ 110(T)/05 SOUTH PACIFIC – Tonga Islands – Ha'apai Group – Ha'afeva Is. – Light Unlit.**

Ha'afeva Island light , Fl.(4)12s 19 ft 10M (K4637) ( 19° 57'.5S 174° 41'.3W.) is temporarily unlit.

**Chart temporarily affected – NZ 8248 (T 8248)**

Tonga Defence Services  
UKHO Light List K 4637  
NI 84/2005

**NZ 161(P)/05 NEW ZEALAND – North Island – South Coast – Wellington Harbour – Navigation and Safety Bylaw 6.3**

*Former Notice – NZ 142(T)/05 is cancelled*

**Duty of a Master of a Vessel Under 500 Gross Tonnage**

1. Wellington Region Navigation and Safety Bylaw 6.3 : The master of every vessel in Wellington Harbour, under 500 gross tonnage (including vessels at anchor) shall not impede the navigation of any vessel of 500 gross tonnage or more.
2. Greater Wellington Regional Council have defined Wellington Harbour in Schedule 1 of the Wellington Region Navigation and Safety Bylaws.
3. The Wellington Region Navigation and Safety Bylaws can be obtained from the following website :  
[www.gw.govt.nz](http://www.gw.govt.nz)

**Charts affected – NZ 4633 – NZ 4634**

Greater Wellington Regional Council  
NI 136/2005

**NZ 173(T)/05 NEW ZEALAND – North Island – East Coast – Mercury Bay – Approaches to Whitianga – Sandbar.**

1. A sandbar has developed in the approaches to Whitianga extending from Pandora Rock (36° 49'.5S., 175° 43'.3E.) to a position one mile northwards.
2. Depths as shallow as one metre have been recorded in position 36° 49'.27S., 175° 43'.14E.
3. Vessels may encounter steep, breaking waves when onshore swell opposes the outgoing tide.
4. Mariners are cautioned to exercise care when navigating in the vicinity.

**Charts temporarily affected – NZ 53 – NZ 54 – NZ 531 – NZ 534 – NZ 5318**

Whitianga Harbourmaster.  
NI 154/2005

**NZ 176(T)/06 NEW ZEALAND – North Island – East Coast – Cape Kidnappers Eastwards – Scientific Instruments.**

*Former Notice – NZ 70(T)/05 is cancelled.*

Scientific instruments and mooring with submerged buoys remain in position 41° 09'.91S., 178° 30'.66E. in 3100 metres water depth.

**Charts temporarily affected – NZ 23 (INT 640) – NZ 26 – NZ 56 – NZ 14060 (INT 60) – NZ 14600 (INT 600)**

NIWA  
NI 177/2006

**NZ 177(T)/06 INDIAN OCEAN – Arabian Penla. & Somalian Coast – Operation ‘Enduring Freedom’**

*Former Notice* – NZ 58(T)/05 is cancelled.

**SUPPORT OF GERMAN TASK GROUP 500.01 IN OPERATION ‘ENDURING FREEDOM’**

1. In order to support the U.S. and multinational task groups in their surveillance and anti-terrorist operation in the area east of the Arabian Peninsula and to seaward of the Somalian coast, German Task Group 500.01 is tasked with providing shipping information and acting as a point of contact for merchant shipping. Information will be forwarded to merchant shipping in the area east of Bab-El-Mandeb and outside the territorial waters of Somalia for safe passage, especially to all German merchant ships.
2. All merchant shipping is invited to participate to improve the reporting and exchange of information. Such reporting is voluntary however. Civil Maritime authorities are encouraged to support this service which, by its stabilising naval presence benefits shipping in the region.
3. Shipping Companies and Merchant ships are kindly requested to report detailed information to GERMAN TASK GROUP 500.01 by email: [ctg\\_500.01@arcor.de](mailto:ctg_500.01@arcor.de) or by Inmarsat 00 870 321 820 210. All ships are requested to provide name, international callsign, IMO number and general nature of cargo.
4. Ships intending to transit an area of operation westwards to the Red Sea and the Suez Canal are requested to provide position, ETD and name of last port of call, and ETA Suez. Ships intending to transit eastwards after passing the Suez Canal are requested to provide position, ETD Suez and next port of call. General information and the ‘ship-data’ form are also available on website : [www.scc-gluecksburg.de](http://www.scc-gluecksburg.de) .
5. The emphasis is on the exchange of information between military authorities, naval forces and merchant shipping. Provision of this information will assist the compilation of an accurate shipping plot for the security of shipping by naval forces in the region. It will also reduce VHF traffic between merchant ships and warships.

Federal Republic of Germany  
NI 175/2006

**NZ 205(T)/06 NEW ZEALAND – North Island – East Coast – Tamaki Strait – Motuihe Island – East Cardinal Light Beacon.**

*Former Notice* – NZ 138(T)/06 is cancelled.

1. Motuihe Island East Cardinal Light beacon Q(3)10s2m1M (36° 48'.6S., 174° 57'.7E) has been destroyed.
2. The beacon has been replaced with a temporary buoy Q(3)6s.

**Charts temporarily affected – NZ 532 – NZ 5324**

Ports of Auckland Ltd  
NZ Light List K3845.2  
NI 201/2006

**NZ 244(T)/06 NEW ZEALAND – South Island – East Coast – Lyttelton Harbour Northwards – Waverider Buoy.**

1. A waverider buoy FI(5)Y.20s3M has been laid in position 43° 31'.05S., 172° 46'.82E. until further notice.
2. Mariners are requested to exercise caution when navigating in this area.

**Charts temporarily affected – NZ 23 (INT 640) – NZ 25 (INT 648) – NZ 63 – NZ 64**

McConnell Dowell Constructors Ltd  
NI 266/2006

**NZ 37(T)/07 NEW ZEALAND – North Island – East Coast – Firth of Thames – Moorings and Research Instruments**

1. An un-marked sub-surface research mooring has been deployed in position 36° 46'.05S., 175° 18'.33E, until further notice.
2. Mariners are requested to exercise caution when navigating in the area.

**Charts temporarily affected – NZ 53 – NZ 532 – NZ 533 – NZ 5327**

NIWA  
NI 25/2007

**NZ 63(T)/07 NEW ZEALAND – North Island – South Coast – Wellington Harbour – Yacht Club Race Marker Buoys.**

Seven unlit orange buoys have been laid in the following locations until further notice.

Mark No.	Position
18	41° 14'.08S., 174° 52'.60E.
23	41° 14'.32S., 174° 53'.15E.
20	41° 14'.87S., 174° 52'.18E.
24	41° 15'.76S., 174° 52'.34E.
17	41° 15'.93S., 174° 54'.15E.
18	41° 16'.62S., 174° 53'.85E.
12	41° 17'.41S., 174° 52'.54E.

**Chart temporarily affected – NZ 4633**

Greater Wellington Regional Council  
NI 47/2007

**NZ 219(P)/07 NEW ZEALAND – North Island – East Coast – Bay of Plenty – Opotiki – Fish Haven.**

1. A fish haven is to be established in the area bounded by the following coordinates:

37° 58'.0S., 177° 16'.5E.  
37° 58'.0S., 177° 17'.8E.  
37° 59'.0S., 177° 17'.8E.  
37° 59'.0S., 177° 16'.5E.

2. Shoaling of up to 2m is to be expected in this area.
3. Charting action to be taken in due course.

**Charts temporarily affected – NZ 54 – NZ 542**

REAF  
NI 246/2007

**NZ 91(P)/08 NEW ZEALAND – North Island – West Coast – Taharoa Harbour – Harbour Limits.**

1. Mariners are advised the harbour limits at Taharoa Harbour have been extended and are defined as:

All waters inside a circle of radius five nautical miles centred on the Ironsands Terminal Light  
L.Fl.(2)W.20s (Number 4096 NZ Almanac light list) intersecting a line drawn from Albatross Point 270° True.

2. Charting action will be taken in due course.

**Charts temporarily affected – NZ 4424**

Maritime New Zealand  
NI 81/2008

**NZ 131(T)/08 NEW ZEALAND – South Island – South Coast – Foveaux Strait – Ruapuke Island – Seabed Obstruction.**

1. A ships anchor and eight shackles of chain has been abandoned on the seabed in position 46° 45'.8S., 168° 20'.3E.
2. Mariners engaged in seabed trawling activities are advised to exercise caution when navigating in the area.

**Charts temporarily affected – NZ 68 – NZ 69 – NZ 681**

Environment Southland  
NI 129/2008

**NZ 132(T)/08 NORTH PACIFIC OCEAN, SOUTH PACIFIC OCEAN – Autonomous Temperature Line Acquisition System (ATLAS) – Buoyage.**

*Former notice – NZ 219(T)/06 is cancelled.*

1. The National Oceanic and Atmospheric Administration (NOAA) maintains an array of buoys called Autonomous Temperature Line Acquisition System (ATLAS) in the Pacific Ocean.
2. The ATLAS buoys, orange and white bands, Q (2 metre toroid buoy) which make up the array are located in the following positions:

8° 03'.7N., 94° 56'.2W	5° 00'.0S., 124° 59'.2W	2° 10'.0S., 170° 02'.5W
4° 57'.1N., 95° 00'.8W	7° 58'.9S., 124° 58'.9W	4° 58'.8S., 170° 02'.7W
1° 59'.5N., 95° 19'.9W	9° 00'.4N., 140° 15'.6W	7° 58'.5S., 170° 01'.4W
1° 32'.3N., 93° 50'.1W	4° 59'.8N., 139° 57'.8W	7° 59'.5N., 179° 53'.5W
1° 57'.2S., 95° 09'.7W	1° 59'.7N., 140° 07'.1W	4° 59'.5N., 179° 54'.1W
5° 02'.4S., 95° 04'.3W	1° 40'.8S., 144° 40'.2W	2° 00'.1N., 179° 46'.7W
8° 00'.8S., 95° 15'.4W	2° 00'.7S., 139° 57'.4W	0° 00'.6N., 179° 54'.7W
8° 02'.9N., 110° 08'.9W	4° 58'.8S., 139° 55'.7W	2° 00'.4S., 179° 53'.5W
5° 01'.6N., 110° 06'.1W	7° 57'.5N., 154° 58'.8W	4° 58'.7S., 179° 55'.1W
2° 02'.7N., 110° 00'.9W	5° 01'.2N., 154° 55'.8W	7° 59'.2S., 179° 51'.2W
0° 01'.7N., 109° 57'.0W	1° 59'.6N., 154° 58'.4W	8° 02'.3N., 165° 03'.5E
1° 55'.9S., 110° 04'.1W	0° 05'.3S., 155° 10'.0W	5° 02'.3N., 165° 01'.3E
4° 58'.9S., 109° 59'.0W	1° 59'.2S., 155° 00'.4W	1° 59'.4N., 165° 00'.6E
7° 57'.7S., 110° 05'.0W	4° 58'.9S., 154° 59'.6W	0° 04'.0N., 163° 28'.3E
8° 03'.0N., 124° 59'.6W	8° 15'.9S., 155° 01'.6W	2° 00'.0S., 164° 58'.7E
5° 05'.2N., 124° 52'.4W	7° 30'.2N., 169° 47'.4W	4° 59'.7S., 165° 11'.2E
5° 25'.3N., 129° 14'.8W	4° 58'.7S., 169° 59'.0W	8° 02'.3S., 164° 46'.4E
0° 10'.3S., 124° 23'.6W	2° 01'.6N., 169° 59'.2W	
2° 00'.2S., 125° 00'.4W	0° 02'.7S., 170° 04'.3W	

3. Mariners are advised to give all mooring positions a 5 nautical mile wide berth.

**Charts temporarily affected – NZ 14051 (INT 51) – NZ 14052 (INT 52) – NZ 14060 (INT 60) – NZ 14061 (INT 61) – NZ 14604 (INT 604) – NZ 14605 (INT 605) – NZ 14606 (INT 606) – NZ 14607 (INT 607) – NZ 14629 (INT 629)**

UKHO Notice 2858(T)/2008  
NI 122/2008

**NZ 243(P)/08 NEW ZEALAND – North Island – East Coast – Napier Harbour – New Wharf Development.**

1. Reclamation of the seabed between Herrick No.4 Wharf and Geddis No.3 Wharf is in progress and will continue until early 2010. Mariners should be aware that depths may be less than charted in this area.
2. Mariners are advised to contact Napier Harbour Radio on VHF Channel 12 for further information on harbour depths and berth availability.
3. Charts will be updated when works are complete.

**Chart temporarily affected – NZ 5612**

Hawkes Bay Regional Council  
NI 262/2008

**NZ 244(P)/08 NEW ZEALAND – South Island – East Coast – Banks Peninsula – Mussel Farms.**

1. Two mussel farms have been established in areas bounded by the following co-ordinates:

Port Levy	43° 36'.74S., 172° 49'.85E.
	43° 36'.74S., 172° 49'.93E.
	43° 37'.05S., 172° 49'.86E.
	43° 37'.47S., 172° 49'.72E.
	43° 37'.45S., 172° 49'.65E.
	43° 37'.03S., 172° 49'.79E.

Beacon Rock	43° 36'.61S., 172° 52'.14E.
	43° 36'.51S., 172° 52'.15E.
	43° 36'.47S., 172° 52'.21E.
	43° 36'.46S., 172° 52'.30E.
	43° 36'.51S., 172° 52'.30E.
	43° 36'.61S., 172° 52'.14E.

2. The perimeter corners of the areas are identified by a lit orange buoy, Q(5)Y.20s.
3. Charting action will be taken in due course.

**Charts temporarily affected – NZ 632 – NZ 6321**

Marlborough Mussel Company Ltd  
NI 207/2008

**NZ 259(T)/08 NEW ZEALAND – North Island – East Coast – Great Barrier Island – Katherine Bay – Nimaru Bay Marine Farm.**

1. The yellow Special Mark in position 36° 07'.55S., 175° 21'.01E has been reported as missing and a number of the black buoys marking the outer limits of the marine farm in position 36° 07'.59S., 175° 20'.95E are submerged.
2. Mariners are advised to exercise caution when navigating in the area and to remain clear of the area bounded by the following co-ordinates:

36° 07'.70S., 175° 21'.00E.  
36° 07'.57S., 175° 21'.11E.  
36° 07'.49S., 175° 20'.90E.  
36° 07'.65S., 175° 20'.90E.

**Chart temporarily affected – NZ 5225**

iXSurvey Australia Pty Ltd  
NI 283/2008

**NZ 262(T)/08 NEW ZEALAND – Snares Islands/Tini Heke – North East Island – Seabed Obstruction.**

1. A ships anchor and approximately 4 shackles of chain has been abandoned on the seabed in position 48° 01'.14S., 166° 37'.19E and marked by three unlit red buoys.
2. Mariners are advised to exercise caution when navigating in the area.

**Chart temporarily affected – NZ 2411**

MV Orion  
NI 280/2008

**NZ 118(T)/09 SOUTH PACIFIC OCEAN – Tonga – Tongatapu – Nuku’alofa Harbour – Light.**

1. The Boat Harbour light, Fl.R.4s5m2M in position 21° 08’.24S., 175° 11’.03W. is extinguished until further notice.
2. Mariners are advised to exercise caution when navigating in the area.

**Chart temporarily affected – NZ 8275 (T 8275)**

Land Information New Zealand  
BA Light List K4649.3  
NI 107/2009

**NZ 139(T)/09 NEW ZEALAND – SOUTH PACIFIC – Nuie Island – Alofi Bay – Lights.**

*Former notice* – NZ 80(T)/07 is cancelled.

The following lights are reported as being unlit:

1. Alofi Bay leading lights, F.R. & F.R. in position 19° 03’.2S., 169° 55’.2W.
2. Alofi North light, Fl.10s in position 19° 02’.7S., 169° 55’.1W.

**Charts temporarily affected – NZ 845 – NZ 14630 (INT 630) – NZ 14631 (INT 631)**

Land Information New Zealand  
BA Light List K4656, K4656.1, K4657  
NI 118/2009

**NZ 143(T)/09 NEW ZEALAND – North Island – East Coast – Auckland Harbour – Auckland Harbour Bridge – Vertical Clearance.**

1. Due to maintenance work of Auckland Harbour Bridge the vertical clearance at the centre of the bridge is reduced from 42m to 40m above MHWS until further notice.
2. Mariners transiting under the bridge are advised to navigate with caution.

**Charts temporarily affected – NZ 5322 – NZ 5323 – NZ505322**

Auckland Regional Council  
NI 135/2009

**NZ 195(T)/09 NEW ZEALAND – South Island – East Coast – Lyttelton – Sumner Head – Buoy.**

Former notice – NZ 48(T)/09 is cancelled.

1. A Special Mark, Q.Y has been laid in position 43° 33'.9S., 172° 46'.6E. until April 2010.
2. Mariners are advised to exercise caution when navigating in the area.

**Chart temporarily affected – NZ 6321**

McConnell Dowell Constructors Ltd  
NI 204/2009

**NZ 202(T)/09 NEW ZEALAND – North Island – East Coast – Rangitoto Channel – Light.**

1. The Rangitoto Channel Rear Leading Light, Dir.Oc.WRG.2s, in position 36° 50'.65S., 174° 51'.66 is unlit until further notice
2. Mariners are advised to exercise caution when navigating in the area.

**Charts temporarily affected – NZ 53 – NZ 532 – NZ 5322 – NZ 5324 – NZ 5325 – NZ305322 – NZ405324 – NZ505322 – NZ505325**

Ports of Auckland Ltd  
NZ Light List K3746.1  
NI 220/2009

**NZ 242(P)/09 NEW ZEALAND – North Island – West Coast – Kaipara Harbour Entrance – Depths.**

1. A recent survey indicates that depths north of Tory Shoal are considerably less than charted. The most significant depths are as follows:

<i>Depth</i>	<i>Position</i>
3 <sub>3</sub> m	36° 24'.95S., 174° 02'.56E.
3 <sub>2</sub> m	36° 24'.57S., 174° 03'.20E.
1 <sub>5</sub> m	36° 24'.75S., 174° 03'.35E.
0 <sub>8</sub> m	36° 24'.52S., 174° 03'.87E.
0 <sub>9</sub> m	36° 24'.51S., 174° 04'.14E.
1 <sub>3</sub> m	36° 24'.69S., 174° 04'.42E.

(All positions are referred to WGS84 Datum)

2. These and other changes will be included in the next update of charts.

**Charts temporarily affected – NZ 42 – NZ 4265**

Discovery Marine Limited Ltd  
NI 241/2009

**NZ 28(T)/10 NEW ZEALAND – North Island – East Coast – Auckland Harbour Approaches – Wairau River Entrance Light.**

1. The Wairau River Entrance Light, Dir.F.WRG.4m1M, in position 36° 45'.85S., 174° 45'.95E. has been reported unreliable.
2. Mariners are advised to exercise caution when navigating in the area.

**Charts temporarily affected – NZ 5321 – NZ 5322 – NZ405321 – NZ505322**

Auckland Regional Council  
NZ Light List K3743  
NI 15/2010

**NZ 45(T)/10 NEW ZEALAND – North Island – East Coast – Poverty Bay – Scientific Moorings.**

1. Scientific seabed moorings have been deployed in the following locations until March 2011:
  - a. 38° 53'.87S., 178° 02'.23E.
  - b. 38° 49'.45S., 178° 11'.04E.
  - c. 38° 47'.24S., 178° 05'.00E.
2. Mariners engaged in seabed trawling activities are requested to remain 0.5NM clear of the above locations.

**Charts temporarily affected – NZ 55 – NZ300055**

NIWA  
NI 32/2010

**NZ 63(T)/10 NEW ZEALAND – North Island – East Coast – Firth of Thames – Scientific Buoy.**

*Former notice* – NZ 189(T)/09 is cancelled

1. A yellow buoy, Q(5)Y.20s has been laid in position 36° 49'.48S., 175° 21'.10E. until further notice.
2. All vessels are requested to pass at least 0.5NM clear of the location and exercise caution when navigating in the area.

**Charts temporarily affected – NZ 53 – NZ 532 – NZ 533 – NZ 5327 – NZ300053 – NZ305321**

NIWA  
NI 53/2010

**NZ 84(P)/10 NEW ZEALAND – South Island – North Coast – Picton Harbour – Light.**

1. The following light has been installed:

<i>Name</i>	<i>Characteristics</i>	<i>Position</i>
Shelly Beach Breakwater	Fl.R.6s5m5M	41° 17'.22S., 174° 00'.53E.

2. Charting action will be taken in due course.

**Charts temporarily affected – NZ 6153 – NZ406153**

Land Information New Zealand  
NI 88/2010

**NZ 93(P)/10 NEW ZEALAND – North Island – East Coast – Whangarei Harbour – Lights, Beacons.**

Former notice – NZ 70(P)/10 is cancelled.

1. Significant changes to navigational aids have been made in Whangarei Harbour.
2. Lights have been amended as follows:

<i>Name</i>	<i>Characteristics</i>	<i>Position</i>	<i>Remarks</i>
Lort Point, Rear Leading Light	F.R.18m6M	35° 49'.85S., 174° 30'.15E	Neon □ has been removed
Shell Cut Reach East, Front Leading Light	F.G.5m6M	35° 49'.15S., 174° 28'.32E	Neon □ has been removed
Sinclair Point, Rear Leading Light	F.R.8m6M	35° 49'.54S., 174° 27'.93E	Neon □ has been removed
Shell Cut Reach West, Front Leading Light	F.R.5m6M	35° 47'.50S., 174° 24'.00E	Neon □ has been removed
One Tree Point, Front Leading Light	F.R.6m6M	35° 48'.63S., 174° 26'.03E	Neon □ has been removed

3. The following light beacons have been removed:

<i>Name</i>	<i>Characteristics</i>	<i>Position</i>	<i>Type</i>
S1	Fl.G.2.5s5M	35° 48'.99S., 174° 28'.05E	Starboard Lateral Beacon
S4	Fl.R.2.5s5m	35° 48'.72S., 174° 27'.13E	Port Lateral Beacon
S7	Q.G.5m	35° 48'.18S., 174° 25'.88E	Starboard Lateral Beacon
S9	Q.G.5m	35° 48'.01S., 174° 25'.44E	Starboard Lateral Beacon
T3	Q.G.5m	35° 47'.26S., 174° 24'.19E	Starboard Lateral Beacon
W1	Fl.G.2.5s	35° 46'.47S., 174° 22'.90E	Starboard Lateral Beacon

4. The following light beacon has been moved:

<i>Name</i>	<i>Characteristics</i>	<i>Position</i>	<i>Type</i>
S3	Fl.G.2.5s5m	35° 48'.79S., 174° 27'.48E	Starboard Lateral Beacon

5. The following unlit beacon has been removed:

<i>Name</i>	<i>Position</i>	<i>Remark</i>
-	35° 46'.75S., 174° 23'.10E	Cable junction marker

(All positions are referred to WGS84 Datum)

6. Charting action will be taken in due course

**Charts affected – NZ 5214 – NZ 5215 – NZ 5219 – NZ505214 – NZ505215**

NZ Light List K3716.7, K3717.2, K3717.4, K3717.41, K3717.5, K3717.6, K3717.8, K3718.6, K3718.74, K3718.9, K3719.6, K3720.2

Northland Regional Council  
NI 103/2010

**NZ 124(T)/10 NEW ZEALAND – North Island – West Coast – Manukau Harbour – Light Beacons, Buoys**

*Former notice* – NZ 39(T)/09 is cancelled.

1. The Wairopa Channel No.1 beacon, Q(2)G.3s, in position 37° 00'.94S., 174° 36'.74E has been destroyed and replaced with a temporary starboard hand light buoy, Q(2)G.5s.
2. The Huia Bank beacon, Fl(2)R.6s, in position 37° 02'.11S., 174° 34'.12E, has been withdrawn until further notice and replaced with a light buoy of the same characteristics.
3. Mariners are requested to exercise caution when navigating in the area.

**Charts temporarily affected – NZ 4314 – NZ 4315 – NZ404314 – NZ504315**

Ports of Auckland Ltd  
NZ Light List K4108.3, 4116, 4116.1  
NI 133/2010

**NZ 125(T)/10 SOUTH PACIFIC OCEAN – Kingdom of Tonga – Tongatapu – Nuku'alofa Harbour –  
Aids to Navigation.**

1. Due to cyclone aftermath all aids to navigation in the approaches to the port of Nuku'alofa, and in the port of Nuku'alofa are damaged and unlit or unreliable, until further notice.
2. Mariners are advised to exercise caution when navigating in the area.

**Charts temporarily affected – NZ 82 (T82) –NZ 827 (T827) – NZ 8275 (T8275) – NZ 8277 (T8277)**

Ports Authority Tonga  
NI 132/2010

**NZ 132(P)/10 NEW ZEALAND – North Island – East Coast – Rangaunu Harbour – Research Instruments  
– Lights, Beacons and Buoys.**

Former notice – NZ 90(P)/10 is cancelled.

1. Significant changes to navigational aids have been made in Rangaunu Harbour.

2. Lights have been amended as follows:

<i>Name</i>	<i>Characteristics</i>	<i>Position</i>	<i>Remark</i>
Omere, Janus or Toby Rock	FI(2)R.6s5m5M	34° 52'.79S., 173° 16'.92E	
Wairaka Point	FI.R.2.5s3m2M	34° 54'.08S., 173° 18'.08E	Red □ topmark
* Mangatete	FI.G.2s2m2M	34° 56'.98S., 173° 16'.25E	
* Rat Island	Q.G.2m2M	34° 57'.56S., 173° 15'.25E	
* Mangrove Island	Q.G.2m2M	34° 58'.38S., 173° 15'.08E	
* Junction Reach	Q.R.2m2M	34° 58'.89S., 173° 14'.61E	

3. The following lights have been installed:

<i>Name</i>	<i>Characteristics</i>	<i>Position</i>	<i>Remark</i>
Sheigis Rock	FI.R.3s1m2M	34° 53'.43S., 173° 17'.67E	Red □ topmark
* J4	Q.R.2m2M	34° 58'.99S., 173° 14'.65E	
* J16	Q.R.2m2M	34° 59'.37S., 173° 15'.42E	
* J18	Q.R.2m2M	34° 59'.57S., 173° 15'.42E	
* J20	Q.R.2m2M	34° 59'.75S., 173° 15'.34E	
* A1	Q.G.2m2M	34° 59'.99S., 173° 15'.09E	
* A5	Q.G.2m2M	35° 00'.08S., 173° 15'.10E	

4. The following lit buoys have been installed:

<i>Name</i>	<i>Characteristics</i>	<i>Position</i>	<i>Type</i>
Walker Island	FI.G.3s2M	34° 54'.64S., 173° 17'.69E	Starboard lateral buoy
A2	FI.R.3s2M	34° 56'.26S., 173° 16'.98E	Port lateral buoy
A4	FI.R.3s2M	34° 57'.42S., 173° 15'.64E	Port lateral buoy
Home Creek	FI.G.2.5s2M	34° 57'.89S., 173° 15'.24E	Starboard lateral buoy
Junction Buoy	Q.R.2m2M	34° 59'.35S., 173° 14'.95E	Port lateral buoy
Prices Buoy	Q.G.2m2M	34° 59'.33S., 173° 15'.29E	Starboard lateral buoy
Houhora Buoy	Q.R.2m2M	34° 49'.32S., 173° 07'.78E	Port lateral buoy

5. The following light has been removed:

<i>Name</i>	<i>Characteristics</i>	<i>Position</i>
Rangaunu Harbour, Rear Leading Light	FI.3s10m5M	34° 54'.37S., 173° 18'.40E

6. The following unlit beacons have been removed:

<i>Name</i>	<i>Type</i>	<i>Position</i>
* J6	Port Lateral	34° 59'.10S., 173° 14'.76E
* J8	Port Lateral	34° 59'.21S., 173° 14'.85E
* J10	Port Lateral	34° 59'.32S., 173° 14'.97E
* J12	Port Lateral	34° 59'.33S., 173° 15'.13E

\* Indicates new or revised entry

7. Charting action will be taken in due course.

**Chart affected – NZ 5113**

Northland Regional Council  
NI 147/2010

**NZ 135(T)/10 NEW ZEALAND – South Island – North Coast – Golden Bay – Scientific Instruments.**

1. A scientific seabed mooring has been deployed until August 2011, adjacent to the yellow meteorological buoy, *Fl(5)Y.20s* in position 40° 41'.07S., 172° 55'.38E.
2. Mariners engaged in seabed trawling activities are requested to remain 0.25NM clear of the above location.

**Chart temporarily affected – NZ 61**

NIWA  
NI 156/2010

**NZ 138(P)/10 NEW ZEALAND – South Island – East Coast – Otago Harbour – Light.**

1. The following light has been amended:

<i>Name</i>	<i>Characteristics</i>	<i>Position</i>	<i>Remark</i>
Harington Point	Oc.R.10s2M & F.Y.4M	45° 47'.00S., 170° 43'.39E	Y 177° - 182° (5°)

2. Charting action will be taken in due course.

**Charts affected – NZ 661 – NZ 6612 – NZ300661 – NZ506612**

Port Otago Ltd  
NZ Light List K4367.1  
NI 142/2010

**NZ 151(P)/10 NEW ZEALAND – North Island – East Coast – Manukau Harbour – Lights, Beacons, Buoys.**

1. The following lit beacons have been installed.

<i>Name</i>	<i>Characteristics</i>	<i>Position</i>	<i>Type</i>
Weymouth	Fl.R.2s4m2M	37° 03'.16S., 174° 51'.32E.	Port lateral
Te Pua Point	Fl.R.4s5m2M	37° 03'.29S., 174° 51'.78E.	Port lateral
-	Fl.R.4s6m2M	37° 08'.37S., 174° 41'.25E.	Port lateral

2. The following lit buoys have been installed.

<i>Name</i>	<i>Characteristics</i>	<i>Position</i>	<i>Type</i>
-	Fl(2)4s	37° 08'.56S., 174° 41'.19E.	Isolated danger mark
-	Fl.R.8s	37° 05'.12S., 174° 39'.98E.	Port lateral buoy
-	Fl.R.6s	37° 06'.35S., 174° 40'.53E.	Port lateral buoy

3. Charting action will be taken in due course.

**Charts temporarily affected – NZ 4314 – NZ 404314**

Coastguard Northern Region  
NI 172/2010

**NZ 156(T)/10 NEW ZEALAND – Cook Strait – Scientific Instruments.**

1. Scientific seabed moorings have been deployed until December 2010, in positions:

Cape Terawhiti 41° 16'.69S., 174° 35'.86E.  
Cook Strait West 41° 12'.52S., 174° 25'.61E.  
Cook Strait East 41° 14'.63S., 174° 33'.64E.  
Karori Rock 41° 20'.69S., 174° 39'.32E.

2. Mariners engaged in seabed trawling activities are requested to remain 0.25NM clear of the above locations.

**Charts temporarily affected – NZ 46 – NZ 463 – NZ 615 – NZ300463**

NIWA  
NI 179/2010

**NZ 159(P)/10 NEW ZEALAND – North Island – East Coast – Auckland Harbour – Motukorea Channel – Light.**

1. The following light has been amended:

<i>Name</i>	<i>Characteristics</i>	<i>Position</i>	<i>Remark</i>
Motukorea Channel. Off N side Achilles Point.	LFl.10s4m2M	36° 49'.91S., 174° 52'.04E	Range reduced from 5M

2. Charting action will be taken in due course.

**Charts temporarily affected – NZ 5324 – NZ 5325 – NZ305322 – NZ405324 – NZ505325**

Auckland Regional Council  
NI 188/2010

**NZ 160(P)/10 NEW ZEALAND – South Island – North Coast – Tory Channel – Radio Reporting Procedure.**

1. Significant changes to the Tory Channel Radio Reporting Procedures have been implemented.
2. A new Tory Channel Reporting Arc, of radius 3.8NM, has been established centred on 41° 12'.71S., 174° 19'.12E.
3. Only one vessel of 350 gross tonnage or more is permitted to navigate in the Tory Channel Controlled Navigation Zone at any one time. The Tory Channel Controlled Navigation Zone is defined as a line bearing 320° from Scraggy Point light, 41° 12'.91S., 174° 18'.31E, to Arapawa Island; and an arc of radius 0.6NM, centred on 41° 12'.71S., 174° 19'.12E.
4. **ALL** inward bound vessels on arrival at the Tory Channel Reporting Arc are to transmit a message to '**ALL SHIPS**' on VHF Channel 19 giving ETA for entering the Tory Channel Controlled Navigation Zone. **Note:** the broadcast made on VHF Channel 19 may also be transmitted on VHF Channels 16 and 63.
5. **ALL** outward bound vessels when passing a line projected between Motukina Piont Light and Te Uira Karapa East Point Light are to transmit a message to '**ALL SHIPS**' on VHF Channel 19 giving ETA for entering the Tory Channel Controlled Navigation Zone. **Note:** the broadcast made on VHF Channel 19 may also be transmitted on VHF Channels 16 and 63.
6. For further information refer to Marlborough District Council Bylaws.
7. Charting action will be taken in due course.

**Charts temporarily affected – NZ 46 – NZ 463 – NZ 615 – NZ 6153 – NZ 6154 – NZ300463 - NZ406153 – NZ561541**

Marlborough District Council  
NI 185/2010

**NZ 161(T)/10 NEW ZEALAND – South Island – East Coast – Lyttelton Harbour – Aids to Navigation.**

1. Due to earthquake activity aids to navigation in Lyttelton Harbour, the approaches to Lyttelton Port and around Banks Peninsula may be damaged or unreliable.
2. Mariners are advised to contact Lyttelton Harbour Radio on VHF Channel 16, 12 or 63 for the latest information.

**Charts temporarily affected – NZ 63 – NZ 64 – NZ 632 – NZ 6321 – NZ400632 – NZ506321 – NZ606321**

Land Information New Zealand  
NI 192/2010

**NZ 165(T)/10 NEW ZEALAND – North Island – East Coast – Whakatane – Scientific Instrument.**

1. A current meter, marked by a yellow buoy, *FI(5)Y.20s*, has been deployed in position 37° 55'.97S., 177° 01'.25E. until October 2010.
2. Mariners are requested to exercise caution when navigating in the area.

**Charts temporarily affected – NZ 542**

Cawthron Institute  
NI 200/2010

**NZ 166(T)/10 NEW ZEALAND – North Island – South Coast – Wellington Harbour – Yacht Club Race Marker Buoys.**

Five unlit orange buoys have been laid in the following locations until further notice.

<i>Mark</i>	<i>Position</i>
4 Ngauranga Buoy	41° 15'.72S., 174° 47'.97E.
5 Somes Island	41° 15'.68S., 174° 51'.16E.
10 Falcon Shoal Bouy	41° 18'.15S., 174° 50'.97E.
11 Korokoro Buoy	41° 14'.38S., 174° 51'.03E.
16 Horokiwi Buoy	41° 15'.05S., 174° 49'.59E.

**Charts temporarily affected – NZ 4633 – NZ 4634 – NZ404633 – NZ546341 – NZ546342**

Greater Wellington Regional Council  
NI 199/2010

**NZ 170(P)/10 NEW ZEALAND – North Island – East Coast – Hauraki Gulf – Mairangi Bay – Pipeline.**

1. An outfall pipeline has been constructed between the following positions:

36° 43'.79S., 174° 47'.07E.  
36° 44'.20S., 174° 45'.74E.  
36° 44'.32S., 174° 45'.36E.

2. Charting action will be taken in due course.

**Charts affected – NZ 532 – NZ 5321 – NZ 5322 – NZ305322 – NZ405321 – NZ505322**

AECOM  
NI 203/2010

**NZ 171(P)/10 NEW ZEALAND – South Island – North Coast – Queen Charlotte Sound – Waikawa Bay – Light.**

1. The following light has been amended:

<i>Name</i>	<i>Characteristics</i>	<i>Position</i>	<i>Remark</i>
Waikawa Bay Marina. South Breakwater	Oc.WRG.3s5m8M	41° 15'.87S., 174° 02'.35E.	Range increased to 8M

2. Charting action will be taken in due course.

**Charts affected – NZ 6153 – NZ406153**

Marlborough District Council  
NZ Light List K4254.5  
NI 202/2010

**NZ 176(T)/10 NEW ZEALAND – North Island – East Coast – Whangarei Harbour and Bream Bay – Scientific Moorings.**

1. Scientific moorings, marked with an unlit orange buoy, have been deployed until March 2011 at the following locations:

Whangarei 35° 50'.07S., 174° 31'.60E.  
35° 51'.65S., 174° 32'.63E.  
35° 48'.45S., 174° 25'.43E.

Bream Bay 35° 54'.90S., 174° 30'.54E.  
35° 58'.22S., 174° 32'.31E.  
36° 02'.08S., 174° 33'.22E.

2. Mariners are requested to pass at least 1NM clear of the above locations.

**Charts temporarily affected – NZ 521 – NZ 5214 – NZ 5215 – NZ 5219 – NZ505214 – NZ505215**

NIWA

NI 214/2010

**NZ 180(T)/10 NEW ZEALAND – North Island – West Coast – Manukau Harbour Entrance – Depths.**

*Former notice* - NZ 102(T)/10 is cancelled.

South West Channel

1. A recent survey (September 2010) indicates that the deepest water was found to lie within a sector bearing Ninepin Rock Lt. 061° - 065° True. Within this sector a least depth of 5.9m below CD can be expected.
2. All vessels should contact the Signalman at South Head. Phone (09) 235-1013, for the latest conditions.
3. Mariners should be aware that depths in the approaches to Manukau Harbour and across the bar are constantly changing.

**Charts temporarily affected – NZ 4314 – NZ404314**

Ports of Auckland Ltd

NI 211/2010

**NZ 182(T)/10 NEW ZEALAND – South Island – North Coast – Tasman Bay – Motueka River – Scientific Instrument.**

*Former notice* – NZ 184(T)/09 is cancelled.

1. A current meter marked by a large yellow buoy, Q(5)Y.20s, has been established in position 41° 03'.49S., 173° 05'.47E. until December 2010.
2. Mariners are advised to exercise caution when navigating in the area.

**Charts temporarily affected – NZ 614 – NZ 6144**

Cawthron Institute

NI 220/2010

**NZ 186(T)/10 SOUTH WEST PACIFIC – Maritime Safety Broadcasts.**

*Former notice* – NZ 131(T)/10 is cancelled.

Optimum R/T frequencies within NAVAREA XIV

The accompanying diagrams show the optimum R/T calling and working frequency bands and times for navigational warnings broadcast within 1000 nautical miles of Taupo Maritime Radio (ZLM) (38° 50'S., 176° 00'E. approx.) for the period November 2010 to January 2011.

Land Information New Zealand  
NI 226/2010

**NZ 190(T)/10 NEW ZEALAND – South Island – North Coast – Waitata Reach – Scientific Instruments.**

*Former notice* – NZ 167(T)/09 is cancelled.

1. Two current meters, marked by a yellow buoy, *FI(5)Y.20s*, have been deployed in the following positions until November 2010:

Ketu Bay	40° 58'.64S., 173° 59'.36E.
Tawhitinui Bay	41° 02'.61S., 173° 56'.49E.

2. Mariners are requested to exercise caution when navigating in the area.

**Charts temporarily affected – NZ 615 – NZ 6152 – NZ300615**

Cawthron Institute  
NI 230/2010

**NZ 191(T)/10 NEW ZEALAND – South Island – East Coast – Lyttelton Harbour – Dredging Operations.**

1. Dredging operations are underway in the Lyttelton Harbour main navigation channel until December 2010.
2. The dredger *New Era* will operate 24 hours, 7 days a week and is restricted in its ability to manoeuvre.
3. All vessels are requested to keep clear of operations and to give the dredger a wide berth.
4. The dredger will maintain a listening watch on VHF Channel 12 and 16.

**Charts temporarily affected – NZ 6321 – NZ506321**

Lyttelton Port of Christchurch  
NI 229/2010

**NZ 192(T)/10 NEW ZEALAND – South Island – West Coast – Greymouth Harbour – Depths.**

*Former notice* – NZ 112(T)/10 is cancelled.

1. A recent survey (13 October 2010) indicates the following depths below CD on the bar at the Grey River entrance:

North Transit Lead	4.7m	42° 26'.33S., 171° 11'.41E.
Central Transit Lead	4.1m	42° 26'.23S., 171° 11'.22E.
South Transit Lead	4.8m	42° 26'.30S., 171° 11'.31E.

2. Mariners should be aware that depths in Greymouth Harbour entrance are constantly changing and should contact the Harbourmaster for the latest conditions on (027) 435 3424 or (03) 768 5666 or Greymouth Harbour Radio Ch14.

**Charts temporarily affected – NZ 7142**

Port of Greymouth  
NI 223/2010

**NZ 193(T)/10 NEW ZEALAND – North Island – West Coast – Raglan Harbour – Scientific Instruments.**

1. From 28<sup>th</sup> October 2010 until the end of November 2010 a scientific mooring marked by a yellow buoy, *FI(5)Y.20s*, will be deployed in position 37° 47'.70S., 174° 48'.03E.
2. Mariners are requested to exercise caution when navigating in the area.

**Charts temporarily affected – NZ 43 – NZ 4421**

NIWA  
NI 232/2010

**NZ 198(T)/10 NEW ZEALAND – South Island – North Coast – Tasman Bay and Golden Bay – Seasonal Spat Catching Areas.**

1. Seasonal Spat catching areas have been established in Tasman Bay and Golden Bay until April 2011. The perimeter corners are identified by cardinal marks at the following positions:

Tasman Bay	41° 03'.32S., 173° 07'.21E.
	41° 04'.55S., 173° 08'.24E.
	41° 04'.38S., 173° 04'.89E.
	41° 05'.60S., 173° 05'.91E.

Golden Bay	40° 45'.11S., 172° 50'.88E.
	40° 46'.03S., 172° 52'.88E.
	40° 46'.66S., 172° 49'.33E.
	40° 47'.61S., 172° 51'.33E.

2. Mariners are requested to exercise caution when navigating in the area.

**Charts temporarily affected – NZ 61 – NZ 614 – NZ 6144**

Golden Bay Ring Road Spat Catching Ltd & Tasman Bay Ring Road Spat Catching Ltd  
NI 238/2010

**NZ 200(T)/10 NEW ZEALAND – South Island – East Coast – Otago Harbour – Upper Harbour – Beacons, buoys.**

1. The port lateral beacon, No 8, Fl(2)R.5s, in position 45° 49'.87S., 170° 36'.53E., has been temporarily replaced with a red lateral buoy, *Fl.R(5s)*, until December 2010.
2. The starboard lateral beacon, No 63, Fl(2)G.5s, in position 45° 52'.41S., 170° 31'.96E., has been temporarily replaced with a green lateral buoy, *Fl.G(5s)*, until December 2010.
3. Mariners are advised to exercise caution when navigating in the area.

**Charts temporarily affected – NZ 6612 – NZ506612**

Port Otago Ltd  
NI 244/2010

**NZ 201(T)/10 NEW ZEALAND – South Island – East Coast – Approaches to Otago Harbour – Scientific Instrument.**

1. A current meter marked by a yellow buoy, *Fl(5)Y.20s*, has been deployed in position 45° 44'.12S., 170° 48'.00E., until December 2010.
2. Mariners are advised to exercise caution when navigating in the area.

**Charts temporarily affected – NZ 66 – NZ 661 – NZ300661**

Port Otago Ltd  
NI 245/2010

**NZ 202(P)/10 NEW ZEALAND – South Island – West Coast – Doubtful Sound, Breaksea Sound and Dusky Sound – Buoy, beacons.**

*Former notice* – NZ 181(P)/10 is cancelled.

1. The following aids to navigation have been installed:

<i>Name</i>	<i>Position</i>	<i>Type</i>
* Rocky Point	45° 34'.80S., 166° 40'.40E	Buoy, Isolated Danger Mark
* Paget Passage	45° 44'.71S., 166° 47'.15E	Beacon, West Cardinal Mark
* Cascade Cove	45° 48'.12S., 166° 35'.82E	Beacon, Isolated Danger Mark

\* Indicates new or revised entry.

2. Charting action will be taken in due course.

**Charts affected – NZ 7624 – NZ 7625 – NZ 7653 – NZ 7655 – NZ 7656**

Environment Southland  
NI 242/2010

**NZ 206(P)/10 NEW ZEALAND – North Island – East Coast – Marsden Point & Whangarei Harbour – Radio Reporting Points & Anchorage Areas.**

1. All vessels 100 GRT or greater must contact Whangarei Harbour Radio on VHF Channel 19; 30 minutes prior to passing the Fairway Buoy inwards; prior to leaving the berth; and at each of the reporting points listed below.
2. Radio Reporting points have been established adjacent to the following aids to navigation:

<i>Reporting Point</i>	<i>Position</i>	<i>Direction</i>
Fairway Buoy	35° 53'.25S., 174° 33'.15E.	320.6° / 140.6°
Snake Bank Beacon	35° 49'.73S., 174° 29'.10E.	107° / 287°
Wellington Rock Beacon	35° 46'.59S., 174° 22'.42E.	081.5° / 261.5°

3. Anchorage areas have been established as follows:

<i>Anchorage Area</i>	<i>Position</i>
A	35° 52'.40S., 174° 34'.50E.
	35° 52'.40S., 174° 36'.10E.
	35° 53'.40S., 174° 36'.10E.
	35° 53'.40S., 174° 34'.50E.
B	35° 55'.80S., 174° 32'.30E.
	35° 55'.80S., 174° 32'.30E.
	35° 57'.80S., 174° 33'.90E.

4. Charting action will take place in due course.

**Charts temporarily affected – NZ 521 – NZ 5214 – NZ 5215 – NZ 5219 – NZ505214 – NZ505215**

Northland Regional Council  
NI 190/2010

**NZ 208(T)/10 NEW ZEALAND – South Island – West Coast – Milford Sound – Deep Water Basin – Beacon.**

*Former notice* – NZ 168(T)/10 is cancelled.

1. The unlit port lateral beacon No 8 in position 44° 40'.71S., 167° 54'.99E. has been destroyed and is temporarily replaced with a red lateral buoy.
2. Mariners are advised to exercise caution when navigating in the area.

**Charts temporarily affected – NZ 7621 – NZ576211**

Maritime New Zealand  
NI 251/2010