

NEW ZEALAND TEMPORARY AND PRELIMINARY NOTICES IN FORCE

(NZ NTM Edition No.3 dated 3 February 2012)

NZ Notice	T/P	Charts Affected	Locality and Subject
		NZ Chart, ENC Cell	
129/04	T	NZ 52, NZ53, NZ 522, NZ 5227	Hauraki Gulf: Dredging Operations
194/04	P	NZ 46, NZ 48, NZ 61, NZ 463, NZ 614, NZ 6151, NZ 6152, NZ 6153, NZ 6154	Marlborough Sounds: Use of Automated Navigation Systems
161/05	P	NZ 4633, NZ 4634	Wellington Hr.: Navigation Safety Bylaw
173/05	T	NZ 53, NZ 54, NZ 531, NZ 534, NZ 5318	Whitianga Hr.: Sandbar
176/06	T	NZ 23 (INT 640), NZ 26, NZ 56, NZ 14060 (INT 60), NZ 14600 (INT 600)	N. Island, E. Coast: Scientific Instruments
177/06	T		Indian Ocean: Operation 'Enduring Freedom'
205/06	T	NZ 532, NZ 5324	Tamaki Strait: Motuihe Is.: E. Cardinal Lt Beacon
37/07	T	NZ 53, NZ 532, NZ 533, NZ 5327	Firth of Thames: Moorings, Research Instruments
63/07	T	NZ 4633	Wellington Hr.: Race Marker Buoys
219/07	P	NZ 54, NZ 542	Bay of Plenty, Opotiki: Fish Haven
91/08	P	NZ 4424	W. Coast, Taharoa Hr.: Hr. Limits
131/08	T	NZ 68, NZ 69, NZ 681	Foveaux Strait, Ruapuke Is.: Seabed Obstruction
132/08	T	NZ 14051 (INT 51), NZ 14052 (INT 52), NZ 14060 (INT 60), NZ 14061 (INT 61), NZ 14604 (INT 604), NZ 14605 (INT 605), NZ 14606 (INT 606), NZ 14607 (INT 607), NZ 14629 (INT 629)	North, South Pacific Ocean: ATLAS Buoys
244/08	P	NZ 632, NZ 6321	Banks Peninsula: Mussel Farms
118/09	T	NZ 8275 (T 8275)	Tonga, Nuku'alofa Hr.: Light
139/09	T	NZ 845, NZ 14630 (INT 630), NZ 14631 (INT 631)	Nuie Is: Lights
242/09	P	NZ 42, NZ 4265	Kaipara Hr. Entrance: Depths
28/10	T	NZ 5321, NZ 5322, NZ405321, NZ505322	Auckland Hr. Approaches: Light
63/10	T	NZ 53, NZ 532, NZ 533, NZ 5327, NZ300053, NZ305321	Firth of Thames: Scientific Buoy
132/10	P	NZ 5113	Rangaunu Hr.: Lights, Beacons, Buoys
151/10	P	NZ 4314, NZ404314	Manukau Hr.: Lights, Beacons, Buoys
222/10	P	NZ 542	Whakatane: Depths
20/11	P	NZ 5411, NZ5412, NZ405411, NZ505412	Tauranga Hr.: Lights
40/11	T	NZ 4633, NZ 4634, NZ404633, NZ546341, NZ546342	Wellington Hr.: Yacht Club Race Marker Buoys
68/11	P	NZ 53, NZ 532, NZ 5322, NZ 5324, NZ 5325, NZ305322, NZ405324, NZ505322, NZ505325	Rangitoto Channel: Light
78/11	P	NZ 521, NZ 5219	Marsden Point & Whangarei Harbour: Radio Reporting Points & Anchorage Areas.
81/11	T	NZ 46, NZ 463, NZ 615, NZ300463, NZ300615	Cook Strait: Scientific Instruments
82/11	T	NZ 68, NZ 69, NZ 681, NZ 6821, NZ 6825, NZ300681, NZ506811	Foveaux Strait: Scientific Instruments
127/11	T	NZ 63, NZ 632, NZ400632, NZ506321	Okains Bay: Scientific Instruments
128/11	P	NZ 9558	Rarotonga Avatiu: Works in Progress
149/11	P	NZ 6153, NZ 6154, NZ406153, NZ561541	Tory Channel: Light Beacon, Rock
156/11	T	NZ 632, NZ 6321, NZ400632, NZ506321, NZ606321	Lyttelton Hr.: Light
158/11	T	NZ 14060 (INT 60), NZ 14061 (INT 61), NZ 14605 (INT 605), NZ 14638 (INT 638)	Kingdom of Tonga, N. & S. Minerva Reefs: Lights
166/11	T	NZ 6321, NZ506321, NZ606321	Lyttelton Hr.: Beacon
172/11	P	NZ 4265	Kaipara Hr.: Lights, Beacons, Buoys
175/11	P	NZ 6152	Havelock: Lights, Beacons
202/11	P	NZ 6142, NZ606142	Port Nelson: Light, Beacon, Works in Progress
209/11	T	NZ 45, NZ 48	South Taranaki Bight: Drilling Operations
219/11	T	NZ 45, NZ 48, NZ 443, NZ300443	South Taranaki Bight: Scientific Instruments
226/11	T	NZ 23(INT 640), NZ 26, NZ 55, NZ14600 (INT 600), NZ200023, NZ300055	Gisborne, Northeastwards: Scientific Instrument
230/11	T	NZ 4314, NZ404314	Manukau Hr. Entrance: Depths
241/11	T	NZ 61, NZ 614, NZ 6144, NZ300614, NZ406144	Tasman Bay and Golden Bay: Spat Catching Areas.
247/11	T	NZ 54, NZ 541, NZ 542, NZ 5413, NZ300541, NZ405413	East Coast, Bay of Plenty: Waverider Buoy
249/11	T	NZ 7142, NZ407142, NZ507142	West Coast, Greymouth Harbour: Depths.
255/11	T	NZ 23 (INT 640), NZ 25 (INT 648), NZ 45, NZ 48, NZ 443, NZ200023, NZ200025, NZ300443	Cape Egmont Southwestwards: Drilling Operations.
260/11	T	NZ 6612, NZ506612	Otago Harbour; Lower Harbour: Beacon, Light.
267/11	T	NZ 25 (INT 648), NZ 29, NZ 64, NZ 66, NZ 68, NZ200025	Otago Peninsula Southwards: Seismic Survey
24/12	T	NZ 54, NZ 534, NZ 541, NZ 542, NZ 5411, NZ 5413, NZ300541, NZ405411, NZ405413	Tauranga, Astrolabe Reef: Exclusion Zone.

Continued

Continued

NZ Notice	T/P	Charts Affected	Locality and Subject
		NZ Chart, ENC Cell	
25/12	T	NZ 43, NZ 45, NZ 48, NZ 443, NZ300443	West Coast, Cape Egmont: Underwater Operations
26/12	P	NZ 43, NZ 4424	West Coast, Taharoa Offshore Terminal: Works in Progress
27/12	T	NZ 43, NZ 45, NZ 48, NZ 443, NZ300443	West Coast, Cape Egmont: Underwater Operations
33/12	T		South Pacific Ocean: Maritime Safety Broadcasts

NZ 129(T)/04 NEW ZEALAND – North Island – East Coast – Hauraki Gulf – Jellicoe Channel – Dredging Operations.

1. Sand extraction activities have commenced in Jellicoe Channel west of a line joining :
 - (a) Taranga Island 35° 57'.85S., 174° 44'.60E.
 - (b) Little Barrier Island 36° 10'.30S., 175° 06'.35S.,
 - (c) Horn Rock 36° 15'.35S., 175° 11'.40E.
 - (d) Anchorite Rock 36° 25'.95S., 175° 07'.85E.
2. Dredgers may be operating anywhere within this area.

Charts temporarily affected – NZ 52 – NZ 53 – NZ 522 – NZ 5227

Kaipara Ltd.
NI 111/2004

NZ 194(P)/04 NEW ZEALAND – South Island – North Coast – Marlborough Sounds – Use of Automated Navigation Systems.

Direction pursuant to Section 650C (3)(a) of the Local Government Act 2002
Use of Automated Navigation Systems.

1. The use of automated navigation systems that act on their own (e.g. linked to GPS or DGPS receivers) without the immediate preceding direction of the Master or Officer of the Watch is prohibited within the areas set out below.
2. Areas to which this Direction applies:
 - Queen Charlotte Sound/Tory Channel Pilotage District
 - Pelorus Sound Pilotage District
 - French Pass
3. This Direction will remain in force until further notice.

A. van Wijngaarden
Harbourmaster.

Charts temporarily affected – NZ 46 – NZ 48 – NZ 61 – NZ 463 – NZ 614 – NZ 6151 – NZ 6152 – NZ 6153 – NZ 6154

Marlborough Regional Council
NI 181/2004

NZ 161(P)/05 NEW ZEALAND – North Island – South Coast – Wellington Harbour – Navigation and Safety Bylaw 6.3

Former Notice – NZ 142(T)/05 is cancelled

Duty of a Master of a Vessel Under 500 Gross Tonnage

1. Wellington Region Navigation and Safety Bylaw 6.3 : The master of every vessel in Wellington Harbour, under 500 gross tonnage (including vessels at anchor) shall not impede the navigation of any vessel of 500 gross tonnage or more.
2. Greater Wellington Regional Council have defined Wellington Harbour in Schedule 1 of the Wellington Region Navigation and Safety Bylaws.
3. The Wellington Region Navigation and Safety Bylaws can be obtained from the following website :
www.gw.govt.nz

Charts affected – NZ 4633 – NZ 4634

Greater Wellington Regional Council
NI 136/2005

NZ 173(T)/05 NEW ZEALAND – North Island – East Coast – Mercury Bay – Approaches to Whitianga – Sandbar.

1. A sandbar has developed in the approaches to Whitianga extending from Pandora Rock (36° 49'.5S., 175° 43'.3E.) to a position one mile northwards.
2. Depths as shallow as one metre have been recorded in position 36° 49'.27S., 175° 43'.14E.
3. Vessels may encounter steep, breaking waves when onshore swell opposes the outgoing tide.
4. Mariners are cautioned to exercise care when navigating in the vicinity.

Charts temporarily affected – NZ 53 – NZ 54 – NZ 531 – NZ 534 – NZ 5318

Whitianga Harbourmaster.
NI 154/2005

NZ 176(T)/06 NEW ZEALAND – North Island – East Coast – Cape Kidnappers Eastwards – Scientific Instruments.

Former Notice – NZ 70(T)/05 is cancelled.

Scientific instruments and mooring with submerged buoys remain in position 41° 09'.91S., 178° 30'.66E. in 3100 metres water depth.

Charts temporarily affected – NZ 23 (INT 640) – NZ 26 – NZ 56 – NZ 14060 (INT 60) – NZ 14600 (INT 600)

NIWA
NI 177/2006

NZ 177(T)/06 INDIAN OCEAN – Arabian Penla. & Somalian Coast – Operation ‘Enduring Freedom’

Former Notice – NZ 58(T)/05 is cancelled.

SUPPORT OF GERMAN TASK GROUP 500.01 IN OPERATION ‘ENDURING FREEDOM’

1. In order to support the U.S. and multinational task groups in their surveillance and anti-terrorist operation in the area east of the Arabian Peninsula and to seaward of the Somalian coast, German Task Group 500.01 is tasked with providing shipping information and acting as a point of contact for merchant shipping. Information will be forwarded to merchant shipping in the area east of Bab-El-Mandeb and outside the territorial waters of Somalia for safe passage, especially to all German merchant ships.
2. All merchant shipping is invited to participate to improve the reporting and exchange of information. Such reporting is voluntary however. Civil Maritime authorities are encouraged to support this service which, by its stabilising naval presence benefits shipping in the region.
3. Shipping Companies and Merchant ships are kindly requested to report detailed information to GERMAN TASK GROUP 500.01 by email: ctg_500.01@arcor.de or by Inmarsat 00 870 321 820 210. All ships are requested to provide name, international callsign, IMO number and general nature of cargo.
4. Ships intending to transit an area of operation westwards to the Red Sea and the Suez Canal are requested to provide position, ETD and name of last port of call, and ETA Suez. Ships intending to transit eastwards after passing the Suez Canal are requested to provide position, ETD Suez and next port of call. General information and the ‘ship-data’ form are also available on website : www.scc-gluecksburg.de .
5. The emphasis is on the exchange of information between military authorities, naval forces and merchant shipping. Provision of this information will assist the compilation of an accurate shipping plot for the security of shipping by naval forces in the region. It will also reduce VHF traffic between merchant ships and warships.

Federal Republic of Germany
NI 175/2006

NZ 205(T)/06 NEW ZEALAND – North Island – East Coast – Tamaki Strait – Motuihe Island – East Cardinal Light Beacon.

Former Notice – NZ 138(T)/06 is cancelled.

1. Motuihe Island East Cardinal Light beacon Q(3)10s2m1M (36° 48'.6S., 174° 57'.7E) has been destroyed.
2. The beacon has been replaced with a temporary buoy Q(3)6s.

Charts temporarily affected – NZ 532 – NZ 5324

Ports of Auckland Ltd
NZ Light List K3845.2
NI 201/2006

NZ 37(T)/07 NEW ZEALAND – North Island – East Coast – Firth of Thames – Moorings and Research Instruments

1. An un-marked sub-surface research mooring has been deployed in position 36° 46'.05S., 175° 18'.33E, until further notice.
2. Mariners are requested to exercise caution when navigating in the area.

Charts temporarily affected – NZ 53 – NZ 532 – NZ 533 – NZ 5327

NIWA
NI 25/2007

**NZ 63(T)/07 NEW ZEALAND – North Island – South Coast – Wellington Harbour – Yacht Club Race
Marker Buoys.**

Seven unlit orange buoys have been laid in the following locations until further notice.

Mark No.	Position
18	41° 14'.08S., 174° 52'.60E.
23	41° 14'.32S., 174° 53'.15E.
20	41° 14'.87S., 174° 52'.18E.
24	41° 15'.76S., 174° 52'.34E.
17	41° 15'.93S., 174° 54'.15E.
18	41° 16'.62S., 174° 53'.85E.
12	41° 17'.41S., 174° 52'.54E.

Chart temporarily affected – NZ 4633

Greater Wellington Regional Council
NI 47/2007

NZ 219(P)/07 NEW ZEALAND – North Island – East Coast – Bay of Plenty – Opotiki – Fish Haven.

1. A fish haven is to be established in the area bounded by the following coordinates:

37° 58'.0S., 177° 16'.5E.
37° 58'.0S., 177° 17'.8E.
37° 59'.0S., 177° 17'.8E.
37° 59'.0S., 177° 16'.5E.

2. Shoaling of up to 2m is to be expected in this area.
3. Charting action to be taken in due course.

Charts temporarily affected – NZ 54 – NZ 542

REAF
NI 246/2007

NZ 91(P)/08 NEW ZEALAND – North Island – West Coast – Taharoa Harbour – Harbour Limits.

1. Mariners are advised the harbour limits at Taharoa Harbour have been extended and are defined as:

All waters inside a circle of radius five nautical miles centred on the Ironsands Terminal Light
L.Fl.(2)W.20s (Number 4096 NZ Almanac light list) intersecting a line drawn from Albatross Point 270° True.

2. Charting action will be taken in due course.

Charts temporarily affected – NZ 4424

Maritime New Zealand
NI 81/2008

NZ 131(T)/08 NEW ZEALAND – South Island – South Coast – Foveaux Strait – Ruapuke Island – Seabed Obstruction.

1. A ships anchor and eight shackles of chain has been abandoned on the seabed in position 46° 45'.8S., 168° 20'.3E.
2. Mariners engaged in seabed trawling activities are advised to exercise caution when navigating in the area.

Charts temporarily affected – NZ 68 – NZ 69 – NZ 681

Environment Southland
NI 129/2008

NZ 132(T)/08 NORTH PACIFIC OCEAN, SOUTH PACIFIC OCEAN – Autonomous Temperature Line Acquisition System (ATLAS) – Buoyage.

Former notice – NZ 219(T)/06 is cancelled.

1. The National Oceanic and Atmospheric Administration (NOAA) maintains an array of buoys called Autonomous Temperature Line Acquisition System (ATLAS) in the Pacific Ocean.
2. The ATLAS buoys, orange and white bands, Q (2 metre toroid buoy) which make up the array are located in the following positions:

8° 03'.7N., 94° 56'.2W	5° 00'.0S., 124° 59'.2W	2° 10'.0S., 170° 02'.5W
4° 57'.1N., 95° 00'.8W	7° 58'.9S., 124° 58'.9W	4° 58'.8S., 170° 02'.7W
1° 59'.5N., 95° 19'.9W	9° 00'.4N., 140° 15'.6W	7° 58'.5S., 170° 01'.4W
1° 32'.3N., 93° 50'.1W	4° 59'.8N., 139° 57'.8W	7° 59'.5N., 179° 53'.5W
1° 57'.2S., 95° 09'.7W	1° 59'.7N., 140° 07'.1W	4° 59'.5N., 179° 54'.1W
5° 02'.4S., 95° 04'.3W	1° 40'.8S., 144° 40'.2W	2° 00'.1N., 179° 46'.7W
8° 00'.8S., 95° 15'.4W	2° 00'.7S., 139° 57'.4W	0° 00'.6N., 179° 54'.7W
8° 02'.9N., 110° 08'.9W	4° 58'.8S., 139° 55'.7W	2° 00'.4S., 179° 53'.5W
5° 01'.6N., 110° 06'.1W	7° 57'.5N., 154° 58'.8W	4° 58'.7S., 179° 55'.1W
2° 02'.7N., 110° 00'.9W	5° 01'.2N., 154° 55'.8W	7° 59'.2S., 179° 51'.2W
0° 01'.7N., 109° 57'.0W	1° 59'.6N., 154° 58'.4W	8° 02'.3N., 165° 03'.5E
1° 55'.9S., 110° 04'.1W	0° 05'.3S., 155° 10'.0W	5° 02'.3N., 165° 01'.3E
4° 58'.9S., 109° 59'.0W	1° 59'.2S., 155° 00'.4W	1° 59'.4N., 165° 00'.6E
7° 57'.7S., 110° 05'.0W	4° 58'.9S., 154° 59'.6W	0° 04'.0N., 163° 28'.3E
8° 03'.0N., 124° 59'.6W	8° 15'.9S., 155° 01'.6W	2° 00'.0S., 164° 58'.7E
5° 05'.2N., 124° 52'.4W	7° 30'.2N., 169° 47'.4W	4° 59'.7S., 165° 11'.2E
5° 25'.3N., 129° 14'.8W	4° 58'.7S., 169° 59'.0W	8° 02'.3S., 164° 46'.4E
0° 10'.3S., 124° 23'.6W	2° 01'.6N., 169° 59'.2W	
2° 00'.2S., 125° 00'.4W	0° 02'.7S., 170° 04'.3W	

3. Mariners are advised to give all mooring positions a 5 nautical mile wide berth.

Charts temporarily affected – NZ 14051 (INT 51) – NZ 14052 (INT 52) – NZ 14060 (INT 60) – NZ 14061 (INT 61) – NZ 14604 (INT 604) – NZ 14605 (INT 605) – NZ 14606 (INT 606) – NZ 14607 (INT 607) – NZ 14629 (INT 629)

UKHO Notice 2858(T)/2008
NI 122/2008

NZ 244(P)/08 NEW ZEALAND – South Island – East Coast – Banks Peninsula – Mussel Farms.

1. Two mussel farms have been established in areas bounded by the following co-ordinates:

Port Levy	43° 36'.74S., 172° 49'.85E.
	43° 36'.74S., 172° 49'.93E.
	43° 37'.05S., 172° 49'.86E.
	43° 37'.47S., 172° 49'.72E.
	43° 37'.45S., 172° 49'.65E.
	43° 37'.03S., 172° 49'.79E.

Beacon Rock	43° 36'.61S., 172° 52'.14E.
	43° 36'.51S., 172° 52'.15E.
	43° 36'.47S., 172° 52'.21E.
	43° 36'.46S., 172° 52'.30E.
	43° 36'.51S., 172° 52'.30E.
	43° 36'.61S., 172° 52'.14E.

2. The perimeter corners of the areas are identified by a lit orange buoy, Q(5)Y.20s.
3. Charting action will be taken in due course.

Charts temporarily affected – NZ 632 – NZ 6321

Marlborough Mussel Company Ltd
NI 207/2008

NZ 118(T)/09 SOUTH PACIFIC OCEAN – Tonga – Tongatapu – Nuku'alofa Harbour – Light.

1. The Boat Harbour light, Fl.R.4s5m2M in position 21° 08'.24S., 175° 11'.03W. is extinguished until further notice.
2. Mariners are advised to exercise caution when navigating in the area.

Chart temporarily affected – NZ 8275 (T 8275)

Land Information New Zealand
BA Light List K4649.3
NI 107/2009

NZ 139(T)/09 NEW ZEALAND – SOUTH PACIFIC – Nuie Island – Alofi Bay – Lights.

Former notice – NZ 80(T)/07 is cancelled.

The following lights are reported as being unlit:

1. Alofi Bay leading lights, F.R. & F.R. in position 19° 03'.2S., 169° 55'.2W.
2. Alofi North light, Fl.10s in position 19° 02'.7S., 169° 55'.1W.

Charts temporarily affected – NZ 845 – NZ 14630 (INT 630) – NZ 14631 (INT 631)

Land Information New Zealand
BA Light List K4656, K4656.1, K4657
NI 118/2009

NZ 242(P)/09 NEW ZEALAND – North Island – West Coast – Kaipara Harbour Entrance – Depths.

1. A recent survey indicates that depths north of Tory Shoal are considerably less than charted. The most significant depths are as follows:

<i>Depth</i>	<i>Position</i>
3 ₃ m	36° 24'.95S., 174° 02'.56E.
3 ₂ m	36° 24'.57S., 174° 03'.20E.
1 ₅ m	36° 24'.75S., 174° 03'.35E.
0 ₈ m	36° 24'.52S., 174° 03'.87E.
0 ₉ m	36° 24'.51S., 174° 04'.14E.
1 ₃ m	36° 24'.69S., 174° 04'.42E.

(All positions are referred to WGS84 Datum)

2. These and other changes will be included in the next update of charts.

Charts temporarily affected – NZ 42 – NZ 4265

Discovery Marine Limited Ltd
NI 241/2009

NZ 28(T)/10 NEW ZEALAND – North Island – East Coast – Auckland Harbour Approaches – Wairau River Entrance Light.

1. The Wairau River Entrance Light, Dir.F.WRG.4m1M, in position 36° 45'.85S., 174° 45'.95E. has been reported unreliable.
2. Mariners are advised to exercise caution when navigating in the area.

Charts temporarily affected – NZ 5321 – NZ 5322 – NZ405321 – NZ505322

Auckland Regional Council
NZ Light List K3743
NI 15/2010

NZ 63(T)/10 NEW ZEALAND – North Island – East Coast – Firth of Thames – Scientific Buoy.

Former notice – NZ 189(T)/09 is cancelled

1. A yellow buoy, Q(5)Y.20s has been laid in position 36° 49'.48S., 175° 21'.10E. until further notice.
2. All vessels are requested to pass at least 0.5NM clear of the location and exercise caution when navigating in the area.

Charts temporarily affected – NZ 53 – NZ 532 – NZ 533 – NZ 5327 – NZ300053 – NZ305321

NIWA
NI 53/2010

**NZ 132(P)/10 NEW ZEALAND – North Island – East Coast – Rangaunu Harbour – Research Instruments
– Lights, Beacons and Buoys.**

Former notice – NZ 90(P)/10 is cancelled.

1. Significant changes to navigational aids have been made in Rangaunu Harbour.

2. Lights have been amended as follows:

<i>Name</i>	<i>Characteristics</i>	<i>Position</i>	<i>Remark</i>
Omere, Janus or Toby Rock	Fl(2)R.6s5m5M	34° 52'.79S., 173° 16'.92E	
Wairaka Point	Fl.R.2.5s3m2M	34° 54'.08S., 173° 18'.08E	Red □ topmark
* Mangatete	Fl.G.2s2m2M	34° 56'.98S., 173° 16'.25E	
* Rat Island	Q.G.2m2M	34° 57'.56S., 173° 15'.25E	
* Mangrove Island	Q.G.2m2M	34° 58'.38S., 173° 15'.08E	
* Junction Reach	Q.R.2m2M	34° 58'.89S., 173° 14'.61E	

3. The following lights have been installed:

<i>Name</i>	<i>Characteristics</i>	<i>Position</i>	<i>Remark</i>
Sheigis Rock	Fl.R.3s1m2M	34° 53'.43S., 173° 17'.67E	Red □ topmark
* J4	Q.R.2m2M	34° 58'.99S., 173° 14'.65E	
* J16	Q.R.2m2M	34° 59'.37S., 173° 15'.42E	
* J18	Q.R.2m2M	34° 59'.57S., 173° 15'.42E	
* J20	Q.R.2m2M	34° 59'.75S., 173° 15'.34E	
* A1	Q.G.2m2M	34° 59'.99S., 173° 15'.09E	
* A5	Q.G.2m2M	35° 00'.08S., 173° 15'.10E	

4. The following lit buoys have been installed:

<i>Name</i>	<i>Characteristics</i>	<i>Position</i>	<i>Type</i>
Walker Island	Fl.G.3s2M	34° 54'.64S., 173° 17'.69E	Starboard lateral buoy
A2	Fl.R.3s2M	34° 56'.26S., 173° 16'.98E	Port lateral buoy
A4	Fl.R.3s2M	34° 57'.42S., 173° 15'.64E	Port lateral buoy
Home Creek	Fl.G.2.5s2M	34° 57'.89S., 173° 15'.24E	Starboard lateral buoy
Junction Buoy	Q.R.2m2M	34° 59'.35S., 173° 14'.95E	Port lateral buoy
Prices Buoy	Q.G.2m2M	34° 59'.33S., 173° 15'.29E	Starboard lateral buoy
Houhora Buoy	Q.R.2m2M	34° 49'.32S., 173° 07'.78E	Port lateral buoy

5. The following light has been removed:

<i>Name</i>	<i>Characteristics</i>	<i>Position</i>
Rangaunu Harbour, Rear Leading Light	Fl.3s10m5M	34° 54'.37S., 173° 18'.40E

6. The following unlit beacons have been removed:

<i>Name</i>	<i>Type</i>	<i>Position</i>
* J6	Port Lateral	34° 59'.10S., 173° 14'.76E
* J8	Port Lateral	34° 59'.21S., 173° 14'.85E
* J10	Port Lateral	34° 59'.32S., 173° 14'.97E
* J12	Port Lateral	34° 59'.33S., 173° 15'.13E

* Indicates new or revised entry

7. Charting action will be taken in due course.

Chart affected – NZ 5113

Northland Regional Council
NI 147/2010

NZ 151(P)/10 NEW ZEALAND – North Island – East Coast – Manukau Harbour – Lights, Beacons, Buoys.

1. The following lit beacons have been installed.

<i>Name</i>	<i>Characteristics</i>	<i>Position</i>	<i>Type</i>
Weymouth	Fl.R.2s4m2M	37° 03'.16S., 174° 51'.32E.	Port lateral
Te Pua Point	Fl.R.4s5m2M	37° 03'.29S., 174° 51'.78E.	Port lateral
-	Fl.R.4s6m2M	37° 08'.37S., 174° 41'.25E.	Port lateral

2. The following lit buoys have been installed.

<i>Name</i>	<i>Characteristics</i>	<i>Position</i>	<i>Type</i>
-	Fl(2)4s	37° 08'.56S., 174° 41'.19E.	Isolated danger mark
-	Fl.R.8s	37° 05'.12S., 174° 39'.98E.	Port lateral buoy
-	Fl.R.6s	37° 06'.35S., 174° 40'.53E.	Port lateral buoy

3. Charting action will be taken in due course.

Charts temporarily affected – NZ 4314 – NZ 404314

Coastguard Northern Region
NI 172/2010

NZ 222(P)/10 NEW ZEALAND – North Island – East Coast – Whakatane – Depths.

1. A recent survey in the Whakatane River Entrance indicates numerous changes to charted features and depths. The most significant depths are as follows:

<i>Depth</i>	<i>Position</i>
1 ₅ m	37° 56'.399S., 177° 00'.660E.
1 ₉ m	37° 56'.436S., 177° 00'.667E.
1 ₁ m	37° 56'.468S., 177° 00'.675E.
0 ₉ m	37° 56'.625S., 177° 00'.581E.
0 ₆ m	37° 56'.638S., 177° 00'.560E.
0 ₉ m	37° 56'.674S., 177° 00'.574E.
0 ₈ m	37° 56'.697S., 177° 00'.518E.

(All positions are referred to WGS84 Datum)

2. These and other changes will be included in the next update of the chart.

Chart temporarily affected – NZ 542

Discovery Marine Limited
NI 265/2010

NZ 20(P)/11 NEW ZEALAND – North Island – East Coast – Tauranga – Lights.

1. Lights have been established on the following beacons:

<i>Name</i>	<i>Characteristics</i>	<i>Position</i>	<i>Type</i>
Western 'E'	Fl.R.3s	37° 37'.26S., 176° 03'.19E.	Port lateral mark, red can topmark
OP	Fl.G.3s	37° 38'.00S., 176° 03'.32E.	Starboard lateral mark, green cone topmark
Motuhoa	Fl.G.3s	37° 37'.92S., 176° 04'.46E.	Starboard lateral mark, green cone topmark
Rangiaaea 'B'	Fl.R.3s	37° 38'.26S., 176° 06'.05E.	Port lateral mark

2. Charting action will be taken in due course.

Charts temporarily affected – NZ 5411 – NZ 5412 – NZ405411 – NZ505412

Environment Bay of Plenty
NI 278/2010

NZ 40(T)/11 NEW ZEALAND – North Island – South Coast – Wellington Harbour – Yacht Club Race Marker Buoys.

Former notice – NZ 166(T)/10 is cancelled.

Five unlit orange buoys have been laid in the following locations until further notice.

<i>Mark</i>	<i>Position</i>
4 Ngauranga Buoy	41° 15'.50S. 174° 48'.40E.
5 Somes Island	41° 15'.68S. 174° 51'.16E.
10 Falcon Shoal Bouy	41° 18'.15S. 174° 50'.97E.
11 Korokoro Buoy	41° 14'.38S. 174° 51'.03E.
16 Horokiwi Buoy	41° 15'.05S. 174° 49'.59E.

Charts temporarily affected – NZ 4633 – NZ 4634 – NZ404633 – NZ546341 – NZ546342

Greater Wellington Regional Council
NI 23/2011

NZ 68(P)/11 NEW ZEALAND – North Island – East Coast – Rangitoto Channel – Light.

Former notice – NZ 202(T)/09 is cancelled.

1. The following light has been amended:

Name	Position	Characterstics	Remarks
Rangitoto Channel Rear Leading Light	36° 50'.65S. 174° 51'.66E.	Dir F.WRG.8m12/11M	FG 143.3°-142.8° (0.5°), FW 142.8°-141.5° (1.3°), FR 141.5°-141° (0.5°)

2. Charting action will be taken in due course.

Charts affected – NZ 53 – NZ 532 – NZ 5322 – NZ 5324 – NZ 5325 – NZ305322 – NZ505322 – NZ405324 – NZ505325

Auckland Regional Council
NZ Light List K3746.1
NI 66/2011

NZ 78(P)/11 NEW ZEALAND – North Island – East Coast – Marsden Point & Whangarei Harbour – Radio Reporting Points & Anchorage Areas.

1. All vessels 100 GRT or greater must contact Whangarei Harbour Radio on VHF Channel 19; 30 minutes prior to passing the Fairway Buoy inwards; prior to leaving the berth; and at each of the reporting points listed below.
2. Radio Reporting points have been established adjacent to the following aids to navigation:

<i>Reporting Point</i>	<i>Position</i>	<i>Direction</i>
Fairway Buoy	35° 53'.25S., 174° 33'.15E	320.6° / 140.6°
Snake Bank Beacon	35° 49'.73S., 174° 29'.10E	107° / 287°
Wellington Rock Beacon	35° 46'.59S., 174° 22'.42E	081.5° / 261.5°

3. Anchorage areas have been established as follows:

<i>Anchorage Area</i>	<i>Position</i>
A	35° 52'.40S., 174° 34'.50E
	35° 52'.40S., 174° 36'.10E
	35° 53'.40S., 174° 36'.10E
	35° 53'.40S., 174° 34'.50E
B	35° 55'.80S., 174° 32'.30E
	35° 55'.80S., 174° 33'.90E
	35° 57'.80S., 174° 33'.90E

4. Charting action will take place in due course.

Charts temporarily affected – NZ 521 – NZ 5219

Land Information New Zealand
NI 73/2011

NZ 81(T)/11 NEW ZEALAND – Cook Strait – Scientific Instruments.

1. Scientific seabed moorings have been deployed in the following positions, until April 2012:
 - a. 41° 20'.74S., 174° 39'.39E.
 - b. 41° 05'.77S., 174° 35'.06E.
 - c. 41° 12'.53S., 174° 25'.60E.
 - d. 41° 14'.65S., 174° 33'.64E.
2. Mariners engaged in seabed trawling activities are requested to remain 0.25NM clear of the above locations.

Charts temporarily affected – NZ 46 – NZ 463 – NZ615 – NZ300463 – NZ300615

NIWA
NI 74/2011

NZ 82(T)/11 NEW ZEALAND – South Island – South Coast – Foveaux Strait – Scientific Instruments.

1. From 22 March 2011, scientific moorings, marked by buoys, have been deployed in the following positions until March 2013:

- a. 46° 24'.86S., 168° 10'.68E.
- b. 46° 27'.59S., 168° 09'.92E.
- c. 46° 39'.19S., 168° 23'.99E.
- d. 46° 35'.62S., 168° 38'.16E.
- e. 46° 43'.36S., 168° 41'.39E.
- f. 46° 44'.59S., 168° 35'.37E.
- g. 46° 45'.32S., 168° 36'.00E.
- h. 46° 47'.53S., 168° 33'.37E.
- i. 46° 43'.77S., 168° 31'.63E.
- j. 46° 46'.06S., 168° 25'.98E.
- k. 46° 49'.37S., 168° 26'.94E.
- l. 46° 48'.64S., 168° 14'.08E.
- m. 46° 49'.90S., 168° 13'.51E.
- n. 46° 52'.34S., 168° 16'.05E.
- o. 46° 53'.72S., 168° 13'.98E.
- p. 46° 51'.11S., 168° 10'.86E.
- q. 46° 50'.04S., 168° 12'.86E.
- r. 46° 55'.60S., 168° 06'.00E.
- s. 46° 58'.54S., 168° 07'.40E.
- t. 46° 56'.06S., 168° 09'.51E.
- u. 46° 55'.14S., 168° 09'.39E.
- v. 46° 54'.92S., 168° 11'.39E.
- w. 46° 54'.85S., 168° 13'.63E.
- x. 46° 54'.47S., 168° 15'.39E.
- y. 46° 55'.07S., 168° 15'.67E.
- z. 46° 53'.88S., 168° 08'.21E.

2. Mariners are advised to exercise caution when navigating in the area.

Charts temporarily affected – NZ 68 – NZ 69 – NZ 681 – NZ 6821 – NZ6825 – NZ300681 – NZ506811

Department of Conservation
NI 79/2011

NZ 127(T)/11 NEW ZEALAND – South Island – East Coast – Banks Peninsula – Okains Bay – Scientific Instruments.

1. Two scientific moorings, marked by yellow buoys Q(5)Y.20s, have been deployed in the following positions until April 2012:

- a. 43° 41'.36S., 173° 04'.42E.
- b. 43° 40'.75S., 173° 05'.41E.

2. Mariners are advised to exercise caution and not approach within 50m of the buoys.

Charts temporarily affected – NZ 63 – NZ 632 – NZ400632

University of Canterbury
NI 120/2011

NZ 128(P)/11 SOUTH PACIFIC OCEAN – Cook Islands – Rarotonga – Avatiu Harbour – Works in Progress.

1. Major port development work is underway in Avatiu Harbour, until November 2012.
2. All inbound vessels are required to call Harbour Control on VHF Ch 16 prior to entering the port for further information.
3. All vessels are prohibited from entering or leaving Avatiu Harbour during the hours of darkness, from sunset to sunrise.
4. Charting action will take place in due course.

Charts temporarily affected – NZ 9558

Cook Islands Port Authority
NI 137/2011

NZ 149(P)/11 NEW ZEALAND – South Island – North Coast – Tory Channel – Light Beacon, Rock.

1. The following lit beacon has been installed.

<i>Name</i>	<i>Characteristics</i>	<i>Position</i>	<i>Type</i>
Wheki Rock	Fl.G.3s2M	41° 12'.43S., 174° 18'.29E	Starboard lateral

2. Charting action will be taken in due course.

Charts temporarily affected – NZ 6153 – NZ 6154 – NZ406153 – NZ561541

Marlborough District Council
NI 148/2011

NZ 156(T)/11 NEW ZEALAND – South Island – East Coast – Lyttelton Harbour – Sticking Point Breakwater Head Light.

1. The Sticking Point Breakwater Head Light, Fl(2)G.5s8m5M, in position 43° 36'.62S., 172° 44'.01E. is temporarily extinguished until further notice.
2. Mariners are advised to exercise caution when navigating in the area.

Charts temporarily affected – NZ 632 – NZ 6321 – NZ400632 – NZ506321 – NZ606321

Lyttelton Port of Christchurch
New Zealand Light List K4293
NI 170/2011

NZ 158(T)/11 SOUTH PACIFIC OCEAN – Kingdom of Tonga – Lau Ridge – North Minerva Reef – South Minerva Reef – Lights.

Former notice – NZ 54(T)/11 is cancelled.

1. The following light and structure are missing:

<i>Name</i>	<i>Position</i>	<i>Characteristic</i>
South Minerva Reef	23° 56'.33S., 179° 07'.54W.	Fl.5s10M

2. Mariners are requested to exercise caution when navigating in the area.

Charts temporarily affected – NZ 14060 (INT 60) – NZ 14061 (INT 61) – NZ 14605 (INT 605) – NZ 14638 (INT 638)

Tongan Defence Service
NI 167/2011

NZ 166(T)/11 NEW ZEALAND – South Island – East Coast – Lyttelton Harbour – Beacon.

1. The white beacon, in position 43° 36'.80S., 172° 42'.80E, marking the north side of the main channel, is missing until further notice.
2. Mariners are advised to exercise caution when navigating in this area.

Charts temporarily affected – NZ 6321 – NZ506321 – NZ606321

Environment Canterbury Regional Council
NI 183/2011

NZ 172(P)/11 NEW ZEALAND – North Island – West Coast – Kaipara Harbour – Lights, Beacons, Buoys.

1. The following beacons have been permanently removed:

<i>Name</i>	<i>Position</i>	<i>Remark</i>
M2	36° 14'.45S., 174° 06'.46E.	Replaced by port hand lateral buoy
T1	36° 14'.36S., 174° 09'.70E.	

2. The following beacons have been decommissioned:

<i>Name</i>	<i>Position</i>	<i>Remark</i>
S1	36° 14'.34S., 174° 09'.04E.	Black beacon remains in-situ. Replaced by starboard hand lateral buoy
T3	36° 15'.10S., 174° 10'.83E.	Black beacon remains in-situ

3. The following lit buoy has been moved:

<i>Name</i>	<i>Position</i>	<i>Type</i>
O2	36° 18'.48S., 174° 13'.75E.	Port hand lateral

4. The following lit buoys have been installed:

<i>Name</i>	<i>Position</i>	<i>Characteristic</i>	<i>Type</i>
M2	36° 14'.46S., 174° 06'.60E.		Q.R Port hand lateral
S1	36° 15'.00S., 174° 09'.05E.		Fl.G.3s Starboard hand lateral

5. Charting action will be taken in due course.

Chart affected – NZ 4265

Northland Regional Council
NZ Light List K4138.1, 4138.6
NI 197/2011

NZ 175(P)/11 NEW ZEALAND – South Island – North Coast – Havelock – Lights, Beacons.

Former notice – NZ 165(P)/11 is cancelled.

1. The following lit beacons have been installed.

<i>Name</i>	<i>Characteristics</i>	<i>Position</i>	<i>Type</i>
No. 6	Fl(4)R.5s1m6M	41° 15'.79S., 173° 46'.61E.	Port lateral
No. 8	Fl(4)R.5s2m6M	41° 15'.93S., 173° 46'.46E.	Port lateral
No. 10	Fl(4)R.5s1m6M	41° 15'.95S., 173° 46'.37E.	Port lateral
No. 7	Fl.G.3s4m6M	41° 16'.11S., 173° 46'.29E.	Starboard lateral
No. 9	Fl.G.3s2m6M	41° 16'.20S., 173° 46'.27E.	Starboard lateral
No. 11	Fl.G.3s2m6M	41° 16'.28S., 173° 46'.26E.	Starboard lateral
No. 13	Fl.G.3s2m6M	41° 16'.36S., 173° 46'.24E.	Starboard lateral
* No. 15	Fl.G.3s2m6M	41° 16'.43S., 173° 46'.23E.	Starboard lateral

2. The following lit beacons will be permanently removed:

<i>Name</i>	<i>Position</i>	<i>Remark</i>
* Leading Light. Front	41° 16'.51S., 173° 46'.22E.	Leading line removed
* Leading Light. Rear	41° 16'.52S., 173° 46'.21E.	

* indicates new or amended entry

3. Charting action will be taken in due course.

Chart affected – NZ 6152

Marlborough District Council
NZ Light List K4243.609, 4243.8, 4243.81
NI 201/2011

NZ 202(P)/11 NEW ZEALAND – South Island – North Coast – Port Nelson – Light, Beacon, Works in Progress.

1. Starboard lateral beacon and light, Iso.G.2s in position 41° 15'.80S., 173° 16'.10E. have been permanently removed.
2. Further port development work is underway in the above vicinity.
3. Charting action will be taken in due course.

Charts affected – NZ 6142 – NZ606142

Port Nelson Ltd.
NZ Light List K4230.3
NI 227/2011

NZ 209(T)/11 NEW ZEALAND – North Island – West Coast – South Taranaki Bight – Drilling Operations.

1. The *Island Leader 2* (call sign ZMW3111) will undertake drilling operations at a number of locations within the area bounded by the following coordinates, until March 2012:

39° 51'S., 174° 01'E.
39° 49'S., 174° 11'E.
39° 54'S., 174° 32'E.
40° 02'S., 174° 06'E.

2. Mariners are requested to pass at least 1NM clear of the vessel.

Charts temporarily affected: NZ 45, NZ 48

New Zealand Diving & Salvage Ltd
NI 234/2011

NZ 219(T)/11 NEW ZEALAND – North Island – West Coast – South Taranaki Bight – Scientific Instruments.

Former notice – NZ 210(T)/11 is cancelled.

1. Scientific instruments marked by lit buoys, FI(5)Y.20s, have been deployed in the following locations, until further notice:

39° 36'.65S., 174° 13'.45E.
39° 42'.29S., 174° 22'.08E.
39° 46'.47S., 174° 28'.11E.
39° 51'.33S., 174° 39'.94E.
39° 54'.75S., 174° 44'.50E.
39° 48'.18S., 174° 15'.03E.
39° 50'.97S., 174° 11'.62E.
* 39° 57'.23S., 174° 04'.25E.

* indicates new entry

2. Mariners are requested to remain clear of the above locations.

Charts temporarily affected – NZ 45, NZ 48, NZ 443, NZ300443

NIWA
NI 250/2011

NZ 226(T)/11 NEW ZEALAND – North Island – East Coast – Gisborne, Northeastwards – Scientific Instrument.

1. A scientific seabed mooring has been deployed in position 38° 43'.72S., 178° 39'.72E. until October 2013.
2. Mariners engaged in seabed trawling activities are requested to remain 1.5NM clear of the above location.

Charts affected: NZ 23 (INT 640) NZ 26, NZ 55, NZ14600 (INT 600), NZ200023, NZ300055

NIWA
NI 258/2011

NZ 230(T)/11 NEW ZEALAND – North Island – West Coast – Manukau Harbour Entrance - Depths.

Former notice – NZ 189(T)/11 is cancelled

South West Channel

1. A recent survey (October 2011) indicates that the deepest water was found to lie within a sector bearing Ninepin Rock Lt. 058° - 061.5° True. Within this sector a least depth of 6.2m below CD can be expected.
2. Mariners are advised that the South Bank is encroaching northwards into the channel. A least depth of 5.4m below CD was found at 059.5° Ninepin Rock Lt. 2.4NM.
3. All vessels should contact the Signalman at South Head. Phone (09) 235-1013, for the latest conditions.
4. Mariners should be aware that depths in the approaches to Manukau Harbour and across the bar are constantly changing.

Charts affected: NZ 4314, NZ404314

Ports of Auckland Ltd
NI 260/2011

NZ 241(T)/11 NEW ZEALAND – South Island – North Coast – Tasman Bay and Golden Bay – Spat Catching Areas.

1. Seasonal Spat catching areas have been established in Tasman Bay and Golden Bay until April 2012. The perimeter corners are identified by cardinal marks at the following positions:

Tasman Bay	41° 03'.32S., 173° 07'.21E
	41° 04'.55S., 173° 08'.24E
	41° 05'.60S., 173° 05'.91E
	41° 04'.38S., 173° 04'.89E

Golden Bay	40° 45'.11S., 172° 50'.88E
	40° 46'.03S., 172° 52'.88E
	40° 47'.61S., 172° 51'.33E
	40° 46'.66S., 172° 49'.33E

2. Mariners are requested to exercise caution when navigating in the area.

Charts temporarily affected: NZ 61, NZ 614, NZ 6144, NZ300614, NZ406144

Tasman Bay Ring Road Spat Catching Ltd & Golden Bay Ring Road Spat Catching Ltd
NI 269/2011

NZ 247(T)/11 NEW ZEALAND – North Island – East Coast – Bay of Plenty – Waverider Buoy.

1. A waverider buoy, *FI(5)Y.20s*, has been deployed in position 37° 32'.00S., 176° 25'.81E until further notice.
2. Mariners are advised to exercise caution when navigating in the area.

Charts temporarily affected – NZ 54, NZ 541, NZ 542, NZ 5413, NZ300541, NZ405413

Maritime New Zealand
NI 283/2011

NZ 249(T)/11 NEW ZEALAND – North Island – West Coast – Greymouth Harbour – Depths.

Former notice – NZ 204(T)/11 is cancelled.

1. A recent survey (11 November 2011) indicates the following depths below CD on the bar at the Grey River entrance:

North Transit Lead	4.2m	42° 26'.35S., 171° 11'.45E.
Central Transit Lead	4.3m	42° 26'.36S., 171° 11'.43E.
South Transit Lead	4.5m	42° 26'.37S., 171° 11'.42E.
2. Mariners should be aware that depths in Greymouth Harbour entrance are constantly changing and should contact the Harbourmaster for the latest conditions on (027) 435 3424 or (03) 768 5666 or Greymouth Harbour Radio Ch14.

Charts temporarily affected – NZ 7142, NZ407142, NZ507142

Port of Greymouth
NI 281/2011

NZ 255(T)/11 NEW ZEALAND – North Island – West Coast – Cape Egmont Southwestwards – Drilling Operations.

Former notice – NZ 123(T)/11 is cancelled.

1. Drilling operations have been temporarily suspended in position 39° 39'.69S., 173° 27'.37E. until further notice.
2. A wellhead and BOP protruding 20m above the seabed remain in the above position
3. Unlit orange buoys marking anchor points remain in place.
4. A yellow waverider buoy, *F(5)Y.20s*, has been deployed 1NM southwest of the above location.
5. All vessels are requested to pass 2NM clear of the above location .

Charts temporarily affected: NZ 23 (INT 640), NZ 25 (INT 648), NZ 45, NZ 48, NZ 443, NZ200023, NZ200025, NZ300443

Shell Todd Oil Services & MetOcean Solutions Ltd.
NI 301/2011

NZ 260(T)/11 NEW ZEALAND – South Island – East Coast – Otago Harbour – Lower Harbour – Beacon, Light.

1. The No.3 starboard lateral beacon, *Fl(2)G.4s*, in position 45° 47'.36S., 170° 43'.09E., has been destroyed and temporarily replaced with a green buoy, *F(2).4s* until further notice.
2. Mariners are advised to exercise caution when navigating in the area.

Charts temporarily affected: NZ 6612, NZ506612

Port Otago Limited
NZ Light List K4367.3
NI 300/2011

NZ 267(T)/11 NEW ZEALAND – South Island – East Coast – Otago Peninsula Southwards – Seismic Survey.

1. The MV *Polarcus Alima* (call sign C6XK4) is undertaking seismic survey operations in the area bounded by the following coordinates, until April 2012:

47° 18'.6S., 171° 51'.7E.

47° 23'.5S., 171° 35'.4E.

47° 40'.5S., 171° 13'.4E.

46° 59'.2S., 170° 05'.3E.

46° 42'.0S., 169° 36'.4E.

46° 03'.6S., 170° 27'.3E.

45° 59'.6S., 170° 40'.4E.

46° 41'.8S., 171° 52'.3E.

46° 57'.3S., 172° 18'.5E.

2. The MV *Polarcus Alima* will be deploying 8 streamers 3.3NM long, marked by a lit tail buoy and is restricted in its ability to manoeuvre. All vessels are requested to pass at least 6NM clear of the vessel and streamers
3. The MV *Polarcus Alima* will be supported by the MV *Jaya Amazon* (call sign 9V8851) and the MV *Ocean Pioneer* (call sign ZM2582) and can be contacted on VHF Channels 12 and 72.
4. Mariners are requested to exercise caution when navigating in the area.

Charts temporarily affected: NZ 25 (INT 648), NZ 29, NZ 64, NZ 66, NZ 68, NZ200025

OMV New Zealand Ltd.
NI 304/2011

NZ 24(T)/12 NEW ZEALAND – North Island – East Coast – Tauranga – Astrolabe Reef – Exclusion Zone.

Former notice – NZ 264(T)/11 is cancelled.

1. Mariners are advised that a temporary Exclusion Zone has been set up around the stranded vessel M.V. *Rena* and Astrolabe Reef in the Bay of Plenty near the approaches to the Port of Tauranga, until further notice.
2. The Bay of Plenty Regional Harbourmaster has closed an area of sea within 3 NM of the M.V. *Rena* in position 37° 32'.42S 176° 25'.73E.
3. The Harbourmaster has directed that no vessel, craft or person may access the area of sea within the above area unless authorised by:
 - a. The National On-Scene Commander; or
 - b. The salvage master for the M.V. *Rena*; or
 - c. The Bay of Plenty Harbour Master.
- * 4. The Harbourmaster has directed that all vessels must stay at least 200 metres clear of all containers from the M.V. *Rena*, as well as any salvage vessel working on the response.
5. This direction is made by the Harbourmaster pursuant to clauses 2.17.1 and 3.11 of the Bay of Plenty Regional Navigation Safety Bylaw 2010. Anyone breaching this direction commits an offence and is liable to a fine not exceeding \$20,000: section 239(1) and 242(4) of the Local Government Act 2002
6. Container corraling areas, containing unlit buoys and floating ropes, have been established in the following locations:
 - Motuotau Island
 - a. 37° 38'.15S., 176° 15'.20E.
 - b. 37° 39'.00S., 176° 14'.30E.
 - c. 37° 37'.80S., 176° 12'.38E.
 - d. 37° 36'.90S., 176° 13'.30E.
 - Motiti Island
 - a. 37° 37'.50S., 176° 24'.50E.
 - b. 37° 37'.50S., 176° 23'.30E.
 - c. 37° 39'.20S., 176° 23'.10E.
 - d. 37° 39'.20S., 176° 24'.30E.

A circle of radius 0.4NM centred on 37° 40'.00S., 176° 20'.00E.

7. Mariners are requested to remain clear of the above areas.

* indicates new entry

Charts temporarily affected: NZ 54, NZ 534, NZ 541, NZ 542, NZ 5411, NZ 5413, NZ300541, NZ405411, NZ405413

Bay of Plenty Regional Council
NI 7/2012

NZ 25(T)/12 NEW ZEALAND – North Island – West Coast – Cape Egmont – Underwater Operations.

1. Underwater operations in progress from DSV *Skandi Singapore* (call sign AEQ7) in the Tui, Pohokura and Kupe Fields, until March 2012.
2. DSV *Skandi Singapore* is restricted in its ability to manoeuvre.
3. All vessels are requested to keep a safe distance.

Charts temporarily affected – NZ 43, NZ 45, NZ 48, NZ 443, NZ300443

AWE, Shell Exploration New Zealand Ltd., Shell Todd Oil Services Ltd., Origin Energy Resources (Kupe) Limited.
NI 3/2012

NZ 26(P)/12 NEW ZEALAND – North Island – West Coast – Taharoa Offshore Terminal – Works in Progress.

1. Works are in progress to relocate the Taharoa Offshore Terminal, Ironsands Loading Buoy, and extend the subsea pipeline approximately 500m west of current location.
2. Operations will take place with in the area bounded by:
 - 38° 10'.00S., 174° 42'.10E (shoreline).
 - 38° 10'.00S., 174° 39'.75E.
 - 38° 10'.20S., 174° 39'.47E.
 - 38° 11'.03S., 174° 39'.78E.
 - 38° 10'.96E., 174° 40'.11E.
 - 38° 10'.70S., 174° 42'.33E (shoreline).
3. Vessels MV *Hemnstral* (call sign ZMWX), MV *Shoman* (call sign ZMA2034) and MV *Squalus* (call sign ZMR5672) are involved in the operations and will monitor VHF channels 8 and 16.
4. Mariners are requested to remain clear of the above area.
5. Charting action will take place in due course.

Charts affected: NZ 43, NZ 4424

McConnell Dowell Constructors Ltd
NI 4/2012

NZ 27(T)/12 NEW ZEALAND – North Island – West Coast – Cape Egmont Southwestwards – Tui Oil Field – Underwater Operations.

1. Underwater operations by *MV Sea Watch* in progress in the Tui Oil Field, within a 3.5NM radius of FPSO Umuroa position: 39° 25'.68S., 173° 14'.19E. until March 2012.
The *MV Sea Watch* will be deploying dredge tows 250m long and is restricted in its ability to manoeuvre. All vessels are requested to remain clear.

Charts temporarily affected – NZ 43, NZ 45, NZ 48, NZ 443, NZ300443

AWE Limited.
NI 11/2012

NZ 33(T)/12 SOUTH PACIFIC OCEAN – Maritime Safety Broadcasts

Former notice – NZ 242(T)/11 is cancelled.

Optimum R/T frequencies within NAVAREA XIV

The accompanying diagrams show the optimum R/T calling and working frequency bands and times for navigational warnings broadcast within 1000 nautical miles of Taupo Maritime Radio (ZLM) (38° 50'S., 176° 00'E. approx.) for the period February to April 2012.

Australian Government IPS Radio and Space Services
NI 12/2012