

Record of Survey - SO 580282

Survey Number	SO 580282
Surveyor Reference	304/6528 - Goughs Road - RPS 4505
Surveyor	Nicholas Robert Saunders
Survey Firm	Christchurch City Council - Capital Programme Group
Surveyor Declaration	I Nicholas Robert Saunders, being a licensed cadastral surveyor, certify that-- (a) this dataset provided by me and its related survey are accurate, correct and in accordance with the Cadastral Survey Act 2002 and Cadastral Survey Rules 2021; and (b) the survey was undertaken by me or under my personal direction. Declared on 10 Mar 2023 09:16 AM

Survey Details

Dataset Description	Section 1 & 2	Type	Survey
Purpose	Legalisation	Survey Class	Class B
Status	Approved as to Survey	Vertical Datum	None
Land District	Canterbury		
Meridional Circuit	Mount Pleasant 2000		

Survey Dates

Surveyed Date	22/11/2022	Certified Date	10/03/2023
Submitted Date	10/03/2023 09:16:33	Survey Approval Date	10/03/2023
Deposit Date			

Referenced Surveys

Survey Number	Land District	Bearing Correction
DP 8884	Canterbury	-0°00'45"
DP 375285	Canterbury	0°00'00"

Territorial Authorities

Christchurch City

Comprised In

RT CB425/262

Created Parcels

Parcels	Parcel Intent	Area	RT Reference
Section 1 Survey Office Plan 580282	Legalisation	0.2199 Ha	
Section 2 Survey Office Plan 580282	Fee Simple Title	76.7314 Ha	
Total Area		76.9513 Ha	

Mark and Vector

Survey Number SO 580282

Meridional Circuit Mount Pleasant 2000

From	To	Code	Bearing	Adpt Surv	Bearing Correction	Distance	Adpt Surv	Class
J (Goughs SD)	IT 1 SO 580282	ob0	141°11'23" M			1,978.65 M		
IT 1 SO 580282	IT 2 SO 580282	ob2	76°18'32" M			1,158.22 M		
IT 2 SO 580282	J (Goughs SD)	ob9	298°11'17" M			2,683.72 M		
IT 2 SO 580282	IT 3 SO 580282	ob10	101°26'20" M			77.48 M		
IT 3 SO 580282	IT 4 SO 580282	ob13	212°34'00" M			43.06 M		
IT 4 SO 580282	IT 2 SO 580282	ob16	314°24'00" M			73.84 M		
IT 1 SO 580282	IT 3 SO 580282	ob3	77°50'34" M			1,228.81 M		
IT 1 SO 580282	IT 4 SO 580282	ob4	79°18'18" M			1,198.90 M		
IT 1 SO 580282	N (Goughs SD)	ob5	109°52'35" M			1,171.80 M		
N (Goughs SD)	IT 2 SO 580282	ob18	1°59'10" M			672.94 M		
IT 1 SO 580282	IR III DP 375285	ob6	113°18'36" M			1,212.65 M		
IT 1 SO 580282	PEG IVb DP 375285	ob7	121°13'05" M			1,169.63 M		
IT 1 SO 580282	PEG Ia DP 375285	ob8	134°30'46" M			1,083.15 M		
N (Goughs SD)	IR III DP 375285	ob19	171°51'00" A	DP 375285	0°00'00"	82.28 A	DP 375285	
PEG Ia DP 375285	PEG IVb DP 375285	ob21	56°06'15" A	DP 375285	0°00'00"	274.53 A	DP 375285	Class B
IR III DP 375285	IR IV DP 375285	ob20	211°00'30" A	DP 375285	0°00'00"	144.59 A	DP 375285	
IR IV DP 375285	PEG IVb DP 375285	ob22	266°26'00" A	DP 375285	0°00'00"	39.01 A	DP 375285	
J (Goughs SD)	N (Goughs SD)	ob1	129°38'21" M			3,041.36 M		
IT 3 SO 580282	IT CIV DP 8884	ob14	71°08'35" M			270.01 M		
IT CIV DP 8884	PEG CIII DP 8884	ob23	205°46'15" A	DP 8884	-0°00'45"	46.67 A	DP 8884	
PEG CIII DP 8884	PEG CII DP 8884	ob24	219°54'15" A	DP 8884	-0°00'45"	69.14 A	DP 8884	
PEG CII DP 8884	PEG CI DP 8884	ob25	292°06'15" A	DP 8884	-0°00'45"	40.45 A	DP 8884	
PEG CI DP 8884	PEG C DP 8884	ob26	267°34'15" A	DP 8884	-0°00'45"	22.83 A	DP 8884	
PEG C DP 8884	PEG LXXIII DP 8884	ob27	212°22'15" A	DP 8884	-0°00'45"	24.23 A	DP 8884	
PEG LXXIII DP 8884	PEG (5) DP 8884	ob28	155°02'15" A	DP 8884	-0°00'45"	11.95 A	DP 8884	
PEG (5) DP 8884	PEG LXXII DP 8884	ob30	155°02'15" A	DP 8884	-0°00'45"	200.59 A	DP 8884	Class B
PEG LXXII DP 8884	PEG LXXI DP 8884	ob34	187°50'15" A	DP 8884	-0°00'45"	114.06 A	DP 8884	
PEG LXXI DP 8884	PEG LXX DP 8884	ob36	195°39'15" A	DP 8884	-0°00'45"	297.29 A	DP 8884	
PEG LXX DP 8884	PEG LXIX DP 8884	ob37	245°35'15" A	DP 8884	-0°00'45"	77.51 A	DP 8884	
PEG LXIX DP 8884	PEG LXVIII DP 8884	ob38	225°36'15" A	DP 8884	-0°00'45"	43.19 A	DP 8884	

Mark and Vector

Survey Number SO 580282

Meridional Circuit Mount Pleasant 2000

From	To	Code	Bearing	Adpt Surv	Bearing Correction	Distance	Adpt Surv	Class
PEG LXVIII DP 8884	PEG I DP 8884	ob39	254°51'15"	A DP 8884	-0°00'45"	79.26 A	DP 8884	
PEG I DP 8884	N (Goughs SD)	ob40	313°47'15"	A DP 8884	-0°00'45"	45.83 A	DP 8884	
PEG LXXIII DP 8884	PEG LXXIV DP 8884	ob29	212°22'15"	A DP 8884	-0°00'45"	27.20 A	DP 8884	
PEG LXXIV DP 8884	PEG LXXV DP 8884	ob32	198°28'15"	A DP 8884	-0°00'45"	31.38 A	DP 8884	
PEG LXXV DP 8884	PEG LXXVI DP 8884	ob33	211°58'15"	A DP 8884	-0°00'45"	26.13 A	DP 8884	
PEG LXXVI DP 8884	PEG LXXVII DP 8884	ob41	315°04'15"	A DP 8884	-0°00'45"	52.55 A	DP 8884	
PEG LXXVII DP 8884	PEG LXXVIII DP 8884	ob42	330°37'15"	A DP 8884	-0°00'45"	26.80 A	DP 8884	
PEG LXXVIII DP 8884	PEG LXXIX DP 8884	ob44	316°04'15"	A DP 8884	-0°00'45"	36.51 A	DP 8884	
PEG LXXIX DP 8884	PEG LXXX DP 8884	ob47	286°14'15"	A DP 8884	-0°00'45"	69.40 A	DP 8884	
PEG LXXX DP 8884	PEG LXXXI DP 8884	ob49	263°34'15"	A DP 8884	-0°00'45"	26.09 A	DP 8884	
PEG LXXXI DP 8884	PEG LXXXII DP 8884	ob51	243°18'15"	A DP 8884	-0°00'45"	39.79 A	DP 8884	
PEG LXXXII DP 8884	PEG LXXXIII DP 8884	ob53	228°35'15"	A DP 8884	-0°00'45"	39.35 A	DP 8884	
PEG LXXXIII DP 8884	PEG LXVII DP 8884	ob55	191°56'15"	A DP 8884	-0°00'45"	8.13 A	DP 8884	
PEG LXVII DP 8884	PEG LXXXVI DP 8884	ob57	155°01'15"	A DP 8884	-0°00'45"	131.79 A	DP 8884	
PEG LXXXVI DP 8884	PEG LXXXV DP 8884	ob59	197°26'55"	A DP 8884	-0°00'45"	390.26 A	DP 8884	
PEG LXXXV DP 8884	PEG LXXXIV DP 8884	ob61	120°07'15"	A DP 8884	-0°00'45"	70.85 A	DP 8884	
PEG LXXXIV DP 8884	N (Goughs SD)	ob62	148°43'45"	A DP 8884	-0°00'45"	107.97 A	DP 8884	
IT 2 SO 580282	IT CIV DP 8884	ob11	77°45'40"	M		339.17 M		
IT 2 SO 580282	IS 7 SO 580282	ob12	193°03'00"	M		21.92 M		
IS 7 SO 580282	IT 3 SO 580282	ob63	85°46'30"	M		81.10 M		
IT 4 SO 580282	Disk 4a SO 580282	ob17	146°22'00"	M		1.53 M		
PEG (5) DP 8884	PEG (17) DP 8884	ob31	212°22'15"	A DP 8884	-0°00'45"	19.51 A	DP 8884	Class B
PEG (17) DP 8884	PEG (16) DP 8884	ob67	198°28'15"	A DP 8884	-0°00'45"	31.34 A	DP 8884	Class B
PEG (16) DP 8884	PEG (30) DP 8884	ob68	211°58'15"	A DP 8884	-0°00'45"	39.99 A	DP 8884	Class B
PEG (30) DP 8884	PEG (32) DP 8884	ob69	315°04'15"	A DP 8884	-0°00'45"	66.20 A	DP 8884	Class B

Mark and Vector

Survey Number SO 580282

Meridional Circuit Mount Pleasant 2000

From	To	Code	Bearing	Adpt Surv	Bearing Correction	Distance	Adpt Surv	Class
PEG (32) DP 8884	PEG (29) DP 8884	ob70	326°19'15"	A DP 8884	-0°00'45"	26.94 A	DP 8884	Class B
PEG (29) DP 8884	PEG 6A SO 580282	ob71	319°14'15"	A DP 8884	-0°00'45"	16.23 C		Class B
PEG 6A SO 580282	PEG (18) DP 8884	ob178	319°14'15"	A DP 8884	-0°00'45"	16.50 C		Class B
PEG (18) DP 8884	PEG (19) DP 8884	ob72	286°14'15"	A DP 8884	-0°00'45"	64.41 A	DP 8884	Class B
PEG (19) DP 8884	PEG (14) DP 8884	ob73	263°34'15"	A DP 8884	-0°00'45"	22.29 A	DP 8884	Class B
PEG (14) DP 8884	PEG 7A SO 580282	ob74	243°18'15"	A DP 8884	-0°00'45"	11.24 C		Class B
PEG 7A SO 580282	PEG (25) DP 8884	ob179	243°18'15"	A DP 8884	-0°00'45"	25.47 C		Class B
PEG (25) DP 8884	PEG (23) DP 8884	ob75	228°35'15"	A DP 8884	-0°00'45"	34.72 A	DP 8884	Class B
PEG (23) DP 8884	PEG LXXXIII DP 8884	ob76	300°15'15"	A DP 8884	-0°00'45"	10.60 A	DP 8884	
PEG LXXVIII DP 8884	PEG (29) DP 8884	ob45	232°46'15"	A DP 8884	-0°00'45"	12.09 A	DP 8884	
PEG (23) DP 8884	PEG (20) DP 8884	ob77	191°56'15"	A DP 8884	-0°00'45"	61.66 A	DP 8884	Class B
PEG (20) DP 8884	PEG (21) DP 8884	ob78	221°51'15"	A DP 8884	-0°00'45"	33.51 A	DP 8884	Class B
PEG (21) DP 8884	PEG (1) DP 8884	ob79	319°37'15"	A DP 8884	-0°00'45"	34.17 A	DP 8884	Class B
PEG (1) DP 8884	PEG (22) DP 8884	ob80	285°07'15"	A DP 8884	-0°00'45"	41.54 A	DP 8884	Class B
PEG (22) DP 8884	PEG (26) DP 8884	ob81	269°08'15"	A DP 8884	-0°00'45"	40.88 A	DP 8884	Class B
PEG (26) DP 8884	PEG (28) DP 8884	ob82	319°32'15"	A DP 8884	-0°00'45"	35.55 A	DP 8884	Class B
PEG (28) DP 8884	PEG (31) DP 8884	ob83	295°20'15"	A DP 8884	-0°00'45"	26.98 A	DP 8884	Class B
PEG (31) DP 8884	PEG (27) DP 8884	ob84	253°37'15"	A DP 8884	-0°00'45"	50.57 A	DP 8884	Class B
PEG (27) DP 8884	PEG (38) DP 8884	ob85	308°28'15"	A DP 8884	-0°00'45"	71.47 A	DP 8884	Class B
PEG (38) DP 8884	PEG (15) DP 8884	ob86	291°58'15"	A DP 8884	-0°00'45"	24.02 A	DP 8884	Class B
PEG (15) DP 8884	PEG (33) DP 8884	ob87	279°20'15"	A DP 8884	-0°00'45"	64.17 A	DP 8884	Class B
PEG (33) DP 8884	PEG LV DP 8884	ob88	275°47'15"	A DP 8884	-0°00'45"	50.86 A	DP 8884	Class B
PEG LV DP 8884	PEG LIV DP 8884	ob89	321°39'15"	A DP 8884	-0°00'45"	89.70 A	DP 8884	Class B
PEG LIV DP 8884	PEG LIII DP 8884	ob90	318°42'15"	A DP 8884	-0°00'45"	31.00 A	DP 8884	Class B

Mark and Vector

Survey Number SO 580282

Meridional Circuit Mount Pleasant 2000

From	To	Code	Bearing	Adpt Surv	Bearing Correction	Distance	Adpt Surv	Class
PEG LIII DP 8884	PEG LII DP 8884	ob91	263°41'15"	A DP 8884	-0°00'45"	31.30	A DP 8884	Class B
PEG LII DP 8884	PEG LI DP 8884	ob92	209°27'15"	A DP 8884	-0°00'45"	74.03	A DP 8884	Class B
PEG LI DP 8884	PEG L DP 8884	ob93	190°22'15"	A DP 8884	-0°00'45"	83.59	A DP 8884	Class B
PEG L DP 8884	PEG XLIX DP 8884	ob94	169°49'15"	A DP 8884	-0°00'45"	44.40	A DP 8884	Class B
PEG XLIX DP 8884	PEG XLVIII DP 8884	ob95	235°43'15"	A DP 8884	-0°00'45"	52.38	A DP 8884	Class B
PEG XLVIII DP 8884	PEG XLVII DP 8884	ob96	283°10'15"	A DP 8884	-0°00'45"	50.21	A DP 8884	Class B
PEG XLVII DP 8884	PEG XLVI DP 8884	ob97	269°28'15"	A DP 8884	-0°00'45"	19.94	A DP 8884	Class B
PEG XLVI DP 8884	PEG XLV DP 8884	ob98	254°19'15"	A DP 8884	-0°00'45"	50.05	A DP 8884	Class B
PEG XLV DP 8884	PEG XLIV DP 8884	ob99	231°47'15"	A DP 8884	-0°00'45"	76.65	A DP 8884	Class B
PEG XLIV DP 8884	PEG XLIII DP 8884	ob100	275°29'15"	A DP 8884	-0°00'45"	32.23	A DP 8884	Class B
PEG XLIII DP 8884	PEG XLII DP 8884	ob101	309°05'15"	A DP 8884	-0°00'45"	44.26	A DP 8884	Class B
PEG XLII DP 8884	PEG XLI DP 8884	ob102	282°06'15"	A DP 8884	-0°00'45"	21.71	A DP 8884	Class B
PEG XLI DP 8884	PEG XL DP 8884	ob103	266°45'15"	A DP 8884	-0°00'45"	56.09	A DP 8884	Class B
PEG XL DP 8884	PEG XXXIX DP 8884	ob104	252°57'15"	A DP 8884	-0°00'45"	102.92	A DP 8884	Class B
PEG XXXIX DP 8884	PEG XXXVIII DP 8884	ob105	290°56'15"	A DP 8884	-0°00'45"	61.07	A DP 8884	Class B
PEG XXXVIII DP 8884	PEG XXXVII DP 8884	ob106	272°21'15"	A DP 8884	-0°00'45"	87.07	A DP 8884	Class B
PEG XXXVII DP 8884	PEG XXXVI DP 8884	ob107	247°23'15"	A DP 8884	-0°00'45"	86.44	A DP 8884	Class B
PEG XXXVI DP 8884	PEG XXXV DP 8884	ob108	229°27'15"	A DP 8884	-0°00'45"	49.95	A DP 8884	Class B
PEG XXXV DP 8884	PEG (6) SO 2793	ob109	262°54'15"	A DP 8884	-0°00'45"	73.63	A DP 8884	Class B
PEG (6) SO 2793	PEG XXXIV DP 8884	ob110	239°50'15"	A DP 8884	-0°00'45"	109.23	A DP 8884	Class B
PEG XXXIV DP 8884	PEG (3) SO 2793	ob111	97°15'15"	A DP 8884	-0°00'45"	55.90	A DP 8884	Class B
PEG (3) SO 2793	PEG (8) SO 2793	ob112	81°35'15"	A DP 8884	-0°00'45"	113.12	A DP 8884	Class B
PEG (8) SO 2793	PEG (34) DP 8884	ob113	97°18'15"	A DP 8884	-0°00'45"	49.33	A DP 8884	Class B
PEG (34) DP 8884	PEG (11) SO 2793	ob114	119°48'15"	A DP 8884	-0°00'45"	78.64	A DP 8884	Class B
PEG (11) SO 2793	PEG (10) SO 2793	ob115	79°51'15"	A DP 8884	-0°00'45"	76.65	A DP 8884	Class B

Mark and Vector

Survey Number SO 580282

Meridional Circuit Mount Pleasant 2000

From	To	Code	Bearing	Adpt Surv	Bearing Correction	Distance	Adpt Surv	Class
PEG (10) SO 2793	PEG XXXI DP 8884	ob116	67°00'15"	A DP 8884	-0°00'45"	71.60 A	DP 8884	Class B
PEG XXXI DP 8884	PEG XXX DP 8884	ob117	121°53'15"	A DP 8884	-0°00'45"	92.28 A	DP 8884	Class B
PEG XXX DP 8884	PEG (50) DP 8884	ob118	85°09'15"	A DP 8884	-0°00'45"	76.75 A	DP 8884	Class B
PEG (50) DP 8884	PEG (46) DP 8884	ob119	110°14'15"	A DP 8884	-0°00'45"	114.28 A	DP 8884	Class B
PEG (46) DP 8884	PEG (47) DP 8884	ob120	119°20'15"	A DP 8884	-0°00'45"	44.00 A	DP 8884	Class B
PEG (47) DP 8884	PEG (45) DP 8884	ob121	144°57'15"	A DP 8884	-0°00'45"	38.04 A	DP 8884	Class B
PEG (45) DP 8884	PEG (17) SO 2793	ob122	130°03'15"	A DP 8884	-0°00'45"	40.15 A	DP 8884	Class B
PEG (17) SO 2793	PEG (1) SO 2793	ob123	143°05'15"	A DP 8884	-0°00'45"	36.19 A	DP 8884	Class B
PEG (1) SO 2793	PEG (35) DP 8884	ob124	106°39'15"	A DP 8884	-0°00'45"	40.60 A	DP 8884	Class B
PEG (35) DP 8884	PEG (37) DP 8884	ob125	93°20'15"	A DP 8884	-0°00'45"	15.07 A	DP 8884	Class B
PEG (37) DP 8884	PEG XXVIII DP 8884	ob126	69°56'15"	A DP 8884	-0°00'45"	33.16 A	DP 8884	Class B
PEG XXVIII DP 8884	PEG XXVII DP 8884	ob127	89°54'15"	A DP 8884	-0°00'45"	32.89 A	DP 8884	Class B
PEG XXVII DP 8884	PEG XXVI DP 8884	ob128	87°59'15"	A DP 8884	-0°00'45"	18.59 A	DP 8884	Class B
PEG XXVI DP 8884	PEG (15) SO 2793	ob129	119°05'15"	A DP 8884	-0°00'45"	19.65 A	DP 8884	Class B
PEG (15) SO 2793	PEG (36) DP 8884	ob130	126°46'15"	A DP 8884	-0°00'45"	25.41 A	DP 8884	Class B
PEG (36) DP 8884	PEG XXV DP 8884	ob131	115°05'15"	A DP 8884	-0°00'45"	21.14 A	DP 8884	Class B
PEG XXV DP 8884	PEG XXIV DP 8884	ob132	135°56'15"	A DP 8884	-0°00'45"	28.85 A	DP 8884	Class B
PEG XXIV DP 8884	PEG (7) SO 2793	ob133	165°11'15"	A DP 8884	-0°00'45"	20.84 A	DP 8884	Class B
PEG (7) SO 2793	PEG (5) SO 2793	ob134	179°40'15"	A DP 8884	-0°00'45"	29.91 A	DP 8884	Class B
PEG (5) SO 2793	PEG (2) SO 2793	ob135	172°19'15"	A DP 8884	-0°00'45"	15.29 A	DP 8884	Class B
PEG (2) SO 2793	PEG XXIII DP 8884	ob136	132°10'15"	A DP 8884	-0°00'45"	13.88 A	DP 8884	Class B
PEG XXIII DP 8884	PEG (4) SO 2793	ob137	125°11'15"	A DP 8884	-0°00'45"	23.34 A	DP 8884	Class B
PEG (4) SO 2793	PEG XXII DP 8884	ob138	107°38'15"	A DP 8884	-0°00'45"	14.50 A	DP 8884	Class B
PEG XXII DP 8884	PEG (16) SO 2793	ob139	79°08'15"	A DP 8884	-0°00'45"	23.79 A	DP 8884	Class B
PEG (16) SO 2793	PEG XXI DP 8884	ob140	89°07'15"	A DP 8884	-0°00'45"	47.60 A	DP 8884	Class B

Mark and Vector

Survey Number SO 580282

Meridional Circuit Mount Pleasant 2000

From	To	Code	Bearing	Adpt Surv	Bearing Correction	Distance	Adpt Surv	Class
PEG XXI DP 8884	PEG XX DP 8884	ob141	70°09'15"	A DP 8884	-0°00'45"	11.27	A DP 8884	Class B
PEG XX DP 8884	PEG XIX DP 8884	ob142	52°30'15"	A DP 8884	-0°00'45"	17.03	A DP 8884	Class B
PEG XIX DP 8884	PEG XVIII DP 8884	ob143	100°16'15"	A DP 8884	-0°00'45"	35.94	A DP 8884	Class B
PEG XVIII DP 8884	PEG XVII DP 8884	ob144	154°12'15"	A DP 8884	-0°00'45"	20.78	A DP 8884	Class B
PEG XVII DP 8884	PEG XVI DP 8884	ob145	193°48'15"	A DP 8884	-0°00'45"	28.28	A DP 8884	Class B
PEG XVI DP 8884	PEG XV DP 8884	ob146	189°40'15"	A DP 8884	-0°00'45"	27.40	A DP 8884	Class B
PEG XV DP 8884	PEG (9) SO 2793	ob147	186°46'15"	A DP 8884	-0°00'45"	45.14	A DP 8884	Class B
PEG (9) SO 2793	PEG XIV DP 8884	ob148	143°59'15"	A DP 8884	-0°00'45"	47.33	A DP 8884	Class B
PEG XIV DP 8884	PEG XIII DP 8884	ob149	136°42'15"	A DP 8884	-0°00'45"	13.30	A DP 8884	Class B
PEG XIII DP 8884	PEG XII DP 8884	ob150	107°28'15"	A DP 8884	-0°00'45"	24.64	A DP 8884	Class B
PEG XII DP 8884	PEG XI DP 8884	ob151	137°07'15"	A DP 8884	-0°00'45"	26.37	A DP 8884	Class B
PEG XI DP 8884	PEG X DP 8884	ob152	226°56'15"	A DP 8884	-0°00'45"	51.86	A DP 8884	Class B
PEG X DP 8884	PEG IX DP 8884	ob153	236°59'15"	A DP 8884	-0°00'45"	31.50	A DP 8884	Class B
PEG IX DP 8884	PEG (18) SO 2793	ob154	230°46'15"	A DP 8884	-0°00'45"	32.75	A DP 8884	Class B
PEG (18) SO 2793	PEG (24) DP 8884	ob155	227°52'15"	A DP 8884	-0°00'45"	37.66	A DP 8884	Class B
PEG (24) DP 8884	PEG (8) DP 8884	ob156	208°30'15"	A DP 8884	-0°00'45"	21.91	A DP 8884	Class B
PEG (8) DP 8884	PEG (2) DP 8884	ob157	190°03'15"	A DP 8884	-0°00'45"	36.23	A DP 8884	Class B
PEG (2) DP 8884	PEG (7) DP 8884	ob158	157°08'15"	A DP 8884	-0°00'45"	24.62	A DP 8884	Class B
PEG (7) DP 8884	PEG (43) DP 8884	ob159	143°51'15"	A DP 8884	-0°00'45"	71.70	A DP 8884	Class B
PEG (43) DP 8884	PEG Ia DP 375285	ob181	123°58'15"	A DP 8884	-0°00'45"	2.82	A DP 8884	Class B
PEG LXXXVI DP 8884	PEG (14) SO 2793	ob60	0°00'15"	A DP 8884	-0°00'45"	21.14	A DP 8884	
PEG LXXXIII DP 8884	PEG (3) DP 8884	ob56	300°15'15"	A DP 8884	-0°00'45"	10.60	A DP 8884	
PEG LXXXII DP 8884	PEG (25) DP 8884	ob54	145°56'15"	A DP 8884	-0°00'45"	10.14	A DP 8884	
PEG LXXXI DP 8884	PEG (14) DP 8884	ob52	163°26'15"	A DP 8884	-0°00'45"	10.22	A DP 8884	
PEG LXXX DP 8884	PEG (19) DP 8884	ob50	184°54'15"	A DP 8884	-0°00'45"	10.26	A DP 8884	

Mark and Vector

Survey Number SO 580282

Meridional Circuit Mount Pleasant 2000

From	To	Code	Bearing	Adpt Surv	Bearing Correction	Distance	Adpt Surv	Class
PEG LXXIX DP 8884	PEG (18) DP 8884	ob48	212°34'15"	A DP 8884	-0°00'45"	10.49 A	DP 8884	
PEG LXVII DP 8884	PEG XVI DP 8884	ob58	191°56'15"	A DP 8884	-0°00'45"	54.17 A	DP 8884	
PEG XVI DP 8884	PEG LXV DP 8884	ob161	210°35'15"	A DP 8884	-0°00'45"	20.24 A	DP 8884	
PEG LXV DP 8884	PEG (40) DP 8884	ob162	319°37'15"	A DP 8884	-0°00'45"	3.99 A	DP 8884	
PEG (40) DP 8884	PEG LXIV DP 8884	ob163	319°37'15"	A DP 8884	-0°00'45"	25.77 A	DP 8884	
PEG LXXVIII DP 8884	PEG (9) DP 8884	ob46	52°46'15"	A DP 8884	-0°00'45"	8.07 A	DP 8884	
PEG (9) DP 8884	PEG (41) DP 8884	ob164	319°14'15"	A DP 8884	-0°00'45"	39.93 A	DP 8884	
PEG (41) DP 8884	PEG (48) DP 8884	ob165	286°14'15"	A DP 8884	-0°00'45"	74.39 A	DP 8884	
PEG (48) DP 8884	PEG (49) DP 8884	ob166	263°34'15"	A DP 8884	-0°00'45"	29.89 A	DP 8884	
PEG (49) DP 8884	PEG (44) DP 8884	ob167	243°18'15"	A DP 8884	-0°00'45"	42.87 A	DP 8884	
PEG (44) DP 8884	PEG (42) DP 8884	ob168	228°35'15"	A DP 8884	-0°00'45"	37.26 A	DP 8884	
PEG (42) DP 8884	PEG (3) DP 8884	ob169	228°35'15"	A DP 8884	-0°00'45"	6.72 A	DP 8884	
PEG LXIV DP 8884	PEG LXIII DP 8884	ob160	285°07'15"	A DP 8884	-0°00'45"	46.07 A	DP 8884	
PEG LXIII DP 8884	PEG LXII DP 8884	ob170	269°08'15"	A DP 8884	-0°00'45"	37.56 A	DP 8884	
PEG LXII DP 8884	PEG LXI DP 8884	ob171	319°32'15"	A DP 8884	-0°00'45"	32.97 A	DP 8884	
PEG LXI DP 8884	PEG LX DP 8884	ob172	295°20'15"	A DP 8884	-0°00'45"	32.97 A	DP 8884	
PEG LX DP 8884	PEG LIX DP 8884	ob173	253°37'15"	A DP 8884	-0°00'45"	49.21 A	DP 8884	
PEG LIX DP 8884	PEG LVIII DP 8884	ob174	308°28'15"	A DP 8884	-0°00'45"	67.71 A	DP 8884	
PEG LVIII DP 8884	PEG LVII DP 8884	ob175	291°58'15"	A DP 8884	-0°00'45"	26.57 A	DP 8884	
PEG LVII DP 8884	IT LVI DP 8884	ob176	279°20'15"	A DP 8884	-0°00'45"	65.58 A	DP 8884	
IT LVI DP 8884	PEG LV DP 8884	ob177	264°40'15"	A DP 8884	-0°00'45"	52.14 A	DP 8884	
PEG (13) SO 2793	PEG (39) DP 8884	ob183	39°57'15"	A DP 8884	-0°00'45"	30.48 A	DP 8884	
PEG (39) DP 8884	PEG LXX DP 8884	ob185	354°25'15"	A DP 8884	-0°00'45"	38.10 A	DP 8884	
PEG (43) DP 8884	IT X DP 8234	ob182	223°54'15"	A DP 8884	-0°00'45"	10.21 A	DP 8884	

Mark and Vector

Survey Number SO 580282

Meridional Circuit Mount Pleasant 2000

From	To	Code	Bearing	Adpt Surv	Bearing Correction	Distance	Adpt Surv	Class
IT X DP 8234	IT IX DP 8234	ob186	123°58'15"	A DP 8884	-0°00'45"	18.71 A	DP 8884	
IT IX DP 8234	PEG VI DP 8884	ob187	63°56'15"	A DP 8884	-0°00'45"	46.33 A	DP 8884	
PEG VI DP 8884	PEG V DP 8884	ob188	39°41'15"	A DP 8884	-0°00'45"	119.27 A	DP 8884	
PEG V DP 8884	PEG IV DP 8884	ob189	60°05'15"	A DP 8884	-0°00'45"	132.59 A	DP 8884	
PEG IV DP 8884	PEG III DP 8884	ob190	56°45'15"	A DP 8884	-0°00'45"	57.78 A	DP 8884	
PEG III DP 8884	PEG II DP 8884	ob191	23°05'15"	A DP 8884	-0°00'45"	107.73 A	DP 8884	
PEG II DP 8884	PEG I DP 8884	ob192	42°13'15"	A DP 8884	-0°00'45"	49.55 A	DP 8884	
PEG LXXII DP 8884	POST SO 2793	ob35	155°02'15"	A DP 8884	-0°00'45"	24.08 A	DP 8884	Class B
POST SO 2793	PEG (13) SO 2793	ob193	195°30'15"	A DP 8884	-0°00'45"	455.28 A	DP 8884	Class B
IS 7 SO 580282	PEG 7A SO 580282	ob65	290°19'00"	M		15.94 M		
PEG 7A SO 580282	Disk 4a SO 580282	ob180	116°47'40"	C		82.35 C		Class B
Disk 4a SO 580282	PEG 6A SO 580282	ob66	65°37'00"	C		34.32 C		Class B
IT 3 SO 580282	IT 6 SO 580282	ob15	154°40'00"	M		27.38 M		
IT 6 SO 580282	IT 4 SO 580282	ob194	251°42'00"	M		36.76 M		
IT 6 SO 580282	PEG 6A SO 580282	ob195	295°49'00"	M		3.09 M		
PEG LXXVII DP 8884	PEG (32) DP 8884	ob43	230°41'15"	A DP 8884	-0°00'45"	10.11 A	DP 8884	
PEG (13) SO 2793	PEG IVb DP 375285	ob184	236°19'40"	C		356.90 C		Class B

Mark Name	Mark Condition	Description
Disk 4a SO 580282		Disk in post 1m high
IR III DP 375285		Renews OPeg DP 8234 0.05d
IS 7 SO 580282		0.1d
IT 1 SO 580282		0.05 up in top of rock mound
IT 2 SO 580282		flush in edge of metal road
IT 3 SO 580282		0.02d
IT 4 SO 580282		0.02d
IT 6 SO 580282		Fl
IT CIV DP 8884		0.05d in driveway
N (Goughs SD)		IT 0.05 up in rocks
PEG (14) DP 8884	Destroyed	
PEG (19) DP 8884	Destroyed	
PEG LXXX DP 8884	Destroyed	
PEG (14) SO 2793	Searched For and Not Found	

Mark and Vector

Survey Number SO 580282
Meridional Circuit Mount Pleasant 2000

Mark Name	Mark Condition	Description
PEG (18) DP 8884	Searched For and Not Found	

*** End of Report ***

30 November 2022
Surveyor Reference: 304/6528 - Goughs Road - RPS 4505



Land Registration District	Plan Number
Canterbury	SO 580252
Territorial Authority (the Council)	
Christchurch City Council	


+


Land to be Acquired for Road			
Shown	Description	Title Reference	Area
Section 1	Lot 3 DP 8884	CB425/262	0.2199Ha


A handwritten signature in black ink, appearing to read "N. Saunders".

Nicholas Robert Saunders
LICENSED CADASTRAL SURVEYOR

Occupation Diagram










Diag. CA

Lot 1 DP 8884



S 3/5

Land District: Canterbury

Section 1 & 2

Surveyor: Nicholas Robert Saunders
Firm: Christchurch City Council - Capital P
Date of Survey: 22/11/2022


Record of Survey
SO 580282
Approved on: 10/03/2023

Digitally Generated Plan


Generated on: 10/03/2023 11:05am Page 15 of 22




Diag. A




Land District: Canterbury	Section 1 & 2	Surveyor: Nicholas Robert Saunders Firm: Christchurch City Council - Capital P Date of Survey: 22/11/2022	Record of Survey SO 580282 Approved on: 10/03/2023
Digitally Generated Plan Generated on: 10/03/2023 11:05am Page 16 of 22			






Land District: Canterbury		Section 1 & 2	Surveyor: Nicholas Robert Saunders Firm: Christchurch City Council - Capital P Date of Survey: 22/11/2022	Record of Survey SO 580282 Approved on: 10/03/2023	T 1/5
Digitally Generated Plan Generated on: 10/03/2023 11:05am Page 18 of 22					




Diag. G




Land District: Canterbury	Section 1 & 2	Surveyor: Nicholas Robert Saunders Firm: Christchurch City Council - Capital P Date of Survey: 22/11/2022	Record of Survey SO 580282 Approved on: 10/03/2023
Digitally Generated Plan Generated on: 10/03/2023 11:05am Page 19 of 22			



Diag. D



Diag. B



T 3/5

Land District: Canterbury


Section 1 & 2

Surveyor: Nicholas Robert Saunders
Firm: Christchurch City Council - Capital P
Date of Survey: 22/11/2022

Record of Survey
SO 580282
Approved on: 10/03/2023


Digitally Generated Plan

Generated on: 10/03/2023 11:05am Page 20 of 22



Diag. A

Lot 1 DP 17639



Land District: Canterbury	Section 1 & 2	Surveyor: Nicholas Robert Saunders Firm: Christchurch City Council - Capital P Date of Survey: 22/11/2022	Record of Survey SO 580282 Approved on: 10/03/2023
Digitally Generated Plan Generated on: 10/03/2023 11:05am Page 21 of 22		T 4/5	

