

NZ 86/18 NEW ZEALAND – South Island – North Coast – Marlborough Sounds. Depths, Rocks, Recommended Routes Note

1. **Chart NZ 46 [187/17]**

Insert rock  46 41° 07'.04S., 174° 19'.90E.
R

Amend rock  22 to  14 41° 05'.29S., 174° 22'.26E.
R

Replace depth 19₇ with depth 12₈ 41° 03'.13S., 174° 25'.30E.

the existing note, VOLUNTARY CODE, with the accompanying note, RECOMMENDED ROUTES AROUND THE NEW ZEALAND COAST: below main chart title

2. **Chart NZ 48 [NE May 17]**

Amend rock  22 to  14 41° 05'.29S., 174° 22'.26E.
R

Replace the existing note, VOLUNTARY CODE, with the accompanying note, RECOMMENDED ROUTES AROUND THE NEW ZEALAND COAST: below main chart title

3. **Chart NZ 463 [34/18]**

Insert depth 12₈ enclosed by 20m contour (a) 41° 03'.13S., 174° 25'.30E.
rock 4₆ and extend dotted danger line S to enclose (b) 41° 07'.04S., 174° 19'.90E.
R

depth 4₉ enclosed by 5m contour (c) 41° 12'.28S., 174° 10'.18E.
depth 9₅ and extend 10m contour line N to enclose 41° 14'.28S., 174° 16'.12E.

Amend rock  22 to  14 41° 05'.29S., 174° 22'.26E.
R



Replace the existing note, VOLUNTARY CODE, with the accompanying note, RECOMMENDED ROUTES AROUND THE NEW ZEALAND COAST: below main chart title

Delete depth 19₇ and associated 20m contour close (a) above
rock 7 close (b) above
R
depth 7₃ close (c) above

(continued)

NZ 86/18 NEW ZEALAND – South Island – North Coast – Marlborough Sounds. Depths, Rocks, Recommended Routes Note (continued)

4. Chart NZ 615 [34/18]

Insert	depth 12 ₈ enclosed by 20m contour	(a)	41° 03'.13S., 174° 25'.30E.
	rock 4 ₆ and extend dotted danger line S to enclose R	(b)	41° 07'.04S., 174° 19'.90E.
	depth 4 ₉ enclosed by 5m contour	(c)	41° 12'.28S., 174° 10'.18E.
	depth 9 ₅ and extend 10m contour line N to enclose		41° 14'.28S., 174° 16'.12E.
Amend	rock  to  (14) R		41° 05'.29S., 174° 22'.26E.
Replace	the existing note, VOLUNTARY CODE, with the accompanying note, RECOMMENDED ROUTES AROUND THE NEW ZEALAND COAST:		below main chart title
Delete	depth 19 ₇ and associated 20m contour		close (a) above
	rock 7 R		close (b) above
	depth 7 ₃		close (c) above

5. Chart NZ 6154 (plan, Tory Channel Entrance) [214/16]

Insert	rock 10 ₉ R	(a)	41° 13'.05S., 174° 17'.88E.
	depth 6 ₇ enclosed by 10m contour	(b)	41° 13'.10S., 174° 18'.61E.
Delete	depth 12 ₆		close (a) above
	depth 22 ₅		close (b) above

NIWA/Discovery Marine Limited, Maritime New Zealand
HITS 6154/50

Note: No tracings are included for this notice.

NZ 46

RECOMMENDED ROUTES AROUND THE NEW ZEALAND COAST
Attention is drawn to ANTM 10 which recommends that ships are to keep at least 5 nautical miles off the land, any charted danger, or any outlying islands, until reaching a position where alteration is required to make port.

Image Size (mm) 51.9 x 18.8

NZ 48

RECOMMENDED ROUTES AROUND THE NEW ZEALAND COAST
Attention is drawn to ANTM 10 which recommends that ships are to keep at least 5 nautical miles off the land, any charted danger, or any outlying islands, until reaching a position where alteration is required to make port.

Image Size (mm) 51.9 x 18.8

NZ 463

RECOMMENDED ROUTES AROUND THE NEW ZEALAND COAST
Attention is drawn to ANTM 10 which recommends that ships are to keep at least 5 nautical miles off the land, any charted danger, or any outlying islands, until reaching a position where alteration is required to make port.

Image Size (mm) 51.9 x 18.8

NZ 615

RECOMMENDED ROUTES AROUND THE NEW ZEALAND COAST
Attention is drawn to ANTM 10 which recommends that ships are to keep at least 5 nautical miles off the land, any charted danger, or any outlying islands, until reaching a position where alteration is required to make port.

Image Size (mm) 51.9 x 18.8