



New Zealand Nautical Almanac

Includes Annual New Zealand Notices to Mariners

2025/26 Edition | NZ 204



Toitū Te Whenua Land Information New Zealand

Our purpose: Understanding, developing and caring for whenua, moana and arawai.

Toitū Te Whenua comes from the proverb *Whatungarongaro te tangata toitū te whenua* which means *People come and go but the land remains/endures*.

Therefore, Toitū Te Whenua means **the land endures**, and is a reminder that despite changes within our organisation, the land will always be here.

Toitū Te Whenua Land Information New Zealand is the Government's lead agency for location and property information, Crown land and managing overseas investment.



Toitū Te Whenua
Land Information
New Zealand

New Zealand Nautical Almanac 2025/26

including

Annual New Zealand Notices to Mariners NZ 204

This edition covers the period from
1 July 2025 to 30 June 2026

(Corrected to *New Zealand Notices to Mariners*
Fortnightly Edition No. 8, dated 18 April 2025)

Important Note

The times listed herein are in New Zealand Standard Time (NZST).
Add 1 hour when New Zealand Daylight Time (NZDT) is in force.
New Zealand Daylight Time will be kept from 0200 NZST on 28 September 2025
until 0200 NZST on 5 April 2026.

Time Zone

One uniform time is kept throughout mainland New Zealand. This is the time 12 hours ahead of Coordinated Universal Time, (UTC) and is named New Zealand Standard Time (NZST). One hour of daylight saving, named New Zealand Daylight Time, which is 13 hours ahead of Coordinated Universal Time is observed from 0200 NZST on the last Sunday in September until 0200 NZST on the first Sunday in April. Time kept in the Chatham Islands is 45 minutes ahead of that kept in mainland New Zealand.

Search and Rescue Services

New Zealand 0508 472 269 (or 0508 4RCCNZ)
International +64 4 577 8030

Oil Spill Emergency +64 4 473 6369

Published by Toitū Te Whenua Land Information New Zealand 2025
© Crown Copyright 2025

ISSN 0112-1448 (print)
ISSN 2624-070X (online)

Preface

The information contained in this publication has been either produced by, or supplied to, Toitū Te Whenua Land Information New Zealand (Toitū Te Whenua LINZ), New Zealand Hydrographic Authority and was current as at the date of compilation. Significant hydrographic information is updated by a fortnightly Notices to Mariners service to which all mariners are encouraged to subscribe. All reasonable efforts have been made to ensure accuracy and completeness of the contents of this Almanac. Toitū Te Whenua LINZ regards third parties from which it receives information as reliable, however Toitū Te Whenua LINZ cannot verify all such information and errors may therefore exist.

Disclaimer

Toitū Te Whenua LINZ accepts no liability for any direct, indirect, consequential or incidental damages that result from any errors in the information, whether due to Toitū Te Whenua LINZ or a third party, or that arise from the use, or misuse, of the information contained in this publication.

Copyright

All material in this book is Crown Copyright. Information reproduced or reprinted from this publication is not equivalent to or a replacement for the Nautical Publications specified in *Maritime Rules Part 25 Nautical Charts and Publications* (pursuant to Section 36 of the *Maritime Transport Act 1994*).

Source of Astronomical Information

All astronomical information has been prepared by Toitū Te Whenua LINZ using software produced by the United States Naval Observatory (USNO) and from data published on the Internet by the USNO and HM Nautical Almanac Office.

Source of Tidal Information

The standard port tidal information in this publication has been prepared by Toitū Te Whenua LINZ from analysis of sea level observations supplied by port companies, regional and district councils, and the National Institute of Water and Atmospheric Research Limited (NIWA).

Some of the secondary port information has been published by the Royal New Zealand Navy in earlier editions of the Nautical Almanac; Toitū Te Whenua LINZ continues to review and update this data as new observations become available.

Source of Light List General Information

Selected text and images contained in the light list section have been reproduced with the permission of the United Kingdom Hydrographic Office www.admiralty.co.uk.

Reproduction of tidal data in local tables, almanacs, newspapers and websites

The data contained in the tide tables may be used, copied and re-distributed free of charge in any format or media, subject to a suitable acknowledgement that the material has been sourced from Toitū Te Whenua LINZ data.

Danger to navigation

When new or suspected dangers to navigation are discovered, or changes are observed in aids to navigation, or corrections to charts and publications are seen to be necessary, mariners are requested to notify Toitū Te Whenua LINZ by Hydrographic Note, see form at the back of this publication.

- Phone: +64 4 460 0110 or 0800 665 463 (NZ free call only); or
- Email: ntm@linz.govt.nz.

Users are encouraged to notify Toitū Te Whenua LINZ of any suggestions for improving this publication.

Corrections

Any required amendments to this publication will be promulgated through *New Zealand Notices to Mariners*, and will be incorporated into the next edition. Please use the table below as a record of completing corrections for each edition of *New Zealand Notices to Mariners*.

Record of corrections published in fortnightly editions of Notices to Mariners 2025

Edition No	Date Corrected	Edition No	Date Corrected	Edition No	Date Corrected	Edition No	Date Corrected	Edition No	Date Corrected
9		13		17		21		25	
10		14		18		22		26	
11		15		19		23			
12		16		20		24			

Record of corrections published in fortnightly editions of Notices to Mariners 2026

Edition No	Date Corrected	Edition No	Date Corrected	Edition No	Date Corrected	Edition No	Date Corrected	Edition No	Date Corrected
1		4		7		10		13	
2		5		8		11			
3		6		9		12			

Contents

Record of Corrections from Notices to Mariners	2
Standard Times, International Date Line	4
Astronomical Information.....	5
Tidal Information	19
Light List Information	133
Annual New Zealand Notices to Mariners.....	199
Maritime Contacts	275
Coastal Distances Table	281
Hydrographic Note.....	283

Standard Times

The world is divided into twenty-four equal zones of fifteen degrees longitude in width, in each of which the same time (Zone Time) is kept. The meridian of Greenwich is taken as the centre of the system and of Zone 0. Zones to the east of Zone 0 are numbered -1, -2, etc., and those to the west +1, +2, etc. The twelfth zone is divided into two parts by the International Date Line; that to the west being -12 and that to the east +12. The zone number indicates the number of hours by which Zone Time must be decreased or increased to obtain Universal Time (previously known as Greenwich Mean Time).

International Date Line

The International Date Line is a modification of the line of the 180th meridian, which is drawn so as to include islands of any group, etc., on the same side of the line. The line is defined, in terms of latitude and longitude and of rhumb line courses, as follows:

1. From the North Pole due south along the 180th meridian to 75°N.;
2. Thence south-eastwards to 68°N. and the longitude of the meridian passing between the Diomed Islands (approximately 168° 58'.37W.);
3. Thence due south through Bering Strait to 65° 30'N.;
4. Thence south-westwards to 53°N., 170°E.;
5. Thence south-eastwards to 48°N. and the 180th meridian;
6. Thence due south to 5°S.;
7. Thence south-eastwards to 15°S., 172° 30'W.;
8. Thence due south to 45°S., 172° 30'W.;
9. Thence south-westwards to 51°S., and the 180th meridian;
10. Thence due south to the South Pole.

When crossing the International Date Line:

- (a) on an easterly course, assume yesterday's date;
- (b) on a westerly course, assume tomorrow's date.

International Date Line information has been sourced from the *ADMIRALTY List of Radio Signals, Volume 2 Part 2, NP282 2023*.

Astronomical Information

Astronomical Phenomena.....	6
Orbital Phenomena of the Earth	6
Solar and Lunar Eclipses.....	6
Lunar Perigee and Apogee	6
Phases of the Moon	6
True Bearing of the Sun at Sunrise and Sunset	7
Sunrise and Sunset Times	8
Moonrise and Moonset Times	11
Planet Visibility	16

Astronomical Phenomena

July 2025 – June 2026

Orbital Phenomena of the Earth

Orbital phenomena			
Aphelion (Earth furthest from Sun)	2025 July 4	07:55	
Equinox (Sun moves south of the equator); equal day, night	2025 September 23	06:19	
Solstice (Sun furthest south); southern hemisphere longest day	2025 December 22	03:03	
Perihelion (Earth nearest to Sun)	2026 January 4	05:16	
Equinox (Sun moves north of the equator); equal day, night	2026 March 21	02:46	
Solstice (Sun furthest north); southern hemisphere shortest day	2026 June 21	28:24	

Solar and Lunar Eclipses

Type of eclipse	Maximum eclipse		Visibility from Wellington
Total eclipse of the Moon	2025 September 8	06:12	Moon sets during event
Partial eclipse of the Sun	2025 September 22	07:42	Entire event visible
Annular eclipse of the Sun	2026 February 18	00:12	Not visible
Total eclipse of the Moon	2026 March 3	23:34	Entire event visible

Lunar Perigee and Apogee

Perigee (Moon closest to Earth)				Apogee (Moon furthest from Earth)		
Distance (km)				Distance (km)		
2025				Jul 5	14:29	404,482
	Jul 21	01:55	368,146	Aug 2	08:36	404,001
	Aug 15	05:59	369,363	Aug 30	03:34	404,391
	Sep 11	00:10	364,928	Sep 26	21:46	405,412
	Oct 9	00:38	360,032	Oct 24	11:30	406,342
	Nov 6	10:27	357,082	Nov 20	14:48	406,611
	Dec 4	23:07	357,212	Dec 17	18:09	406,221
2026	Jan 2	09:44	360,561	Jan 14	08:47	405,302
	Jan 30	09:46	366,015	Feb 11	04:52	404,416
	Feb 25	11:14	370,195	Mar 11	01:43	404,221
	Mar 22	23:40	366,979	Apr 7	20:31	404,826
	Apr 19	18:56	361,822	May 5	10:30	405,726
	May 18	01:44	358,309	Jun 1	16:33	406,279
	Jun 15	11:20	357,441	Jun 28	19:11	406,174

Phases of the Moon

New Moon			First Quarter		Full Moon		Last Quarter	
2025			Jul 3	07:30	Jul 11	08:37	Jul 18	12:38
	Jul 25	07:11	Aug 2	00:41	Aug 9	19:55	Aug 16	17:12
	Aug 23	18:06	Aug 31	18:25	Sep 8	06:09	Sep 14	22:33
	Sep 22	07:54	Sep 30	11:54	Oct 7	15:48	Oct 14	06:13
	Oct 22	00:25	Oct 30	04:21	Nov 6	01:19	Nov 12	17:28
	Nov 20	18:47	Nov 28	18:59	Dec 5	11:14	Dec 12	08:52
	Dec 20	13:43	Dec 28	07:10				
2026					Jan 3	22:03	Jan 11	03:48
	Jan 19	07:52	Jan 26	16:47	Feb 2	10:09	Feb 10	00:43
	Feb 18	00:01	Feb 25	00:28	Mar 3	23:38	Mar 11	21:38
	Mar 19	13:23	Mar 26	07:18	Apr 2	14:12	Apr 10	16:52
	Apr 17	23:52	Apr 24	14:32	May 2	05:23	May 10	09:10
	May 17	08:01	May 23	23:11	May 31	20:45	Jun 8	22:00
	Jun 15	14:54	Jun 22	09:55	Jun 30	11:57		

Times listed are in New Zealand Standard Time (NZST).
Add 1 hour when New Zealand Daylight Time (NZDT) is in force.

True Bearing of the Sun at Sunrise and Sunset

This table gives the true bearing of the rising and setting Sun every tenth day at 10° intervals of latitude from 0° to 60° South. Simple interpolation will give values for other dates and latitudes. Bearings are given to the nearest degree and apply to the time when the Sun's upper limb appears to be coincident with a level, unobstructed horizon.

Observer's Latitude (South)

	0°		10°		20°		30°		40°		50°		60°	
	Bearing°		Bearing°		Bearing°		Bearing°		Bearing°		Bearing°		Bearing°	
	Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set
Jul 1	67	293	67	293	66	294	64	296	60	300	54	306	41	320
Jul 11	68	292	68	292	67	293	65	295	61	299	55	305	43	317
Jul 21	70	291	69	291	69	292	67	293	64	296	58	302	48	313
Jul 31	72	288	72	288	71	289	69	291	67	294	62	298	53	307
Aug 10	74	286	74	286	74	286	73	288	70	290	67	294	59	301
Aug 20	78	283	78	283	77	283	76	284	74	286	72	289	66	294
Aug 30	81	279	81	279	81	279	80	280	79	281	77	283	73	287
Sep 9	85	275	85	275	85	275	84	276	84	276	83	277	81	279
Sep 19	89	272	89	271	89	271	89	271	89	271	89	272	89	272
Sep 29	92	268	93	268	93	267	93	267	94	266	95	265	96	264
Oct 9	96	264	97	264	97	263	98	262	99	261	101	259	104	256
Oct 19	100	260	100	260	101	259	102	258	104	256	107	254	112	248
Oct 29	103	257	104	256	105	255	106	254	108	252	112	248	119	241
Nov 8	107	254	107	253	108	252	110	250	113	248	117	243	127	234
Nov 18	109	251	110	250	111	249	113	247	116	244	122	238	133	227
Nov 28	111	249	112	248	113	247	115	245	119	241	126	234	139	221
Dec 8	113	247	113	247	115	245	117	243	121	239	128	232	143	217
Dec 18	113	247	114	246	115	245	118	242	122	238	129	231	145	215
Dec 28	113	247	114	246	115	245	118	242	122	238	129	231	145	215
Jan 7	112	248	113	247	114	246	117	243	121	239	128	232	142	218
Jan 17	111	249	111	249	112	247	115	245	118	242	125	235	137	223
Jan 27	108	251	109	251	110	250	112	248	115	245	121	239	131	229
Feb 6	106	254	106	254	107	253	109	251	111	248	116	244	124	235
Feb 16	102	257	103	257	103	256	105	255	107	253	111	249	117	243
Feb 26	99	261	99	261	100	260	101	259	102	258	105	255	109	250
Mar 8	95	265	95	265	96	265	96	264	97	263	99	261	102	259
Mar 18	91	269	91	269	91	269	92	269	92	268	93	268	94	267
Mar 28	87	273	87	273	87	273	87	273	87	273	87	274	86	275
Apr 7	83	277	83	277	83	277	83	277	82	278	81	280	78	282
Apr 17	80	281	80	281	79	281	78	282	77	283	75	285	70	290
Apr 27	76	284	76	284	76	284	75	286	73	288	69	291	63	297
May 7	73	287	73	287	72	288	71	289	69	291	64	296	57	304
May 17	71	289	71	290	70	290	68	292	65	295	60	300	51	310
May 27	69	291	69	292	68	292	66	294	63	298	57	303	46	315
Jun 6	67	293	67	293	66	294	64	296	61	299	54	306	42	318
Jun 16	67	293	66	294	65	295	63	297	60	300	53	307	40	320
Jun 26	67	293	66	294	65	295	63	297	60	300	53	307	40	320
Jul 6	67	293	67	293	66	294	64	296	61	299	54	306	42	318

Sunrise and Sunset Times

July 2025 – June 2026

Astronomical

		Auckland		Bluff		Dunedin		East Cape		Gisborne		Lyttelton	
		Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set
Jul	1	7:35	17:15	8:32	17:09	8:21	17:03	7:22	16:58	7:27	16:57	8:03	17:03
	11	7:33	17:20	8:28	17:16	8:17	17:10	7:20	17:03	7:24	17:03	8:00	17:09
	21	7:28	17:27	8:21	17:26	8:10	17:20	7:15	17:10	7:19	17:10	7:54	17:18
	31	7:20	17:35	8:09	17:37	7:59	17:30	7:07	17:18	7:11	17:18	7:44	17:28
Aug	10	7:10	17:43	7:56	17:49	7:45	17:42	6:57	17:26	7:00	17:27	7:31	17:38
	20	6:58	17:51	7:39	18:02	7:29	17:54	6:44	17:35	6:48	17:35	7:17	17:49
	30	6:45	17:59	7:21	18:14	7:12	18:06	6:31	17:43	6:34	17:44	7:00	18:00
Sep	9	6:30	18:07	7:02	18:27	6:53	18:19	6:16	17:51	6:18	17:53	6:43	18:11
	19	6:15	18:15	6:42	18:39	6:34	18:31	6:00	18:00	6:03	18:02	6:24	18:22
	29	6:00	18:23	6:22	18:53	6:14	18:44	5:45	18:08	5:47	18:11	6:06	18:34
Oct	9	5:46	18:32	6:03	19:06	5:55	18:57	5:30	18:17	5:31	18:20	5:48	18:46
	19	5:32	18:41	5:44	19:20	5:37	19:10	5:16	18:27	5:16	18:30	5:31	18:58
	29	5:19	18:51	5:27	19:35	5:20	19:24	5:03	18:37	5:03	18:41	5:16	19:11
Nov	8	5:09	19:01	5:12	19:50	5:05	19:39	4:52	18:48	4:52	18:52	5:02	19:24
	18	5:01	19:12	5:00	20:04	4:54	19:53	4:44	18:58	4:44	19:03	4:52	19:37
	28	4:56	19:22	4:51	20:18	4:46	20:07	4:39	19:09	4:38	19:14	4:45	19:50
Dec	8	4:55	19:31	4:47	20:30	4:42	20:18	4:37	19:18	4:36	19:23	4:41	20:01
	18	4:57	19:38	4:48	20:38	4:43	20:27	4:39	19:25	4:38	19:30	4:43	20:09
	28	5:02	19:43	4:54	20:42	4:48	20:31	4:44	19:30	4:44	19:35	4:48	20:13
Jan	7	5:10	19:44	5:03	20:42	4:57	20:30	4:53	19:31	4:52	19:36	4:57	20:13
	17	5:20	19:42	5:16	20:37	5:10	20:25	5:02	19:29	5:02	19:33	5:09	20:09
	27	5:31	19:36	5:30	20:27	5:24	20:16	5:14	19:23	5:13	19:27	5:22	20:01
Feb	6	5:42	19:28	5:46	20:14	5:39	20:04	5:25	19:14	5:25	19:18	5:36	19:50
	16	5:52	19:17	6:01	19:59	5:54	19:49	5:36	19:03	5:37	19:07	5:50	19:36
	26	6:03	19:04	6:17	19:42	6:09	19:32	5:47	18:50	5:48	18:53	6:03	19:20
Mar	8	6:12	18:51	6:31	19:23	6:23	19:14	5:57	18:36	5:58	18:39	6:16	19:03
	18	6:22	18:36	6:45	19:03	6:37	18:55	6:06	18:21	6:08	18:23	6:28	18:45
	28	6:30	18:21	6:59	18:44	6:50	18:35	6:16	18:06	6:18	18:08	6:41	18:27
Apr	7	6:39	18:07	7:12	18:24	7:03	18:17	6:25	17:51	6:27	17:52	6:52	18:10
	17	6:48	17:53	7:26	18:06	7:16	17:59	6:34	17:37	6:37	17:38	7:04	17:53
	27	6:56	17:40	7:39	17:49	7:29	17:42	6:43	17:24	6:46	17:25	7:16	17:37
May	7	7:05	17:30	7:52	17:34	7:42	17:27	6:52	17:13	6:55	17:13	7:27	17:24
	17	7:13	17:21	8:04	17:21	7:53	17:15	7:00	17:04	7:04	17:04	7:38	17:13
	27	7:21	17:15	8:15	17:12	8:04	17:06	7:08	16:58	7:13	16:57	7:48	17:04
Jun	6	7:28	17:11	8:24	17:06	8:13	17:00	7:15	16:54	7:19	16:53	7:56	16:59
	16	7:32	17:11	8:30	17:04	8:18	16:59	7:19	16:53	7:24	16:53	8:01	16:58
	26	7:35	17:13	8:32	17:07	8:21	17:01	7:22	16:56	7:27	16:55	8:04	17:00
Jul	6	7:34	17:17	8:31	17:12	8:19	17:06	7:21	17:00	7:26	16:59	8:02	17:05

Times listed are in New Zealand Standard Time (NZST).
Add 1 hour when New Zealand Daylight Time (NZDT) is in force.

Sunrise and Sunset Times

July 2025 – June 2026

		Napier		Nelson		New Plymouth		North Cape / Otou		Picton		Puysegur Point	
		Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set
Jul	1	7:34	16:59	7:54	17:08	7:44	17:12	7:35	17:28	7:51	17:05	8:37	17:18
	11	7:31	17:05	7:51	17:14	7:42	17:17	7:33	17:33	7:48	17:11	8:33	17:25
	21	7:26	17:12	7:45	17:22	7:36	17:25	7:29	17:40	7:42	17:19	8:26	17:34
	31	7:17	17:21	7:36	17:31	7:28	17:33	7:22	17:47	7:33	17:28	8:15	17:45
Aug	10	7:06	17:30	7:24	17:41	7:17	17:42	7:13	17:54	7:22	17:38	8:01	17:57
	20	6:53	17:39	7:11	17:51	7:04	17:51	7:02	18:01	7:08	17:48	7:45	18:09
	30	6:39	17:48	6:55	18:01	6:50	18:00	6:50	18:08	6:52	17:58	7:28	18:22
Sep	9	6:23	17:57	6:39	18:10	6:35	18:09	6:36	18:15	6:36	18:07	7:09	18:34
	19	6:07	18:06	6:22	18:20	6:19	18:18	6:22	18:22	6:19	18:17	6:49	18:46
	29	5:51	18:15	6:05	18:31	6:03	18:27	6:08	18:29	6:02	18:28	6:29	18:59
Oct	9	5:35	18:25	5:48	18:41	5:47	18:36	5:54	18:37	5:45	18:38	6:10	19:12
	19	5:20	18:35	5:32	18:52	5:32	18:46	5:41	18:45	5:29	18:50	5:52	19:26
	29	5:06	18:46	5:18	19:04	5:19	18:57	5:30	18:54	5:15	19:01	5:35	19:41
Nov	8	4:55	18:58	5:06	19:16	5:07	19:08	5:20	19:03	5:03	19:13	5:20	19:55
	18	4:46	19:09	4:56	19:29	4:59	19:20	5:13	19:13	4:53	19:26	5:08	20:10
	28	4:40	19:20	4:50	19:40	4:53	19:31	5:09	19:22	4:47	19:37	5:00	20:23
Dec	8	4:38	19:30	4:47	19:50	4:51	19:40	5:08	19:31	4:44	19:48	4:56	20:35
	18	4:40	19:38	4:49	19:58	4:53	19:48	5:11	19:38	4:46	19:55	4:57	20:43
	28	4:45	19:42	4:54	20:02	4:58	19:52	5:16	19:43	4:51	20:00	5:02	20:47
Jan	7	4:54	19:43	5:03	20:03	5:07	19:53	5:23	19:44	5:00	20:00	5:12	20:47
	17	5:04	19:40	5:14	20:00	5:17	19:50	5:33	19:42	5:11	19:57	5:24	20:42
	27	5:16	19:34	5:26	19:53	5:28	19:44	5:43	19:38	5:23	19:50	5:39	20:33
Feb	6	5:28	19:24	5:39	19:42	5:40	19:35	5:53	19:30	5:36	19:39	5:54	20:20
	16	5:40	19:12	5:52	19:30	5:52	19:23	6:03	19:20	5:49	19:27	6:09	20:05
	26	5:51	18:59	6:04	19:15	6:03	19:10	6:12	19:09	6:01	19:12	6:24	19:48
Mar	8	6:02	18:44	6:16	18:59	6:14	18:55	6:21	18:56	6:13	18:56	6:38	19:29
	18	6:13	18:28	6:27	18:43	6:24	18:39	6:29	18:42	6:24	18:40	6:52	19:10
	28	6:23	18:12	6:38	18:26	6:34	18:23	6:37	18:29	6:35	18:23	7:06	18:51
Apr	7	6:32	17:56	6:48	18:09	6:44	18:08	6:44	18:15	6:45	18:06	7:19	18:32
	17	6:42	17:41	6:59	17:54	6:53	17:53	6:52	18:02	6:56	17:51	7:32	18:14
	27	6:52	17:28	7:09	17:39	7:03	17:40	7:00	17:51	7:07	17:36	7:45	17:57
May	7	7:02	17:16	7:20	17:27	7:12	17:28	7:08	17:41	7:17	17:24	7:58	17:42
	17	7:11	17:06	7:30	17:16	7:21	17:19	7:15	17:33	7:27	17:14	8:10	17:30
	27	7:19	16:59	7:39	17:09	7:30	17:12	7:22	17:27	7:36	17:06	8:20	17:20
Jun	6	7:26	16:55	7:46	17:05	7:37	17:08	7:28	17:24	7:43	17:02	8:29	17:15
	16	7:31	16:55	7:51	17:04	7:41	17:07	7:33	17:24	7:48	17:01	8:35	17:13
	26	7:34	16:57	7:54	17:06	7:44	17:10	7:35	17:26	7:51	17:03	8:37	17:15
Jul	6	7:33	17:01	7:53	17:11	7:43	17:14	7:35	17:31	7:50	17:08	8:36	17:21

Times listed are in New Zealand Standard Time (NZST).
Add 1 hour when New Zealand Daylight Time (NZDT) is in force.

Sunrise and Sunset Times

July 2025 – June 2026

			Tauranga		Timaru		Waitangi (Chatham Island)		Wellington		Westport		Whangārei	
			Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set
Astronomical	Jul	1	7:31	17:07	8:12	17:06	8:07	17:04	7:48	17:02	8:02	17:13	7:33	17:20
		11	7:29	17:13	8:09	17:12	8:04	17:10	7:45	17:08	7:59	17:19	7:32	17:25
		21	7:24	17:20	8:02	17:21	7:57	17:19	7:39	17:16	7:53	17:27	7:27	17:31
		31	7:16	17:27	7:52	17:32	7:47	17:29	7:30	17:25	7:44	17:37	7:20	17:39
	Aug	10	7:06	17:36	7:39	17:43	7:34	17:40	7:18	17:35	7:32	17:47	7:10	17:46
		20	6:54	17:44	7:24	17:54	7:19	17:51	7:05	17:45	7:18	17:57	6:59	17:54
		30	6:40	17:52	7:07	18:05	7:03	18:02	6:49	17:54	7:03	18:07	6:46	18:02
	Sep	9	6:25	18:01	6:49	18:17	6:45	18:13	6:33	18:04	6:46	18:17	6:32	18:09
		19	6:10	18:09	6:30	18:28	6:27	18:24	6:16	18:14	6:29	18:27	6:17	18:17
		29	5:54	18:18	6:12	18:40	6:08	18:36	5:59	18:25	6:11	18:37	6:02	18:24
	Oct	9	5:39	18:27	5:53	18:52	5:50	18:48	5:42	18:35	5:54	18:48	5:48	18:32
		19	5:25	18:36	5:36	19:05	5:33	19:01	5:26	18:46	5:38	19:00	5:35	18:41
		29	5:12	18:46	5:20	19:18	5:17	19:14	5:12	18:58	5:24	19:12	5:23	18:51
	Nov	8	5:02	18:57	5:06	19:32	5:04	19:27	5:00	19:10	5:11	19:24	5:13	19:01
		18	4:54	19:08	4:55	19:46	4:53	19:41	4:50	19:23	5:01	19:37	5:05	19:11
		28	4:48	19:18	4:48	19:58	4:46	19:53	4:44	19:34	4:55	19:48	5:01	19:21
	Dec	8	4:47	19:28	4:44	20:09	4:42	20:04	4:41	19:44	4:52	19:59	4:59	19:30
		18	4:49	19:35	4:46	20:17	4:43	20:12	4:43	19:52	4:54	20:06	5:02	19:37
		28	4:54	19:39	4:51	20:22	4:49	20:16	4:48	19:56	4:59	20:11	5:07	19:41
	Jan	7	5:02	19:40	5:00	20:22	4:58	20:16	4:57	19:57	5:08	20:11	5:15	19:42
		17	5:12	19:38	5:12	20:17	5:10	20:12	5:08	19:54	5:19	20:08	5:24	19:40
		27	5:23	19:32	5:25	20:09	5:23	20:04	5:20	19:47	5:31	20:00	5:35	19:35
	Feb	6	5:34	19:23	5:40	19:57	5:37	19:53	5:33	19:36	5:44	19:50	5:45	19:27
		16	5:46	19:12	5:54	19:43	5:51	19:39	5:45	19:24	5:57	19:37	5:56	19:17
		26	5:56	19:00	6:08	19:27	6:05	19:23	5:58	19:09	6:10	19:22	6:06	19:05
	Mar	8	6:06	18:45	6:21	19:10	6:18	19:06	6:09	18:53	6:22	19:06	6:15	18:52
		18	6:16	18:30	6:34	18:51	6:31	18:48	6:21	18:37	6:33	18:49	6:23	18:37
		28	6:25	18:15	6:47	18:33	6:43	18:29	6:32	18:20	6:44	18:32	6:32	18:23
	Apr	7	6:34	18:00	6:59	18:15	6:55	18:12	6:42	18:03	6:55	18:16	6:40	18:09
		17	6:43	17:46	7:11	17:58	7:07	17:55	6:53	17:48	7:06	18:00	6:48	17:56
		27	6:52	17:33	7:23	17:42	7:18	17:39	7:03	17:33	7:17	17:45	6:57	17:44
	May	7	7:01	17:22	7:35	17:28	7:30	17:25	7:14	17:21	7:28	17:32	7:05	17:33
		17	7:10	17:13	7:46	17:16	7:41	17:14	7:24	17:10	7:38	17:22	7:13	17:25
		27	7:17	17:07	7:56	17:08	7:51	17:05	7:33	17:03	7:47	17:14	7:20	17:19
	Jun	6	7:24	17:04	8:04	17:03	7:59	17:00	7:40	16:59	7:54	17:10	7:26	17:16
		16	7:29	17:03	8:10	17:01	8:05	16:59	7:45	16:58	8:00	17:09	7:31	17:15
		26	7:31	17:05	8:12	17:03	8:07	17:01	7:48	17:00	8:02	17:11	7:33	17:18
	Jul	6	7:31	17:10	8:11	17:09	8:06	17:06	7:47	17:05	8:01	17:16	7:33	17:22

Times listed are in New Zealand Standard Time (NZST)
EXCEPT for the Chatham Islands which are 45 minutes ahead of NZST.
Add 1 hour when New Zealand Daylight Time (NZDT) is in force.

Moonrise and Moonset Times Auckland

July 2025 – December 2025

		July		August		September		October		November		December	
		Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set
2025	1	11:17	23:17	10:50	0:01	11:05	1:50	11:41	2:18	13:50	2:33	14:58	1:51
	2	11:39	---	11:17	1:01	11:55	2:47	12:46	3:00	14:59	3:00	16:12	2:19
	3	12:01	0:16	11:49	2:01	12:53	3:40	13:54	3:36	16:10	3:26	17:30	2:52
	4	12:24	1:14	12:28	3:02	13:58	4:26	15:03	4:07	17:24	3:54	18:50	3:31
	5	12:49	2:12	13:14	4:02	15:06	5:05	16:13	4:35	18:42	4:25	20:07	4:21
	6	13:18	3:12	14:08	4:58	16:16	5:40	17:24	5:02	20:03	5:01	21:15	5:21
	7	13:53	4:13	15:10	5:49	17:26	6:10	18:38	5:29	21:22	5:46	22:11	6:32
	8	14:34	5:14	16:17	6:32	18:37	6:37	19:54	5:58	22:33	6:40	22:55	7:47
	9	15:24	6:13	17:26	7:10	19:48	7:04	21:12	6:31	23:34	7:45	23:29	9:00
	10	16:21	7:07	18:36	7:42	21:01	7:31	22:30	7:10	---	8:56	23:58	10:10
	11	17:25	7:55	19:45	8:10	22:16	8:01	23:44	7:58	0:22	10:08	---	11:16
	12	18:32	8:36	20:54	8:36	23:32	8:35	---	8:55	1:00	11:17	0:23	12:18
	13	19:40	9:10	22:03	9:02	---	9:15	0:49	10:00	1:30	12:23	0:46	13:18
	14	20:48	9:40	23:15	9:29	0:46	10:05	1:42	11:09	1:56	13:26	1:08	14:16
	15	21:56	10:07	---	9:59	1:55	11:03	2:24	12:19	2:20	14:26	1:31	15:15
	16	23:03	10:33	0:28	10:35	2:55	12:09	2:59	13:26	2:42	15:24	1:56	16:15
	17	---	10:59	1:42	11:17	3:44	13:18	3:27	14:30	3:04	16:23	2:25	17:15
	18	0:12	11:26	2:55	12:09	4:23	14:27	3:52	15:32	3:27	17:22	2:58	18:15
	19	1:23	11:57	4:01	13:10	4:56	15:34	4:15	16:31	3:53	18:22	3:38	19:12
	20	2:37	12:35	4:58	14:18	5:23	16:38	4:37	17:30	4:23	19:22	4:24	20:06
	21	3:52	13:21	5:45	15:28	5:47	17:39	4:59	18:29	4:58	20:22	5:18	20:52
	22	5:05	14:17	6:22	16:38	6:10	18:39	5:23	19:29	5:40	21:18	6:18	21:33
	23	6:10	15:22	6:53	17:45	6:32	19:38	5:50	20:29	6:28	22:09	7:21	22:07
	24	7:04	16:33	7:20	18:49	6:55	20:38	6:21	21:30	7:24	22:54	8:25	22:37
	25	7:48	17:45	7:44	19:50	7:19	21:38	6:58	22:29	8:24	23:32	9:29	23:03
	26	8:24	18:55	8:06	20:50	7:48	22:39	7:42	23:23	9:27	---	10:33	23:28
	27	8:53	20:01	8:28	21:49	8:21	23:39	8:32	---	10:31	0:05	11:37	23:53
	28	9:18	21:03	8:52	22:49	9:00	---	9:30	0:13	11:36	0:34	12:44	---
	29	9:41	22:03	9:18	23:49	9:46	0:37	10:32	0:56	12:41	1:00	13:53	0:19
	30	10:03	23:02	9:47	---	10:40	1:30	11:37	1:33	13:48	1:25	15:06	0:48
	31	10:26	---	10:23	0:50	---	---	12:43	2:05	---	---	16:22	1:23

Astronomical

January 2026 – June 2026

		January		February		March		April		May		June	
		Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set
2026	1	17:39	2:06	19:16	4:07	17:49	3:03	17:38	5:21	16:56	6:17	17:25	8:10
	2	18:51	2:59	19:51	5:22	18:20	4:15	18:02	6:23	17:26	7:18	18:17	9:03
	3	19:54	4:04	20:21	6:35	18:47	5:24	18:26	7:25	18:01	8:19	19:13	9:50
	4	20:44	5:18	20:47	7:43	19:12	6:30	18:54	8:26	18:41	9:19	20:14	10:31
	5	21:23	6:34	21:11	8:48	19:35	7:34	19:25	9:28	19:28	10:16	21:15	11:06
	6	21:56	7:48	21:34	9:51	19:59	8:36	20:02	10:30	20:22	11:08	22:17	11:36
	7	22:23	8:58	21:59	10:52	20:25	9:38	20:45	11:29	21:20	11:53	23:19	12:02
	8	22:47	10:03	22:25	11:53	20:54	10:40	21:34	12:24	22:21	12:32	---	12:27
	9	23:10	11:06	22:55	12:54	21:27	11:41	22:30	13:14	23:24	13:05	0:22	12:52
	10	23:33	12:06	23:30	13:55	22:05	12:42	23:30	13:57	---	13:34	1:26	13:17
	11	23:58	13:06	---	14:54	22:51	13:40	---	14:34	0:27	14:01	2:34	13:45
	12	---	14:06	0:11	15:51	23:44	14:33	0:33	15:06	1:31	14:26	3:45	14:17
	13	0:25	15:06	1:00	16:42	---	15:21	1:37	15:35	2:36	14:51	5:01	14:58
	14	0:57	16:06	1:56	17:27	0:42	16:02	2:43	16:01	3:44	15:18	6:19	15:48
	15	1:34	17:05	2:57	18:06	1:45	16:37	3:49	16:27	4:55	15:49	7:35	16:51
	16	2:18	18:00	4:02	18:40	2:50	17:08	4:57	16:53	6:11	16:26	8:42	18:03
	17	3:10	18:49	5:08	19:09	3:56	17:36	6:08	17:22	7:30	17:11	9:37	19:20
	18	4:09	19:32	6:14	19:36	5:03	18:02	7:22	17:55	8:48	18:07	10:20	20:36
	19	5:11	20:08	7:20	20:01	6:10	18:28	8:39	18:35	9:59	19:14	10:55	21:49
	20	6:16	20:40	8:27	20:26	7:19	18:55	9:57	19:24	10:59	20:28	11:24	22:56
	21	7:21	21:07	9:35	20:53	8:30	19:24	11:10	20:24	11:47	21:43	11:50	---
	22	8:26	21:33	10:45	21:24	9:44	19:59	12:15	21:32	12:25	22:55	12:14	0:01
	23	9:31	21:57	11:58	22:00	11:00	20:41	13:08	22:44	12:56	---	12:38	1:03
	24	10:36	22:22	13:11	22:43	12:14	21:32	13:51	23:56	13:23	0:03	13:03	2:04
	25	11:44	22:50	14:23	23:37	13:23	22:33	14:25	---	13:47	1:07	13:30	3:04
	26	12:54	23:21	15:29	---	14:22	23:41	14:54	1:05	14:10	2:09	14:02	4:05
	27	14:07	---	16:25	0:40	15:10	---	15:19	2:10	14:34	3:10	14:39	5:06
	28	15:21	0:00	17:11	1:50	15:50	0:53	15:42	3:13	15:00	4:10	15:22	6:04
	29	16:33	0:47	---	---	16:22	2:04	16:06	4:15	15:28	5:11	16:12	6:59
	30	17:38	1:45	---	---	16:50	3:12	16:30	5:16	16:01	6:12	17:07	7:48
	31	18:32	2:53	---	---	17:14	4:18	---	---	16:40	7:12	---	---

Times listed are in New Zealand Standard Time (NZST).
Add 1 hour when New Zealand Daylight Time (NZDT) is in force.

Moonrise and Moonset Times

Bluff

July 2025 – December 2025

		July		August		September		October		November		December	
		Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set
2025	1	11:49	23:42	10:55	0:46	10:47	3:00	11:26	3:27	14:05	3:15	15:37	2:11
	2	12:04	---	11:15	1:54	11:36	4:00	12:38	4:02	15:23	3:33	17:00	2:31
	3	12:18	0:48	11:40	3:02	12:36	4:51	13:55	4:30	16:43	3:51	18:28	2:54
	4	12:34	1:54	12:13	4:09	13:46	5:32	15:13	4:53	18:07	4:10	19:57	3:24
	5	12:52	3:00	12:55	5:13	15:03	6:04	16:32	5:13	19:36	4:31	21:19	4:06
	6	13:14	4:08	13:50	6:10	16:21	6:30	17:53	5:31	21:06	4:58	22:27	5:03
	7	13:41	5:16	14:55	6:58	17:41	6:52	19:16	5:49	22:32	5:34	23:17	6:15
	8	14:18	6:23	16:09	7:35	19:01	7:10	20:42	6:09	23:46	6:22	23:52	7:36
	9	15:05	7:25	17:27	8:05	20:22	7:28	22:11	6:33	---	7:26	---	8:58
	10	16:04	8:19	18:45	8:28	21:44	7:47	23:38	7:03	0:43	8:41	0:19	10:17
	11	17:13	9:02	20:04	8:48	23:09	8:07	---	7:43	1:24	10:00	0:39	11:31
	12	18:27	9:36	21:22	9:06	---	8:32	0:57	8:36	1:54	11:19	0:56	12:41
	13	19:44	10:02	22:41	9:23	0:34	9:04	2:01	9:42	2:16	12:33	1:11	13:49
	14	21:01	10:24	---	9:42	1:56	9:47	2:50	10:57	2:34	13:44	1:26	14:55
	15	22:17	10:43	0:01	10:03	3:08	10:43	3:25	12:14	2:50	14:52	1:42	16:02
	16	23:34	11:00	1:24	10:29	4:06	11:51	3:51	13:30	3:05	15:58	2:00	17:09
	17	---	11:17	2:47	11:04	4:49	13:07	4:11	14:43	3:20	17:04	2:21	18:17
	18	0:52	11:36	4:06	11:50	5:21	14:25	4:28	15:52	3:36	18:11	2:48	19:22
	19	2:13	11:58	5:14	12:50	5:45	15:40	4:43	17:00	3:55	19:19	3:22	20:23
	20	3:36	12:27	6:08	14:02	6:04	16:52	4:57	18:06	4:17	20:26	4:06	21:17
	21	5:00	13:05	6:48	15:20	6:21	18:02	5:13	19:13	4:46	21:31	5:01	22:00
	22	6:17	13:57	7:17	16:39	6:35	19:10	5:29	20:21	5:23	22:30	6:04	22:34
	23	7:22	15:04	7:40	17:54	6:50	20:17	5:49	21:29	6:10	23:20	7:14	23:01
	24	8:12	16:20	7:58	19:07	7:06	21:25	6:13	22:36	7:07	---	8:26	23:23
	25	8:49	17:41	8:14	20:16	7:23	22:33	6:44	23:39	8:12	0:00	9:38	23:42
	26	9:15	18:59	8:29	21:24	7:44	23:41	7:24	---	9:22	0:32	10:50	23:59
	27	9:36	20:14	8:44	22:31	8:10	---	8:14	0:36	10:34	0:57	12:03	---
	28	9:53	21:25	9:00	23:39	8:44	0:47	9:14	1:23	11:48	1:18	13:18	0:16
	29	10:09	22:33	9:18	---	9:27	1:49	10:22	2:01	13:02	1:37	14:37	0:33
	30	10:23	23:40	9:41	0:47	10:22	2:43	11:34	2:31	14:17	1:54	16:00	0:54
	31	10:39	---	10:10	1:54	---	---	12:49	2:55	---	---	17:25	1:20

January 2026 – June 2026

		January		February		March		April		May		June	
		Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set
2026	1	18:50	1:54	20:14	3:57	18:42	2:57	18:01	5:47	16:59	7:04	17:08	9:20
	2	20:04	2:42	20:40	5:20	19:04	4:18	18:17	6:57	17:22	8:13	17:59	10:14
	3	21:03	3:46	21:01	6:42	19:23	5:36	18:34	8:07	17:50	9:22	18:59	10:58
	4	21:46	5:03	21:19	7:59	19:39	6:51	18:54	9:17	18:26	10:27	20:05	11:34
	5	22:17	6:28	21:35	9:13	19:55	8:03	19:18	10:26	19:10	11:27	21:14	12:02
	6	22:40	7:51	21:51	10:24	20:11	9:14	19:49	11:34	20:05	12:18	22:24	12:24
	7	22:59	9:10	22:07	11:33	20:30	10:24	20:27	12:39	21:07	13:00	23:34	12:44
	8	23:15	10:24	22:26	12:42	20:51	11:33	21:16	13:36	22:15	13:33	---	13:01
	9	23:31	11:34	22:49	13:51	21:17	12:43	22:14	14:24	23:25	13:59	0:45	13:17
	10	23:46	12:43	23:18	14:59	21:50	13:49	23:19	15:02	---	14:21	1:58	13:35
	11	---	13:50	23:55	16:04	22:33	14:51	---	15:33	0:36	14:39	3:14	13:54
	12	0:04	14:58	---	17:03	23:25	15:45	0:29	15:58	1:48	14:57	4:35	14:18
	13	0:24	16:05	0:41	17:53	---	16:30	1:42	16:18	3:02	15:14	6:00	14:50
	14	0:48	17:12	1:39	18:34	0:28	17:05	2:55	16:36	4:19	15:32	7:27	15:33
	15	1:20	18:15	2:45	19:06	1:37	17:33	4:10	16:54	5:40	15:54	8:47	16:32
	16	2:01	19:11	3:57	19:32	2:50	17:56	5:27	17:12	7:05	16:22	9:52	17:47
	17	2:52	19:58	5:11	19:53	4:04	18:16	6:47	17:31	8:34	16:59	10:41	19:12
	18	3:53	20:36	6:26	20:12	5:20	18:33	8:11	17:56	9:58	17:50	11:16	20:37
	19	5:02	21:05	7:41	20:29	6:36	18:51	9:38	18:27	11:11	18:56	11:42	21:58
	20	6:15	21:29	8:57	20:46	7:54	19:09	11:04	19:09	12:07	20:15	12:02	23:15
	21	7:28	21:48	10:14	21:04	9:15	19:30	12:23	20:05	12:48	21:38	12:20	---
	22	8:41	22:06	11:33	21:26	10:38	19:56	13:26	21:15	13:17	22:59	12:36	0:27
	23	9:55	22:22	12:55	21:53	12:03	20:29	14:14	22:33	13:40	---	12:53	1:37
	24	11:09	22:39	14:17	22:29	13:24	21:15	14:48	23:53	13:58	0:16	13:10	2:46
	25	12:25	22:58	15:35	23:18	14:35	22:14	15:14	---	14:15	1:28	13:30	3:55
	26	13:44	23:21	16:42	---	15:32	23:26	15:35	1:11	14:30	2:38	13:55	5:03
	27	15:07	23:51	17:34	0:21	16:14	---	15:52	2:25	14:47	3:47	14:26	6:10
	28	16:29	---	18:13	1:36	16:45	0:44	16:08	3:37	15:05	4:55	15:05	7:14
	29	17:46	0:31	---	---	17:09	2:04	16:24	4:46	15:26	6:04	15:54	8:10
	30	18:50	1:26	---	---	17:28	3:21	16:40	5:55	15:52	7:12	16:52	8:57
	31	19:38	2:36	---	---	17:45	4:35	---	---	16:26	8:18	---	---

Times listed are in New Zealand Standard Time (NZST).
Add 1 hour when New Zealand Daylight Time (NZDT) is in force.

Moonrise and Moonset Times Lyttelton

July 2025 – December 2025

		July		August		September		October		November		December	
		Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set
2025	1	11:29	23:24	10:45	0:22	10:45	2:26	11:23	2:54	13:51	2:52	15:14	1:56
	2	11:47	---	11:07	1:26	11:34	3:25	12:32	3:32	15:06	3:13	16:35	2:18
	3	12:04	0:28	11:35	2:32	12:34	4:17	13:45	4:03	16:23	3:34	17:59	2:44
	4	12:22	1:31	12:09	3:37	13:41	5:00	15:00	4:29	17:43	3:55	19:25	3:18
	5	12:42	2:35	12:53	4:39	14:55	5:35	16:16	4:51	19:08	4:20	20:45	4:02
	6	13:07	3:40	13:47	5:36	16:10	6:04	17:34	5:12	20:35	4:50	21:53	5:00
	7	13:37	4:45	14:52	6:25	17:27	6:28	18:54	5:34	21:58	5:29	22:45	6:12
	8	14:15	5:50	16:03	7:05	18:43	6:50	20:16	5:57	23:12	6:20	23:24	7:31
	9	15:03	6:51	17:17	7:37	20:01	7:11	21:41	6:23	---	7:24	23:53	8:50
	10	16:01	7:45	18:33	8:04	21:20	7:32	23:05	6:57	0:10	8:37	---	10:06
	11	17:08	8:30	19:48	8:26	22:41	7:56	---	7:39	0:54	9:54	0:16	11:17
	12	18:20	9:06	21:03	8:47	---	8:24	0:22	8:34	1:26	11:09	0:36	12:24
	13	19:34	9:36	22:19	9:07	0:03	8:59	1:27	9:39	1:52	12:21	0:54	13:29
	14	20:48	10:00	23:36	9:29	1:23	9:45	2:17	10:52	2:13	13:29	1:11	14:33
	15	22:01	10:22	---	9:53	2:34	10:41	2:55	12:07	2:31	14:34	1:29	15:37
	16	23:14	10:42	0:56	10:22	3:32	11:49	3:24	13:20	2:48	15:37	1:50	16:41
	17	---	11:02	2:16	11:00	4:18	13:02	3:47	14:29	3:05	16:41	2:13	17:46
	18	0:29	11:24	3:32	11:48	4:52	14:16	4:07	15:36	3:24	17:45	2:43	18:50
	19	1:47	11:49	4:40	12:48	5:19	15:29	4:24	16:41	3:45	18:50	3:19	19:50
	20	3:07	12:21	5:35	13:59	5:41	16:38	4:42	17:45	4:11	19:55	4:04	20:43
	21	4:27	13:02	6:17	15:14	6:00	17:45	4:59	18:49	4:42	20:58	4:58	21:28
	22	5:43	13:55	6:50	16:29	6:18	18:50	5:18	19:54	5:20	21:56	6:00	22:04
	23	6:48	15:01	7:15	17:42	6:35	19:55	5:41	20:59	6:08	22:46	7:07	22:34
	24	7:40	16:16	7:36	18:51	6:53	20:59	6:07	22:04	7:04	23:28	8:16	22:59
	25	8:19	17:33	7:55	19:58	7:13	22:05	6:40	23:05	8:07	---	9:26	23:20
	26	8:49	18:48	8:12	21:03	7:36	23:10	7:21	---	9:15	0:03	10:35	23:40
	27	9:13	20:00	8:30	22:08	8:05	---	8:12	0:01	10:24	0:31	11:45	23:59
	28	9:33	21:08	8:48	23:12	8:41	0:14	9:11	0:49	11:35	0:54	12:57	---
	29	9:51	22:14	9:09	---	9:25	1:14	10:16	1:29	12:46	1:15	14:13	0:20
	30	10:08	23:18	9:34	0:18	10:19	2:08	11:26	2:02	13:58	1:35	15:32	0:43
	31	10:25	---	10:06	1:23	---	---	12:38	2:29	---	---	16:54	1:12

Astronomical

January 2026 – June 2026

		January		February		March		April		May		June	
		Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set
2026	1	18:16	1:49	19:45	3:51	18:15	2:50	17:44	5:29	16:49	6:39	17:05	8:47
	2	19:30	2:39	20:15	5:12	18:40	4:08	18:03	6:36	17:14	7:45	17:57	9:40
	3	20:30	3:43	20:39	6:30	19:02	5:23	18:23	7:43	17:45	8:51	18:56	10:26
	4	21:15	5:00	20:59	7:45	19:21	6:35	18:45	8:50	18:22	9:55	19:59	11:03
	5	21:50	6:21	21:18	8:55	19:40	7:44	19:12	9:57	19:08	10:53	21:05	11:34
	6	22:16	7:41	21:36	10:04	19:59	8:52	19:45	11:03	20:02	11:45	22:12	11:59
	7	22:38	8:57	21:56	11:10	20:19	9:59	20:25	12:05	21:03	12:28	23:20	12:21
	8	22:57	10:08	22:17	12:16	20:43	11:06	21:14	13:02	22:08	13:03	---	12:41
	9	23:15	11:15	22:42	13:22	21:12	12:12	22:11	13:50	23:15	13:32	0:28	13:00
	10	23:33	12:21	23:13	14:27	21:47	13:17	23:14	14:31	---	13:56	1:38	13:20
	11	23:53	13:26	23:52	15:30	22:30	14:17	---	15:04	0:24	14:17	2:51	13:42
	12	---	14:31	---	16:28	23:23	15:11	0:22	15:31	1:33	14:37	4:09	14:09
	13	0:15	15:36	0:39	17:19	---	15:57	1:31	15:54	2:44	14:57	5:31	14:44
	14	0:43	16:40	1:36	18:02	0:24	16:34	2:42	16:15	3:58	15:19	6:54	15:30
	15	1:16	17:41	2:41	18:37	1:31	17:05	3:54	16:36	5:15	15:44	8:12	16:30
	16	1:58	18:37	3:50	19:05	2:41	17:31	5:08	16:56	6:37	16:14	9:19	17:44
	17	2:50	19:25	5:01	19:29	3:52	17:53	6:25	17:19	8:02	16:54	10:10	19:06
	18	3:50	20:05	6:13	19:51	5:05	18:14	7:45	17:47	9:24	17:47	10:48	20:28
	19	4:56	20:37	7:25	20:10	6:18	18:34	9:09	18:21	10:37	18:54	11:17	21:46
	20	6:06	21:03	8:37	20:30	7:33	18:55	10:32	19:06	11:34	20:11	11:41	22:59
	21	7:17	21:25	9:51	20:52	8:50	19:19	11:48	20:03	12:18	21:30	12:01	---
	22	8:27	21:46	11:07	21:16	10:11	19:48	12:52	21:12	12:51	22:48	12:20	0:09
	23	9:37	22:05	12:26	21:47	11:32	20:25	13:42	22:28	13:16	---	12:39	1:16
	24	10:48	22:25	13:45	22:25	12:51	21:12	14:20	23:45	13:37	0:02	12:59	2:23
	25	12:02	22:46	15:01	23:16	14:01	22:12	14:49	---	13:56	1:12	13:22	3:28
	26	13:18	23:12	16:07	---	14:59	23:22	15:12	1:00	14:15	2:19	13:49	4:34
	27	14:37	23:45	17:01	0:19	15:43	---	15:32	2:11	14:34	3:25	14:22	5:39
	28	15:56	---	17:43	1:32	16:17	0:38	15:50	3:20	14:54	4:31	15:02	6:40
	29	17:11	0:28	---	---	16:44	1:55	16:09	4:26	15:18	5:36	15:52	7:36
	30	18:15	1:24	---	---	17:06	3:09	16:28	5:32	15:47	6:42	16:49	8:24
	31	19:06	2:33	---	---	17:26	4:20	---	---	16:22	7:46	---	---

Times listed are in New Zealand Standard Time (NZST).
Add 1 hour when New Zealand Daylight Time (NZDT) is in force.

Moonrise and Moonset Times Waitangi (Chatham Island)

July 2025 – December 2025

Astronomical

		July		August		September		October		November		December	
		Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set
2025	1	11:31	23:24	10:46	0:23	10:44	2:28	11:21	2:57	13:50	2:54	15:15	1:57
	2	11:48	---	11:08	1:27	11:33	3:28	12:31	3:34	15:05	3:15	16:35	2:19
	3	12:05	0:28	11:35	2:33	12:32	4:19	13:44	4:05	16:23	3:35	18:00	2:45
	4	12:23	1:32	12:09	3:39	13:40	5:03	15:00	4:31	17:44	3:57	19:26	3:18
	5	12:43	2:36	12:52	4:41	14:53	5:38	16:16	4:53	19:09	4:21	20:47	4:01
	6	13:07	3:41	13:46	5:39	16:09	6:06	17:34	5:14	20:36	4:50	21:55	4:59
	7	13:36	4:47	14:50	6:27	17:26	6:31	18:54	5:35	22:00	5:29	22:47	6:10
	8	14:14	5:52	16:01	7:07	18:43	6:52	20:17	5:57	23:14	6:19	23:26	7:29
	9	15:02	6:53	17:16	7:39	20:01	7:12	21:42	6:24	---	7:22	23:55	8:49
	10	16:00	7:47	18:32	8:06	21:21	7:33	23:06	6:56	0:12	8:35	---	10:05
	11	17:07	8:32	19:48	8:28	22:42	7:57	---	7:38	0:56	9:53	0:18	11:17
	12	18:19	9:09	21:03	8:49	---	8:24	0:24	8:32	1:29	11:08	0:38	12:24
	13	19:33	9:38	22:19	9:09	0:04	8:59	1:29	9:38	1:54	12:20	0:55	13:29
	14	20:47	10:02	23:37	9:30	1:24	9:43	2:20	10:51	2:15	13:28	1:12	14:34
	15	22:00	10:24	---	9:53	2:36	10:40	2:57	12:06	2:33	14:34	1:30	15:38
	16	23:14	10:43	0:57	10:22	3:35	11:47	3:26	13:19	2:50	15:38	1:50	16:43
	17	---	11:03	2:17	10:59	4:20	13:00	3:49	14:29	3:07	16:42	2:14	17:48
	18	0:29	11:25	3:34	11:47	4:55	14:15	4:09	15:36	3:25	17:46	2:42	18:52
	19	1:47	11:50	4:42	12:47	5:22	15:28	4:26	16:41	3:46	18:51	3:18	19:52
	20	3:08	12:21	5:37	13:57	5:43	16:38	4:43	17:45	4:11	19:57	4:03	20:45
	21	4:28	13:01	6:20	15:13	6:02	17:45	5:00	18:50	4:41	21:00	4:57	21:30
	22	5:44	13:54	6:52	16:28	6:19	18:51	5:19	19:55	5:19	21:58	5:59	22:07
	23	6:50	15:00	7:17	17:41	6:36	19:55	5:41	21:00	6:07	22:49	7:06	22:36
	24	7:42	16:14	7:38	18:51	6:54	21:00	6:07	22:05	7:03	23:31	8:15	23:01
	25	8:21	17:32	7:57	19:58	7:14	22:06	6:40	23:07	8:06	---	9:25	23:22
	26	8:51	18:47	8:14	21:04	7:37	23:12	7:20	---	9:14	0:05	10:35	23:41
	27	9:15	20:00	8:31	22:08	8:05	---	8:10	0:04	10:23	0:33	11:45	---
	28	9:35	21:08	8:49	23:13	8:40	0:16	9:09	0:52	11:34	0:56	12:58	0:00
	29	9:52	22:14	9:10	---	9:24	1:17	10:15	1:32	12:45	1:17	14:13	0:21
	30	10:09	23:18	9:35	0:19	10:18	2:11	11:25	2:04	13:58	1:37	15:33	0:44
	31	10:27	---	10:05	1:25	---	---	12:37	2:31	---	---	16:55	1:12

January 2026 – June 2026

		January		February		March		April		May		June	
		Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set
2026	1	18:17	1:49	19:47	3:50	18:17	2:49	17:46	5:29	16:50	6:39	17:04	8:49
	2	19:32	2:38	20:17	5:11	18:43	4:07	18:04	6:37	17:15	7:46	17:55	9:43
	3	20:32	3:42	20:41	6:29	19:04	5:22	18:24	7:44	17:45	8:53	18:54	10:28
	4	21:18	4:58	21:01	7:44	19:23	6:35	18:46	8:51	18:22	9:57	19:58	11:06
	5	21:52	6:19	21:19	8:55	19:41	7:44	19:12	9:58	19:07	10:56	21:05	11:36
	6	22:18	7:40	21:37	10:04	20:00	8:52	19:44	11:05	20:01	11:47	22:12	12:01
	7	22:40	8:56	21:56	11:11	20:20	10:00	20:24	12:07	21:02	12:30	23:19	12:23
	8	22:59	10:08	22:18	12:17	20:43	11:07	21:12	13:04	22:07	13:05	---	12:42
	9	23:16	11:16	22:42	13:23	21:11	12:14	22:09	13:53	23:15	13:34	0:28	13:01
	10	23:34	12:22	23:13	14:29	21:46	13:19	23:13	14:33	---	13:58	1:38	13:21
	11	23:54	13:27	23:51	15:32	22:29	14:19	---	15:06	0:23	14:19	2:51	13:43
	12	---	14:32	---	16:31	23:22	15:13	0:21	15:33	1:33	14:39	4:09	14:09
	13	0:16	15:37	0:38	17:22	---	15:59	1:30	15:57	2:44	14:59	5:32	14:43
	14	0:43	16:42	1:35	18:05	0:22	16:37	2:41	16:17	3:58	15:20	6:55	15:29
	15	1:16	17:44	2:39	18:39	1:29	17:08	3:54	16:37	5:16	15:44	8:14	16:28
	16	1:57	18:40	3:49	19:08	2:40	17:33	5:08	16:58	6:38	16:14	9:21	17:42
	17	2:49	19:28	5:00	19:32	3:52	17:55	6:25	17:20	8:03	16:54	10:12	19:04
	18	3:49	20:07	6:12	19:52	5:04	18:16	7:46	17:47	9:26	17:46	10:50	20:26
	19	4:55	20:39	7:25	20:12	6:18	18:35	9:09	18:21	10:39	18:52	11:19	21:45
	20	6:05	21:05	8:37	20:32	7:33	18:56	10:33	19:05	11:37	20:09	11:43	22:59
	21	7:16	21:28	9:51	20:52	8:51	19:20	11:50	20:01	12:20	21:29	12:03	---
	22	8:27	21:47	11:08	21:17	10:11	19:48	12:55	21:10	12:53	22:47	12:21	0:09
	23	9:37	22:06	12:27	21:46	11:33	20:24	13:44	22:26	13:18	---	12:40	1:17
	24	10:49	22:26	13:46	22:25	12:52	21:11	14:22	23:44	13:39	0:02	13:00	2:23
	25	12:02	22:47	15:02	23:15	14:03	22:10	14:51	---	13:58	1:12	13:22	3:29
	26	13:18	23:13	16:09	---	15:01	23:21	15:14	0:59	14:16	2:19	13:49	4:36
	27	14:38	23:45	17:03	0:17	15:46	---	15:34	2:11	14:35	3:26	14:21	5:41
	28	15:58	---	17:45	1:31	16:20	0:37	15:52	3:20	14:55	4:31	15:02	6:42
	29	17:13	0:27	---	---	16:46	1:53	16:10	4:27	15:18	5:37	15:51	7:39
	30	18:18	1:22	---	---	17:08	3:08	16:29	5:33	15:47	6:43	16:48	8:27
	31	19:09	2:31	---	---	17:28	4:20	---	---	16:21	7:48	---	---

Times listed are 45 minutes ahead of New Zealand Standard Time (NZST)
as observed on the Chatham Islands.

Add 1 hour when New Zealand Daylight Time (NZDT) is in force.

Moonrise and Moonset Times Wellington

July 2025 – December 2025

		July		August		September		October		November		December	
		Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set
2025	1	11:20	23:16	10:41	0:09	10:47	2:07	11:24	2:36	13:45	2:40	15:03	1:49
	2	11:39	---	11:06	1:11	11:37	3:06	12:32	3:15	14:58	3:03	16:21	2:13
	3	11:58	0:18	11:35	2:15	12:36	3:58	13:43	3:47	16:12	3:26	17:43	2:42
	4	12:17	1:19	12:11	3:19	13:42	4:42	14:56	4:15	17:31	3:50	19:06	3:18
	5	12:40	2:21	12:55	4:20	14:53	5:19	16:10	4:40	18:53	4:16	20:25	4:04
	6	13:05	3:24	13:50	5:17	16:07	5:50	17:25	5:03	20:17	4:49	21:33	5:03
	7	13:37	4:28	14:53	6:06	17:21	6:16	18:42	5:27	21:39	5:30	22:27	6:14
	8	14:16	5:31	16:03	6:47	18:35	6:40	20:03	5:52	22:52	6:22	23:08	7:31
	9	15:05	6:31	17:15	7:22	19:51	7:03	21:25	6:21	23:51	7:26	23:39	8:48
	10	16:03	7:25	18:28	7:50	21:08	7:26	22:47	6:56	---	8:39	---	10:02
	11	17:09	8:12	19:41	8:15	22:26	7:52	---	7:41	0:36	9:54	0:04	11:11
	12	18:19	8:50	20:54	8:38	23:46	8:23	0:02	8:36	1:11	11:07	0:26	12:16
	13	19:31	9:21	22:08	9:00	---	9:00	1:07	9:42	1:39	12:16	0:45	13:19
	14	20:42	9:48	23:23	9:24	1:03	9:47	1:59	10:53	2:01	13:22	1:05	14:21
	15	21:53	10:11	---	9:50	2:14	10:44	2:38	12:06	2:21	14:25	1:25	15:23
	16	23:05	10:33	0:40	10:21	3:13	11:51	3:09	13:17	2:40	15:27	1:47	16:26
	17	---	10:55	1:58	11:01	4:00	13:02	3:34	14:24	3:00	16:29	2:12	17:29
	18	0:17	11:19	3:13	11:50	4:36	14:15	3:56	15:29	3:20	17:31	2:43	18:31
	19	1:33	11:47	4:20	12:51	5:05	15:25	4:15	16:32	3:43	18:34	3:20	19:30
	20	2:50	12:21	5:16	14:00	5:29	16:32	4:34	17:34	4:10	19:37	4:06	20:24
	21	4:09	13:04	6:00	15:14	5:50	17:37	4:54	18:36	4:42	20:39	5:00	21:09
	22	5:23	13:58	6:34	16:27	6:09	18:41	5:15	19:39	5:22	21:36	6:01	21:47
	23	6:28	15:04	7:02	17:38	6:28	19:43	5:39	20:43	6:10	22:27	7:07	22:19
	24	7:21	16:17	7:25	18:45	6:48	20:46	6:07	21:46	7:06	23:10	8:14	22:45
	25	8:02	17:32	7:45	19:50	7:10	21:49	6:41	22:46	8:08	23:46	9:21	23:09
	26	8:34	18:45	8:05	20:53	7:35	22:53	7:23	23:42	9:14	---	10:29	23:30
	27	9:00	19:55	8:24	21:55	8:05	23:56	8:14	---	10:21	0:16	11:37	23:51
	28	9:22	21:01	8:44	22:58	8:42	---	9:12	0:30	11:30	0:41	12:47	---
	29	9:42	22:04	9:07	---	9:28	0:55	10:17	1:11	12:39	1:04	14:00	0:14
	30	10:01	23:07	9:34	0:02	10:22	1:49	11:24	1:46	13:49	1:26	15:17	0:40
	31	10:20	---	10:07	1:05	---	---	12:34	2:14	---	---	16:37	1:10

January 2026 – June 2026

		January		February		March		April		May		June	
		Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set	Rise	Set
2026	1	17:57	1:50	19:29	3:52	18:00	2:50	17:37	5:20	16:47	6:25	17:07	8:27
	2	19:10	2:41	20:01	5:10	18:28	4:05	17:57	6:26	17:13	7:30	17:59	9:21
	3	20:11	3:46	20:27	6:26	18:51	5:18	18:19	7:31	17:45	8:34	18:57	10:07
	4	20:58	5:01	20:49	7:39	19:12	6:28	18:43	8:36	18:24	9:36	19:59	10:46
	5	21:35	6:20	21:10	8:47	19:33	7:35	19:12	9:41	19:10	10:34	21:04	11:18
	6	22:03	7:38	21:30	9:53	19:53	8:41	19:46	10:45	20:04	11:26	22:09	11:45
	7	22:27	8:52	21:51	10:58	20:16	9:46	20:27	11:46	21:04	12:09	23:14	12:09
	8	22:48	10:01	22:15	12:02	20:42	10:51	21:16	12:42	22:07	12:46	---	12:30
	9	23:08	11:06	22:42	13:06	21:12	11:55	22:12	13:31	23:13	13:17	0:20	12:51
	10	23:28	12:10	23:14	14:10	21:48	12:58	23:15	14:13	---	13:43	1:28	13:13
	11	23:49	13:13	23:54	15:11	22:33	13:58	---	14:47	0:19	14:06	2:39	13:38
	12	---	14:16	---	16:09	23:25	14:52	0:20	15:17	1:27	14:28	3:54	14:07
	13	0:14	15:19	0:42	17:00	---	15:38	1:28	15:42	2:35	14:50	5:14	14:43
	14	0:43	16:22	1:38	17:44	0:25	16:17	2:37	16:05	3:47	15:13	6:36	15:31
	15	1:18	17:22	2:41	18:20	1:30	16:50	3:47	16:27	5:02	15:40	7:53	16:32
	16	2:00	18:18	3:49	18:51	2:39	17:17	4:58	16:50	6:22	16:13	8:59	17:46
	17	2:52	19:06	4:58	19:17	3:48	17:42	6:13	17:15	7:45	16:55	9:52	19:06
	18	3:51	19:47	6:08	19:40	4:58	18:04	7:31	17:44	9:05	17:49	10:32	20:25
	19	4:57	20:21	7:18	20:02	6:10	18:26	8:52	18:21	10:17	18:56	11:04	21:41
	20	6:04	20:49	8:28	20:23	7:22	18:50	10:13	19:07	11:16	20:11	11:29	22:53
	21	7:13	21:13	9:40	20:47	8:37	19:16	11:29	20:05	12:01	21:29	11:52	---
	22	8:21	21:36	10:54	21:14	9:55	19:47	12:33	21:14	12:36	22:45	12:12	0:01
	23	9:29	21:57	12:10	21:46	11:14	20:26	13:24	22:28	13:03	23:57	12:33	1:06
	24	10:38	22:18	13:27	22:27	12:31	21:14	14:04	23:43	13:27	---	12:55	2:10
	25	11:49	22:42	14:41	23:18	13:41	22:14	14:34	---	13:48	1:05	13:20	3:14
	26	13:03	23:10	15:47	---	14:39	23:24	15:00	0:56	14:08	2:10	13:48	4:18
	27	14:20	23:45	16:42	0:21	15:26	---	15:22	2:05	14:28	3:14	14:23	5:21
	28	15:38	---	17:26	1:34	16:02	0:38	15:42	3:12	14:51	4:17	15:04	6:22
	29	16:51	0:30	---	---	16:31	1:52	16:02	4:17	15:16	5:21	15:54	7:17
	30	17:56	1:26	---	---	16:55	3:04	16:23	5:21	15:47	6:25	16:50	8:06
	31	18:48	2:35	---	---	17:16	4:14	---	---	16:23	7:28	---	---

Times listed are in New Zealand Standard Time (NZST).
Add 1 hour when New Zealand Daylight Time (NZDT) is in force.

Planet Visibility

2025 – 2026

The following diagrams show, in graphical form, when the five “naked-eye” planets Mercury, Venus, Mars, Jupiter and Saturn are visible in the night sky during the period July 2025 – June 2026.


Each diagram spans the hours of darkness, covering the period from 16:00 to 08:00 with midnight being represented by the central line across the diagram. For a given date, time runs from the bottom to the top of the diagram. Times are shown in terms of New Zealand Standard Time; one hour must be added when New Zealand Daylight Time is in force. Each diagram is plotted for Wellington; time differences at other locations in New Zealand will generally not exceed an hour.

In addition to the planet information, the diagrams show the time of sunset and sunrise as well as the end and start of astronomical twilight which is the time when the Sun is 18° below the horizon. The shaded area of each diagram indicates the range of dates/times that the planet is visible in the night sky.


Appearance of the planets

Unless they are near to the horizon, planets can be distinguished from the twinkling stars by their more steady appearance. Twinkling is caused by turbulence in the atmosphere which has a greater effect on the light coming from point sources (stars) than on the light from much closer planets which are not point sources. Another pointer to identifying planets is that they are usually one of the brightest of the objects in the night sky.


Mercury is the most difficult to see of the bright planets; due to its close proximity to the Sun it is seldom seen in fully dark skies. Venus is readily identified by its brightness – being exceeded by only the Sun and Moon. Venus is often referred to as either the Evening Star (when visible in the west after sunset) or the Morning Star (in the east before sunrise). Mars is notable for its orange-red appearance and is popularly known as the Red Planet. Jupiter’s white light always outshines all of the stars whilst pale yellow Saturn is usually the least conspicuous of the five naked-eye planets.



Mercury is the most difficult of the bright planets to see as it always appears near the Sun. This means it is visible only towards the horizon in the twilight sky. In the mornings it may be seen low in the pre-dawn twilight during mid-August and again mid-December, however the best morning appearance will occur during the period late March to mid-April when it rises before twilight begins. The best times to see Mercury in the evening will occur at the beginning of July and again at the end of October. A very unfavourable appearance will occur in February, whilst a slightly better chance of seeing Mercury will take place mid-June.




Venus will be visible as a bright object in the eastern pre-dawn sky at the beginning of July. Its visibility will gradually decrease over the coming months – at the beginning of September Venus rises as twilight begins and then closer to sunrise until the end of the year when its morning appearance comes to an end. Late in January Venus will begin to slowly become more apparent in the western sky in the evening. After mid-May Venus will set as twilight ends and at the end of June it will set more than 3 hours after sunset.




Mars sets at 10 p.m. at the start of July and remains visible in the western sky until early November when it sets an hour after sunset during twilight. The red planet then reappears in the eastern dawn sky during February – March. Mars will then begin rising earlier, however by the end of June this will be only an hour before twilight begins.

JUPITER



Jupiter will rise shortly before the Sun at the beginning of July, rising progressively earlier until mid-November when it rises at midnight. Two months later the planet will be visible throughout the night. The giant planet will then start setting earlier so that the planet will set as twilight begins at the end of June.

SATURN



Saturn rises shortly before midnight at the beginning of July and will be visible throughout the night by late September. The ringed planet will then start setting during the early morning hours, and before midnight from the beginning of January. During February and March, Saturn will set during twilight and will become increasingly difficult to see from the beginning of March. The planet will then reappear in the eastern sky, rising during twilight in April, then progressively earlier until it rises at 1 a.m. at the end of June.

Tidal Information

An Introduction to Tides.....	20
The Cause and Nature of Tides	20
Tides Around New Zealand.....	24
Analysis and Prediction	25
Meteorological Effects on Tides.....	25
Tidal Streams	26
Making Sea Level Measurements.....	26
Definitions	27
Diagram Illustrating Tidal Terms.....	27
How to Use the Tide Tables.....	28
Method to Find Times or Heights of High and Low Waters	28
Method to Find Times or Heights Between High and Low Waters	30
Standard Port Information	33
Datum Descriptions.....	33
Tidal Levels	34
Tide Prediction Information.....	35
Tidal Predictions	36
Standard Port Tide Predictions.....	37
Tidal Stream Diagrams	85
Tidal Stream Predictions	113
Secondary Ports.....	119
Alphabetical Index of Secondary Ports.....	119
Secondary Ports Table.....	122

An Introduction to Tides

The periodic rise and fall of sea level, known as the tide, is caused by the gravitational interactions of the Moon and Sun on the oceans of the Earth. While gravity provides the driving force, the rotation of the Earth, the size and shape of the ocean basins and local coastal circumstances ultimately determine the magnitude and frequency of the tide at a particular place.


The following is intended to give you a basic understanding of tidal theory and an appreciation of some of the main tidal phenomena with particular reference to New Zealand conditions.

The Cause and Nature of Tides

Gravitational Forces and a Tidal Bulge


Newton's law of universal gravitation tells us that the strength of the gravitational force between two bodies is a function of their masses and the distance between them. This law also states that the direction of the gravitational attraction force is along the line joining the two bodies.

The Earth and Moon are held together by gravitational attraction, which is balanced at the common centre of gravity by an equal and opposite apparent (centrifugal) force. Away from the centre of gravity the strength of the gravitational force changes as the distance to the Moon varies. The centrifugal force, however, remains constant everywhere on Earth. Therefore, except at the centre of gravity, the gravitational and centrifugal forces are not the same and this inequality creates a residual force. These three forces are depicted in the following diagram.



If the Earth were completely covered by a very deep ocean this residual force would act on the water and produce two bulges, one on the side facing the Moon and one on the opposite side of the Earth.

The diagram below shows the Earth and Moon as viewed from above the North Pole. An observer under the water on the Earth at position 1 is beneath one of the water bulges and would be experiencing a high tide. A quarter of a revolution later, at position 2 where the original water level has been depressed, a low tide would be seen. The high tide, low tide sequence repeats as the observer moves around through points 3 and 4.



The Earth-Sun system is also subject to similar gravitational and centrifugal forces but due to the Sun's greater distance they have less than half the strength of the lunar-related forces. As a consequence, the solar-related residual forces and resulting bulges are correspondingly smaller.

The planet Venus exerts the greatest gravitational pull on the Earth of all the planets but, at just 0.0054% of the effect of the Moon, makes no real impression. Despite being the largest planet, Jupiter's greater distance means that its influence is ten times smaller than Venus. So, the Moon and Sun are the only celestial bodies that have any significant gravitational impact on the Earth.

More Tidal Bulges

The orbital motions of the Moon and Earth cause the directions to the Moon and Sun to change over the course of a month and a year respectively. The tilt of the Earth's axis also causes the directions of the Moon and Sun above and below the Earth's equatorial plane to vary over half of their associated orbital periods. Furthermore, because their orbits are elliptical, the distances to the Moon and Sun also vary throughout their respective month and year long cycles.

The gravitational effect of each of these astronomical cycles can be defined and it is useful to imagine every gravitational variation creating its own unique tidal bulge.


The period of each bulge is identical to that of the gravitational force that created it. These periods therefore, by definition, do not vary and are the same everywhere on Earth. The size, or amplitude, of these bulges is small - the largest having a height of just a few tenths of a metre.

These tidal bulges are known as constituent tides.

Tidal Bulges on the Move

Since gravitational force acts in a direct line, it follows that as the Moon and Sun move relative to Earth, so each of the direction-related tidal bulges must turn to maintain alignment with the appropriate body.

While the Earth rotates on its axis the Moon moves in the same direction around its orbit, turning the lunar tidal bulge as it goes. The diagram below shows the Earth/Moon system as viewed from above the North Pole. Initially an observer at position A sees the tidal bulge pointed in the direction of the Moon. Twenty-four hours later the observer returns to point A, but during the intervening day the Moon has moved along its orbit and rotated the tidal bulge so the observer must wait until reaching point B before catching up with the lunar bulge again.



The elapsed time to catch up to the tidal bulge that is directed towards the Moon is, on average, 24hr 50min. The time between passes under each tidal bulge (successive high waters) is, therefore, approximately 12hr 25min. The actual interval can vary by up to 30 minutes.


The tidal bulge caused by and pointing in the direction of the Sun is encountered by the rotating Earth after each complete revolution about its axis. Therefore, the interval between successive high waters caused by the solar tide-generating force is 12 hours.

These lunar and solar tide cycles each last half a day and are known as semi-diurnal tides. Since the lunar semi-diurnal tide is dominant over the solar tide, the time of the tide generally advances by nearly one hour each day in accordance with the motion of the Moon.

The bulges revolve around the Earth once every 27.32 days in the case of the lunar tidal bulge and 365.24 days for the Sun's tidal bulge.

Because the Earth is tilted on its axis by approximately 23°, the Moon's orbital plane is inclined to the Equator by the same angle. During each orbit the declination of the Moon changes from 23° on one side of the plane of the Earth's equator to the other over a period of 13.66 days. The lunar tidal bulge follows this motion so we have the situation shown in the following diagram (please note, for convenience the Earth's axis is shown in the upright position).

The observer at point A is under a tidal bulge and sees a high tide with height H_1 . Twelve hours later the observer is at point B and, once again, sees another high tide, this one has height H_2 . Now H_2 is greater than H_1 because the declination of the Moon has rotated the tidal bulge. This difference between the heights of successive high tides is known as the diurnal inequality. As the Moon approaches the plane of the Equator, H_1 and H_2 become equal and the diurnal inequality disappears.



The tidal bulge due to the Sun is similarly affected by the Earth's tilt except that the solar cycle lasts 6 months.

The Moon's declination also has a secondary oscillation that is a little more than 5° . This additional motion changes very slowly and takes 18.61 years before being repeated.

We have now considered the motion of a number of direction-dependent tidal bulges.

Tidal Bulges Changing Size

As the orbits of the Moon about the Earth and the Earth around the Sun are not circular, the distance to each of these bodies varies. Since the strength of gravitational attraction is determined, in part, by the distance between the objects, as the distances change so too does the strength of the tide-raising forces.

The lunar distance changes during a period of 27.56 days, which is very close to, but not exactly the same as, the Moon's orbital period. As a further complication, the point of the lunar orbit that is closest to the Earth does not stay in the same place. Instead, it moves slowly around the Moon's orbit, a journey that takes 8.85 years.

The distance related solar tide-generating force changes over a period of 365.26 days. As is the case with the Moon and the Earth, the point where the Earth is closest to the Sun also moves around the Earth's orbit, but this is very slow as it takes 20,930 years to complete the circuit.


Combining Tidal Bulges

Let us now consider what happens when two tidal bulges interact with one another. Since the period of each bulge is different, the rate of change that takes place as they interact will depend on the difference between their periods. When the peaks of both bulges are aligned the height of the resulting bulge will equal the sum of the heights of the individual bulges. When the peak of one bulge is aligned with the trough of the other, then the heights will tend to cancel one another. Bulges with similar amplitudes will have a far greater effect on one another compared to the effect that a small bulge will have on a larger one. The two bulges will create a new tidal bulge whose size (amplitude) and period are predetermined by the original bulges.

The diagram on the right illustrates how two simple curves merge together to form a new more complex curve.

The height of curve 1 at point A combines with the height of curve 2 at point B to produce a greater height at point C on the combined curve.

The height of curve 1 at point X is reduced by the negative height of curve 2 at point Y to produce a small negative height on the combined curve at Z.



Spring/Neap cycle: This is the most widely known phenomenon resulting from the combination of two tidal bulges. Twice each month the Earth, Moon and Sun more or less line up and we have what are known as the new and full phases of the Moon. At these times the tide generating forces of the Moon and Sun are aligned. As a result, the major lunar and solar tidal bulges combine together to create spring tide conditions when the difference between the heights of high and low water is greater than average.


The Moon continues on its way around its orbit and a week later it is at a right angle to the direction of the Sun and the tidal bulges have a cancelling effect on each other. At these times (around first and last quarter Moon) the high water is not so high and the low water is not so low – these are known as neap tides.

The tide, as it is observed, is the end result of the combination of many tidal bulges (constituent tides) each of which is linked to a particular set of Earth-Moon-Sun circumstances.

Fiction Versus Fact

The foregoing explanation describes what is known as the equilibrium tidal theory that is based on a fictitious water-covered Earth where the tidal bulges remain pointed directly towards and away from the Moon and Sun. This simplified theory ignores the effects that the continents, varying water depth, rotation and inertia have on the propagation of the tidal bulges.

Many of the tidal phenomena observed around the world are not explained by the equilibrium theory. For example, the semi-diurnal tide is not universal – some locations experience just one tide a day (a diurnal tidal regime), others have a mixed regime where times of semi-diurnal tides alternate with periods of diurnal tides. Examples of diurnal tides (Fremantle) and mixed tides (San Diego) are shown below together with Auckland's semi-diurnal regime for comparison.



Tide ranges many times greater than predicted by the equilibrium theory are not exceptional. In some places the range can exceed 10 metres (for example Broome and Derby, Western Australia and the Bay of Fundy, Canada) while elsewhere such as the Mediterranean, Baltic and Caribbean Seas the tide is almost non-existent. The spring/neap cycle is a dominant feature of the tides in some regions; in others this twice-monthly rhythm is either not so apparent or reduced to a single cycle per month.

Despite these shortcomings, the equilibrium theory does provide some understanding of the nature of the connection between the tides and the Moon and Sun and it forms the basis of the concepts underlying the constituent tides.

The Effect of the Real World on the Tidal Bulges

The arrangement of the continents has created the world's three major water basins: the Pacific, Atlantic and Indian Oceans. On the scale of these oceans, the passages of connecting water are relatively small and so, broadly speaking, the movement of the tide is constrained within individual ocean basins. The tidal bulge, as developed by the equilibrium theory, must now be considered as a very long wave trapped within each basin.

Each body of water has a natural period of oscillation which will influence its response to the tide raising forces. In general, the oscillation period for the Pacific Ocean is 25 hours and so many of the tides in the Pacific are diurnal. In the Atlantic Ocean the natural oscillation period is about 12½ hours so the tides in the Atlantic are predominantly semi-diurnal. There are, of course, many places where the tidal regime is governed by the local configuration of the land and water depth rather than large scale oceanic forces.

If you take a container of water and move it from side to side, the water level at each end will rise and fall; while across the centre of the container the water level will not change. This over-simplified model describes the nature of the tides in enclosed waters such as the Persian Gulf, Red and Mediterranean Seas.

Now move the container about in a circular fashion. The water level will rise and fall around the edge of the container and the location where the water level does not change is reduced to a point in the centre of the container. This pattern of wave behaviour is similar to what happens within the ocean basins as the Earth rotates. In the northern hemisphere the long tide wave travels in an anti-clockwise direction, whilst the wave in the southern hemisphere goes clockwise. The centre of these Coriolis rotations is known as an amphidrome; a point where there is no tide.

The speed at which a wave travels is controlled by water depth. Those parts of the wave passing over continental shelf regions and shallower coastal areas will slow down and this, in turn, means that the wave front no longer remains straight. The slowing of the wave also causes the wave height to increase. According to the equilibrium tide theory, the height of the tide wave is less than half a metre; slowing the wave in shallow water produces observed tide heights that are many times this value.


Tides Around New Zealand

All around the New Zealand coastline the tidal regime is semi-diurnal. This means that on most days two high and two low tides will occur at any given location. However, if the first tide for the day occurs after about 5:10 am there will be just three tides on that day — the fourth one in the sequence will take place very early the following day.

Maximum tidal ranges exceeding 3.5 metres occur at Onehunga, Port Taranaki, Nelson, Westport and Auckland. The smallest tidal ranges (2 metres or less) are experienced at Gisborne, Napier, Wellington and Picton.

The classic fortnightly spring/neap cycle is not seen at Napier, Wellington and Lyttelton. At these sites the solar tides are dominated by the lunar ones and the result is known as a perigean tide.

The following diagrams of predicted tide curves at Port Taranaki and Napier illustrate these range and frequency variations. Note that both the tide curves cover identical periods and are plotted at the same vertical scale.



The diurnal inequality, where successive high or low water heights are not the same, is also apparent in the diagrams. This phenomenon is particularly evident in the Port Taranaki example for high waters during the periods March 8–16 and 22–30.

The tidal bulge travels around New Zealand's coastline in an anti-clockwise direction. This is contrary to what is expected from the Coriolis Effect in the southern hemisphere. Regions surrounded by amphidrome points experience a counter-rotating circulation; New Zealand is situated in such a location which explains why the tidal bulge travels around the country in an anti-clockwise direction.

This tidal bulge takes approximately 13 hours to travel around the North and South Islands. Therefore, at any one given time there is always a high tide (and a low tide) occurring somewhere around the coast. This pattern of flow is the reason why the state of the tides in Auckland's Waitematā and Manukau Harbours are never the same despite their close proximity. The tide has to travel from Auckland around Northland to reach the Manukau Harbour – a journey that takes about 3½ hours on average.

Since the Moon is the principle force driving New Zealand's semi-diurnal tides, a complete tide cycle lasts on average 12 hr 25min. Each incoming (flood) and outgoing (ebb) tide could, therefore, be expected to last about 6 hr 10min. This is indeed the case at most of the standard ports – with Dunedin and Picton being notable exceptions. At Dunedin the flood interval is consistently 30 minutes shorter, and the ebb tide correspondingly longer, than the nominal interval. At Picton the variation is more pronounced. The duration of the incoming tide has a range of 5½ – 9½ hours and ebb tides have a range of 4½ - 8½ hours. The longest durations are observed during the neap tides that occur 3 – 4 days after first quarter Moon in February, March, August and September. This appears to be due to the effect that the sizes of the semi- and quarter-diurnal tidal constituents have on the relatively small neap tide range at Picton.

Cook Strait: Between the North and South Islands the tide travelling northward along the east coast passes the southbound tide to the west. The strong difference between the states of these tides, combined with the east/west tide height difference, produces the complex pattern of strong currents that flow through Cook Strait.

Analysis and Prediction

The actual tide observed at a particular location is the resultant of the combination of all of the gravitationally induced constituent tides that are present there. From studies of celestial motion we know that each tidal cycle follows a simple recurring (harmonic) pattern with a fixed period. The parameters that vary from place to place are the amplitude and time lag (phase) of each constituent.

Harmonic tidal analysis involves taking a series of sea level measurements made at regular intervals, usually hourly, and resolving the amplitude and phase values for each constituent tide that comprises the observed tide at that place.

The period covered by the sea level measurements has a bearing on the information that the analysis can provide. Since the Moon has the greatest effect on the tides, data from at least one month is required to account for the major lunar orbit-related effects. Longer sequences of observations enable the analysis to distinguish between constituent tides with similar periods as well as to determine very long period constituents and generally improve the quality of the results.

The analysis of sea level data for a single month will produce parameters for about 36 constituent tides – the analysis of a years' data will typically yield amplitudes and phases for 68 constituent tides. However, the amplitudes of many of these constituents are usually small (a few millimetres, or less) and as these values are affected by the amount of scatter (noise) in the sea level measurements the reliability of such results is questionable. Meaningful values can usually be obtained for the most significant 20 – 30 constituent tides for the locality.

Wherever possible predictions are based on the analysis of sea level measurements taken over a period of at least one year. This allows the average changes in mean sea level due to seasonal variations in meteorological conditions to be calculated and included in the predictions. These changes do not, however, repeat themselves exactly from year to year so it is advisable to observe and analyse sea level measurements over a number of years.

Once the amplitude and phase values for a set of constituent tides have been calculated they can then be used to create the tide curve for a specified time interval. This information can then be used to find the times and heights of maxima (high water) and minima (low water). Predictions can be made for future and past dates, however their accuracy decreases as the time difference between the measurements used in the analysis and the prediction period increases.

As predictions are given for average meteorological conditions, it follows that when conditions are not average the actual tide times and/or heights may differ from those predicted. The effects of varying meteorological conditions are discussed in the following section.

Meteorological Effects on Tides

Unusually high or low barometric pressure, or prolonged periods of strong winds can result in variations between actual sea level and the predicted heights. Differences between predicted and actual times of high and low water are caused mainly by the wind.

Barometric Pressure: Tide predictions are computed for a standard barometric pressure of 1013 hectopascals (hPa) or millibars. A difference of 1 hPa from the average can cause a difference in height of 1 cm. A low barometer will allow the sea level to rise and a high barometer will tend to depress it. This phenomenon is often described as the inverted barometer effect. The water level does not, however, adjust itself immediately to a change of pressure; it responds to the average change over a considerable area. Changes in sea level due to barometric pressure alone seldom exceed 30 centimetres but, as such circumstances are usually associated with adverse weather conditions, the actual change in sea level is often much greater.

Wind: The effect of the wind on sea level, and therefore on tidal heights and times, is variable and depends largely on the topography of the area. In general it can be said that the wind will raise the level of the sea in the direction towards which it is blowing. This effect is often called wind setup. A strong wind blowing onshore will pile up the water and cause the sea level to be higher than predicted, while winds blowing off the land will have the reverse effect.

Storm surges: The combination of wind setup and the inverted barometer effect associated with storms can create a pronounced increase in sea level. This is often called a storm surge. A long surface wave travelling with the storm depression can further exaggerate this sea level increase. A negative storm surge is the opposite effect, generally associated with high pressure systems and offshore winds, and can create unusually shallow water. This effect is of great importance to very large vessels which may be navigating with small under-keel clearances.

Tidal Streams

A tidal stream is the periodic movement of water in a horizontal direction that is due ultimately to the same astronomical causes as the tide (whereas the tide is a movement in the vertical direction). The tidal stream associated with a rising tide is called the flood stream; that associated with a falling tide is called the ebb stream. A tidal stream is often described by the direction to which it runs. There is usually a period when the flow ceases, known as slack water, before the stream changes direction. Interestingly, slack water does not necessarily occur at times of high or low water.

Tidal streams can be analysed and predicted in much the same way as tides. It is generally simpler however, to compare the stream with the tide at a nearby standard port, and determine the time difference between high or low water at the port and the beginning of the ebb or flood stream in a particular area. This is the method used to compute the tidal stream predictions for Tory Channel / Kura te Au Entrance and Te Aumiti / French Pass that are published in this Almanac.

Cook Strait: The tidal streams in and around Cook Strait are unreliable and mariners are warned to exercise every precaution when navigating in the vicinity. The streams often run in one direction for eight to 10 hours, but cases have been reported of them going for 18 hours or more. When the streams have been running in one direction for an extended period, it has been found that the opposite stream is much weaker or, on some occasions, hardly noticeable. The maximum rates shown on the chart which are normally attained during spring tide conditions are also liable to be encountered at any other time. In the vicinity of Karori Rock and Cape Terawhiti rates of up to 7 knots are frequently experienced, but as a rule do not last for more than about an hour. Small vessels are warned to keep well clear of tide rips as they may lose steerage way and may, in extreme cases, capsise.

Te Aumiti / French Pass: Mariners are cautioned against taking a vessel through the Pass against the stream, as not only does a vessel sometimes not answer the helm owing to the stream eddies acting on the bow, but there is danger of meeting a vessel coming from the opposite direction which is not visible in sufficient time to prevent collision. Powered vessels of moderate size can, with prudence, pass through at slack water or with the tidal stream and in doing so save 15 miles of distance and avoid the heavy cross sea that is frequently met northward of Rangitoto ki te Tonga / D'Urville Island and Stephens Island / Takapourewa. Local knowledge is highly desirable.

The flood and ebb streams attain rates of 5 to 7 knots and do not set directly through the narrow channel but across it. The flood stream sets in a south-westerly direction as far as the narrows and then along the shore between Channel and Rock Cod Points. The ebb stream sets in the opposite direction. See the tidal arrows shown on the chart (NZ 6151). Slack water lasts about 20 minutes. The extraordinary irregularity of the sea bottom, together with the narrowness of the channel, creates many eddies in this area. Care must be taken to prevent a vessel being swung round on to Collinet Point by the eddies.

Tory Channel / Kura te Au Entrance: Tidal streams can be very strong through the east entrance to Tory Channel / Kura te Au, reaching rates of 5 knots as indicated on chart NZ 6154. Tide rips form along the western approaches to the entrance and eddies form around Okukari Bay. Some cross channel shear is present but is generally weak relative to normal channel flows.

Vessels approaching the entrance from Cook Strait against an east-going tidal stream will find that the stream at the entrance normally sets SSE onto the starboard bow. When abreast of West Head Light the stream sets onto the port bow. Care must be taken to account for the effect of the streams. Without local knowledge, low-powered vessels should not use the entrance at spring tides, whether entering or leaving Tory Channel / Kura te Au.

Making Sea Level Measurements

Until quite recently the use of float gauges was the most common method of measuring and recording sea levels. The float gauges were installed in stilling wells that dampened the wave action and, through a system of wires and pulleys, the vertical movement of the float was translated to a pen that traced out a line on a paper chart attached to a rotating drum. Towards the end of the 20th century the pen and paper chart recording system became superseded by digital encoders that allowed sea level readings to be stored electronically, or transmitted by telephone or satellite.

Today there are a number of different types of technology to choose from to make sea level measurements. Some systems are mounted above the water and determine the distance down to the water surface by measuring the time taken for a pulse of sound or radar to travel down to the water and be reflected back to the source. Other systems are placed under the water and measure the water pressure which is converted to the height of the water column above the sensor.

At a particular port the level of the water is expressed as a height above a local datum which is also the datum used for the depths of the sea on nautical charts. This datum is defined with reference to permanent benchmarks ashore and the zero of the tide gauge. The datum adopted usually approximates Lowest Astronomical Tide (LAT) which is the lowest level the tide can be predicted to occur under normal meteorological conditions.

Definitions

Standard Ports

Standard ports are those for which tidal predictions are provided in the form of daily tables giving the times and heights of high and low waters. All times in these tables are in New Zealand Standard Time. Predicted heights are in metres and are based on the Chart Datum of the largest scale chart of the place.

Secondary Ports

Secondary ports are those for which daily predictions are not provided. Data sufficient for calculating times and heights at these ports and places are given after the standard port predictions in this book. Secondary ports are grouped under standard ports with a similar tidal pattern.

Mean Sea Level (MSL)

The average level of the sea surface over a long period or the average level which would exist in the absence of tides.

Mean High Water Springs (MHWS) and Mean Low Water Springs (MLWS)

The average of the levels of each pair of successive high waters, and of each pair of successive low waters, during that period of about 24 hours in each semi-lunation (approximately every 14 days), when the range of the tide is greatest (spring range).

Mean High Water Neaps (MHWN) and Mean Low Water Neaps (MLWN)

The average of the levels of each pair of successive high waters, and of each pair of successive low waters, during that period of about 24 hours in each semi-lunation (approximately every 14 days), when the range of the tide is least (neap range).


Chart Datum (CD)

A water level so low that the tide will but seldom fall below it. When meteorological conditions are such that sea level is lowered, the tide will fall below the predicted low water heights, and at a place where Chart Datum is at a comparatively high level, the actual depths at or near low water may be considerably less than charted.

Highest and Lowest Astronomical Tide (HAT and LAT)

The highest and lowest tidal levels which can be predicted to occur under average meteorological conditions over 18 years. Modern chart datums are set at the approximate level of Lowest Astronomical Tide (LAT) and Tide Tables list the predicted height of tide above Chart Datum. It should be noted that water level may fall below the level of LAT if abnormal meteorological conditions are experienced.

Diagram Illustrating Tidal Terms



Cautions

1. In certain circumstances a tide at low water may fall below the level of Chart Datum thus giving depths less than the charted depth.
2. The times predicted for high and low water can be affected by changes in the force and direction of the wind and by changes in the barometric pressure. It will generally be found that the heights are increased with onshore and decreased with off-shore winds. Sea level rises as the barometer falls, and vice versa, approximately 1 cm for each millibar difference from the average pressure.

How to Use the Tide Tables

Method to Find Times or Heights of High and Low Waters

Standard Ports

The times and heights of high and low water are tabulated for every day of the year. The zone time used for the predicted times is the Standard Time for the port and is indicated at the top of each page. The heights are shown in metres referred to the Chart Datum of the port concerned.

Secondary Ports

The times of high and low water are obtained by applying the time differences tabulated in the Secondary Ports Table to the daily predictions for the designated standard port. A negative time difference will give an earlier time than that for the standard port and a positive one a later time.

The heights of high and low water are obtained by multiplying the height predictions for the designated standard port by the range ratio value for the secondary port.

Predictions for the standard ports include the seasonal variations. Since the same seasonal variations apply to the designated secondary ports, they are allowed for in the final result and there is no need to apply them separately when using the method described below.

The techniques used to obtain the times and heights of high and low water at secondary ports are explained in detail in the following instruction and examples. The use of the calculation form on the following page is demonstrated by way of an example and a blank form is provided for further use.

Example

Find the times and heights of high and low waters at “**Secondary Port**” on 1 September, using the following extracts:

Extract from Secondary Ports Table :

Port	Mean Time Differences		Mean Spring, Neap and Sea Level Heights (metres)					Range Ratio
	HW	LW	MHWS	MHWN	MLWN	MLWS	MSL	
Standard Port	hhmm	hhmm	3.2	2.8	0.8	0.5	1.92	
Secondary Port	-0022	+0032	2.3	2.1	0.6	0.3	1.3	0.74

Extract from Predictions: Standard Port

September		
1	Time	m
	0316	0.4
	0941	3.3
	1546	0.6
	2207	3.1
FRI		

Note:

The data used in this example does not refer to the year of these tables nor to any particular ports.

Detailed Instructions

Note: This method produces heights for secondary ports referred to Chart Datum. Users will need to apply a suitable correction if another datum is required.

1. Obtain predicted times and heights of high and low waters at the standard port, enter them in box 1 (Times) and 2 (Heights).
2. Obtain the MSL value for the standard port from the Secondary Ports Table, enter it in box 3 (MSL).
3. Subtract the MSL value for the standard port in box 3 from the predictions in box 2, enter results in box 4. (N.B. the HW column should have positive values, the LW column negative values.)
4. Obtain data for the secondary port from the Secondary Ports Table and enter time differences in box 5, MSL in box 6, range ratio in box 7.
5. Multiply the figures in box 4 by the range ratio in box 7, enter the corresponding products in box 8.
6. Algebraically add the time differences for the secondary port in box 5 to the predicted times for the standard port in box 1, enter the results in box 9. These are the times of high and low water for the secondary port.
7. Algebraically add the values in box 8 to the MSL value for the secondary port in box 6, enter the results in box 10. These are the heights of high and low water for the secondary port.

Calculation Form

Standard Port Data	(1) Times		(2) Heights		(3) MSL	
	HW	LW	HW	LW		
	0941	0316	3.3	0.4		
	2207	1546	3.1	0.6		
(4) Predicted Height - MSL			1.4	-1.5		
(2) - (3)			1.2	-1.3		
Secondary Port Data	(5) Time Diffs				(6) MSL	(7) Range Ratio
	HW	LW				
	-0022	+0032			1.3	0.74
(8) Calculations			1.0	-1.1		
(4) x (7)			0.9	-1.0		
Secondary Port Results	(9) Times		(10) Heights			
	(1) + (5)		(6) + (8)			
	HW	LW	HW	LW		
	0919	0348	2.3	0.2		
	2145	1618	2.2	0.3		

Standard Port Data	(1) Times		(2) Heights		(3) MSL	
	HW	LW	HW	LW		
(4) Predicted Height - MSL						
(2) - (3)						
Secondary Port Data	(5) Time Diffs				(6) MSL	(7) Range Ratio
	HW	LW				
(8) Calculations						
(4) x (7)						
Secondary Port Results	(9) Times		(10) Heights			
	(1) + (5)		(6) + (8)			
	HW	LW	HW	LW		

Method to Find Times or Heights Between High and Low Waters

Times and heights between high and low waters of standard and secondary ports can be interpolated by fitting a cosine curve. This interpolation can be accomplished graphically with form reproduced on the following pages, the use of which is explained below. This form is a development of the method published in the *ADMIRALTY Tide Tables* and is reproduced with the permission of the Australian Hydrographic Service, Royal Australian Navy.

This method will give acceptable results provided that the duration of rise or fall is between 5 and 7 hours.

Formulae for use with calculators or computers are also provided courtesy of the Australian Hydrographic Service. The same criterion should be satisfied to obtain acceptable results.

To Find the Height of the Tide at a Given Time

Using the form

1. Plot the time of high water on the time axis marked HW, and the time of low water on the time axis marked LW. Connect these two points by a straight line called the "time-line".

Note: Hours from 0000 to 0800 are repeated on the right hand side of the scale for use when midnight (0000) falls between HW and LW.

2. Plot the height of high water on the height axis marked HW, and the height of low water on the axis marked LW. Connect these two points by a straight line called the "height-line".
3. To find the height of the tide for a given intermediate time, plot the time on the LW time axis, project it up to the time-line, go across to the curve, go down to the height-line then across to the LW height axis, from which the height can be read off.

Using the formula

If t_1 and h_1 denote the time and height of the tide (high or low) immediately preceding time t , and t_2 and h_2 denote the height of the tide (high or low) immediately following time t , then the height h at time t is given by the following formula:

$$h = h_1 + (h_2 - h_1)[(\cos A + 1)/2]$$

where $A = \pi[(t - t_1)/(t_2 - t_1)] + 1$ radians

Note 1: On falling tides $(h_2 - h_1)$ will be negative.

Note 2: t , t_1 and t_2 are in decimal hours.

To Find the Time for a Given Height of the Tide

Using the form

1. As above.
2. As above.
3. To find the time at which a given intermediate height occurs, plot the height on the LW height axis, project it across to the height-line, go up to the curve, across to the time-line, and down to the LW time axis, from which the time can be read off.

Using the formula

With t_1 , h_1 , t_2 , h_2 defined as above, the intermediate time t when the tide is at a given height h , can be calculated from the following formula:

$$t = t_1 + (t_2 - t_1)((A/\pi) - 1)$$


where $A = 2\pi - \arccos([2(h - h_1)/(h_2 - h_1)] - 1)$ radians.


Note 1: On falling tides $(h - h_1)$ and $(h_2 - h_1)$ will be negative.

Note 2: t , t_1 and t_2 are in decimal hours.

Note 3: It is presumed that the range of the $\arccos$ function is $[0, \pi]$.

Copyright Commonwealth of Australia 2007 – Used with the permission of the Australian Hydrographic Service





Form for Finding the Time or Height of the Tide

Tidal prediction for _____

Date _____

Time	Height
_____	Predicted time/height of preceding tide _____
_____	Predicted time/height of following tide _____
_____	Intermediate tide time/height _____
_____	Intermediate tide time/height _____

Instructions

1. Plot the predicted times and heights of high and low water on either side of the time of interest.
2. Join these points to obtain a time-line and a height-line.
3. To obtain a height for a given time, plot that time on the time axis, project up to the time-line, go across to the curve, go down to the height-line and then across to the height axis to read off the height. To find the time for a given height use the procedure in reverse.

Copyright Commonwealth of Australia 2007 – Used with the permission of the Australian Hydrographic Service

Standard Port Information

Datum Descriptions

Levels of Zeros of Predictions

Note: Chart datum corresponds to the zero of predictions in all cases.

Auckland	5.233m below B.M. 98-21 SO 69501 (LINZ code DD1N), a bronze plaque set in concrete into the road at the entrance to Captain Cook Wharf.
Bluff	8.620m below Bluff Fundamental B.M. (LINZ code ABCC), a stainless steel pin set in concrete under an iron cover, south eastern corner of Lee and Barrow Streets.
Dunedin	3.728m below B.M. WW 83 (LINZ code AFEQ), a stainless steel pin set into the concrete base at the north western corner of G Shed, Birch Street Wharf.
Gisborne	3.991m below B.M. COOK FUNDAMENTAL SO 8046 (LINZ code ACVN), a stainless steel pin set in concrete under an iron cover, north of the obelisk monument at Cook National Historic Reserve.
Lyttelton	4.478m below B.M. UD 40 (LINZ code B40V), a stainless steel pin set in a concrete block adjacent to the main pier of the overbridge to the main wharves.
Marsden Point	4.816m below the RNZN benchmark (LINZ code DJM9), an iron bolt set in concrete near the base of the light standard on the inshore east end of the Northport Ltd. pier near the launch steps.
Napier	4.837m below B.M. H 40 (LINZ code B3XM), a stainless steel pin set in a concrete block under an iron cover near the south western corner of the Port of Napier Ltd. office at the railway crossing.
Nelson	5.515m below B.M. NB 11/2 (LINZ code APB7), a stainless steel pin set in concrete with bronze ID plaque, at south edge of tug wharf near large concrete steps, Port Nelson.
Onehunga	5.593m below B.M. CC 65 (LINZ code ADLT), a stainless steel pin set in a concrete block near the easternmost corner of Shed B, Onehunga Wharf.
Picton	2.716m below Elaine Cairn (LINZ code BQFK), a cairn of cement 0.61m in height, 250m south east of the Ferry Terminal Building.
Port Chalmers	3.816m below Pin 1 SO 17533 (LINZ code DR0F), a stainless steel pin set in concrete under an asphalt and white tile cover immediately to the left of the steps to the Port Chalmers Museum (ex Post Office building).
Port Taranaki	16.185m below New Plymouth Fundamental No. 3 B.M. (LINZ code EE9M), a stainless steel pin set in concrete, under a cast iron cover, near the flagpole in Pioneer Memorial Park, Hakirau Street.
Tauranga	4.103m below B.M. BC 84 (LINZ code B309), a stainless steel pin set in the concrete foundation at the north eastern corner of the Port of Tauranga Ltd. administration building.
Timaru	6.516m below Pin 2 SO 477020 (LINZ code ET02), a stainless steel pin set in the concrete nib edge at the start of the walkway overbridge at Port Loop Road.
Wellington	3.565m below B.M. K80/2 (LINZ code ABPC), a stainless steel pin set in concrete under an iron cover, at the southern end of Lambton Quay, 35m from Willis Street.
Westport	7.351m below B.M. Harbourmasters Office (LINZ code DJMC), a stainless pin set in concrete, immediately above the steps to the pilot boat, adjacent to the Harbourmaster's Office on the main wharf.

Tidal Levels

Standard Port	MHWS	MHWN	MLWN	MLWS	Spring Range	Neap Range	MSL	HAT	LAT
Auckland	3.36	2.82	1.06	0.52	2.84	1.76	1.93	3.74	0.08
Bluff	2.81	2.41	1.11	0.64	2.17	1.30	1.76	3.10	0.33
Dunedin	2.20	1.80	0.45	0.12	2.08	1.35	1.13	2.44	-0.12
Gisborne	2.08	1.70	0.79	0.41	1.67	0.91	1.25	2.21	0.27
Lyttelton	2.58	2.04	0.82	0.37	2.21	1.22	1.45	2.76	0.15
Marsden Point	2.74	2.31	0.96	0.51	2.23	1.35	1.63	3.04	0.17
Napier	1.89	1.48	0.48	0.15	1.74	1.00	1.00	2.02	0.01
Nelson	4.32	3.28	1.61	0.66	3.66	1.67	2.44	4.76	0.18
Onehunga	4.18	3.35	1.45	0.57	3.61	1.90	2.43	4.55	0.12
Picton	1.59	1.05	0.59	0.12	1.47	0.46	0.84	1.72	0.01
Port Chalmers	2.17	1.77	0.53	0.19	1.98	1.24	1.15	2.41	-0.03
Port Taranaki	3.55	2.73	1.20	0.39	3.16	1.53	1.98	3.92	-0.01
Tauranga	1.96	1.66	0.56	0.21	1.75	1.10	1.12	2.19	-0.04
Timaru	2.49	2.08	0.87	0.53	1.96	1.21	1.50	2.72	0.30
Wellington	1.84	1.49	0.78	0.53	1.31	0.71	1.15	1.91	0.44
Westport	3.49	2.80	1.28	0.59	2.90	1.52	2.05	3.88	0.19

Notes:

1. The above levels, in metres, are referred to Chart Datum, which is the same as the zero of the tidal predictions in all cases.
2. The values for the MHWS, MHWN, MLWN and MLWS tidal levels given in the table are the averages of the levels of all spring and neap tides predicted for the period 1 July 2025 – 30 June 2026 using the harmonic constituents derived from the analysis of the observations made at that port during the period given in the table on page 35.
The average annual value of MHWS etc. varies from year to year in a cycle of approximately 19 years.
This variation is in the order of up to 0.1 – 0.15 metres.
3. The values for the spring and neap ranges have been deduced from the spring and neap tidal level values. As a consequence of the annual variation of the tidal levels, the variation in the ranges of the spring and neap tides over the 19 year cycle is twice that of the levels.
4. The value of MSL for each port has been derived from the analysis of tidal observations made at the port during the period given in the table on page 35.
5. The values for HAT and LAT given in the table above are the highest and lowest tidal levels that are predicted to occur under average meteorological conditions during the period 1 January 2000 – 31 December 2018 using the harmonic constituents derived from the analysis of the observations made at that port during the period given in the table on page 35.
6. This table is not intended to be used for the determination of cadastral or administrative boundaries.
A table of standard port values for cadastral purposes is available from the Toitū Te Whenua LINZ website www.linz.govt.nz.

Tide Prediction Information

Standard Ports

see pages 37 – 84

Predictions of the Times and Heights of High and Low Waters.

Tidal predictions are compiled for standard barometric pressure. The meteorological conditions that can have an effect on the tide are described on pages 25 – 26.

Users are reminded of the existence of irregular and frequent fluctuations in mean sea level in the Pacific Ocean. Since these are not of astronomical origin, vessels navigating with minimal under keel clearance should recognise that tidal heights alone should not be relied upon to provide for safe navigation in shoal waters. For more information refer to *Annual New Zealand Notice to Mariners, No. 7* on page 237.

The zero of the predicted tide heights for each standard port is described on page 33 and corresponds to Chart Datum.

To find times or heights between high and low waters follow the instructions given on pages 30 – 32.

The following table indicates the years for which tidal observations were obtained. The results of the analysis of that data have been used to generate the following predictions. The number of years of data analysed is also shown. Any difference between the Period of Observations and No. of Years analysed indicates data missing for one or more years.

Standard Port	Period of Observations	No. of Years
Auckland	2006 – 2024	19
Bluff	2000 – 2024	19
Dunedin	2006 – 2024	19
Gisborne	2004 – 2024	18
Lyttelton	2005 – 2024	19
Marsden Point	2005 – 2024	19
Napier	2006 – 2024	19
Nelson	2004 – 2023	19

Standard Port	Period of Observations	No. of Years
Onehunga	2004 – 2024	19
Picton	2005 – 2024	11
Port Chalmers	2006 – 2024	19
Port Taranaki	2006 – 2024	19
Tauranga	2005 – 2024	19
Timaru	2006 – 2024	19
Wellington	2006 – 2024	19
Westport	2015 – 2024	9

Tidal Streams

see pages 85 – 118

Predictions of the times of the commencement of the tidal streams at: Te Aumiti / French Pass
Tory Channel / Kura te Au Entrance

Tidal streams may be subject to irregularities and the predicted times should be regarded as approximate only. Additional tidal stream information can be found on page 26.

Secondary Ports

see pages 119 – 132

Details required for predicting times of high and low waters, and tidal levels, at secondary ports.

An alphabetical index of the secondary ports can be found on pages 119 – 121.

The secondary ports are grouped under their reference standard port which can be identified in the alphabetical index.

Instructions for finding the times and heights of high and low waters at secondary ports can be found on pages 28 – 29. To find times or heights between high and low waters follow the instructions given on pages 30 – 32.

Caution

The mean time differences for high and low waters given in the Secondary Ports Table are average values derived from the comparison of simultaneous tide predictions at the secondary port and its reference standard port. Because these time differences are constant, they do not always reflect the actual tide time differences as these are subject to naturally occurring daily variation.

The range of predicted time differences is included in the table to provide the user with an indication of how much the actual time of the tide may differ from the predicted time derived using the mean time difference.

Tidal Predictions

Important Note

Times used in the tide and tidal stream predictions are in New Zealand Standard Time (NZST).

New Zealand Daylight Time (NZDT) will be kept from 0200 NZST 28 September 2025 until 0200 NZST 5 April 2026.


Phases of the Moon

The following symbols are used in the tidal predictions to indicate moon phases:

- New Moon
- Full Moon

Conversion Information

Tide Heights		
Conversion		
Fathoms	Feet	Metres



	= Fathoms	= Feet	= Metres
Fathoms	1	6	1.829
Feet	0.167	1	0.305
Metres	0.547	3.281	1

*Example $2.74m = 2.74 \times 0.547 = 1.5fm$
 $= 1fm\ 3ft$*

Auckland

Lat. 36° 51' S., Long. 174° 46' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025

July			August			September			October													
	Time	m		Time	m		Time	m		Time	m		Time	m								
1 Tu	0536 0.8 1151 3.1 1743 0.8		16 We	0459 0.7 1114 3.1 1711 0.7 2342 3.3		1 Fr	0018 3.0 0623 0.9 1245 2.9 1839 1.0		16 Sa	0010 3.3 0615 0.6 1234 3.1 1840 0.8		1 Mo	0103 2.7 0706 1.0 1341 2.7 1942 1.2		16 Tu	0146 3.0 0752 0.8 1423 3.0 2038 0.9		1 We	0114 2.6 0718 1.1 1359 2.7 2003 1.2		16 Th	0235 2.8 0842 0.9 1510 3.0 2127 0.9
2 We	0013 3.1 0623 0.9 1238 3.0 1833 1.0		17 Th	0547 0.7 1202 3.1 1802 0.8		2 Sa	0102 2.9 0707 1.0 1333 2.8 1931 1.1		17 Su	0103 3.1 0709 0.6 1333 3.1 1942 0.9		2 Tu	0152 2.7 0801 1.1 1441 2.7 2042 1.2		17 We	0250 2.9 0900 0.8 1531 3.0 2144 0.9		2 Th	0209 2.6 0820 2.1 1500 2.7 2103 1.1		17 Fr	0340 2.8 0949 0.9 1610 3.0 2226 0.9
3 Th	0100 3.0 0710 0.9 1327 2.9 1925 1.1		18 Fr	0031 3.2 0638 0.7 1253 3.1 1857 0.8		3 Su	0147 2.8 0755 1.0 1427 2.7 2026 1.2		18 Mo	0200 3.0 0809 0.7 1438 3.0 2049 0.9		3 We	0247 2.6 0902 1.1 1543 2.7 2141 1.2		18 Th	0357 2.8 1007 0.9 1634 3.0 2246 0.9		3 Fr	0311 2.6 0926 1.1 1559 2.8 2200 1.0		18 Sa	0441 2.8 1048 0.9 1705 3.0 2319 0.8
4 Fr	0147 2.9 0757 1.0 1419 2.8 2019 1.1		19 Sa	0123 3.2 0731 0.7 1351 3.0 1959 0.9		4 Mo	0237 2.7 0848 1.1 1526 2.7 2123 1.2		19 Tu	0303 3.0 0914 0.8 1546 3.0 2155 0.9		4 Th	0348 2.6 1005 1.1 1640 2.8 2236 1.1		19 Fr	0501 2.9 1109 0.8 1730 3.1 2341 0.8		4 Sa	0414 2.7 1026 0.9 1652 2.9 2255 0.9		19 Su	0537 2.9 1140 0.8 1754 3.0
5 Sa	0235 2.9 0846 1.0 1514 2.8 2114 1.2		20 Su	0219 3.1 0829 0.7 1454 3.0 2103 0.9		5 Tu	0330 2.7 0946 1.1 1625 2.7 2218 1.2		20 We	0409 2.9 1020 0.8 1650 3.0 2258 0.9		5 Fr	0449 2.7 1102 1.0 1732 2.9 2328 1.0		20 Sa	0559 3.0 1202 0.7 1821 3.1		5 Su	0513 2.9 1121 0.8 1743 3.1 2346 0.7		20 Mo	0006 0.8 0627 3.0 1224 0.8 1839 3.0
6 Su	0325 2.8 0937 1.1 1610 2.8 2206 1.2		21 Mo	0318 3.1 0931 0.7 1600 3.1 2207 0.9		6 We	0427 2.7 1042 1.0 1719 2.8 2310 1.1		21 Th	0513 2.9 1122 0.7 1749 3.1 2356 0.8		6 Sa	0546 2.8 1153 0.8 1819 3.0		21 Su	0031 0.7 0651 3.0 1249 0.7 1908 3.2		6 Mo	0608 3.0 1211 0.6 1832 3.2		21 Tu	0049 0.7 0712 3.1 1305 0.8 1922 3.1
7 Mo	0415 2.8 1029 1.0 1704 2.8 2256 1.2		22 Tu	0421 3.1 1033 0.7 1704 3.1 2309 0.9		7 Th	0523 2.7 1135 1.0 1807 2.9 2359 1.0		22 Fr	0614 3.0 1218 0.7 1842 3.2		7 Su	0017 0.8 0638 3.0 1240 0.7 1904 3.2		22 Mo	0116 0.7 0737 3.1 1331 0.6 1951 3.2		7 Tu	0036 0.5 0659 3.2 1259 0.5 1920 3.4		22 We	0128 0.7 0753 3.1 1343 0.7 2002 3.0
8 Tu	0506 2.8 1119 1.0 1754 2.9 2343 1.1		23 We	0524 3.1 1134 0.6 1804 3.2		8 Fr	0616 2.8 1223 0.8 1852 3.0		23 Sa	0049 0.7 0709 3.1 1308 0.6 1931 3.3		8 Mo	0105 0.6 0726 3.1 1326 0.5 1949 3.3		23 Tu	0157 0.6 0819 3.2 1410 0.6 2031 3.2		8 We	0125 0.3 0748 3.4 1347 0.4 2009 3.4		23 Th	0205 0.7 0831 3.1 1420 0.8 2040 3.0
9 We	0556 2.8 1206 0.9 1839 3.0		24 Th	0007 0.8 0625 3.1 1231 0.6 1859 3.3		9 Sa	0046 0.9 0706 2.9 1308 0.7 1936 3.2		24 Su	0138 0.7 0758 3.2 1354 0.6 2017 3.3		9 Tu	0152 0.5 0813 3.3 1411 0.4 2035 3.4		24 We	0235 0.6 0858 3.2 1447 0.7 2110 3.1		9 Th	0214 0.2 0836 3.5 1435 0.3 2058 3.5		24 Fr	0241 0.7 0908 3.1 1456 0.8 2117 3.0
10 Th	0028 1.1 0645 2.8 1251 0.9 1922 3.0		25 Fr	0103 0.7 0723 3.2 1324 0.5 1950 3.4		10 Su	0132 0.8 0752 3.0 1351 0.6 2018 3.3		25 Mo	0223 0.6 0843 3.2 1436 0.6 2100 3.3		10 We	0238 0.4 0859 3.4 1456 0.4 2121 3.5		25 Th	0311 0.6 0935 3.1 1524 0.7 2147 3.1		10 Fr	0302 0.2 0925 3.5 1525 0.4 2149 3.4		25 Sa	0316 0.7 0944 3.1 1534 0.8 2155 2.9
11 Fr	0113 1.0 0732 2.9 1333 0.8 2004 3.1		26 Sa	0156 0.7 0816 3.2 1413 0.5 2039 3.4		11 Mo	0218 0.7 0837 3.2 1434 0.5 2102 3.3		26 Tu	0305 0.6 0925 3.2 1516 0.6 2140 3.2		11 Th	0325 0.3 0945 3.4 1544 0.4 2209 3.4		26 Fr	0347 0.7 1012 3.1 1601 0.8 2224 3.0		11 Sa	0352 0.2 1015 3.5 1617 0.5 2241 3.3		26 Su	0352 0.7 1021 3.0 1614 0.9 2233 2.9
12 Sa	0157 0.9 0817 3.0 1415 0.7 2045 3.2		27 Su	0246 0.7 0906 3.2 1459 0.5 2126 3.4		12 Tu	0303 0.6 0922 3.2 1518 0.5 2146 3.4		27 We	0345 0.7 1005 3.1 1554 0.7 2220 3.1		12 Fr	0413 0.3 1033 3.4 1633 0.5 2259 3.4		27 Sa	0422 0.7 1049 3.0 1641 0.9 2302 2.9		12 Su	0442 0.3 1107 3.4 1713 0.6 2335 3.2		27 Mo	0429 0.8 1100 2.9 1657 1.0 2313 2.8
13 Su	0242 0.8 0901 3.0 1457 0.7 2127 3.2		28 Mo	0333 0.7 0952 3.2 1543 0.6 2210 3.3		13 We	0349 0.5 1007 3.3 1604 0.5 2232 3.4		28 Th	0422 0.7 1044 3.1 1633 0.8 2259 3.0		13 Sa	0502 0.4 1123 3.3 1726 0.6 2351 3.2		28 Su	0500 0.8 1128 2.9 1723 1.0 2342 2.8		13 Mo	0534 0.5 1202 3.2 1813 0.7		28 Tu	0509 0.9 1143 2.9 1744 1.0 2356 2.7
14 Mo	0327 0.8 0944 3.1 1540 0.6 2210 3.3		29 Tu	0418 0.7 1035 3.1 1626 0.7 2254 3.2		14 Th	0436 0.5 1053 3.3 1651 0.6 2320 3.3		29 Fr	0500 0.8 1122 3.0 1714 0.9 2338 2.9		14 Su	0553 0.5 1217 3.2 1825 0.8		29 Mo	0540 0.9 1212 2.8 1811 1.1		14 Tu	0031 3.1 0631 0.6 1302 3.1 1917 0.8		29 We	0553 0.9 1230 2.8 1835 1.1
15 Tu	0413 0.7 1028 3.1 1624 0.6 2255 3.3		30 We	0500 0.8 1118 3.1 1708 0.8 2336 3.1		15 Fr	0524 0.5 1142 3.2 1743 0.7		30 Sa	0538 0.9 1203 2.9 1758 1.0		15 Mo	0046 3.1 0649 0.6 1318 3.1 1929 0.9		30 Tu	0026 2.7 0625 1.0 1302 2.7 1905 1.1		15 We	0131 2.9 0734 0.8 1406 3.0 2023 0.9		30 Th	0044 2.7 0644 1.0 1323 2.8 1930 1.1
			31 Th	0541 0.8 1200 3.0 1752 0.9					31 Su	0019 2.8 0620 0.9 1249 2.8 1847 1.1							31 Fr	0136 2.7 0743 1.0 1419 2.8 2027 1.0				

Standard Ports

Remember to add 1 hour for Daylight Saving Time. Commences 28 September.

Auckland

Lat. 36° 51' S., Long. 174° 46' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025/26

November

December

January

February

Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 Sa	0235 2.7 0846 1.0 1516 2.9 2124 0.9	16 Su	0413 2.8 1018 1.0 1631 2.9 2246 0.9	1 Mo	0304 2.8 0914 0.9 1534 3.0 2146 0.7	16 Tu	0432 2.8 1031 1.1 1641 2.8 2255 1.0	1 Th	0447 3.1 1052 0.8 1706 3.1 2320 0.6	16 Fr	0540 2.8 1131 1.2 1744 2.7 2355 1.0	1 Su	0004 0.6 0632 3.3 1237 0.8 1857 3.2	16 Mo	0009 1.0 0639 3.0 1232 1.1 1853 2.9
2 Su	0338 2.8 0949 0.9 1612 3.0 2220 0.8	17 Mo	0508 2.9 1109 1.0 1720 2.9 2334 0.8	2 Tu	0408 3.0 1016 0.8 1632 3.1 2244 0.6	17 We	0525 2.8 1120 1.1 1730 2.8 2343 0.9	2 Fr	0550 3.2 1152 0.8 1809 3.2	17 Sa	0628 2.9 1218 1.1 1835 2.8	2 Mo ○	0100 0.5 0726 3.4 1332 0.7 1953 3.3	17 Tu	0054 0.9 0722 3.1 1317 0.9 1938 3.0
3 Mo	0440 2.9 1047 0.8 1706 3.1 2314 0.6	18 Tu	0558 2.9 1154 0.9 1807 2.9	3 We	0511 3.1 1114 0.7 1730 3.2 2342 0.5	18 Th	0614 2.9 1205 1.1 1818 2.8	3 Sa ○	0019 0.5 0648 3.3 1250 0.7 1910 3.2	18 Su	0041 0.9 0712 3.0 1302 1.0 1922 2.9	3 Tu	0152 0.5 0817 3.5 1424 0.6 2044 3.3	18 We ●	0135 0.8 0803 3.2 1400 0.8 2021 3.1
4 Tu	0538 3.1 1142 0.7 1759 3.2	19 We	0017 0.8 0644 3.0 1236 0.9 1851 2.9	4 Th	0609 3.3 1211 0.6 1828 3.3	19 Fr	0027 0.9 0658 3.0 1247 1.0 1904 2.8	4 Su	0115 0.4 0743 3.5 1346 0.6 2007 3.3	19 Mo ●	0123 0.8 0753 3.1 1345 1.0 2006 2.9	4 We	0240 0.5 0905 3.5 1513 0.6 2132 3.3	19 Th	0216 0.7 0843 3.3 1443 0.7 2102 3.2
5 We	0008 0.4 0633 3.3 1234 0.5 1852 3.3	20 Th ●	0058 0.8 0726 3.0 1315 0.9 1932 2.9	5 Fr ○	0037 0.4 0705 3.4 1306 0.5 1925 3.3	20 Sa ●	0109 0.8 0740 3.0 1329 1.0 1948 2.9	5 Mo	0208 0.4 0835 3.5 1441 0.6 2101 3.3	20 Tu	0203 0.8 0833 3.2 1427 0.9 2047 3.0	5 Th	0326 0.5 0951 3.4 1559 0.6 2217 3.3	20 Fr	0258 0.6 0925 3.4 1527 0.6 2144 3.3
6 Th ○	0100 0.3 0725 3.4 1325 0.4 1945 3.4	21 Fr	0136 0.7 0805 3.1 1432 0.9 2013 2.9	6 Sa	0132 0.3 0759 3.5 1400 0.5 2022 3.4	21 Su	0148 0.8 0819 3.1 1409 0.9 2029 2.9	6 Tu	0259 0.4 0926 3.5 1534 0.6 2153 3.3	21 We	0242 0.7 0912 3.2 1510 0.8 2127 3.1	6 Fr	0409 0.6 1035 3.4 1642 0.7 2300 3.2	21 Sa	0340 0.6 1008 3.4 1610 0.6 2227 3.3
7 Fr	0151 0.2 0816 3.5 1416 0.4 2038 3.4	22 Sa	0213 0.7 0843 3.1 1432 0.9 2052 2.9	7 Su	0224 0.2 0851 3.6 1455 0.5 2116 3.4	22 Mo	0227 0.7 0858 3.1 1451 0.9 2110 2.9	7 We	0348 0.4 1015 3.5 1625 0.6 2241 3.3	22 Th	0321 0.7 0951 3.3 1552 0.7 2208 3.1	7 Sa	0452 0.7 1118 3.2 1724 0.8 2342 3.1	22 Su	0425 0.6 1052 3.4 1656 0.6 2313 3.3
8 Sa	0242 0.2 0907 3.6 1509 0.4 2131 3.4	23 Su	0250 0.7 0920 3.1 1511 0.9 2131 2.9	8 Mo	0316 0.3 0943 3.5 1550 0.5 2210 3.3	23 Tu	0305 0.7 0936 3.1 1532 0.9 2150 3.0	8 Th	0435 0.5 1103 3.4 1714 0.7 2329 3.2	23 Fr	0402 0.7 1032 3.3 1635 0.7 2249 3.1	8 Su	0535 0.9 1201 3.1 1805 0.9	23 Mo	0512 0.7 1139 3.3 1743 0.6
9 Su	0333 0.2 0959 3.5 1603 0.5 2225 3.3	24 Mo	0327 0.7 0958 3.1 1552 0.9 2210 2.9	9 Tu	0406 0.4 1035 3.5 1645 0.6 2302 3.2	24 We	0343 0.7 1015 3.1 1615 0.8 2230 3.0	9 Fr	0523 0.7 1151 3.3 1801 0.7	24 Sa	0445 0.7 1115 3.3 1719 0.7 2332 3.1	9 Mo	0026 3.0 0620 1.0 1243 3.0 1847 1.0	24 Tu	0001 3.2 0604 0.8 1229 3.2 1834 0.7
10 Mo	0424 0.3 1051 3.4 1700 0.6 2319 3.2	25 Tu	0405 0.8 1037 3.0 1635 0.9 2251 2.9	10 We	0458 0.5 1127 3.4 1739 0.7 2354 3.1	25 Th	0423 0.7 1056 3.1 1658 0.8 2311 3.0	10 Sa	0016 3.1 0611 0.8 1238 3.1 1847 0.8	25 Su	0530 0.8 1200 3.2 1805 0.7	10 Tu	0112 2.9 0710 1.1 1327 2.9 1933 1.1	25 We	0055 3.1 0703 0.9 1323 3.1 1930 0.8
11 Tu	0517 0.5 1146 3.3 1759 0.7	26 We	0445 0.8 1119 3.0 1720 0.9 2333 2.8	11 Th	0550 0.7 1220 3.2 1834 0.8	26 Fr	0506 0.8 1139 3.1 1743 0.8 2354 3.0	11 Su	0104 3.0 0702 1.0 1325 3.0 1935 0.9	26 Mo	0020 3.1 0621 0.8 1248 3.2 1855 0.7	11 We	0205 2.8 0804 1.2 1416 2.8 2026 1.1	26 Th	0157 3.1 0808 1.0 1424 3.0 2034 0.8
12 We	0015 3.1 0612 0.7 1244 3.2 1859 0.8	27 Th	0528 0.9 1203 2.9 1808 0.9	12 Fr	0047 3.0 0645 0.8 1313 3.1 1927 0.8	27 Sa	0551 0.8 1224 3.1 1831 0.8	12 Mo	0156 2.8 0755 1.1 1413 2.9 2024 1.0	27 Tu	0112 3.0 0718 0.9 1340 3.1 1950 0.7	12 Th	0304 2.7 0902 1.3 1509 2.7 2125 1.2	27 Fr	0305 3.0 0916 1.0 1530 3.0 2142 0.9
13 Th	0112 3.0 0713 0.8 1343 3.1 2000 0.9	28 Fr	0018 2.8 0616 0.9 1252 2.9 1859 0.9	13 Sa	0141 2.9 0742 1.0 1405 3.0 2021 0.9	28 Su	0042 2.9 0643 0.9 1313 3.1 1922 0.8	13 Tu	0251 2.8 0851 1.2 1503 2.8 2117 1.1	28 We	0212 3.0 0822 1.0 1439 3.1 2051 0.8	13 Fr	0405 2.7 0959 1.3 1608 2.7 2225 1.2	28 Sa	0414 3.1 1022 1.0 1639 3.0 2249 0.8
14 Fr	0212 2.9 0817 0.9 1441 3.0 2059 0.9	29 Sa	0107 2.8 0710 1.0 1343 2.9 1952 0.9	14 Su	0237 2.8 0841 1.0 1458 2.9 2113 0.9	29 Mo	0135 2.9 0741 0.9 1405 3.1 2017 0.8	14 We	0350 2.7 0947 1.2 1556 2.7 2212 1.1	29 Th	0320 3.0 0929 1.0 1543 3.0 2157 0.8	14 Sa	0502 2.8 1054 1.2 1708 2.7 2320 1.1	15 Su	0553 2.9 1145 1.2 1803 2.8
15 Sa	0313 2.8 0920 1.0 1538 2.9 2155 0.9	30 Su	0203 2.8 0811 1.0 1438 3.0 2048 0.8	15 Mo	0335 2.8 0938 1.1 1550 2.9 2205 1.0	30 Tu	0235 2.9 0844 0.9 1502 3.1 2116 0.7	15 Th	0447 2.8 1041 1.2 1650 2.7 2306 1.1	30 Fr	0429 3.1 1035 0.9 1650 3.0 2303 0.7	15 Su	0533 3.2 1137 0.9 1756 3.1		
						31 We	0341 3.0 0949 0.9 1603 3.1 2218 0.7								

Remember to add 1 hour for Daylight Saving Time.

Auckland

Lat. 36° 51' S., Long. 174° 46' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2026

March				April				May				June			
Time m		Time m		Time m		Time m		Time m		Time m		Time m		Time m	
1 Su	0517 3.1 1125 0.9 1744 3.0 2350 0.8	16 Mo	0512 2.9 1107 1.1 1726 2.8 2333 1.0	1 We	0024 0.8 0642 3.2 1252 0.8 1914 3.2	16 Th	0605 3.2 1209 0.8 1833 3.2	1 Fr	0043 0.9 0659 3.1 1307 0.8 1932 3.2	16 Sa	0003 0.8 0620 3.3 1229 0.5 1855 3.4	1 Mo	0137 1.0 0756 3.0 1356 0.8 2027 3.1	16 Tu	0130 0.6 0751 3.4 1355 0.3 2022 3.6
2 Mo	0615 3.2 1222 0.8 1843 3.1	17 Tu	0600 3.0 1157 1.0 1818 2.9	2 Th ○	0110 0.8 0729 3.3 1336 0.7 1959 3.3	17 Fr ●	0033 0.8 0653 3.3 1258 0.6 1922 3.3	2 Sa ○	0124 0.9 0742 3.1 1347 0.8 2013 3.2	17 Su ●	0055 0.7 0715 3.4 1322 0.4 1948 3.5	2 Tu	0216 1.0 0837 3.0 1434 0.8 2105 3.1	17 We	0226 0.6 0848 3.4 1448 0.3 2116 3.6
3 Tu ○	0044 0.7 0707 3.3 1315 0.7 1935 3.2	18 We	0020 0.9 0645 3.1 1244 0.9 1906 3.1	3 Fr	0152 0.7 0812 3.3 1418 0.7 2041 3.3	18 Sa	0121 0.6 0742 3.4 1347 0.5 2011 3.5	3 Su	0204 0.9 0824 3.1 1425 0.8 2052 3.2	18 Mo	0148 0.6 0809 3.4 1414 0.4 2040 3.6	3 We	0257 1.0 0918 2.9 1512 0.8 2144 3.1	18 Th	0322 0.6 0943 3.4 1541 0.4 2209 3.6
4 We	0133 0.6 0755 3.4 1403 0.7 2023 3.3	19 Th ●	0105 0.8 0728 3.3 1329 0.7 1952 3.2	4 Sa	0232 0.8 0854 3.2 1456 0.7 2120 3.3	19 Su	0209 0.6 0832 3.5 1436 0.4 2059 3.5	4 Mo	0242 0.9 0904 3.0 1502 0.8 2131 3.2	19 Tu	0241 0.6 0904 3.4 1506 0.4 2132 3.6	4 Th	0338 1.0 0958 2.9 1550 0.9 2223 3.1	19 Fr	0418 0.6 1037 3.3 1633 0.5 2302 3.5
5 Th	0218 0.6 0840 3.4 1447 0.7 2107 3.3	20 Fr	0149 0.6 0813 3.4 1415 0.6 2036 3.4	5 Su	0311 0.8 0933 3.2 1533 0.8 2159 3.2	20 Mo	0258 0.6 0922 3.5 1525 0.4 2149 3.5	5 Tu	0321 1.0 0943 3.0 1538 0.9 2209 3.1	20 We	0336 0.6 0959 3.4 1558 0.4 2225 3.5	5 Fr	0420 1.0 1037 2.9 1629 0.9 2304 3.0	20 Sa	0513 0.6 1130 3.3 1726 0.6 2355 3.4
6 Fr	0300 0.6 0924 3.4 1529 0.7 2149 3.3	21 Sa	0233 0.6 0858 3.4 1501 0.5 2121 3.4	6 Mo	0349 0.9 1012 3.1 1610 0.8 2237 3.1	21 Tu	0350 0.6 1014 3.4 1615 0.4 2240 3.5	6 We	0402 1.0 1022 3.0 1616 0.9 2248 3.1	21 Th	0433 0.6 1054 3.3 1651 0.5 2320 3.5	6 Sa	0504 1.0 1118 2.9 1711 1.0 2346 3.0	21 Su	0608 0.7 1223 3.2 1821 0.8
7 Sa	0340 0.7 1005 3.3 1608 0.7 2229 3.2	22 Su	0318 0.6 0944 3.5 1547 0.5 2207 3.5	7 Tu	0429 1.0 1051 3.0 1647 0.9 2316 3.1	22 We	0445 0.7 1108 3.3 1707 0.5 2334 3.4	7 Th	0444 1.1 1102 2.9 1656 1.0 2330 3.0	22 Fr	0531 0.7 1149 3.2 1746 0.7	7 Su	0549 1.0 1200 2.9 1756 1.0	22 Mo	0048 3.3 0702 0.8 1317 3.1 1918 0.9
8 Su	0420 0.8 1045 3.2 1645 0.8 2308 3.1	23 Mo	0406 0.6 1032 3.4 1634 0.5 2255 3.4	8 We	0511 1.1 1131 2.9 1726 1.0 2358 3.0	23 Th	0543 0.8 1203 3.2 1802 0.7	8 Fr	0529 1.1 1144 2.8 1738 1.0	23 Sa	0016 3.4 0630 0.8 1245 3.1 1845 0.8	8 Mo	0031 3.0 0636 1.0 1246 2.9 1846 1.0	23 Tu	0141 3.1 0755 0.8 1412 3.0 2016 1.0
9 Mo	0500 0.9 1124 3.1 1723 0.9 2349 3.0	24 Tu	0457 0.7 1122 3.3 1723 0.6 2347 3.3	9 Th	0557 1.1 1213 2.8 1809 1.1	24 Fr	0032 3.3 0644 0.9 1301 3.1 1902 0.8	9 Sa	0015 2.9 0618 1.1 1228 2.8 1825 1.1	24 Su	0114 3.2 0730 0.8 1343 3.1 1946 0.9	9 Tu	0118 3.0 0726 1.0 1336 2.9 1941 1.1	24 We	0233 3.0 0847 0.9 1509 2.9 2113 1.1
10 Tu	0543 1.0 1204 3.0 1803 1.0	25 We	0552 0.8 1215 3.2 1817 0.7	10 Fr	0046 2.9 0647 1.2 1258 2.8 1859 1.2	25 Sa	0133 3.2 0748 0.9 1402 3.0 2007 0.9	10 Su	0104 2.9 0708 1.1 1316 2.8 1919 1.2	25 Mo	0211 3.2 0828 0.9 1442 3.0 2049 1.0	10 We	0209 3.0 0818 0.9 1432 2.9 2041 1.0	25 Th	0325 3.0 0940 1.0 1606 2.9 2207 1.1
11 We	0032 2.9 0630 1.1 1247 2.9 1847 1.1	26 Th	0043 3.2 0653 0.9 1312 3.1 1915 0.8	11 Sa	0139 2.8 0742 1.2 1349 2.7 1956 1.2	26 Su	0235 3.1 0851 1.0 1505 3.0 2113 1.0	11 Mo	0155 2.9 0801 1.1 1409 2.8 2018 1.2	26 Tu	0307 3.1 0923 0.9 1542 3.0 2148 1.0	11 Th	0301 3.0 0913 0.8 1532 3.0 2142 1.0	26 Fr	0416 2.9 1031 1.0 1700 2.9 2258 1.1
12 Th	0122 2.8 0722 1.2 1333 2.8 1939 1.2	27 Fr	0146 3.1 0759 1.0 1414 3.0 2021 0.9	12 Su	0236 2.8 0838 1.2 1446 2.7 2059 1.2	27 Mo	0336 3.1 0951 0.9 1608 3.0 2215 1.0	12 Tu	0248 2.9 0855 1.1 1507 2.8 2118 1.1	27 We	0401 3.0 1016 0.9 1639 3.0 2241 1.0	12 Fr	0357 3.1 1010 0.7 1635 3.1 2241 0.9	27 Sa	0507 2.9 1120 1.0 1751 3.0 2344 1.1
13 Fr	0219 2.8 0819 1.3 1426 2.7 2038 1.2	28 Sa	0252 3.1 0906 1.0 1520 3.0 2129 0.9	13 Mo	0332 2.8 0934 1.2 1546 2.8 2159 1.1	28 Tu	0432 3.1 1046 0.9 1707 3.0 2310 0.9	13 We	0341 3.0 0949 1.0 1607 2.9 2216 1.0	28 Th	0452 3.0 1106 0.9 1732 3.0 2330 1.0	13 Sa	0454 3.2 1108 0.6 1735 3.2 2338 0.8	28 Su	0557 2.8 1207 0.9 1837 3.0
14 Sa	0320 2.7 0918 1.3 1526 2.7 2142 1.2	29 Su	0358 3.1 1010 1.0 1626 3.0 2235 0.9	14 Tu	0426 2.9 1028 1.1 1646 2.9 2254 1.0	29 We	0525 3.1 1137 0.9 1800 3.1 2359 0.9	14 Th	0434 3.0 1043 0.8 1706 3.1 2311 0.9	29 Fr	0541 3.0 1153 0.9 1820 3.1	14 Su	0554 3.2 1205 0.5 1833 3.4	29 Mo	0029 1.1 0645 2.9 1250 0.9 1921 3.0
15 Su	0419 2.8 1015 1.2 1628 2.7 2241 1.1	30 Mo	0458 3.1 1109 0.9 1728 3.0 2333 0.9	15 We	0516 3.0 1119 0.9 1741 3.0 2345 0.9	30 Th	0613 3.1 1224 0.8 1848 3.2	15 Fr	0527 3.2 1136 0.7 1802 3.2	30 Sa	0014 1.0 0628 3.0 1237 0.9 1905 3.1	15 Mo ●	0034 0.7 0653 3.3 1301 0.4 1928 3.5	30 Tu ○	0111 1.0 0730 2.9 1331 0.9 2002 3.1
		31 Tu	0552 3.2 1203 0.9 1824 3.1							31 Su ○	0056 1.0 0713 3.0 1318 0.9 1947 3.1				

Standard Ports

Remember to add 1 hour for Daylight Saving Time. Finishes 5 April.

Bluff

Lat. 46° 36' S., Long. 168° 21' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025

July

August

September

October

Time m

Time m

Time m

Time m

Time m

Time m

Time m

Time m

1 Tu	0001 0.9 0613 2.6 1230 0.9 1841 2.5	16 We	0527 2.7 1150 0.8 1757 2.6	1 Fr	0052 1.1 0704 2.4 1317 1.1 1928 2.3	16 Sa	0044 0.8 0659 2.6 1317 0.9 1929 2.5	1 Mo	0153 1.2 0813 2.3 1422 1.3 2046 2.2	16 Tu	0248 0.9 0914 2.5 1526 1.0 2144 2.5	1 We	0219 1.2 0840 2.3 1452 1.3 2110 2.3	16 Th	0341 0.9 1003 2.6 1612 1.0 2227 2.6
2 We	0052 1.0 0705 2.5 1320 1.0 1932 2.4	17 Th	0012 0.9 0620 2.7 1241 0.8 1850 2.6	2 Sa	0144 1.2 0800 2.3 1410 1.2 2027 2.3	17 Su	0147 0.9 0807 2.6 1422 1.0 2039 2.5	2 Tu	0301 1.2 0922 2.3 1534 1.3 2153 2.3	17 We	0358 0.9 1021 2.6 1632 1.0 2246 2.6	2 Th	0324 1.1 0942 2.4 1555 1.2 2207 2.4	17 Fr	0439 0.8 1057 2.6 1705 0.9 2317 2.6
3 Th	0144 1.1 0759 2.4 1411 1.1 2025 2.4	18 Fr	0106 0.9 0718 2.6 1338 0.9 1948 2.6	3 Su	0243 1.2 0900 2.3 1511 1.2 2131 2.3	18 Mo	0257 0.9 0919 2.6 1533 1.0 2151 2.5	3 We	0405 1.1 1023 2.4 1636 1.2 2247 2.4	18 Th	0459 0.8 1119 2.6 1728 0.9 2339 2.7	3 Fr	0421 1.0 1036 2.5 1648 1.0 2256 2.6	18 Sa	0529 0.8 1143 2.6 1751 0.9
4 Fr	0239 1.1 0853 2.4 1504 1.1 2119 2.4	19 Sa	0206 0.9 0820 2.6 1439 0.9 2052 2.5	4 Mo	0345 1.2 1001 2.3 1614 1.2 2229 2.3	19 Tu	0407 0.9 1028 2.6 1642 1.0 2256 2.6	4 Th	0459 1.0 1114 2.5 1727 1.1 2333 2.5	19 Fr	0552 0.7 1208 2.7 1816 0.8	4 Sa	0511 0.9 1124 2.6 1736 0.9 2341 2.7	19 Su	0001 2.7 0614 0.8 1225 2.7 1833 0.8
5 Sa	0333 1.1 0946 2.4 1558 1.2 2212 2.4	20 Su	0310 0.9 0927 2.6 1544 0.9 2158 2.6	5 Tu	0442 1.1 1056 2.4 1710 1.2 2320 2.4	20 We	0511 0.8 1130 2.6 1742 0.9 2352 2.7	5 Fr	0547 0.9 1159 2.6 1811 0.9	20 Sa	0025 2.7 0639 0.7 1252 2.7 1900 0.8	5 Su	0559 0.7 1209 2.7 1821 0.7	20 Mo	0041 2.7 0655 0.8 1303 2.7 1912 0.8
6 Su	0426 1.1 1038 2.4 1651 1.1 2302 2.4	21 Mo	0416 0.8 1033 2.6 1650 0.9 2302 2.6	6 We	0532 1.0 1146 2.5 1758 1.1	21 Th	0607 0.7 1225 2.7 1835 0.8	6 Sa	0015 2.7 0631 0.8 1242 2.7 1853 0.8	21 Su	0107 2.8 0722 0.7 1331 2.7 1939 0.7	6 Mo	0026 2.8 0645 0.6 1253 2.8 1905 0.6	21 Tu	0119 2.7 0734 0.8 1338 2.7 1948 0.8
7 Mo	0515 1.1 1126 2.4 1740 1.1 2348 2.5	22 Tu	0519 0.8 1136 2.7 1751 0.9	7 Th	0004 2.5 0617 0.9 1230 2.6 1842 1.0	22 Fr	0043 2.7 0658 0.7 1313 2.7 1922 0.8	7 Su	0056 2.8 0714 0.6 1324 2.8 1935 0.7	22 Mo	0146 2.8 0802 0.7 1408 2.7 2017 0.7	7 Tu	0111 2.9 0731 0.5 1338 2.9 1951 0.5	22 We	0155 2.7 0811 0.8 1413 2.7 2024 0.8
8 Tu	0600 1.0 1212 2.5 1825 1.1	23 We	0001 2.7 0617 0.7 1234 2.7 1848 0.8	8 Fr	0046 2.6 0700 0.8 1312 2.7 1923 0.9	23 Sa	0128 2.8 0745 0.6 1357 2.8 2005 0.7	8 Mo	0138 2.9 0758 0.6 1406 2.9 2017 0.6	23 Tu	0223 2.8 0840 0.7 1443 2.7 2053 0.8	8 We	0158 3.0 0818 0.5 1424 2.9 2037 0.5	23 Th	0230 2.7 0846 0.9 1447 2.6 2059 0.8
9 We	0031 2.5 0643 0.9 1255 2.5 1907 1.0	24 Th	0055 2.8 0712 0.6 1328 2.8 1939 0.7	9 Sa	0125 2.7 0742 0.7 1353 2.7 2003 0.8	24 Su	0211 2.8 0828 0.6 1437 2.8 2046 0.7	9 Tu	0222 2.9 0842 0.5 1449 2.9 2101 0.6	24 We	0259 2.7 0916 0.8 1517 2.7 2129 0.8	9 Th	0246 3.0 0906 0.5 1511 2.9 2126 0.5	24 Fr	0306 2.6 0921 0.9 1521 2.6 2135 0.9
10 Th	0111 2.6 0724 0.9 1337 2.6 1948 0.9	25 Fr	0145 2.8 0803 0.6 1417 2.8 2027 0.7	10 Su	0206 2.8 0824 0.6 1434 2.8 2044 0.7	25 Mo	0251 2.8 0909 0.7 1515 2.7 2125 0.8	10 We	0307 2.9 0928 0.5 1533 2.9 2147 0.6	25 Th	0334 2.6 0951 0.9 1552 2.6 2205 0.9	10 Fr	0337 2.9 0956 0.6 1601 2.8 2218 0.6	25 Sa	0344 2.5 0958 1.0 1558 2.5 2214 1.0
11 Fr	0150 2.6 0806 0.8 1418 2.6 2028 0.9	26 Sa	0233 2.8 0851 0.6 1503 2.8 2112 0.7	11 Mo	0247 2.8 0907 0.6 1515 2.8 2126 0.7	26 Tu	0330 2.7 0948 0.7 1552 2.7 2203 0.8	11 Th	0355 2.9 1015 0.6 1621 2.8 2236 0.6	26 Fr	0411 2.6 1027 1.0 1627 2.5 2242 1.0	11 Sa	0432 2.8 1049 0.7 1656 2.7 2314 0.7	26 Su	0424 2.5 1037 1.1 1638 2.4 2256 1.1
12 Sa	0230 2.6 0848 0.8 1459 2.7 2109 0.9	27 Su	0318 2.8 0937 0.6 1547 2.8 2156 0.8	12 Tu	0330 2.8 0951 0.6 1558 2.8 2210 0.7	27 We	0409 2.7 1027 0.8 1629 2.6 2241 0.9	12 Fr	0446 2.8 1106 0.7 1712 2.7 2329 0.7	27 Sa	0451 2.5 1105 1.1 1707 2.4 2324 1.1	12 Su	0532 2.7 1146 0.8 1757 2.6	27 Mo	0509 2.4 1120 1.1 1725 2.3 2345 1.1
13 Su	0311 2.7 0930 0.7 1541 2.7 2151 0.8	28 Mo	0402 2.7 1021 0.7 1629 2.7 2239 0.8	13 We	0416 2.8 1038 0.6 1644 2.8 2257 0.7	28 Th	0447 2.6 1104 1.0 1706 2.5 2320 1.0	13 Sa	0543 2.7 1200 0.8 1809 2.6	28 Su	0536 2.4 1148 1.2 1754 2.3	13 Mo	0016 0.8 0638 2.6 1250 1.0 1907 2.5	28 Tu	0600 2.4 1210 1.2 1819 2.3
14 Mo	0353 2.7 1015 0.7 1624 2.7 2235 0.8	29 Tu	0446 2.7 1104 0.8 1711 2.6 2321 0.9	14 Th	0505 2.8 1126 0.7 1733 2.7 2348 0.8	29 Fr	0528 2.5 1144 1.1 1747 2.4	14 Su	0028 0.8 0647 2.6 1302 0.9 1917 2.5	29 Mo	0013 1.2 0629 2.3 1239 1.3 1852 2.3	14 Tu	0124 0.9 0750 2.6 1400 1.0 2021 2.5	29 We	0040 1.1 0657 2.3 1307 1.2 1921 2.3
15 Tu	0438 2.7 1101 0.7 1709 2.7 2321 0.8	30 We	0530 2.6 1147 0.9 1753 2.5	15 Fr	0559 2.7 1219 0.8 1827 2.6	30 Sa	0003 1.1 0614 2.4 1227 1.2 1835 2.3	15 Mo	0135 0.9 0759 2.6 1412 1.0 2032 2.5	30 Tu	0111 1.2 0732 2.3 1341 1.3 2002 2.2	15 We	0235 0.9 0900 2.5 1510 1.0 2129 2.5	30 Th	0141 1.1 0758 2.4 1410 1.2 2025 2.4
		31 Th	0005 1.0 0615 2.5 1231 1.0 1838 2.4			31 Su	0052 1.2 0709 2.3 1318 1.3 1935 2.3						31 Fr	0242 1.1 0858 2.4 1512 1.1 2123 2.1	

Remember to add 1 hour for Daylight Saving Time. Commences 28 September.

Bluff

Lat. 46° 36' S., Long. 168° 21' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025/26

November			December			January			February																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																	
	Time	m		Time	m		Time	m		Time	m		Time	m																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
1 Sa	0341	1.0	16 Su	0500	0.9	1	0359	0.9	16	0514	1.1	1	0103	2.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
	0954	2.5			1010		2.6			1124	2.5			0715	0.9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	1608	1.0			1626		0.8			1735	1.0			1313	2.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
	2217	2.6			2237		2.7			2347	2.5			1927	0.8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
2 Su	0434	0.9	17 Mo	0545	0.9	2	0456	0.8	17	0600	1.0	2	0016	2.8	17	0138	2.7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	1046	2.6			1106		2.7			1207	2.5			0633		0.8		0805	0.7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	1700	0.9			1721		0.7			1818	1.0			1240		2.8		1411	2.9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	2307	2.7			2332		2.8			1857	0.6			1915		0.9		2028	0.5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
3 Mo	0526	0.7	18 Tu	0014	2.6	3	0552	0.7	18	0029	2.5	3	0113	2.8	18	0242	2.9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	1136	2.7			1200		2.8			0643	1.0			0728		0.7		0851	0.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	1749	0.7			1816		0.6			1247	2.5			1335		2.8		1458	2.9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	2357	2.8						1858		0.9			1952	0.5			1954	0.8		2115	0.5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																					
4 Tu	0616	0.6	19 We	0053	2.6	4	0028	2.9	19	0110	2.6	4	0208	2.9	19	0326	2.8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	1224	2.8			0647		0.7			0723	1.0			0821		0.7		0816	0.9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	1838	0.6			1254		2.8			1326	2.5			1427		2.9		1418	2.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
					1909		0.5			1937	0.9			2045		0.5		2033	0.8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
5 We	0047	2.9	20 Th	0131	2.6	5	0123	2.9	20	0149	2.6	5	0300	2.9	20	0244	2.7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	0706	0.6			0741		0.6			0801	1.0			0911		0.6		0853	0.9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	1313	2.9			1347		2.9			1403	2.6			1518		2.9		1455	2.7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	1927	0.5			2003		0.5			2016	0.9			2136		0.5		2112	0.8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
6 Th	0138	3.0	21 Fr	0208	2.6	6	0218	2.9	21	0227	2.6	6	0351	2.9	21	0322	2.7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	0757	0.5			0834		0.6			0839	1.0			1000		0.7		0932	0.8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	1403	2.9			1440		2.9			1440	2.6			1609		2.8		1533	2.7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	2018	0.5			2057		0.5			2055	0.9			2227		0.6		2153	0.7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
7 Fr	0230	3.0	22 Sa	0245	2.6	7	0314	2.9	22	0306	2.6	7	0440	2.8	22	0401	2.7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	0848	0.6			0927		0.6			0916	1.0			1049		0.7		1012	0.8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	1453	2.9			1534		2.8			1517	2.6			1659		2.8		1614	2.7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	2110	0.5			2113		0.9			2134	0.9			2316		0.7		2235	0.8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
8 Sa	0324	2.9	23 Su	0324	2.6	8	0409	2.9	23	0345	2.6	8	0528	2.7	23	0441	2.7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	0940	0.6			1020		0.7			0955	1.0			1138		0.8		1054	0.8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	1547	2.8			1629		2.8			1557	2.6			1750		2.7		1658	2.7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	2204	0.6			2153		0.9			2216	0.9			2320		0.8		2320	0.8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
9 Su	0421	2.9	24 Mo	0404	2.5	9	0504	2.8	24	0426	2.6	9	0006	0.8	24	0525	2.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	1035	0.7			1114		0.8			1036	1.0			0617		2.6		1140	0.9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	1643	2.7			1725		2.7			1638	2.5			1227		0.9		1747	2.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	2302	0.6			2343		0.7			2259	0.9			1843		2.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										
10 Mo	0521	2.8	25 Tu	0448	2.5	10	0504	2.7	25	0508	2.6	10	0056	0.9	25	0008	0.8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	1132	0.8			1209		0.9			1120	1.0			0707		2.5		0613	2.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	1745	2.7			1824		2.6			1724	2.5			1320		1.0		1231	0.9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
										2346	0.9			1937		2.5		1841	2.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
11 Tu	0003	0.7	26 We	0534	2.5	11	0040	0.8	26	0554	2.5	11	0149	1.1	26	0101	0.9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	0624	2.7			0657		2.6			1207	1.0			0801		2.4		0708	2.5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	1234	0.9			1306		0.9			1814	2.5			1416		1.1		1328	0.9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	1850	2.6			1924		2.6							2034		2.4		1942	2.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
12 We	0107	0.8	27 Th	0012	1.0	12	0138	0.9	27	0036	0.9	12	0245	1.1	27	0201	1.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	0729	2.6			0754		2.5			0643	2.5			0859		2.4		0811	2.5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	1338	1.0			1404		1.0			1259	1.0			1514		1.1		1431	0.9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	1958	2.6			2023		2.5			1908	2.5			2132		2.4		2049	2.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
13 Th	0212	0.9	28 Fr	0106	1.0	13	0235	1.0	28	0129	0.9	13	0343	1.2	28	0307	1.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	0833	2.5			0851		2.5			0738	2.5			0957		2.3		0920	2.5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	1442	1.0			1502		1.0			1356	1.0			1611		1.1		1540	0.9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	2101	2.5			2120		2.5			2007	2.6			2227		2.4		2159	2.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
14 Fr	0313	0.9	29 Sa	0203	1.0	14	0331	1.0	29	0227	0.9	14	0440	1.2	29	0417	1.0																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	0932	2.5			0946		2.4			0837	2.5			1052		2.4		1030	2.5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	1542	1.0			1557		1.0			1456	0.9			1704		1.1		1647	0.8																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	2158	2.6			2042		2.5			2109	2.6			2318		2.4		2306	2.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
15 Sa	0409	0.9	30 Su	0301	0.9	15	0424	1.1	30	0329	0.9	15	0533	1.1	30	0523	0.9																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
	1025	2.5			1037		2.4			0940	2.5			1140		2.4		1133	2.6																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	1635	1.0			1648		1.0			1559	0.9			1752		1.0		1749	0.7																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
	2248	2.6			2140		2.6			2301	2.5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															

Standard Ports

Remember to add 1 hour for Daylight Saving Time.

Bluff

Lat. 46° 36' S., Long. 168° 21' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2026

March

April

May

June

Time m

Time m

Time m

Time m

Time m

Time m

Time m

Time m

1 Su	0609 0.8 1217 2.7 1832 0.7	16 Mo	0556 1.0 1159 2.6 1813 0.9	1 We	0110 2.7 0718 0.7 1326 2.8 1941 0.7	16 Th	0029 2.7 0642 0.7 1247 2.8 1906 0.7	1 Fr	0120 2.7 0731 0.8 1339 2.7 1954 0.8	16 Sa	0045 2.8 0700 0.6 1310 2.9 1929 0.6	1 Mo	0209 2.6 0824 0.9 1433 2.6 2045 1.0	16 Tu	0212 2.9 0830 0.5 1446 2.9 2059 0.6
2 Mo	0048 2.8 0658 0.7 1306 2.8 1921 0.6	17 Tu	0025 2.6 0636 0.9 1239 2.7 1855 0.7	2 Th	0149 2.8 0759 0.7 1406 2.8 2022 0.7	17 Fr	0113 2.8 0726 0.6 1333 2.9 1952 0.6	2 Sa	0157 2.7 0809 0.8 1417 2.6 2032 0.9	17 Su	0135 2.8 0751 0.5 1403 2.9 2021 0.6	2 Tu	0246 2.6 0902 0.9 1512 2.5 2123 1.0	17 We	0306 2.9 0925 0.5 1542 2.9 2153 0.7
3 Tu	0134 2.8 0744 0.7 1351 2.8 2007 0.6	18 We	0105 2.7 0715 0.8 1319 2.8 1936 0.7	3 Fr	0226 2.7 0837 0.7 1445 2.7 2100 0.8	18 Sa	0158 2.9 0812 0.6 1420 2.9 2039 0.6	3 Su	0233 2.6 0847 0.8 1455 2.6 2109 0.9	18 Mo	0226 2.9 0843 0.5 1457 2.9 2113 0.7	3 We	0323 2.5 0941 0.9 1552 2.5 2202 1.0	18 Th	0400 2.9 1020 0.5 1637 2.8 2246 0.7
4 We	0217 2.8 0826 0.6 1433 2.8 2050 0.6	19 Th	0144 2.8 0756 0.7 1400 2.8 2019 0.6	4 Sa	0303 2.7 0915 0.8 1523 2.7 2138 0.9	19 Su	0244 2.9 0900 0.6 1511 2.9 2129 0.6	4 Mo	0309 2.6 0925 0.9 1534 2.5 2146 1.0	19 Tu	0319 2.8 0937 0.5 1554 2.9 2207 0.7	4 Th	0402 2.5 1022 1.0 1633 2.5 2242 1.1	19 Fr	0456 2.8 1115 0.6 1732 2.8 2340 0.8
5 Th	0257 2.8 0907 0.7 1514 2.8 2131 0.7	20 Fr	0225 2.8 0837 0.6 1443 2.9 2102 0.6	5 Su	0338 2.6 0953 0.9 1601 2.6 2215 1.0	20 Mo	0333 2.8 0950 0.6 1604 2.8 2220 0.7	5 Tu	0346 2.5 1003 1.0 1614 2.5 2225 1.1	20 We	0414 2.8 1034 0.6 1652 2.8 2303 0.8	5 Fr	0444 2.5 1105 1.0 1716 2.5 2325 1.1	20 Sa	0553 2.7 1211 0.7 1827 2.7
6 Fr	0336 2.7 0947 0.7 1554 2.7 2211 0.8	21 Sa	0307 2.8 0921 0.6 1528 2.9 2148 0.6	6 Mo	0415 2.5 1031 0.9 1641 2.5 2253 1.1	21 Tu	0426 2.7 1045 0.6 1702 2.8 2316 0.8	6 We	0425 2.4 1045 1.0 1657 2.4 2306 1.1	21 Th	0513 2.7 1133 0.7 1753 2.7	6 Sa	0529 2.4 1151 1.0 1802 2.4	21 Su	0036 0.9 0652 2.7 1307 0.8 1923 2.6
7 Sa	0413 2.7 1026 0.8 1635 2.6 2250 0.9	22 Su	0352 2.8 1008 0.6 1618 2.8 2236 0.7	7 Tu	0454 2.4 1112 1.0 1725 2.4 2335 1.2	22 We	0524 2.7 1144 0.7 1805 2.7	7 Th	0509 2.4 1130 1.1 1745 2.4 2353 1.2	22 Fr	0002 0.8 0616 2.7 1234 0.7 1855 2.7	7 Su	0012 1.1 0618 2.4 1240 1.0 1851 2.4	22 Mo	0133 0.9 0751 2.6 1403 0.9 2020 2.5
8 Su	0451 2.6 1106 0.9 1716 2.5 2330 1.0	23 Mo	0440 2.7 1058 0.7 1711 2.7 2328 0.8	8 We	0538 2.3 1159 1.1 1815 2.3	23 Th	0016 0.9 0629 2.6 1249 0.8 1912 2.6	8 Fr	0559 2.3 1221 1.1 1837 2.4	23 Sa	0103 0.9 0720 2.6 1336 0.8 1957 2.6	8 Mo	0103 1.1 0711 2.4 1332 1.0 1944 2.4	23 Tu	0231 1.0 0849 2.5 1500 1.0 2117 2.5
9 Mo	0532 2.4 1149 1.0 1801 2.4	24 Tu	0534 2.6 1154 0.8 1812 2.6	9 Th	0023 1.2 0632 2.3 1253 1.2 1914 2.3	24 Fr	0122 1.0 0739 2.5 1357 0.8 2021 2.6	9 Sa	0045 1.2 0655 2.3 1316 1.1 1932 2.4	24 Su	0206 0.9 0824 2.6 1437 0.8 2057 2.6	9 Tu	0158 1.1 0807 2.5 1427 1.0 2039 2.5	24 We	0328 1.0 0945 2.5 1556 1.0 2211 2.5
10 Tu	0012 1.2 0617 2.3 1237 1.1 1854 2.3	25 We	0026 0.9 0636 2.5 1258 0.9 1920 2.6	10 Fr	0121 1.3 0737 2.2 1356 1.2 2018 2.3	25 Sa	0231 1.0 0849 2.6 1503 0.9 2126 2.6	10 Su	0143 1.2 0755 2.3 1413 1.1 2029 2.4	25 Mo	0307 1.0 0923 2.6 1535 0.9 2153 2.6	10 We	0255 1.0 0905 2.5 1524 0.9 2136 2.5	25 Th	0423 1.0 1037 2.5 1649 1.1 2301 2.5
11 We	0102 1.3 0714 2.3 1335 1.2 1957 2.3	26 Th	0133 1.0 0749 2.5 1408 0.9 2034 2.5	11 Sa	0229 1.3 0845 2.3 1500 1.2 2120 2.3	26 Su	0336 1.0 0951 2.6 1604 0.8 2224 2.6	11 Mo	0242 1.2 0852 2.4 1509 1.0 2124 2.5	26 Tu	0403 0.9 1018 2.6 1629 0.9 2244 2.6	11 Th	0353 0.9 1002 2.6 1622 0.9 2233 2.6	26 Fr	0513 1.0 1126 2.5 1739 1.1 2347 2.5
12 Th	0205 1.3 0825 2.2 1443 1.2 2106 2.3	27 Fr	0246 1.1 0904 2.5 1520 0.9 2144 2.6	12 Su	0333 1.2 0943 2.3 1557 1.1 2213 2.4	27 Mo	0433 0.9 1046 2.6 1659 0.8 2315 2.6	12 Tu	0338 1.1 0946 2.5 1604 0.9 2216 2.5	27 We	0454 0.9 1107 2.6 1719 0.9 2331 2.6	12 Fr	0450 0.8 1100 2.7 1719 0.8 2329 2.7	27 Sa	0600 1.0 1212 2.5 1825 1.0
13 Fr	0319 1.3 0935 2.3 1549 1.2 2208 2.3	28 Sa	0356 1.0 1011 2.6 1625 0.8 2246 2.6	13 Mo	0426 1.1 1033 2.5 1648 1.0 2301 2.5	28 Tu	0524 0.9 1135 2.7 1748 0.8	13 We	0431 1.0 1038 2.6 1656 0.9 2307 2.6	28 Th	0541 0.9 1153 2.6 1805 0.9	13 Sa	0545 0.7 1157 2.8 1816 0.8	28 Su	0030 2.5 0643 0.9 1254 2.5 1907 1.0
14 Sa	0423 1.2 1031 2.3 1644 1.1 2259 2.4	29 Su	0457 0.9 1108 2.6 1722 0.8 2340 2.7	14 Tu	0514 1.0 1118 2.6 1735 0.8 2346 2.6	29 We	0000 2.7 0609 0.8 1219 2.7 1833 0.8	14 Th	0521 0.8 1128 2.7 1747 0.8 2356 2.7	29 Fr	0014 2.6 0625 0.9 1235 2.6 1848 0.9	14 Su	0023 2.8 0641 0.6 1254 2.8 1911 0.7	29 Mo	0110 2.5 0724 0.9 1335 2.6 1947 1.0
15 Su	0513 1.1 1118 2.4 1731 1.0 2344 2.5	30 Mo	0549 0.8 1159 2.7 1813 0.7	15 We	0558 0.8 1202 2.7 1820 0.7	30 Th	0042 2.7 0652 0.8 1300 2.7 1914 0.8	15 Fr	0611 0.7 1218 2.8 1838 0.7	30 Sa	0054 2.6 0706 0.9 1315 2.6 1929 1.0	15 Mo	0118 2.8 0735 0.5 1350 2.9 2006 0.7	30 Tu	0148 2.6 0803 0.9 1414 2.6 2024 1.0
		31 Tu	0027 2.7 0636 0.8 1244 2.8 1859 0.7							31 Su	0132 2.6 0745 0.9 1355 2.6 2008 1.0				

Remember to add 1 hour for Daylight Saving Time. Finishes 5 April.

Dunedin

Lat. 45° 53' S., Long. 170° 30' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025

July				August				September				October			
Time m		Time m		Time m		Time m		Time m		Time m		Time m		Time m	
1 Tu	0241 0.3 0825 1.9 1503 0.3 2049 1.9	16 We	0201 0.3 0734 2.0 1425 0.3 2001 2.0	1 Fr	0334 0.5 0926 1.8 1557 0.5 2147 1.7	16 Sa	0332 0.3 0912 2.0 1605 0.3 2141 1.9	1 Mo	0433 0.6 1025 1.7 1706 0.6 2252 1.7	16 Tu	0524 0.3 1108 2.0 1803 0.3 2338 1.9	1 We	0450 0.5 1037 1.8 1727 0.6 2305 1.7	16 Th	0604 0.2 1152 2.0 1839 0.3
2 We	0331 0.4 0919 1.9 1552 0.4 2141 1.8	17 Th	0254 0.3 0830 2.0 1520 0.3 2057 2.0	2 Sa	0423 0.5 1018 1.8 1649 0.6 2241 1.7	17 Su	0435 0.3 1015 2.0 1711 0.3 2246 1.9	2 Tu	0527 0.5 1119 1.8 1804 0.6 2346 1.7	17 We	0624 0.2 1209 2.1 1902 0.3	2 Th	0544 0.5 1131 1.8 1822 0.5 2357 1.8	17 Fr	0018 2.0 0659 0.2 1245 2.0 1930 0.2
3 Th	0420 0.4 1012 1.8 1642 0.5 2234 1.8	18 Fr	0350 0.3 0929 2.0 1619 0.3 2157 2.0	3 Su	0514 0.5 1110 1.8 1744 0.6 2334 1.7	18 Mo	0538 0.3 1119 2.0 1816 0.3 2350 1.9	3 We	0621 0.5 1211 1.8 1858 0.5	18 Th	0036 2.0 0721 0.2 1305 2.1 1955 0.2	3 Fr	0638 0.4 1223 1.9 1913 0.4	18 Sa	0107 2.0 0749 0.2 1333 2.1 2016 0.2
4 Fr	0509 0.5 1103 1.8 1733 0.5 2325 1.8	19 Sa	0450 0.3 1030 2.0 1723 0.3 2300 2.0	4 Mo	0606 0.5 1200 1.8 1840 0.5	19 Tu	0639 0.3 1221 2.1 1918 0.3	4 Th	0035 1.8 0713 0.4 1259 1.9 1948 0.4	19 Fr	0127 2.0 0813 0.2 1355 2.1 2043 0.2	4 Sa	0046 1.9 0730 0.3 1313 2.0 2001 0.3	19 Su	0152 2.0 0836 0.2 1417 2.1 2058 0.2
5 Sa	0558 0.5 1152 1.8 1824 0.5	20 Su	0551 0.3 1132 2.1 1827 0.3	5 Tu	0024 1.7 0657 0.5 1248 1.8 1932 0.5	20 We	0049 2.0 0737 0.2 1319 2.1 2014 0.2	5 Fr	0120 1.9 0802 0.3 1346 2.0 2035 0.3	20 Sa	0215 2.1 0902 2.2 1442 2.1 2127 0.2	5 Su	0134 2.0 0821 0.2 1401 2.1 2049 0.2	20 Mo	0235 2.1 0920 0.3 1458 2.0 2138 0.3
6 Su	0014 1.8 0645 0.5 1238 1.8 1915 0.5	21 Mo	0002 2.0 0652 0.2 1232 2.1 1930 0.3	6 We	0110 1.8 0746 0.4 1333 1.9 2021 0.4	21 Th	0143 2.0 0832 0.2 1413 2.2 2105 0.2	6 Sa	0205 2.0 0851 2.2 1431 2.1 2120 0.2	21 Su	0300 2.1 0947 0.2 1525 2.1 2208 0.2	6 Mo	0221 2.2 0911 0.1 1449 2.2 2136 0.1	21 Tu	0316 2.0 1001 0.3 1537 2.0 2216 0.3
7 Mo	0059 1.8 0732 0.4 1322 1.9 2004 0.5	22 Tu	0101 2.0 0750 0.2 1330 2.2 2028 0.2	7 Th	0153 1.8 0834 0.4 1417 2.0 2106 0.3	22 Fr	0234 2.1 0923 0.1 1503 2.2 2152 0.2	7 Su	0249 2.1 0938 2.2 1516 2.2 2205 0.2	22 Mo	0343 2.1 1029 0.2 1606 2.1 2248 0.2	7 Tu	0310 2.2 1002 0.1 1536 2.3 2224 0.1	22 We	0356 2.0 1041 0.3 1614 2.0 2255 0.3
8 Tu	0142 1.8 0817 0.4 1404 1.9 2050 0.4	23 We	0156 2.1 0847 0.1 1426 2.2 2122 0.2	8 Fr	0235 1.9 0920 0.3 1500 2.1 2150 0.3	23 Sa	0321 2.1 1011 0.1 1549 2.2 2236 0.2	8 Mo	0334 2.2 1026 0.1 1601 2.2 2250 0.1	23 Tu	0424 2.1 1110 0.3 1645 2.0 2326 0.3	8 We	0359 2.3 1053 0.1 1625 2.3 2315 0.1	23 Th	0435 2.0 1120 0.4 1651 1.9 2333 0.4
9 We	0223 1.8 0902 0.4 1446 2.0 2135 0.4	24 Th	0249 2.1 0940 0.1 1519 2.2 2213 0.1	9 Sa	0317 2.0 1006 0.2 1543 2.1 2233 0.2	24 Su	0407 2.1 1056 0.2 1634 2.1 2318 0.2	9 Tu	0421 2.2 1114 0.1 1648 2.2 2337 0.1	24 We	0505 2.0 1149 0.3 1723 2.0	9 Th	0450 2.3 1146 0.1 1716 2.2	24 Fr	0514 1.9 1159 0.4 1729 1.8
10 Th	0303 1.9 0947 0.3 1527 2.0 2218 0.3	25 Fr	0340 2.1 1032 0.1 1610 2.2 2301 0.1	10 Su	0400 2.0 1051 0.2 1627 2.2 2317 0.2	25 Mo	0452 2.1 1140 0.2 1716 2.1 2359 0.3	10 We	0510 2.2 1204 0.1 1736 2.2	25 Th	0004 0.3 0545 1.9 1228 0.4 1802 1.9	10 Fr	0008 0.1 0544 2.3 1240 0.1 1809 2.1	25 Sa	0013 0.4 0554 1.9 1239 0.5 1808 1.8
11 Fr	0343 1.9 1031 0.3 1609 2.0 2301 0.3	26 Sa	0430 2.1 1121 0.1 1659 2.2 2347 0.2	11 Mo	0445 2.1 1137 0.2 1711 2.2	26 Tu	0536 2.0 1221 0.3 1758 2.0	11 Th	0027 0.1 0601 2.2 1256 0.1 1827 2.2	26 Fr	0044 0.4 0627 1.9 1308 0.5 1842 1.8	11 Sa	0104 0.1 0641 2.2 1337 0.2 1906 2.1	26 Su	0055 0.5 0636 1.8 1322 0.5 1851 1.7
12 Sa	0425 1.9 1116 0.3 1651 2.1 2343 0.3	27 Su	0518 2.1 1208 0.2 1746 2.1	12 Tu	0002 0.2 0531 2.1 1225 0.2 1758 2.2	27 We	0040 0.3 0620 2.0 1302 0.3 1839 1.9	12 Fr	0120 0.2 0656 2.2 1351 0.2 1922 2.1	27 Sa	0125 0.5 0710 1.8 1351 0.5 1925 1.7	12 Su	0203 0.2 0741 2.1 1437 0.2 2008 2.0	27 Mo	0140 0.5 0721 1.8 1409 0.6 1938 1.7
13 Su	0508 2.0 1201 0.3 1735 2.1	28 Mo	0032 0.2 0607 2.0 1254 0.2 1832 2.1	13 We	0049 0.2 0621 2.1 1314 0.2 1847 2.1	28 Th	0121 0.4 0704 1.9 1343 0.4 1921 1.8	13 Sa	0217 0.2 0755 2.1 1450 0.3 2022 2.0	28 Su	0211 0.5 0756 1.8 1438 0.6 2014 1.7	13 Mo	0304 0.2 0844 2.1 1539 0.3 2115 1.9	28 Tu	0229 0.5 0809 1.8 1500 0.6 2032 1.7
14 Mo	0027 0.3 0553 2.0 1247 0.3 1820 2.1	29 Tu	0117 0.3 0656 2.0 1339 0.3 1918 2.0	14 Th	0139 0.2 0714 2.1 1407 0.2 1940 2.1	29 Fr	0203 0.5 0750 1.8 1427 0.5 2007 1.8	14 Su	0318 0.3 0858 2.1 1554 0.3 2127 1.9	29 Mo	0301 0.6 0847 1.7 1532 0.6 2110 1.6	14 Tu	0405 0.2 0950 2.0 1643 0.3 2221 1.9	29 We	0320 0.5 0902 1.8 1554 0.6 2128 1.7
15 Tu	0113 0.3 0642 2.0 1335 0.3 1909 2.1	30 We	0201 0.4 0745 1.9 1423 0.4 2005 1.9	15 Fr	0234 0.3 0811 2.1 1504 0.3 2038 2.0	30 Sa	0249 0.5 0839 1.8 1514 0.6 2058 1.7	15 Mo	0421 0.3 1003 2.0 1659 0.3 2235 1.9	30 Tu	0354 0.6 0941 1.7 1630 0.6 2209 1.6	15 We	0506 0.2 1053 2.0 1743 0.3 2323 1.9	30 Th	0413 0.5 0957 1.8 1650 0.5 2225 1.8
		31 Th	0247 0.4 0835 1.8 1509 0.5 2054 1.8			31 Su	0339 0.5 0931 1.7 1608 0.6 2154 1.6						31 Fr	0508 0.4 1053 1.9 1745 0.5 2320 1.9	

Standard Ports

Remember to add 1 hour for Daylight Saving Time. Commences 28 September.

Dunedin

Lat. 45° 53' S., Long. 170° 30' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025/26

November

December

January

February

Time m

Time m

Time m

Time m

Time m

Time m

Time m

Time m

1 Sa	0603 0.4 1147 2.0 1837 0.4	16 Su	0041 2.0 0720 0.3 1305 2.0 1944 0.3	1 Mo	0630 0.3 1211 2.0 1900 0.3	16 Tu	0057 1.9 0735 0.4 1319 1.9 1954 0.4	1 Th	0115 2.2 0812 0.2 1343 2.1 2034 0.2	16 Fr	0154 1.9 0837 0.4 1413 1.8 2050 0.4	1 Su	0254 2.2 0948 0.1 1515 2.2 2208 0.0	16 Mo	0245 2.0 0932 0.3 1500 1.9 2148 0.3
2 Su	0013 2.0 0658 0.3 1240 2.1 1929 0.3	17 Mo	0126 2.0 0807 0.3 1349 2.0 2027 0.3	2 Tu	0038 2.1 0729 0.3 1307 2.1 1955 0.2	17 We	0141 1.9 0821 0.4 1401 1.9 2037 0.4	2 Fr	0212 2.2 0910 0.2 1438 2.1 2130 0.1	17 Sa	0236 1.9 0920 0.4 1452 1.9 2134 0.4	2 Mo	0346 2.2 1037 0.1 1606 2.2 2259 0.0	17 Tu	0325 2.0 1013 0.3 1540 2.0 2231 0.2
3 Mo	0104 2.1 0753 0.2 1332 2.1 2019 0.2	18 Tu	0209 2.0 0851 0.3 1430 2.0 2107 0.3	3 We	0133 2.2 0827 0.2 1401 2.2 2050 0.1	18 Th	0223 1.9 0905 0.4 1441 1.9 2119 0.4	3 Sa	0308 2.3 1005 0.1 1531 2.2 2225 0.0	18 Su	0316 1.9 1002 0.4 1530 1.9 2216 0.3	3 Tu	0436 2.2 1125 0.1 1655 2.2 2348 0.1	18 We	0406 2.1 1054 0.3 1622 2.0 2315 0.2
4 Tu	0155 2.2 0847 0.1 1423 2.2 2110 0.1	19 We	0250 2.0 0933 0.4 1508 1.9 2147 0.3	4 Th	0228 2.3 0924 0.1 1454 2.2 2145 0.1	19 Fr	0303 1.9 0948 0.4 1519 1.9 2200 0.4	4 Su	0403 2.3 1057 0.1 1624 2.2 2319 0.0	19 Mo	0355 2.0 1043 0.3 1608 1.9 2259 0.3	4 We	0524 2.2 1211 0.2 1745 2.1	19 Th	0448 2.1 1137 0.3 1705 2.1
5 We	0247 2.3 0941 0.1 1514 2.2 2202 0.1	20 Th	0329 2.0 1014 0.4 1546 1.9 2226 0.4	5 Fr	0323 2.3 1020 0.1 1547 2.2 2240 0.0	20 Sa	0343 1.9 1029 0.4 1557 1.9 2242 0.4	5 Mo	0457 2.3 1149 0.1 1717 2.2	20 Tu	0434 2.0 1124 0.3 1648 1.9 2341 0.3	5 Th	0035 0.1 0612 2.1 1257 0.2 1834 2.0	20 Fr	0000 0.2 0531 2.1 1221 0.3 1752 2.1
6 Th	0339 2.3 1035 0.1 1605 2.2 2256 0.1	21 Fr	0408 1.9 1054 0.4 1623 1.9 2306 0.4	6 Sa	0418 2.3 1114 0.1 1641 2.2 2336 0.0	21 Su	0422 1.9 1110 0.4 1635 1.9 2324 0.4	6 Tu	0011 0.0 0549 2.2 1239 0.1 1811 2.1	21 We	0515 2.0 1205 0.3 1730 2.0	6 Fr	0121 0.2 0659 2.0 1344 0.3 1924 2.0	21 Sa	0047 0.2 0618 2.1 1309 0.3 1842 2.1
7 Fr	0433 2.3 1130 0.1 1658 2.2 2351 0.1	22 Sa	0447 1.9 1134 0.4 1701 1.8 2347 0.4	7 Su	0514 2.3 1209 0.1 1736 2.1	22 Mo	0501 1.9 1151 0.4 1714 1.8	7 We	0103 0.1 0642 2.2 1330 0.2 1905 2.0	22 Th	0024 0.3 0557 2.0 1248 0.4 1815 2.0	7 Sa	0207 0.3 0747 1.9 1431 0.4 2015 1.9	22 Su	0137 0.3 0708 2.0 1401 0.3 1936 2.0
8 Sa	0529 2.3 1225 0.1 1753 2.1	23 Su	0527 1.9 1215 0.5 1740 1.8	8 Mo	0031 0.1 0610 2.2 1303 0.1 1833 2.1	23 Tu	0006 0.4 0541 2.0 1232 0.4 1756 1.8	8 Th	0153 0.2 0734 2.1 1420 0.3 2000 2.0	23 Fr	0109 0.3 0642 2.0 1333 0.4 1904 2.0	8 Su	0254 0.4 0838 1.8 1519 0.5 2108 1.8	23 Mo	0231 0.3 0803 2.0 1458 0.4 2035 2.0
9 Su	0048 0.1 0626 2.2 1322 0.1 1851 2.1	24 Mo	0030 0.4 0608 1.9 1258 0.5 1822 1.8	9 Tu	0127 0.1 0707 2.2 1358 0.2 1932 2.0	24 We	0049 0.4 0623 1.9 1315 0.4 1841 1.8	9 Fr	0244 0.2 0827 2.0 1511 0.3 2056 1.9	24 Sa	0156 0.3 0730 2.0 1422 0.4 1956 2.0	9 Mo	0343 0.5 0932 1.8 1610 0.5 2202 1.8	24 Tu	0331 0.4 0904 1.9 1601 0.4 2138 2.0
10 Mo	0147 0.1 0726 2.2 1420 0.2 1953 2.0	25 Tu	0114 0.5 0651 1.9 1342 0.5 1908 1.7	10 We	0222 0.1 0804 2.1 1453 0.2 2032 2.0	25 Th	0134 0.4 0708 1.9 1401 0.4 1929 1.8	10 Sa	0334 0.3 0921 1.9 1602 0.4 2151 1.9	25 Su	0248 0.3 0823 1.9 1517 0.4 2053 2.0	10 Tu	0435 0.6 1028 1.7 1702 0.5 2256 1.8	25 We	0436 0.4 1010 1.9 1705 0.4 2244 2.0
11 Tu	0245 0.2 0828 2.1 1519 0.2 2057 1.9	26 We	0200 0.5 0737 1.9 1430 0.5 1958 1.7	11 Th	0317 0.2 0902 2.0 1548 0.3 2132 1.9	26 Fr	0221 0.4 0757 1.9 1449 0.5 2022 1.9	11 Su	0425 0.4 1016 1.8 1654 0.4 2245 1.8	26 Mo	0345 0.4 0922 1.9 1616 0.4 2154 2.0	11 We	0530 0.6 1123 1.7 1754 0.5 2348 1.8	26 Th	0543 0.4 1116 1.9 1808 0.3 2348 2.0
12 We	0344 0.2 0930 2.0 1619 0.3 2201 1.9	27 Th	0249 0.5 0827 1.9 1521 0.5 2053 1.8	12 Fr	0411 0.3 1000 2.0 1642 0.3 2229 1.9	27 Sa	0311 0.4 0849 1.9 1542 0.4 2118 1.9	12 Mo	0517 0.5 1110 1.8 1744 0.5 2336 1.8	27 Tu	0448 0.4 1025 1.9 1718 0.4 2257 2.0	12 Th	0625 0.6 1214 1.7 1844 0.5	27 Fr	0646 0.3 1218 2.0 1909 0.2
13 Th	0442 0.2 1031 2.0 1716 0.3 2300 2.0	28 Fr	0340 0.4 0921 1.9 1614 0.5 2149 1.8	13 Sa	0504 0.3 1055 1.9 1734 0.4 2322 1.9	28 Su	0406 0.4 0947 1.9 1639 0.4 2217 2.0	13 Tu	0610 1.8 1201 1.8 1833 0.5	28 We	0554 0.4 1129 1.9 1821 0.3	13 Fr	0037 1.8 0717 0.5 1300 1.8 1933 0.5	28 Sa	0049 2.1 0745 0.2 1315 2.0 2005 0.2
14 Fr	0537 0.3 1127 2.0 1810 0.3 2353 2.0	29 Sa	0434 0.4 1017 1.9 1709 0.4 2246 1.9	14 Su	0556 0.4 1147 1.9 1823 0.4	29 Mo	0505 0.4 1047 1.9 1738 0.4 2317 2.0	14 We	0025 1.8 0701 0.5 1248 1.8 1920 0.4	29 Th	0000 2.0 0658 0.3 1231 2.0 1922 0.2	14 Sa	0122 1.9 0805 0.5 1341 1.8 2019 0.4		
15 Sa	0630 0.3 1219 2.0 1859 0.3	30 Su	0531 0.4 1115 2.0 1804 0.4 2342 2.0	15 Mo	0011 1.9 0647 0.4 1235 1.9 1910 0.4	30 Tu	0608 0.3 1147 2.0 1837 0.3	15 Th	0111 1.9 0750 0.5 1332 1.8 2006 0.4	30 Fr	0101 2.1 0759 0.3 1328 2.1 2020 0.2	15 Su	0204 1.9 0849 0.4 1421 1.9 2104 0.3		
						31 We	0016 2.1 0711 0.3 1246 2.0 1936 0.2			31 Sa	0159 2.2 0855 0.2 1423 2.1 2115 0.1				

Remember to add 1 hour for Daylight Saving Time.

Dunedin

Lat. 45° 53' S., Long. 170° 30' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2026

March				April				May				June			
Time m		Time m		Time m		Time m		Time m		Time m		Time m		Time m	
1 Su	0145 2.1 0838 0.2 1407 2.1 2058 0.1	16 Mo	0128 1.9 0814 0.4 1347 1.9 2031 0.3	1 We	0302 2.1 0946 0.2 1520 2.1 2210 0.2	16 Th	0223 2.1 0909 0.2 1443 2.2 2136 0.2	1 Fr	0317 2.0 0958 0.3 1537 2.1 2225 0.3	16 Sa	0245 2.2 0933 0.1 1510 2.3 2207 0.1	1 Mo	0408 1.9 1049 0.4 1632 2.0 2318 0.4	16 Tu	0412 2.2 1106 0.0 1644 2.3 2340 0.1
2 Mo	0237 2.2 0927 0.1 1457 2.2 2148 0.1	17 Tu	0211 2.0 0858 0.3 1428 2.0 2117 0.2	2 Th	0345 2.1 1028 0.2 1604 2.1 2253 0.2	17 Fr	0310 2.2 0956 0.2 1531 2.2 2227 0.1	2 Sa	0357 2.0 1037 0.3 1618 2.0 2305 0.4	17 Su	0336 2.2 1026 0.1 1604 2.3 2301 0.1	2 Tu	0446 1.8 1130 0.4 1711 1.9 2358 0.4	17 We	0507 2.2 1201 0.0 1739 2.3
3 Tu	0325 2.2 1013 0.1 1544 2.2 2236 0.1	18 We	0254 2.1 0941 0.2 1511 2.1 2203 0.2	3 Fr	0426 2.0 1108 0.3 1646 2.1 2334 0.3	18 Sa	0357 2.2 1046 0.2 1621 2.3 2318 0.1	3 Su	0435 1.9 1117 0.4 1658 2.0 2345 0.4	18 Mo	0429 2.2 1121 0.1 1658 2.3 2356 0.1	3 We	0525 1.8 1211 0.4 1750 1.9	18 Th	0034 0.1 0603 2.1 1257 0.0 1835 2.3
4 We	0412 2.2 1057 0.2 1630 2.1 2321 0.1	19 Th	0337 2.1 1024 0.2 1556 2.2 2249 0.2	4 Sa	0506 2.0 1148 0.3 1728 2.0	19 Su	0447 2.2 1138 0.2 1714 2.2	4 Mo	0514 1.9 1157 0.4 1739 1.9	19 Tu	0523 2.1 1218 0.1 1755 2.3	4 Th	0038 0.5 0605 1.8 1253 0.5 1831 1.9	19 Fr	0128 0.1 0700 2.1 1352 0.1 1931 2.2
5 Th	0456 2.1 1140 0.2 1716 2.1	20 Fr	0422 2.2 1110 0.2 1642 2.2 2337 0.2	5 Su	0014 0.4 0546 1.9 1229 0.4 1811 1.9	20 Mo	0011 0.1 0538 2.1 1233 0.2 1809 2.2	5 Tu	0024 0.4 0554 1.8 1238 0.5 1820 1.9	20 We	0052 0.1 0619 2.1 1315 0.1 1853 2.2	5 Fr	0120 0.5 0648 1.7 1337 0.5 1914 1.9	20 Sa	0222 0.2 0800 2.1 1447 0.1 2029 2.1
6 Fr	0005 0.2 0539 2.0 1223 0.3 1801 2.0	21 Sa	0508 2.1 1157 0.2 1731 2.2	6 Mo	0055 0.4 0627 1.8 1310 0.5 1854 1.8	21 Tu	0107 0.2 0634 2.0 1331 0.2 1907 2.2	6 We	0106 0.5 0636 1.7 1321 0.5 1903 1.8	21 Th	0149 0.2 0719 2.0 1414 0.1 1953 2.2	6 Sa	0204 0.5 0735 1.7 1422 0.5 2000 1.9	21 Su	0317 0.2 0859 2.0 1542 0.2 2126 2.0
7 Sa	0047 0.3 0622 2.0 1305 0.4 1846 1.9	22 Su	0028 0.2 0557 2.1 1249 0.2 1824 2.1	7 Tu	0137 0.5 0711 1.7 1355 0.5 1940 1.8	22 We	0205 0.2 0734 2.0 1431 0.2 2008 2.1	7 Th	0150 0.5 0721 1.7 1408 0.5 1949 1.8	22 Fr	0247 0.2 0822 2.0 1512 0.2 2054 2.1	7 Su	0251 0.5 0826 1.8 1510 0.5 2050 1.8	22 Mo	0412 0.3 0958 2.0 1636 0.3 2223 2.0
8 Su	0130 0.4 0706 1.9 1349 0.4 1933 1.9	23 Mo	0121 0.2 0649 2.0 1345 0.3 1920 2.1	8 We	0222 0.6 0800 1.7 1443 0.6 2029 1.7	23 Th	0306 0.3 0838 1.9 1532 0.2 2112 2.1	8 Fr	0237 0.6 0811 1.7 1456 0.5 2038 1.8	23 Sa	0346 0.2 0926 2.0 1610 0.2 2155 2.0	8 Mo	0341 0.5 0919 1.8 1602 0.5 2144 1.9	23 Tu	0506 0.3 1053 2.0 1731 0.3 2318 1.9
9 Mo	0214 0.5 0753 1.8 1435 0.5 2023 1.8	24 Tu	0218 0.3 0747 2.0 1445 0.3 2021 2.0	9 Th	0313 0.6 0854 1.6 1535 0.6 2122 1.7	24 Fr	0408 0.3 0945 1.9 1634 0.2 2217 2.0	9 Sa	0328 0.6 0905 1.7 1547 0.5 2130 1.8	24 Su	0444 0.2 1026 2.0 1707 0.2 2254 2.0	9 Tu	0435 0.5 1015 1.9 1657 0.4 2241 1.9	24 We	0558 0.3 1145 2.0 1824 0.4
10 Tu	0301 0.5 0845 1.7 1525 0.6 2115 1.7	25 We	0320 0.3 0851 1.9 1548 0.3 2126 2.0	10 Fr	0408 0.6 0951 1.6 1628 0.6 2216 1.7	25 Sa	0510 0.3 1049 2.0 1733 0.2 2318 2.0	10 Su	0421 0.5 1000 1.7 1640 0.5 2224 1.8	25 Mo	0539 0.3 1123 2.0 1803 0.3 2348 2.0	10 We	0530 0.4 1111 1.9 1756 0.4 2339 1.9	25 Th	0009 1.9 0647 0.4 1234 2.0 1915 0.4
11 We	0353 0.6 0941 1.6 1618 0.6 2210 1.7	26 Th	0425 0.3 0959 1.9 1651 0.3 2232 2.0	11 Sa	0504 0.6 1047 1.7 1722 0.5 2310 1.8	26 Su	0608 0.3 1147 2.0 1830 0.2	11 Mo	0515 0.5 1054 1.8 1734 0.5 2319 1.9	26 Tu	0631 0.3 1214 2.0 1856 0.3	11 Th	0626 0.4 1207 2.0 1857 0.3	26 Fr	0057 1.9 0734 0.4 1321 2.0 2004 0.4
12 Th	0449 0.6 1040 1.6 1712 0.6 2304 1.7	27 Fr	0529 0.3 1105 1.9 1753 0.3 2336 2.0	12 Su	0558 0.5 1137 1.8 1815 0.5	27 Mo	0014 2.0 0701 0.2 1239 2.0 1923 0.2	12 Tu	0607 0.4 1146 1.9 1829 0.4	27 We	0039 2.0 0720 0.3 1302 2.0 1946 0.3	12 Fr	0035 2.0 0722 0.3 1302 2.1 1957 0.3	27 Sa	0142 1.9 0818 0.4 1405 2.0 2049 0.4
13 Fr	0546 0.6 1133 1.7 1805 0.5 2356 1.8	28 Sa	0630 0.3 1205 2.0 1852 0.2	13 Mo	0001 1.9 0648 0.4 1225 1.9 1906 0.4	28 Tu	0105 2.1 0750 0.2 1327 2.1 2013 2.0	13 We	0012 1.9 0659 0.4 1237 2.0 1924 0.3	28 Th	0125 2.0 0805 0.3 1347 2.0 2032 0.3	13 Sa	0131 2.1 0818 0.2 1358 2.2 2055 0.2	28 Su	0224 1.9 0901 0.4 1447 2.0 2132 0.4
14 Sa	0639 0.5 1221 1.7 1855 0.5	29 Su	0034 2.1 0726 0.2 1259 2.0 1947 0.2	14 Tu	0049 1.9 0736 0.4 1311 2.0 1956 0.3	29 We	0152 2.0 0835 0.2 1412 2.1 2100 0.2	14 Th	0104 2.0 0750 0.3 1327 2.1 2019 0.2	29 Fr	0209 1.9 0848 0.3 1430 2.0 2116 0.4	14 Su	0225 2.1 0914 0.1 1453 2.3 2151 0.1	29 Mo	0304 1.9 0943 0.4 1528 2.0 2213 0.4
15 Su	0043 1.8 0728 0.4 1305 1.8 1944 0.4	30 Mo	0127 2.1 0816 0.2 1349 2.1 2038 0.1	15 We	0136 2.0 0823 0.3 1357 2.1 2046 0.2	30 Th	0236 2.0 0917 0.2 1455 2.1 2143 0.3	15 Fr	0155 2.1 0841 0.2 1418 2.2 2113 0.2	30 Sa	0250 1.9 0929 0.3 1512 2.0 2158 0.4	15 Mo	0318 2.2 1010 0.1 1548 2.3 2246 0.1	30 Tu	0342 1.9 1024 0.4 1606 2.0 2253 0.4
		31 Tu	0216 2.1 0902 0.2 1436 2.1 2125 0.1							31 Su	0330 1.9 1009 0.4 1552 2.0 2239 0.4				

Standard Ports

Remember to add 1 hour for Daylight Saving Time. Finishes 5 April.

Gisborne

Lat. 38° 40' S., Long. 178° 02' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025

July			August			September			October													
	Time	m		Time	m		Time	m		Time	m		Time	m								
1 Tu	0423 0.6 1028 1.8 1634 0.6 2250 1.9		16 We	0344 0.6 0947 1.9 1556 0.6 2214 2.0		1 Fr	0518 0.7 1128 1.8 1735 0.7 2344 1.8		16 Sa	0501 0.5 1112 2.0 1726 0.6 2338 2.0		1 Mo	0605 0.7 1224 1.8 1836 0.8		16 Tu	0018 1.9 0633 0.5 1253 1.9 1911 0.6		1 We	0611 0.7 1234 1.8 1849 0.8		16 Th	0102 1.8 0714 0.6 1334 1.9 1954 0.6
2 We	0511 0.6 1117 1.8 1723 0.7 2338 1.9		17 Th	0432 0.6 1037 1.9 1647 0.6 2304 2.0		2 Sa	0602 0.7 1215 1.8 1824 0.8		17 Su	0555 0.5 1209 1.9 1824 0.6		2 Tu	0035 1.7 0652 0.7 1314 1.8 1926 0.8		17 We	0117 1.9 0732 0.6 1354 1.9 2012 0.7		2 Th	0046 1.7 0700 0.7 1324 1.8 1939 0.8		17 Fr	0201 1.8 0813 0.6 1432 1.9 2051 0.7
3 Th	0558 0.7 1206 1.8 1812 0.7		18 Fr	0522 0.5 1130 1.9 1742 0.6 2356 2.0		3 Su	0028 1.8 0647 0.7 1305 1.7 1914 0.8		18 Mo	0033 1.9 0650 0.5 1309 1.9 1924 0.6		3 We	0123 1.7 0741 0.7 1405 1.8 2017 0.8		18 Th	0218 1.8 0832 0.6 1453 1.9 2111 0.7		3 Fr	0138 1.7 0753 0.7 1415 1.8 2030 0.7		18 Sa	0300 1.8 0910 0.7 1526 1.9 2146 0.7
4 Fr	0024 1.8 0644 0.7 1255 1.7 1902 0.8		19 Sa	0614 0.5 1226 1.9 1838 0.6		4 Mo	0115 1.7 0734 0.7 1355 1.7 2004 0.8		19 Tu	0131 1.9 0749 0.5 1409 1.9 2025 0.6		4 Th	0214 1.7 0832 0.7 1455 1.8 2107 0.8		19 Fr	0318 1.8 0931 0.6 1550 1.9 2207 0.7		4 Sa	0231 1.7 0846 0.7 1505 1.8 2121 0.7		19 Su	0357 1.8 1005 0.7 1617 1.9 2237 0.7
5 Sa	0110 1.8 0730 0.7 1346 1.7 1953 0.8		20 Su	0050 1.9 0708 0.5 1324 1.9 1937 0.6		5 Tu	0202 1.7 0823 0.7 1446 1.7 2055 0.8		20 We	0230 1.9 0848 0.6 1509 1.9 2125 0.6		5 Fr	0306 1.7 0924 0.7 1544 1.8 2157 0.7		20 Sa	0416 1.8 1027 0.6 1643 1.9 2301 0.6		5 Su	0326 1.8 0940 0.7 1556 1.9 2212 0.6		20 Mo	0449 1.8 1055 0.7 1704 1.8 2324 0.7
6 Su	0156 1.8 0817 0.7 1436 1.7 2043 0.8		21 Mo	0146 1.9 0805 0.5 1424 1.9 2037 0.6		6 We	0251 1.7 0912 0.7 1535 1.8 2144 0.8		21 Th	0331 1.9 0947 0.6 1607 1.9 2223 0.6		6 Sa	0358 1.8 1014 0.7 1632 1.9 2246 0.7		21 Su	0511 1.8 1119 0.6 1732 1.9 2351 0.6		6 Mo	0421 1.9 1033 0.6 1647 2.0 2304 0.5		21 Tu	0538 1.8 1142 0.7 1749 1.8
7 Mo	0242 1.7 0904 0.7 1526 1.7 2132 0.8		22 Tu	0244 1.9 0903 0.5 1524 2.0 2137 0.6		7 Th	0341 1.7 1001 0.7 1623 1.8 2233 0.8		22 Fr	0430 1.9 1044 0.6 1703 2.0 2319 0.6		7 Su	0450 1.8 1104 0.6 1720 1.9 2335 0.6		22 Mo	0601 1.8 1207 0.6 1818 1.9		7 Tu	0515 1.9 1126 0.5 1738 2.0 2356 0.5		22 We	0009 0.7 0622 1.8 1227 0.7 1832 1.8
8 Tu	0330 1.7 0951 0.7 1613 1.8 2220 0.8		23 We	0343 1.9 1002 0.5 1622 2.0 2237 0.6		8 Fr	0431 1.7 1049 0.7 1709 1.9 2320 0.7		23 Sa	0527 1.9 1138 0.6 1755 2.0		8 Mo	0542 1.9 1154 0.6 1808 2.0		23 Tu	0037 0.6 0647 1.8 1253 0.6 1902 1.9		8 We	0608 2.0 1219 0.5 1831 2.1		23 Th	0050 0.6 0704 1.8 1310 0.7 1913 1.8
9 We	0417 1.7 1037 0.7 1659 1.8 2307 0.8		24 Th	0443 1.9 1100 0.5 1719 2.0 2335 0.6		9 Sa	0520 1.8 1135 0.6 1754 1.9		24 Su	0012 0.6 0620 1.9 1229 0.6 1844 2.0		9 Tu	0025 0.5 0633 2.0 1244 0.5 1857 2.0		24 We	0121 0.6 0731 1.9 1336 0.6 1944 1.9		9 Th	0049 0.4 0701 2.1 1313 0.4 1924 2.1		24 Fr	0130 0.6 0744 1.8 1351 0.7 1953 1.8
10 Th	0504 1.7 1122 0.7 1743 1.8 2353 0.8		25 Fr	0541 1.9 1155 0.5 1814 2.0		10 Su	0007 0.7 0609 1.8 1222 0.6 1839 1.9		25 Mo	0102 0.6 0710 1.9 1317 0.6 1930 2.0		10 We	0115 0.5 0723 2.0 1334 0.5 1947 2.1		25 Th	0202 0.6 0812 1.9 1418 0.7 2025 1.8		10 Fr	0141 0.4 0755 2.1 1407 0.4 2018 2.1		25 Sa	0209 0.6 0824 1.9 1433 0.7 2034 1.8
11 Fr	0551 1.7 1207 0.6 1826 1.9		26 Sa	0031 0.6 0637 1.9 1249 0.5 1906 2.0		11 Mo	0054 0.6 0658 1.9 1309 0.5 1925 2.0		26 Tu	0149 0.6 0756 1.9 1402 0.6 2015 1.9		11 Th	0205 0.4 0815 2.0 1426 0.5 2039 2.1		26 Fr	0241 0.6 0853 1.8 1500 0.7 2105 1.8		11 Sa	0234 0.3 0848 2.1 1503 0.4 2113 2.1		26 Su	0248 0.6 0904 1.8 1515 0.7 2115 1.8
12 Sa	0039 0.7 0637 1.8 1251 0.6 1909 1.9		27 Su	0124 0.6 0731 1.9 1339 0.5 1956 2.0		12 Tu	0142 0.6 0747 1.9 1357 0.5 2012 2.0		27 We	0234 0.6 0841 1.9 1447 0.6 2058 1.9		12 Fr	0256 0.4 0907 2.1 1519 0.5 2132 2.1		27 Sa	0321 0.6 0933 1.8 1543 0.7 2146 1.8		12 Su	0328 0.4 0943 2.1 1600 0.5 2208 2.0		27 Mo	0327 0.7 0945 1.8 1559 0.8 2156 1.7
13 Su	0124 0.7 0724 1.8 1335 0.6 1953 1.9		28 Mo	0216 0.6 0821 1.9 1428 0.5 2044 2.0		13 We	0230 0.5 0836 2.0 1446 0.5 2101 2.0		28 Th	0316 0.6 0924 1.8 1530 0.7 2140 1.9		13 Sa	0348 0.4 1000 2.1 1615 0.5 2226 2.0		28 Su	0400 0.7 1015 1.8 1627 0.8 2228 1.8		13 Mo	0422 0.4 1039 2.1 1658 0.5 2305 2.0		28 Tu	0407 0.7 1027 1.8 1643 0.8 2239 1.7
14 Mo	0210 0.6 0811 1.8 1420 0.6 2038 2.0		29 Tu	0304 0.6 0910 1.9 1516 0.6 2131 1.9		14 Th	0319 0.5 0926 2.0 1537 0.5 2152 2.0		29 Fr	0357 0.6 1006 1.8 1614 0.7 2222 1.8		14 Su	0441 0.4 1056 2.0 1712 0.5 2321 2.0		29 Mo	0442 0.7 1059 1.8 1713 0.8 2312 1.7		14 Tu	0518 0.5 1137 2.0 1757 0.6		29 We	0450 0.7 1111 1.8 1728 0.8 2325 1.7
15 Tu	0256 0.6 0858 1.9 1507 0.6 2125 2.0		30 We	0350 0.6 0956 1.8 1602 0.6 2216 1.9		15 Fr	0410 0.5 1018 2.0 1630 0.5 2244 2.0		30 Sa	0438 0.7 1050 1.8 1700 0.7 2304 1.8		15 Mo	0536 0.5 1154 2.0 1811 0.6		30 Tu	0525 0.7 1146 1.8 1801 0.8 2358 1.7		15 We	0003 1.9 0615 0.5 1236 2.0 1856 0.6		30 Th	0535 0.7 1158 1.8 1815 0.8
			31 Th	0435 0.6 1042 1.8 1648 0.7 2300 1.9					31 Su	0520 0.7 1136 1.8 1747 0.8 2348 1.7								31 Fr	0013 1.7 0624 0.7 1246 1.8 1904 0.7			

Remember to add 1 hour for Daylight Saving Time. Commences 28 September.

Gisborne

Lat. 38° 40' S., Long. 178° 02' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025/26

November				December				January				February			
Time m		Time m		Time m		Time m		Time m		Time m		Time m		Time m	
1 Sa	0104 1.7 0716 0.7 1336 1.8 1954 0.7	16 Su	0235 1.8 0843 0.7 1455 1.8 2116 0.7	1 Mo	0129 1.8 0741 0.7 1356 1.9 2015 0.6	16 Tu	0256 1.7 0901 0.8 1505 1.8 2128 0.7	1 Th	0305 1.9 0917 0.6 1525 1.9 2146 0.5	16 Fr	0359 1.7 1004 0.8 1602 1.7 2225 0.7	1 Su	0449 2.0 1103 0.6 1711 1.9 2328 0.5	16 Mo	0454 1.8 1104 0.8 1704 1.7 2321 0.7
2 Su	0158 1.8 0811 0.7 1428 1.9 2046 0.6	17 Mo	0330 1.7 0936 0.7 1544 1.8 2205 0.7	2 Tu	0227 1.9 0839 0.6 1451 1.9 2111 0.5	17 We	0348 1.7 0952 0.8 1553 1.7 2216 0.7	2 Fr	0406 2.0 1018 0.6 1625 2.0 2246 0.5	17 Sa	0447 1.8 1053 0.8 1651 1.7 2312 0.7	2 Mo ○	0547 2.0 1203 0.6 1811 1.9	17 Tu	0539 1.8 1150 0.7 1752 1.8
3 Mo	0255 1.8 0908 0.6 1521 1.9 2140 0.6	18 Tu	0422 1.8 1026 0.8 1631 1.8 2252 0.7	3 We	0327 1.9 0938 0.6 1548 2.0 2209 0.5	18 Th	0437 1.7 1041 0.8 1640 1.7 2302 0.7	3 Sa ○	0506 2.0 1119 0.6 1726 2.0 2345 0.4	18 Su	0533 1.8 1141 0.8 1739 1.7 2356 0.7	3 Tu	0025 0.5 0642 2.0 1300 0.6 1907 1.9	18 We ●	0007 0.7 0623 1.9 1237 0.7 1839 1.8
4 Tu	0352 1.9 1004 0.6 1615 2.0 2235 0.5	19 We	0510 1.8 1114 0.8 1716 1.8 2337 0.7	4 Th	0426 2.0 1038 0.6 1646 2.0 2307 0.4	19 Fr	0523 1.8 1128 0.8 1726 1.7 2347 0.7	4 Su	0604 2.1 1219 0.5 1826 2.0	19 Mo ●	0616 1.8 1226 0.8 1825 1.7	4 We	0118 0.5 0735 2.0 1353 0.5 2000 1.9	19 Th	0052 0.6 0707 1.9 1322 0.6 1926 1.9
5 We	0449 2.0 1101 0.5 1711 2.0 2330 0.4	20 Th ●	0555 1.8 1159 0.8 1800 1.8	5 Fr ○	0525 2.0 1137 0.5 1745 2.0	20 Sa ●	0607 1.8 1213 0.8 1811 1.7	5 Mo	0042 0.4 0701 2.1 1317 0.5 1924 2.0	20 Tu	0039 0.7 0658 1.9 1311 0.7 1909 1.8	5 Th	0209 0.5 0826 2.0 1444 0.5 2050 1.9	20 Fr	0137 0.6 0752 1.9 1408 0.6 2013 1.9
6 Th ○	0546 2.1 1157 0.5 1806 2.1	21 Fr	0019 0.7 0637 1.8 1242 0.8 1842 1.8	6 Sa	0004 0.4 0622 2.1 1236 0.5 1843 2.0	21 Su	0029 0.7 0649 1.8 1258 0.8 1855 1.7	6 Tu	0137 0.4 0756 2.1 1414 0.5 2020 2.0	21 We	0122 0.6 0740 1.9 1438 0.7 1953 1.8	6 Fr	0258 0.5 0914 2.0 1532 0.6 2138 1.9	21 Sa	0223 0.6 0839 2.0 1455 0.5 2101 1.9
7 Fr	0025 0.4 0641 2.1 1253 0.5 1903 2.1	22 Sa	0100 0.7 0717 1.8 1325 0.8 1924 1.8	7 Su	0100 0.3 0718 2.1 1334 0.5 1941 2.0	22 Mo	0110 0.7 0729 1.9 1341 0.8 1938 1.7	7 We	0230 0.4 0849 2.1 1508 0.5 2113 2.0	22 Th	0204 0.6 0822 1.9 1438 0.7 2038 1.8	7 Sa	0346 0.6 1000 1.9 1618 0.6 2224 1.9	22 Su	0312 0.6 0926 2.0 1542 0.5 2150 2.0
8 Sa	0120 0.3 0736 2.2 1350 0.4 1959 2.1	23 Su	0139 0.6 0757 1.9 1407 0.7 2005 1.8	8 Mo	0156 0.3 0814 2.1 1431 0.5 2038 2.0	23 Tu	0150 0.6 0809 1.9 1423 0.7 2020 1.8	8 Th	0322 0.5 0940 2.1 1600 0.5 2205 1.9	23 Fr	0247 0.6 0905 1.9 1521 0.6 2123 1.9	8 Su	0432 0.6 1045 1.9 1702 0.6 2310 1.8	23 Mo	0402 0.6 1015 2.0 1631 0.5 2241 1.9
9 Su	0214 0.3 0831 2.2 1447 0.4 2055 2.1	24 Mo	0218 0.6 0837 1.9 1450 0.7 2046 1.8	9 Tu	0250 0.4 0909 2.1 1528 0.5 2133 2.0	24 We	0230 0.6 0850 1.9 1506 0.7 2103 1.8	9 Fr	0412 0.5 1030 2.0 1649 0.6 2254 1.9	24 Sa	0332 0.6 0949 1.9 1606 0.6 2209 1.9	9 Mo	0519 0.7 1128 1.8 1745 0.7 2357 1.8	24 Tu	0454 0.6 1106 2.0 1722 0.5 2334 1.9
10 Mo	0309 0.4 0926 2.1 1545 0.5 2151 2.0	25 Tu	0257 0.6 0917 1.9 1532 0.7 2128 1.8	10 We	0343 0.4 1003 2.1 1623 0.5 2228 1.9	25 Th	0312 0.6 0931 1.9 1548 0.7 2146 1.8	10 Sa	0502 0.6 1118 1.9 1737 0.6 2344 1.8	25 Su	0419 0.6 1036 1.9 1653 0.6 2258 1.9	10 Tu	0606 0.7 1212 1.8 1830 0.7	25 We	0549 0.6 1200 1.9 1816 0.5
11 Tu	0403 0.4 1022 2.1 1642 0.5 2248 1.9	26 We	0338 0.7 0958 1.9 1615 0.7 2211 1.8	11 Th	0436 0.5 1056 2.0 1717 0.6 2321 1.9	26 Fr	0354 0.6 1014 1.9 1632 0.7 2231 1.8	11 Su	0551 0.7 1204 1.9 1824 0.7	26 Mo	0509 0.6 1124 1.9 1742 0.6 2350 1.9	11 We	0045 1.7 0654 0.8 1257 1.7 1916 0.7	26 Th	0031 1.9 0647 0.6 1255 1.9 1913 0.6
12 We	0458 0.5 1118 2.0 1739 0.6 2344 1.9	27 Th	0420 0.7 1041 1.9 1659 0.7 2256 1.8	12 Fr	0529 0.6 1148 2.0 1809 0.6	27 Sa	0440 0.6 1059 1.9 1717 0.6 2319 1.8	12 Mo	0033 1.8 0641 0.7 1251 1.8 1910 0.7	27 Tu	0602 0.9 1215 1.9 1833 0.6	12 Th	0135 1.7 0744 0.8 1344 1.7 2004 0.7	27 Fr	0131 1.9 0747 0.6 1354 1.9 2012 0.6
13 Th	0554 0.6 1214 2.0 1835 0.6	28 Fr	0505 0.7 1126 1.9 1745 0.7 2343 1.8	13 Sa	0015 1.8 0622 0.6 1239 1.9 1900 0.6	28 Su	0528 0.6 1146 1.9 1805 0.6	13 Tu	0124 1.7 0731 0.8 1337 1.8 1958 0.7	28 We	0046 1.9 0659 0.6 1309 1.9 1929 0.6	13 Fr	0226 1.7 0835 0.8 1433 1.7 2055 0.8	28 Sa	0232 1.9 0847 0.7 1455 1.9 2113 0.6
14 Fr	0041 1.8 0650 0.6 1309 1.9 1930 0.6	29 Sa	0553 0.7 1213 1.9 1832 0.7	14 Su	0108 1.8 0716 0.7 1329 1.8 1950 0.7	29 Mo	0010 1.8 0620 0.7 1236 1.9 1855 0.6	14 We	0216 1.7 0822 0.8 1424 1.7 2047 0.7	29 Th	0145 1.9 0759 0.7 1407 1.9 2027 0.5	14 Sa	0317 1.7 0925 0.8 1523 1.7 2145 0.7		
15 Sa	0138 1.8 0747 0.7 1403 1.9 2024 0.7	30 Su	0035 1.8 0645 0.7 1303 1.9 1922 0.6	15 Mo	0202 1.7 0809 0.8 1417 1.8 2039 0.7	30 Tu	0105 1.8 0717 0.7 1329 1.9 1950 0.6	15 Th	0308 1.8 0914 0.7 1513 1.7 2136 0.7	30 Fr	0247 1.9 0900 0.6 1507 1.9 2128 0.5	15 Su	0407 1.7 1015 0.8 1614 1.7 2234 0.7		
						31 We	0204 1.9 0816 0.6 1426 1.9 2047 0.5				31 Sa				

Standard Ports

Remember to add 1 hour for Daylight Saving Time.

Gisborne

Lat. 38° 40' S., Long. 178° 02' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2026

March

April

May

June

	Time m			Time m			Time m			Time m			Time m			Time m	
1 Su	0333 1.9 0948 0.6 1557 1.9 2214 0.6	16 Mo	0323 1.8 0935 0.8 1537 1.7 2155 0.7	1 We	0505 1.9 1123 0.6 1736 1.8 2345 0.6	16 Th	0419 1.9 1035 0.6 1647 1.9 2259 0.6	1 Fr	0526 1.8 1144 0.7 1800 1.8	16 Sa	0438 1.9 1057 0.5 1713 2.0 2326 0.6	1 Mo	0024 0.8 0623 1.7 1239 0.7 1858 1.8	16 Tu	0002 0.5 0610 2.0 1227 0.4 1845 2.1		
2 Mo	0432 1.9 1048 0.6 1657 1.9 2311 0.6	17 Tu	0411 1.8 1024 0.7 1628 1.8 2244 0.7	2 Th ○	0555 1.9 1213 0.6 1826 1.9	17 Fr ●	0510 1.9 1127 0.6 1740 1.9 2352 0.6	2 Sa ○	0007 0.7 0612 1.8 1229 0.7 1845 1.8	17 Su ●	0533 2.0 1152 0.4 1809 2.1	2 Tu	0108 0.8 0707 1.7 1321 0.7 1939 1.8	17 We	0101 0.5 0709 2.0 1324 0.4 1942 2.1		
3 Tu ○	0528 1.9 1145 0.6 1754 1.9	18 We	0458 1.8 1112 0.7 1719 1.8 2333 0.6	3 Fr	0034 0.6 0643 1.9 1301 0.6 1912 1.9	18 Sa	0602 2.0 1219 0.5 1832 2.0	3 Su	0053 0.7 0656 1.8 1312 0.7 1928 1.8	18 Mo	0022 0.5 0630 2.0 1248 0.4 1904 2.1	3 We	0152 0.8 0750 1.7 1401 0.7 2020 1.8	18 Th	0200 0.5 0808 2.0 1420 0.4 2038 2.1		
4 We	0006 0.6 0621 2.0 1239 0.6 1848 1.9	19 Th ●	0546 1.9 1201 0.6 1809 1.9	4 Sa	0120 0.6 0728 1.9 1345 0.6 1957 1.9	19 Su	0045 0.5 0655 2.0 1312 0.4 1926 2.1	4 Mo	0137 0.7 0739 1.8 1353 0.7 2009 1.8	19 Tu	0119 0.5 0728 2.0 1343 0.4 2000 2.1	4 Th	0235 0.8 0832 1.7 1442 0.7 2101 1.8	19 Fr	0258 0.5 0906 2.0 1515 0.4 2134 2.1		
5 Th	0057 0.6 0711 2.0 1329 0.6 1938 1.9	20 Fr	0021 0.6 0634 1.9 1250 0.6 1859 1.9	5 Su	0205 0.7 0812 1.8 1427 0.6 2039 1.9	20 Mo	0139 0.5 0749 2.0 1405 0.4 2019 2.1	5 Tu	0220 0.7 0821 1.8 1433 0.7 2050 1.8	20 We	0218 0.5 0826 2.0 1439 0.4 2057 2.1	5 Fr	0317 0.7 0915 1.7 1522 0.7 2142 1.8	20 Sa	0355 0.5 1002 2.0 1611 0.5 2229 2.1		
6 Fr	0146 0.6 0759 1.9 1416 0.6 2025 1.9	21 Sa	0110 0.6 0723 2.0 1339 0.5 1949 2.0	6 Mo	0249 0.7 0854 1.8 1508 0.7 2121 1.8	21 Tu	0235 0.5 0845 2.0 1459 0.4 2114 2.1	6 We	0303 0.7 0903 1.7 1514 0.7 2131 1.8	21 Th	0316 0.5 0924 2.0 1535 0.4 2153 2.1	6 Sa	0400 0.7 0957 1.7 1604 0.7 2224 1.8	21 Su	0451 0.5 1058 1.9 1706 0.5 2323 2.0		
7 Sa	0232 0.6 0844 1.9 1501 0.6 2109 1.9	22 Su	0201 0.5 0813 2.0 1429 0.5 2039 2.0	7 Tu	0332 0.7 0936 1.8 1548 0.7 2203 1.8	22 We	0331 0.5 0941 2.0 1553 0.4 2210 2.1	7 Th	0347 0.8 0945 1.7 1554 0.7 2213 1.8	22 Fr	0414 0.5 1021 2.0 1631 0.5 2250 2.1	7 Su	0443 0.7 1041 1.7 1648 0.7 2307 1.8	22 Mo	0544 0.5 1153 1.9 1801 0.6		
8 Su	0317 0.6 0928 1.9 1543 0.6 2153 1.8	23 Mo	0253 0.5 0905 2.0 1520 0.5 2131 2.0	8 We	0416 0.7 1018 1.8 1629 0.7 2246 1.8	23 Th	0429 0.5 1037 2.0 1649 0.5 2307 2.0	8 Fr	0431 0.8 1028 1.7 1637 0.7 2257 1.8	23 Sa	0512 0.5 1119 1.9 1728 0.5 2347 2.0	8 Mo	0526 0.7 1126 1.7 1734 0.7 2352 1.8	23 Tu	0016 1.9 0636 0.6 1247 1.8 1856 0.7		
9 Mo	0402 0.7 1010 1.8 1625 0.7 2236 1.8	24 Tu	0346 0.5 0958 2.0 1612 0.5 2225 2.0	9 Th	0501 0.8 1101 1.7 1712 0.7 2331 1.8	24 Fr	0527 0.5 1135 1.9 1746 0.5	9 Sa	0515 0.8 1112 1.7 1721 0.7 2341 1.8	24 Su	0608 0.6 1216 1.9 1825 0.6	9 Tu	0611 0.7 1214 1.8 1823 0.7	24 We	0107 1.9 0727 0.6 1342 1.8 1949 0.7		
10 Tu	0447 0.7 1052 1.8 1706 0.7 2320 1.8	25 We	0442 0.5 1052 2.0 1705 0.5 2321 2.0	10 Fr	0546 0.8 1145 1.7 1757 0.7	25 Sa	0005 2.0 0625 0.6 1233 1.9 1844 0.6	10 Su	0559 0.8 1158 1.7 1807 0.7	25 Mo	0042 2.0 0703 0.6 1313 1.8 1922 0.6	10 We	0039 1.8 0658 0.7 1305 1.8 1916 0.7	25 Th	0157 1.8 0817 0.7 1435 1.8 2042 0.8		
11 We	0532 0.8 1135 1.8 1750 0.7	26 Th	0539 0.6 1147 1.9 1801 0.5	11 Sa	0017 1.8 0633 0.8 1231 1.7 1844 0.8	26 Su	0103 1.9 0723 0.6 1331 1.8 1943 0.6	11 Mo	0027 1.8 0645 0.7 1245 1.7 1856 0.7	26 Tu	0137 1.9 0757 0.6 1409 1.8 2018 0.7	11 Th	0128 1.9 0747 0.6 1359 1.8 2010 0.7	26 Fr	0245 1.8 0906 0.7 1526 1.8 2132 0.8		
12 Th	0006 1.8 0619 0.8 1220 1.7 1835 0.7	27 Fr	0019 2.0 0637 0.6 1244 1.9 1859 0.6	12 Su	0104 1.8 0720 0.8 1319 1.7 1933 0.8	27 Mo	0200 1.9 0819 0.6 1430 1.8 2041 0.7	12 Tu	0114 1.8 0731 0.7 1336 1.7 1947 0.7	27 We	0229 1.9 0849 0.6 1504 1.8 2112 0.7	12 Fr	0220 1.9 0839 0.6 1455 1.9 2107 0.6	27 Sa	0333 1.8 0954 0.7 1615 1.8 2222 0.8		
13 Fr	0055 1.7 0707 0.8 1306 1.7 1923 0.8	28 Sa	0118 1.9 0736 0.6 1344 1.9 1959 0.6	13 Mo	0153 1.8 0807 0.8 1409 1.7 2024 0.8	28 Tu	0255 1.9 0914 0.6 1527 1.8 2137 0.7	13 We	0202 1.8 0819 0.7 1428 1.8 2040 0.7	28 Th	0319 1.8 0939 0.7 1557 1.8 2203 0.7	13 Sa	0315 1.9 0935 0.5 1553 2.0 2205 0.6	28 Su	0420 1.7 1040 0.7 1702 1.8 2309 0.8		
14 Sa	0145 1.7 0757 0.8 1355 1.7 2013 0.8	29 Su	0218 1.9 0835 0.6 1444 1.8 2059 0.6	14 Tu	0241 1.8 0856 0.7 1501 1.7 2116 0.7	29 We	0348 1.9 1007 0.7 1622 1.8 2230 0.7	14 Th	0252 1.9 0910 0.6 1522 1.8 2135 0.7	29 Fr	0407 1.8 1027 0.7 1646 1.8 2252 0.8	14 Su	0412 2.0 1031 0.5 1651 2.0 2303 0.6	29 Mo	0507 1.7 1125 0.7 1746 1.8 2355 0.8		
15 Su	0235 1.7 0846 0.8 1446 1.7 2104 0.8	30 Mo	0316 1.9 0933 0.7 1544 1.8 2157 0.6	15 We	0330 1.8 0945 0.7 1554 1.8 2208 0.7	30 Th	0438 1.8 1057 0.7 1713 1.8 2320 0.7	15 Fr	0344 1.9 1002 0.6 1618 1.9 2230 0.6	30 Sa	0454 1.8 1113 0.7 1732 1.8 2339 0.8	15 Mo ●	0510 2.0 1129 0.4 1748 2.1	30 Tu ○	0552 1.7 1208 0.7 1828 1.8		
		31 Tu	0412 1.9 1030 0.6 1642 1.8 2253 0.6							31 Su ○	0539 1.7 1157 0.7 1816 1.8						

Remember to add 1 hour for Daylight Saving Time. Finishes 5 April.

Lyttelton

Lat. 43° 36' S., Long. 172° 43' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025

July			August			September			October														
	Time	m		Time	m		Time	m		Time	m		Time	m		Time	m						
1 Tu	0258 0.6 0914 2.3 1516 0.7 2132 2.3		16 We	0219 0.6 0831 2.3 1436 0.6 2053 2.3		1 Fr	0354 0.7 1013 2.1 1619 0.8 2229 2.1		16 Sa	0340 0.5 0958 2.4 1612 0.6 2225 2.3		1 Mo	0451 0.8 1107 2.1 1730 0.8 2329 2.0		16 Tu	0524 0.5 1142 2.4 1806 0.5		1 We	0501 0.8 1119 2.1 1743 0.8 2343 2.0		16 Th	0605 0.5 1225 2.4 1844 0.5	
2 We	0347 0.6 1004 2.2 1607 0.7 2221 2.2		17 Th	0308 0.5 0922 2.3 1529 0.6 2146 2.3		2 Sa	0442 0.7 1059 2.1 1714 0.8 2317 2.0		17 Su	0438 0.5 1055 2.4 1716 0.6 2324 2.2		2 Tu	0540 0.8 1158 2.1 1822 0.8		17 We	0013 2.2 0623 0.5 1244 2.4 1904 0.5		2 Th	0549 0.7 1209 2.2 1830 0.7		17 Fr	0054 2.3 0702 0.6 1321 2.3 1936 0.6	
3 Th	0437 0.7 1053 2.2 1659 0.8 2310 2.2		18 Fr	0400 0.5 1015 2.3 1626 0.6 2240 2.3		3 Su	0531 0.8 1148 2.1 1808 0.8		18 Mo	0537 0.5 1155 2.4 1819 0.6		3 We	0019 2.0 0628 0.7 1249 2.1 1909 0.7		18 Th	0112 2.2 0720 0.5 1342 2.4 1958 0.5		3 Fr	0031 2.1 0637 0.7 1259 2.2 1915 0.7		18 Sa	0148 2.3 0757 0.6 1412 2.3 2025 0.6	
4 Fr	0525 0.7 1141 2.2 1753 0.8 2357 2.1		19 Sa	0455 0.5 1109 2.4 1727 0.6 2336 2.3		4 Mo	0006 2.0 0620 0.8 1238 2.1 1900 0.8		19 Tu	0024 2.2 0636 0.5 1257 2.4 1918 0.5		4 Th	0109 2.0 0715 0.7 1339 2.2 1955 0.7		19 Fr	0208 2.3 0816 0.5 1435 2.4 2049 0.5		4 Sa	0120 2.1 0726 0.6 1347 2.3 2001 0.6		19 Su	0238 2.3 0848 0.6 1457 2.3 2111 0.6	
5 Sa	0613 0.7 1229 2.1 1846 0.8		20 Su	0551 0.5 1207 2.4 1828 0.6		5 Tu	0056 2.0 0706 0.8 1329 2.1 1948 0.8		20 We	0124 2.2 0734 0.5 1357 2.4 2014 0.5		5 Fr	0157 2.1 0802 0.7 1425 2.3 2039 0.6		20 Sa	0259 2.3 0909 0.5 1523 2.4 2137 0.5		5 Su	0207 2.2 0817 0.6 1434 2.4 2048 0.5		20 Mo	0324 2.3 0937 0.6 1540 2.2 2155 0.6	
6 Su	0045 2.1 0659 0.8 1318 2.2 1936 0.8		21 Mo	0034 2.3 0648 0.5 1307 2.4 1929 0.5		6 We	0146 2.0 0752 0.7 1418 2.2 2033 0.7		21 Th	0222 2.3 0830 0.5 1453 2.5 2108 0.5		6 Sa	0243 2.2 0851 0.6 1510 2.3 2124 0.5		21 Su	0347 2.3 0959 0.5 1607 2.3 2223 0.5		6 Mo	0256 2.3 0910 0.5 1522 2.4 2138 0.4		21 Tu	0408 2.2 1022 0.6 1622 2.2 2237 0.6	
7 Mo	0133 2.1 0744 0.8 1407 2.2 2023 0.8		22 Tu	0134 2.3 0745 0.4 1408 2.5 2027 0.5		7 Th	0233 2.1 0838 0.7 1503 2.3 2117 0.7		22 Fr	0316 2.3 0926 0.4 1544 2.5 2159 0.5		7 Su	0328 2.2 0940 0.5 1554 2.4 2211 0.5		22 Mo	0433 2.3 1046 0.5 1650 2.3 2307 0.5		7 Tu	0346 2.4 1004 0.4 1611 2.5 2229 0.4		22 We	0451 2.2 1104 0.7 1703 2.2 2318 0.6	
8 Tu	0220 2.1 0829 0.7 1453 2.2 2108 0.8		23 We	0233 2.3 0843 0.4 1506 2.5 2123 0.5		8 Fr	0317 2.1 0925 0.6 1545 2.3 2201 0.6		23 Sa	0407 2.3 1019 0.4 1631 2.4 2248 0.5		8 Mo	0415 2.3 1031 0.4 1640 2.4 2259 0.4		23 Tu	0517 2.3 1130 0.6 1732 2.2 2348 0.6		8 We	0439 2.5 1058 0.3 1704 2.5 2321 0.3		23 Th	0534 2.2 1145 0.7 1745 2.1 2358 0.7	
9 We	0305 2.1 0913 0.7 1537 2.2 2152 0.7		24 Th	0329 2.3 0940 0.4 1601 2.6 2218 0.4		9 Sa	0401 2.2 1012 0.6 1627 2.4 2245 0.6		24 Su	0456 2.3 1108 0.5 1717 2.4 2335 0.5		9 Tu	0504 2.4 1121 0.4 1728 2.5 2348 0.4		24 We	0602 2.2 1211 0.6 1815 2.2		9 Th	0534 2.6 1152 0.3 1800 2.5		24 Fr	0617 2.2 1226 0.7 1829 2.1	
10 Th	0350 2.1 0958 0.7 1618 2.3 2235 0.7		25 Fr	0424 2.4 1036 0.4 1652 2.6 2310 0.4		10 Su	0446 2.2 1059 0.5 1710 2.4 2330 0.5		25 Mo	0543 2.3 1155 0.5 1802 2.3		10 We	0556 2.4 1212 0.4 1821 2.4		25 Th	0029 0.6 0646 2.2 1253 0.7 1859 2.1		10 Fr	0015 0.3 0632 2.6 1247 0.3 1859 2.4		25 Sa	0039 0.7 0659 2.2 1308 0.7 1915 2.0	
11 Fr	0433 2.1 1043 0.7 1700 2.3 2318 0.7		26 Sa	0517 2.4 1129 0.4 1742 2.5		11 Mo	0532 2.3 1147 0.5 1756 2.4		26 Tu	0019 0.5 0631 2.3 1239 0.6 1847 2.3		11 Th	0038 0.3 0652 2.5 1304 0.4 1917 2.4		26 Fr	0110 0.7 0730 2.2 1335 0.7 1945 2.1		11 Sa	0110 0.3 0730 2.6 1344 0.4 1958 2.4		26 Su	0121 0.7 0742 2.2 1353 0.8 2001 2.0	
12 Sa	0517 2.2 1128 0.6 1742 2.4		27 Su	0000 0.4 0609 2.3 1219 0.4 1831 2.5		12 Tu	0016 0.5 0622 2.3 1234 0.4 1845 2.4		27 We	0102 0.6 0718 2.2 1322 0.6 1932 2.2		12 Fr	0130 0.4 0748 2.5 1359 0.4 2015 2.4		27 Sa	0152 0.7 0814 2.1 1420 0.8 2031 2.0		12 Su	0208 0.3 0828 2.6 1444 0.4 2058 2.4		27 Mo	0205 0.8 0825 2.2 1440 0.8 2047 2.0	
13 Su	0002 0.6 0603 2.2 1213 0.6 1826 2.4		28 Mo	0049 0.5 0700 2.3 1307 0.5 1919 2.4		13 We	0104 0.4 0714 2.4 1324 0.4 1938 2.4		28 Th	0144 0.6 0804 2.2 1406 0.7 2018 2.1		13 Sa	0225 0.4 0845 2.5 1458 0.5 2113 2.3		28 Su	0237 0.7 0858 2.1 1509 0.8 2118 2.0		13 Mo	0307 0.4 0926 2.5 1546 0.5 2158 2.3		28 Tu	0250 0.8 0909 2.2 1529 0.8 2134 2.0	
14 Mo	0046 0.6 0650 2.2 1259 0.6 1912 2.4		29 Tu	0135 0.5 0750 2.3 1354 0.6 2007 2.3		14 Th	0153 0.4 0808 2.4 1416 0.5 2033 2.4		29 Fr	0228 0.7 0849 2.1 1452 0.8 2105 2.1		14 Su	0323 0.4 0942 2.5 1600 0.5 2212 2.3		29 Mo	0324 0.8 0943 2.1 1601 0.8 2206 2.0		14 Tu	0407 0.4 1025 2.5 1649 0.5 2257 2.3		29 We	0337 0.8 0955 2.2 1617 0.8 2220 2.0	
15 Tu	0132 0.6 0740 2.2 1346 0.6 2001 2.4		30 We	0221 0.6 0839 2.2 1440 0.7 2055 2.2		15 Fr	0245 0.5 0902 2.4 1512 0.5 2129 2.3		30 Sa	0313 0.7 0934 2.1 1542 0.8 2152 2.0		15 Mo	0423 0.5 1041 2.4 1705 0.5 2312 2.2		30 Tu	0413 0.8 1030 2.1 1654 0.8 2254 2.0		15 We	0507 0.5 1126 2.4 1748 0.5 2357 2.3		30 Th	0425 0.8 1042 2.2 1705 0.7 2307 2.1	
			31 Th	0307 0.7 0926 2.2 1528 0.8 2142 2.1					31 Su	0401 0.8 1020 2.1 1636 0.8 2240 2.0								31 Fr	0513 0.7 1131 2.2 1751 0.7 2355 2.1				

Standard Ports

Remember to add 1 hour for Daylight Saving Time. Commences 28 September.

Lyttelton

Lat. 43° 36' S., Long. 172° 43' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025/26

November

December

January

February

Time m

Time m

Time m

Time m

Time m

Time m

Time m

Time m

1 Sa	0602 0.7 1221 2.3 1837 0.6	16 Su	0122 2.2 0732 0.7 1342 2.2 1956 0.6	1 Mo	0014 2.3 0626 0.6 1240 2.3 1854 0.5	16 Tu	0140 2.2 0754 0.8 1355 2.1 2008 0.7	1 Th	0146 2.5 0806 0.5 1411 2.4 2025 0.4	16 Fr	0243 2.2 0855 0.8 1454 2.1 2103 0.8	1 Su	0332 2.6 0948 0.5 1555 2.4 2209 0.4	16 Mo	0332 2.3 0945 0.7 1546 2.2 2157 0.7
2 Su	0044 2.2 0653 0.6 1311 2.3 1925 0.6	17 Mo	0211 2.2 0823 0.7 1428 2.2 2041 0.7	2 Tu	0107 2.4 0723 0.6 1333 2.4 1948 0.5	17 We	0228 2.2 0842 0.8 1441 2.1 2052 0.7	2 Fr	0247 2.5 0905 0.5 1511 2.4 2124 0.4	17 Sa	0327 2.2 0939 0.8 1538 2.1 2148 0.7	2 Mo ○	0426 2.6 1042 0.4 1650 2.4 2304 0.4	17 Tu	0412 2.3 1028 0.7 1628 2.2 2243 0.6
3 Mo	0135 2.3 0748 0.6 1401 2.4 2015 0.5	18 Tu	0258 2.2 0911 0.7 1511 2.2 2125 0.7	3 We	0203 2.5 0822 0.5 1429 2.4 2044 0.4	18 Th	0315 2.2 0927 0.8 1525 2.1 2136 0.7	3 Sa ○	0346 2.6 1004 0.4 1610 2.4 2224 0.3	18 Su	0408 2.3 1022 0.7 1621 2.1 2232 0.7	3 Tu	0518 2.6 1135 0.4 1743 2.4 2357 0.4	18 We ●	0453 2.4 1111 0.6 1711 2.3 2328 0.6
4 Tu	0227 2.4 0844 0.5 1453 2.4 2108 0.4	19 We	0343 2.2 0956 0.7 1553 2.1 2207 0.7	4 Th	0302 2.5 0921 0.4 1526 2.4 2141 0.4	19 Fr	0358 2.2 1011 0.8 1608 2.1 2219 0.7	4 Su	0443 2.7 1101 0.4 1707 2.5 2322 0.3	19 Mo ●	0448 2.3 1104 0.7 1702 2.1 2315 0.7	4 We	0609 2.5 1226 0.5 1836 2.4	19 Th	0536 2.4 1154 0.6 1758 2.3
5 We	0321 2.5 0941 0.4 1546 2.5 2203 0.3	20 Th ●	0426 2.2 1038 0.7 1636 2.1 2249 0.7	5 Fr ○	0401 2.6 1020 0.4 1625 2.5 2240 0.3	20 Sa ●	0440 2.2 1053 0.8 1651 2.1 2302 0.7	5 Mo	0538 2.7 1156 0.4 1804 2.5	20 Tu	0528 2.3 1146 0.7 1745 2.2 2358 0.7	5 Th	0047 0.4 0659 2.5 1315 0.5 1929 2.4	20 Fr	0013 0.6 0622 2.4 1239 0.6 1847 2.3
6 Th ○	0418 2.6 1037 0.4 1642 2.5 2259 0.3	21 Fr	0508 2.2 1120 0.7 1718 2.1 2330 0.7	6 Sa	0459 2.7 1117 0.4 1724 2.5 2338 0.3	21 Su	0520 2.3 1135 0.7 1734 2.1 2344 0.7	6 Tu	0017 0.3 0633 2.6 1250 0.4 1901 2.4	21 We	0609 2.3 1228 0.7 1830 2.2	6 Fr	0135 0.5 0750 2.4 1402 0.6 2019 2.3	21 Sa	0100 0.5 0712 2.4 1326 0.6 1939 2.4
7 Fr	0516 2.6 1134 0.3 1741 2.5 2356 0.3	22 Sa	0549 2.2 1201 0.7 1802 2.1	7 Su	0557 2.7 1215 0.4 1824 2.5	22 Mo	0600 2.3 1217 0.7 1817 2.1	7 We	0111 0.4 0726 2.6 1343 0.4 1956 2.4	22 Th	0040 0.6 0652 2.3 1310 0.6 1916 2.2	7 Sa	0223 0.6 0839 2.3 1450 0.6 2109 2.3	22 Su	0148 0.6 0805 2.3 1416 0.6 2032 2.4
8 Sa	0614 2.7 1231 0.3 1841 2.5	23 Su	0012 0.7 0630 2.2 1244 0.8 1847 2.1	8 Mo	0036 0.3 0654 2.7 1311 0.4 1922 2.4	23 Tu	0026 0.7 0641 2.3 1259 0.7 1901 2.1	8 Th	0202 0.5 0819 2.5 1434 0.5 2050 2.4	23 Fr	0124 0.6 0738 2.3 1354 0.6 2004 2.3	8 Su	0312 0.7 0928 2.2 1538 0.7 2156 2.2	23 Mo	0241 0.6 0859 2.3 1509 0.6 2126 2.4
9 Su	0053 0.3 0713 2.7 1329 0.4 1941 2.4	24 Mo	0054 0.7 0712 2.2 1327 0.8 1932 2.1	9 Tu	0132 0.3 0750 2.6 1407 0.4 2020 2.4	24 We	0108 0.7 0723 2.3 1342 0.7 1946 2.1	9 Fr	0254 0.5 0911 2.4 1525 0.6 2142 2.3	24 Sa	0210 0.6 0827 2.3 1441 0.6 2054 2.3	9 Mo	0404 0.8 1016 2.1 1628 0.8 2244 2.2	24 Tu	0339 0.6 0955 2.3 1606 0.6 2221 2.4
10 Mo	0151 0.3 0810 2.6 1428 0.4 2041 2.4	25 Tu	0136 0.7 0754 2.2 1411 0.8 2017 2.1	10 We	0227 0.4 0845 2.5 1503 0.5 2117 2.4	25 Th	0151 0.7 0807 2.3 1425 0.7 2032 2.2	10 Sa	0346 0.6 1002 2.3 1617 0.6 2232 2.2	25 Su	0259 0.6 0918 2.3 1530 0.6 2144 2.3	10 Tu	0458 0.8 1104 2.1 1718 0.8 2332 2.1	25 We	0441 0.6 1051 2.3 1704 0.6 2319 2.4
11 Tu	0249 0.4 0908 2.6 1527 0.5 2140 2.4	26 We	0220 0.7 0838 2.2 1457 0.8 2103 2.1	11 Th	0322 0.5 0941 2.5 1558 0.5 2212 2.3	26 Fr	0235 0.7 0853 2.3 1510 0.7 2119 2.2	11 Su	0439 0.7 1052 2.2 1707 0.7 2322 2.2	26 Mo	0353 0.6 1010 2.3 1623 0.6 2236 2.3	11 We	0552 0.9 1153 2.1 1807 0.8	26 Th	0543 0.6 1150 2.3 1803 0.6
12 We	0347 0.5 1005 2.5 1626 0.5 2237 2.3	27 Th	0304 0.7 0923 2.2 1542 0.7 2148 2.1	12 Fr	0417 0.6 1035 2.4 1652 0.6 2305 2.3	27 Sa	0322 0.7 0941 2.3 1557 0.7 2207 2.2	12 Mo	0534 0.8 1141 2.1 1757 0.7	27 Tu	0451 0.7 1104 2.3 1718 0.6 2332 2.4	12 Th	0023 2.1 0644 0.9 1243 2.0 1854 0.8	27 Fr	0021 2.4 0643 0.6 1250 2.3 1901 0.5
13 Th	0445 0.5 1103 2.4 1723 0.5 2334 2.3	28 Fr	0351 0.7 1009 2.2 1629 0.7 2235 2.2	13 Sa	0513 0.7 1128 2.3 1744 0.6 2358 2.2	28 Su	0413 0.7 1030 2.3 1646 0.6 2257 2.3	13 Tu	0012 2.2 0629 0.8 1230 2.1 1846 0.8	28 We	0553 0.6 1200 2.3 1815 0.5	13 Fr	0116 2.1 0732 0.8 1333 2.1 1941 0.8	28 Sa	0123 2.4 0741 0.6 1349 2.3 1959 0.5
14 Fr	0542 0.6 1159 2.3 1817 0.6	29 Sa	0440 0.7 1058 2.3 1716 0.7 2323 2.2	14 Su	0608 0.7 1219 2.2 1834 0.7	29 Mo	0508 0.7 1122 2.3 1737 0.6 2349 2.3	14 We	0103 2.2 0721 0.8 1320 2.1 1932 0.8	29 Th	0031 2.4 0654 0.6 1259 2.3 1913 0.5	14 Sa	0205 2.2 0818 0.8 1420 2.1 2026 0.8	15 Su	0250 2.2 0902 0.8 1504 2.1 2112 0.7
15 Sa	0029 2.3 0638 0.6 1253 2.3 1908 0.6	30 Su	0531 0.7 1148 2.3 1804 0.6	15 Mo	0049 2.2 0703 0.8 1308 2.2 1922 0.7	30 Tu	0606 0.6 1216 2.3 1831 0.5	15 Th	0154 2.2 0809 0.8 1408 2.1 2018 0.8	30 Fr	0134 2.5 0753 0.6 1359 2.3 2011 0.5	15 Su	0250 2.2 0902 0.8 1504 2.1 2112 0.7		
						31 We	0046 2.4 0706 0.6 1313 2.3 1927 0.5				31 Sa	0235 2.5 0851 0.5 1458 2.4 2110 0.4			

Remember to add 1 hour for Daylight Saving Time.

Lyttelton

Lat. 43° 36' S., Long. 172° 43' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2026

March				April				May				June			
Time m		Time m		Time m		Time m		Time m		Time m		Time m		Time m	
1 Su	0222 2.5 0836 0.5 1446 2.4 2057 0.5	16 Mo	0208 2.2 0820 0.7 1425 2.2 2034 0.7	1 We	0344 2.4 0957 0.6 1609 2.4 2225 0.6	16 Th	0257 2.4 0910 0.6 1520 2.4 2139 0.6	1 Fr	0403 2.3 1016 0.7 1632 2.3 2247 0.7	16 Sa	0316 2.4 0930 0.5 1547 2.6 2208 0.5	1 Mo	0503 2.1 1112 0.8 1731 2.3 2346 0.8	16 Tu	0452 2.5 1105 0.3 1724 2.7 2343 0.4
2 Mo	0316 2.5 0929 0.5 1539 2.4 2153 0.5	17 Tu	0251 2.3 0904 0.7 1508 2.2 2121 0.7	2 Th	0429 2.4 1044 0.6 1656 2.4 2311 0.6	17 Fr	0344 2.4 1000 0.5 1610 2.5 2231 0.5	2 Sa	0446 2.2 1059 0.7 1716 2.3 2330 0.7	17 Su	0411 2.4 1026 0.4 1644 2.6 2304 0.4	2 Tu	0546 2.1 1155 0.8 1812 2.3	17 We	0551 2.5 1204 0.3 1821 2.7
3 Tu	0406 2.5 1021 0.5 1630 2.4 2245 0.5	18 We	0334 2.3 0948 0.6 1552 2.3 2210 0.6	3 Fr	0514 2.3 1129 0.6 1743 2.3 2356 0.6	18 Sa	0435 2.4 1052 0.5 1704 2.5 2324 0.5	3 Su	0530 2.2 1142 0.7 1800 2.3	18 Mo	0510 2.5 1124 0.4 1742 2.7	3 We	0028 0.8 0631 2.1 1237 0.8 1853 2.3	18 Th	0041 0.3 0651 2.5 1301 0.3 1918 2.7
4 We	0454 2.5 1111 0.5 1720 2.4 2335 0.5	19 Th	0417 2.4 1034 0.6 1639 2.4 2258 0.5	4 Sa	0600 2.2 1212 0.7 1829 2.3	19 Su	0530 2.4 1145 0.4 1801 2.6	4 Mo	0012 0.8 0616 2.1 1224 0.8 1843 2.3	19 Tu	0001 0.4 0610 2.5 1222 0.4 1840 2.7	4 Th	0110 0.8 0716 2.1 1319 0.8 1935 2.2	19 Fr	0137 0.4 0750 2.5 1358 0.4 2015 2.6
5 Th	0542 2.4 1158 0.5 1810 2.4	20 Fr	0504 2.4 1122 0.5 1729 2.4 2347 0.5	5 Su	0039 0.7 0646 2.2 1255 0.7 1915 2.3	20 Mo	0019 0.4 0628 2.4 1240 0.4 1859 2.6	5 Tu	0055 0.4 0701 2.1 1307 0.8 1926 2.2	20 We	0059 0.4 0710 2.5 1320 0.4 1939 2.7	5 Fr	0153 0.8 0800 2.1 1402 0.8 2017 2.2	20 Sa	0233 0.4 0848 2.4 1454 0.5 2111 2.5
6 Fr	0022 0.5 0630 2.3 1244 0.6 1859 2.3	21 Sa	0554 2.4 1211 0.5 1822 2.5	6 Mo	0122 0.8 0733 2.1 1339 0.8 1959 2.2	21 Tu	0115 0.4 0728 2.4 1337 0.4 1957 2.6	6 We	0139 0.8 0748 2.1 1350 0.8 2009 2.2	21 Th	0157 0.4 0811 2.4 1418 0.4 2037 2.6	6 Sa	0237 0.8 0845 2.1 1445 0.8 2101 2.2	21 Su	0329 0.5 0945 2.4 1550 0.5 2207 2.4
7 Sa	0107 0.6 0718 2.3 1329 0.6 1947 2.3	22 Su	0038 0.5 0649 2.4 1302 0.5 1918 2.5	7 Tu	0208 0.8 0820 2.1 1424 0.8 2044 2.2	22 We	0213 0.5 0828 2.4 1436 0.5 2055 2.6	7 Th	0225 0.8 0834 2.1 1435 0.8 2052 2.2	22 Fr	0256 0.5 0910 2.4 1517 0.5 2135 2.6	7 Su	0321 0.8 0930 2.1 1530 0.8 2147 2.2	22 Mo	0424 0.5 1040 2.4 1648 0.6 2302 2.3
8 Su	0152 0.7 0806 2.2 1414 0.7 2034 2.2	23 Mo	0131 0.5 0746 2.4 1355 0.5 2014 2.5	8 We	0256 0.8 0907 2.1 1511 0.8 2128 2.2	23 Th	0314 0.5 0928 2.4 1536 0.5 2154 2.5	8 Fr	0312 0.8 0920 2.1 1521 0.9 2137 2.2	23 Sa	0355 0.5 1009 2.4 1615 0.5 2233 2.5	8 Mo	0406 0.8 1015 2.1 1618 0.8 2233 2.2	23 Tu	0518 0.6 1134 2.3 1746 0.7 2355 2.3
9 Mo	0239 0.8 0854 2.1 1500 0.8 2120 2.2	24 Tu	0227 0.5 0844 2.3 1452 0.5 2111 2.5	9 Th	0346 0.9 0954 2.0 1559 0.9 2214 2.2	24 Fr	0416 0.5 1027 2.4 1636 0.5 2253 2.5	9 Sa	0359 0.8 1005 2.1 1607 0.9 2223 2.2	24 Su	0452 0.5 1106 2.4 1714 0.6 2330 2.4	9 Tu	0451 0.7 1100 2.2 1707 0.8 2322 2.2	24 We	0611 0.6 1227 2.3 1843 0.7
10 Tu	0329 0.8 0941 2.1 1548 0.8 2205 2.2	25 We	0328 0.6 0942 2.3 1551 0.5 2208 2.5	10 Fr	0437 0.9 1041 2.0 1647 0.9 2302 2.2	25 Sa	0515 0.6 1126 2.4 1735 0.6 2353 2.4	10 Su	0445 0.8 1050 2.1 1654 0.8 2310 2.2	25 Mo	0548 0.6 1202 2.4 1812 0.6	10 We	0537 0.7 1148 2.3 1800 0.7	25 Th	0047 2.2 0700 0.7 1319 2.3 1936 0.8
11 We	0422 0.9 1028 2.1 1638 0.8 2253 2.1	26 Th	0430 0.6 1040 2.3 1652 0.6 2308 2.4	11 Sa	0525 0.8 1128 2.1 1734 0.8 2350 2.2	26 Su	0612 0.6 1224 2.4 1833 0.6	11 Mo	0530 0.8 1136 2.2 1742 0.8 2357 2.2	26 Tu	0025 2.3 0640 0.6 1256 2.3 1908 0.7	11 Th	0011 2.3 0626 0.6 1239 2.3 1856 0.7	26 Fr	0136 2.1 0748 0.7 1409 2.2 2025 0.8
12 Th	0515 0.9 1117 2.0 1727 0.8 2342 2.1	27 Fr	0532 0.6 1140 2.3 1751 0.6	12 Su	0611 0.8 1215 2.1 1821 0.8	27 Mo	0050 2.4 0705 0.6 1319 2.4 1930 0.6	12 Tu	0614 0.7 1222 2.2 1831 0.8	27 We	0117 2.3 0730 0.6 1347 2.3 2002 0.7	12 Fr	0103 2.3 0717 0.6 1333 2.4 1953 0.6	27 Sa	0224 2.1 0833 0.7 1457 2.2 2111 0.8
13 Fr	0606 0.8 1206 2.0 1815 0.8	28 Sa	0009 2.4 0630 0.6 1239 2.3 1849 0.6	13 Mo	0039 2.2 0654 0.8 1300 2.2 1908 0.8	28 Tu	0144 2.4 0756 0.6 1411 2.4 2024 0.6	13 We	0045 2.3 0659 0.7 1310 2.3 1923 0.7	28 Th	0206 2.2 0818 0.7 1436 2.3 2052 0.7	13 Sa	0158 2.3 0811 0.5 1430 2.5 2050 0.5	28 Su	0309 2.1 0918 0.7 1541 2.3 2155 0.8
14 Sa	0033 2.1 0653 0.8 1254 2.1 1901 0.8	29 Su	0109 2.4 0725 0.6 1336 2.3 1946 0.6	14 Tu	0125 2.3 0738 0.7 1346 2.2 1956 0.7	29 We	0233 2.3 0845 0.6 1500 2.4 2115 0.7	14 Th	0134 2.3 0746 0.6 1359 2.4 2017 0.6	29 Fr	0252 2.2 0903 0.7 1523 2.3 2138 0.7	14 Su	0254 2.4 0907 0.4 1528 2.6 2148 0.4	29 Mo	0353 2.1 1001 0.7 1622 2.3 2237 0.7
15 Su	0123 2.2 0737 0.8 1341 2.1 1947 0.8	30 Mo	0205 2.4 0818 0.6 1430 2.4 2042 0.6	15 We	0211 2.3 0823 0.6 1432 2.3 2047 0.6	30 Th	0319 2.3 0931 0.6 1547 2.3 2202 0.7	15 Fr	0224 2.4 0837 0.5 1452 2.5 2112 0.5	30 Sa	0336 2.2 0947 0.7 1607 2.3 2222 0.8	15 Mo	0353 2.4 1006 0.4 1627 2.7 2246 0.4	30 Tu	0435 2.1 1044 0.7 1702 2.3 2318 0.7
		31 Tu	0256 2.4 0909 0.6 1520 2.4 2135 0.6							31 Su	0420 2.1 1030 0.7 1650 2.3 2304 0.8				

Standard Ports

Remember to add 1 hour for Daylight Saving Time. Finishes 5 April.

Marsden Point

Lat. 35° 50' S., Long. 174° 30' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025

July

August

September

October

Time m

Time m

Time m

Time m

Time m

Time m

Time m

Time m

1 Tu	0553 0.7 1200 2.5 1801 0.8	16 We	0518 0.7 1125 2.5 1727 0.7 2351 2.7	1 Fr	0024 2.5 0643 0.8 1255 2.3 1856 0.9	16 Sa	0017 2.7 0632 0.5 1249 2.6 1855 0.7	1 Mo	0108 2.2 0726 0.9 1351 2.2 1959 1.1	16 Tu	0154 2.4 0807 0.7 1437 2.5 2050 0.9	1 We	0123 2.2 0737 0.9 1408 2.2 2019 1.0	16 Th	0245 2.3 0854 0.8 1523 2.4 2139 0.8
2 We	0023 2.6 0641 0.8 1248 2.4 1849 0.9	17 Th	0606 0.6 1215 2.5 1817 0.7	2 Sa	0106 2.4 0727 0.8 1344 2.3 1947 1.0	17 Su	0110 2.6 0726 0.6 1348 2.5 1957 0.8	2 Tu	0159 2.2 0819 0.9 1449 2.2 2057 1.1	17 We	0300 2.3 0913 0.7 1544 2.4 2157 0.9	2 Th	0219 2.2 0836 0.9 1508 2.2 2119 1.0	17 Fr	0351 2.3 0958 0.8 1624 2.4 2239 0.8
3 Th	0109 2.5 0728 0.8 1339 2.3 1939 1.0	18 Fr	0040 2.7 0656 0.6 1308 2.5 1912 0.8	3 Su	0152 2.3 0815 0.9 1437 2.3 2042 1.1	18 Mo	0208 2.5 0825 0.7 1452 2.5 2102 0.9	3 We	0255 2.2 0918 1.0 1550 2.2 2157 1.1	18 Th	0408 2.3 1018 0.8 1647 2.5 2259 0.8	3 Fr	0320 2.2 0938 0.9 1606 2.3 2217 0.9	18 Sa	0454 2.3 1057 0.8 1718 2.5 2332 0.7
4 Fr	0154 2.4 0816 0.9 1431 2.3 2032 1.0	19 Sa	0131 2.6 0749 0.6 1407 2.5 2012 0.8	4 Mo	0242 2.2 0907 0.9 1535 2.2 2139 1.1	19 Tu	0311 2.4 0928 0.7 1559 2.5 2209 0.9	4 Th	0356 2.2 1019 0.9 1648 2.3 2254 1.0	19 Fr	0512 2.3 1119 0.7 1744 2.5 2355 0.7	4 Sa	0423 2.2 1037 0.8 1701 2.4 2312 0.8	19 Su	0549 2.4 1150 0.8 1806 2.5
5 Sa	0241 2.4 0905 0.9 1526 2.3 2127 1.1	20 Su	0227 2.6 0846 0.6 1509 2.5 2116 0.9	5 Tu	0336 2.2 1002 0.9 1633 2.3 2235 1.1	20 We	0418 2.4 1033 0.7 1703 2.5 2313 0.8	5 Fr	0456 2.2 1115 0.8 1740 2.4 2346 0.9	20 Sa	0610 2.4 1213 0.7 1835 2.6	5 Su	0522 2.3 1132 0.7 1752 2.5	20 Mo	0021 0.7 0638 2.4 1237 0.7 1850 2.5
6 Su	0330 2.3 0955 0.9 1621 2.3 2221 1.1	21 Mo	0327 2.5 0946 0.6 1614 2.5 2221 0.8	6 We	0433 2.2 1057 0.9 1726 2.3 2329 1.0	21 Th	0523 2.4 1135 0.7 1802 2.6	6 Sa	0552 2.3 1206 0.7 1828 2.5	21 Su	0046 0.7 0701 2.5 1302 0.6 1920 2.6	6 Mo	0004 0.7 0617 2.5 1223 0.6 1840 2.7	21 Tu	0104 0.6 0722 2.5 1320 0.7 1931 2.5
7 Mo	0421 2.3 1046 0.9 1714 2.3 2313 1.1	22 Tu	0430 2.5 1048 0.6 1717 2.6 2324 0.8	7 Th	0529 2.3 1149 0.8 1816 2.4	22 Fr	0011 0.8 0624 2.5 1231 0.6 1856 2.6	7 Su	0036 0.8 0645 2.4 1253 0.6 1914 2.6	22 Mo	0132 0.6 0746 2.5 1345 0.6 ● 2002 2.6	7 Tu	0054 0.5 0709 2.6 1313 0.5 ○ 1929 2.8	22 We	0144 0.6 0803 2.5 1400 0.7 ● 2009 2.5
8 Tu	0512 2.3 1135 0.9 1803 2.4	23 We	0533 2.5 1148 0.6 1817 2.7	8 Fr	0019 0.9 0622 2.3 1237 0.8 1901 2.5	23 Sa	0105 0.7 0718 2.5 1322 0.6 ● 1944 2.7	8 Mo	0123 0.6 0734 2.6 1340 0.5 ○ 1959 2.7	23 Tu	0214 0.6 0828 2.5 1426 0.6 2040 2.6	8 We	0142 0.4 0759 2.7 1402 0.4 2017 2.8	23 Th	0222 0.6 0840 2.5 1439 0.7 2045 2.5
9 We	0002 1.0 0602 2.3 1222 0.8 1848 2.4	24 Th	0024 0.8 0634 2.5 1245 0.5 1912 2.7	9 Sa	0106 0.9 0711 2.4 1322 0.7 ○ 1945 2.6	24 Su	0155 0.6 0807 2.6 1408 0.5 2029 2.7	9 Tu	0210 0.5 0822 2.7 1425 0.4 2044 2.8	24 We	0253 0.6 0907 2.6 1505 0.7 2116 2.5	9 Th	0230 0.3 0848 2.8 1451 0.4 2106 2.8	24 Fr	0258 0.6 0916 2.5 1517 0.8 2121 2.4
10 Th	0049 1.0 0650 2.3 1306 0.8 1931 2.5	25 Fr	0120 0.7 0731 2.6 1339 0.5 ● 2004 2.8	10 Su	0152 0.7 0759 2.5 1406 0.6 2028 2.7	25 Mo	0240 0.6 0852 2.6 1452 0.6 2111 2.7	10 We	0256 0.4 0909 2.7 1512 0.4 2130 2.8	25 Th	0330 0.6 0944 2.5 1543 0.7 2152 2.5	10 Fr	0318 0.3 0937 2.8 1542 0.4 2156 2.8	25 Sa	0333 0.6 0953 2.5 1555 0.8 2158 2.4
11 Fr	0134 0.9 0737 2.4 1350 0.7 2014 2.6	26 Sa	0213 0.7 0824 2.6 1429 0.5 2052 2.8	11 Mo	0237 0.7 0845 2.6 1450 0.5 2112 2.8	26 Tu	0323 0.6 0934 2.6 1533 0.6 2150 2.6	11 Th	0342 0.3 0957 2.8 1600 0.5 2217 2.8	26 Fr	0405 0.6 1020 2.5 1621 0.8 2228 2.4	11 Sa	0407 0.3 1028 2.8 1635 0.5 2247 2.7	26 Su	0409 0.7 1030 2.5 1634 0.8 2237 2.3
12 Sa	0218 0.9 0822 2.5 1432 0.7 2055 2.6	27 Su	0303 0.6 0913 2.6 1515 0.5 2138 2.7	12 Tu	0322 0.6 0931 2.6 1534 0.5 2156 2.8	27 We	0403 0.6 1014 2.5 1612 0.7 2227 2.6	12 Fr	0430 0.3 1046 2.7 1650 0.5 2306 2.7	27 Sa	0441 0.7 1058 2.5 1700 0.8 2306 2.4	12 Su	0458 0.4 1120 2.7 1730 0.6 2341 2.6	27 Mo	0447 0.7 1110 2.4 1716 0.9 2318 2.3
13 Su	0302 0.8 0907 2.5 1514 0.6 2138 2.7	28 Mo	0351 0.6 1000 2.6 1600 0.6 2222 2.7	13 We	0408 0.5 1017 2.7 1620 0.5 2241 2.8	28 Th	0441 0.6 1053 2.5 1652 0.7 2304 2.5	13 Sa	0518 0.4 1137 2.7 1744 0.6 2358 2.6	28 Su	0518 0.7 1138 2.4 1743 0.9 2347 2.3	13 Mo	0551 0.5 1216 2.6 1829 0.7	28 Tu	0527 0.8 1153 2.4 1802 0.9
14 Mo	0347 0.7 0952 2.5 1557 0.6 2221 2.7	29 Tu	0436 0.7 1044 2.5 1643 0.7 2303 2.6	14 Th	0454 0.5 1105 2.6 1708 0.6 2328 2.7	29 Fr	0519 0.7 1132 2.4 1733 0.8 2342 2.4	14 Su	0610 0.5 1232 2.6 1841 0.7	29 Mo	0559 0.8 1222 2.3 1830 1.0	14 Tu	0039 2.5 0647 0.6 1316 2.5 1931 0.8	29 We	0003 2.2 0611 0.8 1241 2.3 1852 1.0
15 Tu	0432 0.7 1038 2.5 1641 0.6 2305 2.7	30 We	0519 0.7 1127 2.5 1726 0.8 2344 2.5	15 Fr	0542 0.5 1155 2.6 1759 0.7	30 Sa	0558 0.8 1213 2.4 1816 0.9	15 Mo	0053 2.5 0706 0.6 1332 2.5 1944 0.8	30 Tu	0032 2.2 0644 0.9 1312 2.3 1922 1.0	15 We	0140 2.4 0749 0.7 1419 2.5 2035 0.8	30 Th	0053 2.2 0701 0.9 1333 2.3 1946 1.0
		31 Th	0601 0.7 1210 2.4 1810 0.9			31 Su	0023 2.3 0639 0.8 1259 2.3 1905 1.0						31 Fr	0147 2.2 0758 0.9 1429 2.3 2043 0.9	

Remember to add 1 hour for Daylight Saving Time. Commences 28 September.

Marsden Point

Lat. 35° 50' S., Long. 174° 30' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025/26

November				December				January				February			
Time m		Time m		Time m		Time m		Time m		Time m		Time m		Time m	
1 Sa	0247 2.2 0858 0.9 1525 2.4 2140 0.8	16 Su	0426 2.3 1026 0.9 1643 2.4 2301 0.8	1 Mo	0318 2.3 0924 0.8 1543 2.5 2202 0.7	16 Tu	0445 2.3 1043 1.0 1649 2.3 2311 0.8	1 Th	0500 2.5 1105 0.8 1715 2.5 2334 0.5	16 Fr	0551 2.3 1150 1.1 1750 2.2	1 Su	0018 0.6 0646 2.7 1254 0.7 1906 2.6	16 Mo	0025 0.9 0649 2.5 1253 1.0 1858 2.4
2 Su	0349 2.3 0959 0.8 1621 2.5 2237 0.7	17 Mo	0521 2.3 1119 0.9 1731 2.4 2348 0.7	2 Tu	0421 2.4 1026 0.8 1640 2.5 2300 0.6	17 We	0537 2.3 1135 1.0 1738 2.3 2358 0.8	2 Fr	0603 2.6 1208 0.7 1818 2.6	17 Sa	0011 0.9 0638 2.4 1238 1.0 1840 2.3	2 Mo	0115 0.5 0740 2.8 1350 0.7 2002 2.6	17 Tu	0109 0.8 0731 2.5 1337 0.9 1944 2.5
3 Mo	0451 2.4 1058 0.7 1715 2.6 2331 0.6	18 Tu	0611 2.4 1208 0.9 1816 2.4	3 We	0523 2.5 1127 0.7 1738 2.6 2357 0.5	18 Th	0625 2.4 1222 1.0 1825 2.3	3 Sa	0033 0.5 0701 2.7 1307 0.7 1918 2.6	18 Su	0056 0.8 0722 2.5 1324 1.0 1926 2.3	3 Tu	0207 0.5 0831 2.8 1442 0.6 2053 2.7	18 We	0151 0.7 0812 2.6 1420 0.8 2027 2.6
4 Tu	0549 2.5 1153 0.6 1808 2.6	19 We	0033 0.7 0655 2.4 1252 0.8 1858 2.4	4 Th	0622 2.7 1225 0.6 1836 2.7	19 Fr	0043 0.8 0708 2.4 1307 0.9 1909 2.3	4 Su	0130 0.4 0756 2.8 1404 0.6 2015 2.7	19 Mo	0139 0.5 0803 2.5 1407 0.9 2010 2.4	4 We	0256 0.5 0918 2.8 1530 0.6 2141 2.7	19 Th	0232 0.6 0853 2.7 1503 0.7 2111 2.6
5 We	0024 0.4 0644 2.7 1247 0.6 1900 2.7	20 Th	0114 0.7 0736 2.5 1334 0.8 1938 2.4	5 Fr	0052 0.4 0717 2.8 1322 0.6 1933 2.7	20 Sa	0125 0.7 0749 2.5 1350 0.9 1952 2.3	5 Mo	0223 0.4 0849 2.9 1459 0.6 2109 2.7	20 Tu	0219 0.7 0842 2.6 1448 0.8 2052 2.5	5 Th	0342 0.5 1003 2.8 1616 0.6 2226 2.7	20 Fr	0314 0.6 0934 2.8 1545 0.6 2154 2.7
6 Th	0115 0.3 0737 2.8 1340 0.5 1953 2.8	21 Fr	0152 0.6 0815 2.5 1414 0.8 2017 2.4	6 Sa	0146 0.3 0811 2.9 1418 0.5 2029 2.7	21 Su	0205 0.7 0828 2.5 1431 0.9 2033 2.4	6 Tu	0314 0.4 0939 2.9 1551 0.6 2201 2.7	21 We	0259 0.7 0922 2.6 1530 0.8 2134 2.5	6 Fr	0426 0.6 1046 2.7 1700 0.6 2310 2.6	21 Sa	0357 0.6 1016 2.8 1628 0.6 2239 2.7
7 Fr	0206 0.3 0828 2.9 1433 0.4 2045 2.8	22 Sa	0230 0.6 0852 2.5 1453 0.8 2055 2.4	7 Su	0239 0.3 0904 2.9 1513 0.5 2123 2.7	22 Mo	0243 0.7 0907 2.5 1512 0.8 2113 2.4	7 We	0404 0.4 1028 2.8 1641 0.6 2250 2.6	22 Th	0338 0.6 1001 2.7 1611 0.7 2216 2.5	7 Sa	0509 0.7 1127 2.7 1742 0.7 2353 2.5	22 Su	0441 0.6 1100 2.8 1713 0.6 2326 2.7
8 Sa	0257 0.2 0920 2.9 1527 0.5 2138 2.7	23 Su	0307 0.7 0929 2.5 1533 0.8 2134 2.4	8 Mo	0331 0.3 0956 2.9 1607 0.5 2217 2.7	23 Tu	0322 0.7 0946 2.6 1553 0.8 2154 2.4	8 Th	0452 0.5 1115 2.8 1730 0.6 2338 2.5	23 Fr	0418 0.6 1042 2.7 1653 0.7 2259 2.5	8 Su	0553 0.8 1207 2.5 1824 0.8	23 Mo	0529 0.7 1147 2.7 1800 0.6
9 Su	0348 0.3 1011 2.9 1621 0.5 2232 2.7	24 Mo	0344 0.7 1007 2.5 1613 0.8 2214 2.3	9 Tu	0422 0.4 1048 2.8 1701 0.6 2310 2.6	24 We	0400 0.7 1025 2.6 1634 0.8 2236 2.4	9 Fr	0539 0.6 1201 2.7 1818 0.7	24 Sa	0501 0.7 1124 2.7 1737 0.7 2345 2.5	9 Mo	0037 2.4 0638 0.9 1248 2.4 1907 0.8	24 Tu	0016 2.6 0621 0.8 1237 2.6 1851 0.7
10 Mo	0440 0.4 1104 2.8 1717 0.6 2326 2.6	25 Tu	0422 0.7 1047 2.5 1655 0.9 2256 2.3	10 We	0514 0.5 1140 2.7 1755 0.6	25 Th	0440 0.7 1106 2.6 1717 0.8 2319 2.4	10 Sa	0026 2.5 0627 0.8 1247 2.6 1905 0.8	25 Su	0546 0.7 1208 2.7 1823 0.7	10 Tu	0124 2.4 0727 1.0 1332 2.4 1954 0.9	25 We	0111 2.6 0719 0.9 1332 2.5 1947 0.7
11 Tu	0533 0.5 1159 2.7 1814 0.7	26 We	0502 0.7 1129 2.5 1739 0.9 2340 2.3	11 Th	0003 2.5 0606 0.6 1232 2.6 1849 0.7	26 Fr	0522 0.7 1149 2.6 1801 0.8	11 Su	0116 2.4 0716 0.9 1332 2.5 1953 0.8	26 Mo	0034 2.5 0636 0.8 1256 2.6 1912 0.7	11 We	0216 2.3 0820 1.1 1421 2.3 2045 1.0	26 Th	0213 2.5 0822 0.9 1433 2.5 2050 0.8
12 We	0023 2.5 0628 0.6 1256 2.6 1913 0.7	27 Th	0545 0.8 1214 2.4 1826 0.9	12 Fr	0057 2.4 0659 0.7 1324 2.5 1942 0.8	27 Sa	0005 2.4 0607 0.8 1234 2.6 1848 0.8	12 Mo	0208 2.3 0809 1.0 1419 2.4 2042 0.9	27 Tu	0128 2.5 0732 0.9 1349 2.5 2007 0.7	12 Th	0313 2.3 0918 1.1 1516 2.2 2143 1.0	27 Fr	0320 2.5 0930 0.9 1540 2.4 2157 0.8
13 Th	0122 2.4 0727 0.7 1355 2.5 2013 0.8	28 Fr	0027 2.3 0632 0.8 1302 2.4 1916 0.9	13 Sa	0152 2.3 0754 0.8 1416 2.5 2036 0.8	28 Su	0055 2.4 0657 0.8 1322 2.5 1939 0.7	13 Tu	0304 2.3 0904 1.1 1509 2.3 2134 0.9	28 We	0229 2.5 0835 0.9 1447 2.5 2107 0.7	13 Fr	0414 2.3 1017 1.1 1615 2.2 2241 1.0	28 Sa	0428 2.5 1038 0.9 1649 2.4 2303 0.8
14 Fr	0223 2.3 0828 0.8 1454 2.4 2112 0.8	29 Sa	0119 2.3 0724 0.8 1353 2.4 2009 0.8	14 Su	0250 2.3 0851 0.9 1507 2.4 2129 0.8	29 Mo	0150 2.4 0753 0.8 1414 2.5 2033 0.7	14 We	0402 2.3 1002 1.1 1602 2.2 2228 0.9	29 Th	0335 2.5 0942 0.9 1552 2.5 2212 0.7	14 Sa	0511 2.3 1114 1.1 1714 2.2 2336 1.0		
15 Sa	0326 2.3 0928 0.9 1550 2.4 2208 0.8	30 Su	0217 2.3 0822 0.9 1447 2.5 2105 0.8	15 Mo	0349 2.3 0948 1.0 1559 2.3 2221 0.8	30 Tu	0251 2.4 0855 0.9 1511 2.5 2132 0.7	15 Th	0458 2.3 1057 1.1 1657 2.2 2321 0.9	30 Fr	0442 2.5 1050 0.9 1659 2.5 2317 0.7	15 Su	0603 2.4 1205 1.1 1808 2.3		
						31 We	0355 2.4 1000 0.9 1612 2.5 2233 0.6			31 Sa	0547 2.6 1154 0.8 1805 2.5				

Standard Ports

Remember to add 1 hour for Daylight Saving Time.

Marsden Point

Lat. 35° 50' S., Long. 174° 30' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2026

March

April

May

June

Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 Su	0531 2.6 1141 0.9 1754 2.5	16 Mo	0521 2.4 1127 1.0 1733 2.3 2347 0.9	1 We	0037 0.8 0656 2.7 1308 0.7 1925 2.6	16 Th	0614 2.6 1228 0.7 1843 2.6	1 Fr	0059 0.8 0710 2.6 1323 0.7 1944 2.6	16 Sa	0018 0.8 0629 2.7 1245 0.5 1908 2.8	1 Mo	0158 0.9 0802 2.4 1414 0.8 2037 2.6	16 Tu	0148 0.6 0759 2.7 1411 0.4 2036 2.9
2 Mo	0003 0.7 0629 2.7 1239 0.8 1853 2.6	17 Tu	0609 2.5 1217 0.9 1825 2.4	2 Th	0125 0.7 0741 2.7 1353 0.7 2010 2.7	17 Fr	0048 0.7 0702 2.7 1316 0.6 1933 2.7	2 Sa	0143 0.8 0751 2.5 1404 0.7 2025 2.6	17 Su	0112 0.7 0723 2.8 1338 0.4 2001 2.9	2 Tu	0239 0.9 0842 2.4 1452 0.8 2115 2.6	17 We	0245 0.6 0856 2.8 1504 0.4 2129 2.9
3 Tu	0058 0.6 0721 2.7 1332 0.7 1945 2.6	18 We	0035 0.8 0654 2.6 1304 0.8 1914 2.5	3 Fr	0209 0.7 0823 2.7 1435 0.7 2052 2.7	18 Sa	0137 0.7 0751 2.8 1404 0.5 2023 2.8	3 Su	0224 0.8 0831 2.5 1443 0.7 2103 2.6	18 Mo	0206 0.6 0817 2.8 1430 0.4 2053 2.9	3 We	0320 0.9 0922 2.4 1531 0.8 2154 2.6	18 Th	0341 0.6 0951 2.7 1557 0.4 2222 2.9
4 We	0148 0.6 0809 2.8 1420 0.6 2033 2.7	19 Th	0120 0.7 0738 2.7 1349 0.7 2001 2.7	4 Sa	0251 0.7 0903 2.6 1515 0.7 2131 2.7	19 Su	0226 0.6 0840 2.8 1452 0.4 2112 2.9	4 Mo	0304 0.9 0909 2.5 1520 0.7 2141 2.6	19 Tu	0300 0.6 0912 2.8 1522 0.4 2145 2.9	4 Th	0401 0.9 1002 2.4 1609 0.8 2233 2.5	19 Fr	0436 0.6 1046 2.7 1650 0.5 2315 2.9
5 Th	0234 0.6 0853 2.8 1505 0.6 2118 2.7	20 Fr	0204 0.6 0822 2.8 1433 0.6 2047 2.7	5 Su	0331 0.8 0940 2.6 1552 0.7 2209 2.6	20 Mo	0317 0.6 0930 2.8 1541 0.4 2202 2.9	5 Tu	0344 0.9 0948 2.5 1558 0.8 2219 2.6	20 We	0355 0.6 1007 2.8 1614 0.4 2239 2.9	5 Fr	0442 0.9 1043 2.4 1649 0.8 2314 2.5	20 Sa	0530 0.6 1140 2.6 1742 0.6
6 Fr	0317 0.6 0934 2.7 1547 0.6 2159 2.7	21 Sa	0249 0.6 0906 2.8 1518 0.5 2133 2.8	6 Mo	0411 0.8 1018 2.5 1629 0.8 2247 2.6	21 Tu	0409 0.6 1022 2.8 1632 0.5 2254 2.9	6 We	0424 0.9 1027 2.4 1636 0.8 2258 2.5	21 Th	0451 0.6 1102 2.7 1708 0.5 2334 2.8	6 Sa	0525 0.9 1126 2.4 1730 0.9 2357 2.5	21 Su	0007 2.8 0624 0.7 1234 2.6 1836 0.7
7 Sa	0359 0.7 1013 2.7 1626 0.7 2239 2.6	22 Su	0336 0.6 0952 2.8 1604 0.5 2220 2.8	7 Tu	0451 0.9 1056 2.5 1707 0.8 2326 2.5	22 We	0504 0.7 1115 2.7 1724 0.6 2348 2.8	7 Th	0506 1.0 1108 2.4 1716 0.9 2340 2.5	22 Fr	0548 0.7 1158 2.6 1803 0.6	7 Su	0609 0.9 1210 2.3 1814 0.9	22 Mo	0059 2.7 0717 0.7 1329 2.5 1931 0.8
8 Su	0439 0.8 1051 2.6 1705 0.7 2319 2.6	23 Mo	0424 0.6 1040 2.8 1651 0.5 2309 2.8	8 We	0532 1.0 1136 2.4 1747 0.9	23 Th	0601 0.7 1211 2.6 1819 0.7	8 Fr	0550 1.0 1151 2.3 1758 0.9	23 Sa	0030 2.7 0646 0.7 1256 2.5 1900 0.7	8 Mo	0041 2.5 0656 0.9 1259 2.3 1902 0.9	23 Tu	0151 2.6 0810 0.8 1426 2.4 2027 0.9
9 Mo	0520 0.9 1129 2.5 1743 0.8 2359 2.5	24 Tu	0515 0.7 1129 2.7 1741 0.6	9 Th	0009 2.4 0617 1.0 1219 2.3 1830 1.0	24 Fr	0046 2.7 0701 0.8 1310 2.5 1918 0.8	9 Sa	0025 2.4 0637 1.0 1237 2.3 1845 1.0	24 Su	0127 2.7 0744 0.8 1355 2.5 1959 0.8	9 Tu	0128 2.5 0744 0.9 1351 2.3 1955 1.0	24 We	0243 2.5 0903 0.8 1523 2.4 2124 1.0
10 Tu	0603 1.0 1209 2.4 1824 0.9	25 We	0001 2.7 0610 0.8 1223 2.6 1834 0.7	10 Fr	0056 2.4 0707 1.1 1306 2.3 1920 1.0	25 Sa	0147 2.6 0803 0.9 1413 2.5 2021 0.8	10 Su	0114 2.4 0727 1.0 1328 2.3 1936 1.0	25 Mo	0224 2.6 0842 0.8 1456 2.4 2059 0.9	10 We	0218 2.5 0836 0.8 1448 2.4 2053 0.9	25 Th	0334 2.4 0955 0.8 1620 2.4 2219 1.0
11 We	0043 2.4 0649 1.0 1252 2.3 1908 1.0	26 Th	0058 2.6 0710 0.9 1320 2.5 1932 0.8	11 Sa	0148 2.3 0800 1.1 1359 2.2 2015 1.1	26 Su	0249 2.6 0905 0.9 1517 2.4 2124 0.9	11 Mo	0205 2.4 0819 1.0 1422 2.3 2032 1.0	26 Tu	0320 2.6 0938 0.8 1556 2.4 2157 0.9	11 Th	0311 2.5 0930 0.8 1548 2.4 2153 0.9	26 Fr	0426 2.4 1046 0.8 1713 2.4 2312 1.0
12 Th	0132 2.3 0740 1.1 1340 2.3 1959 1.0	27 Fr	0200 2.6 0814 0.9 1423 2.5 2036 0.8	12 Su	0244 2.3 0857 1.1 1457 2.2 2114 1.1	27 Mo	0349 2.6 1005 0.9 1621 2.4 2225 0.9	12 Tu	0257 2.4 0913 1.0 1521 2.3 2130 1.0	27 We	0413 2.5 1031 0.8 1653 2.4 2252 0.9	12 Fr	0406 2.6 1026 0.7 1649 2.5 2253 0.8	27 Sa	0516 2.3 1135 0.8 1803 2.4
13 Fr	0228 2.3 0837 1.2 1434 2.2 2057 1.1	28 Sa	0306 2.5 0920 0.9 1531 2.4 2143 0.8	13 Mo	0341 2.4 0953 1.1 1557 2.3 2212 1.0	28 Tu	0446 2.6 1101 0.8 1720 2.5 2321 0.9	13 We	0350 2.5 1007 0.9 1620 2.4 2227 0.9	28 Th	0504 2.5 1121 0.8 1745 2.5 2344 0.9	13 Sa	0504 2.6 1123 0.6 1748 2.7 2353 0.8	28 Su	0002 1.0 0605 2.3 1222 0.8 1849 2.5
14 Sa	0328 2.3 0936 1.2 1534 2.2 2158 1.1	29 Su	0412 2.5 1025 0.9 1638 2.4 2247 0.8	14 Tu	0435 2.4 1047 1.0 1656 2.4 2306 0.9	29 We	0538 2.6 1153 0.8 1813 2.5	14 Th	0443 2.6 1100 0.8 1718 2.5 2323 0.8	29 Fr	0552 2.5 1208 0.8 1833 2.5	14 Su	0602 2.7 1220 0.5 1846 2.8	29 Mo	0049 1.0 0652 2.3 1306 0.8 1931 2.5
15 Su	0427 2.3 1034 1.1 1635 2.2 2255 1.0	30 Mo	0512 2.6 1125 0.9 1740 2.5 2345 0.8	15 We	0525 2.5 1138 0.9 1751 2.5 2358 0.8	30 Th	0012 0.9 0626 2.6 1240 0.7 1901 2.6	15 Fr	0536 2.6 1153 0.6 1814 2.7	30 Sa	0031 0.9 0637 2.4 1252 0.8 1917 2.6	15 Mo	0051 0.7 0701 2.7 1316 0.4 1941 2.9	30 Tu	0133 0.9 0736 2.4 1348 0.8 2012 2.5
		31 Tu	0607 2.6 1219 0.8 1835 2.6							31 Su	0116 0.9 0720 2.4 1334 0.8 1958 2.6				

Remember to add 1 hour for Daylight Saving Time. Finishes 5 April.

Napier

Lat. 39° 29' S., Long. 176° 55' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025

July			August			September			October													
	Time	m		Time	m		Time	m		Time	m		Time	m								
1 Tu	0405 0.3 1013 1.6 1619 0.3 2233 1.7		16 We	0326 0.3 0931 1.7 1539 0.3 2155 1.8		1 Fr	0502 0.4 1112 1.6 1723 0.5 2330 1.6		16 Sa	0444 0.2 1054 1.8 1712 0.3 2325 1.7		1 Mo	0549 0.5 1206 1.6 1824 0.5		16 Tu	0008 1.7 0617 0.3 1235 1.8 1859 0.3		1 We	0556 0.5 1215 1.6 1837 0.5		16 Th	0050 1.6 0658 0.3 1317 1.7 1939 0.3
2 We	0454 0.3 1102 1.6 1709 0.4 2321 1.6		17 Th	0415 0.3 1020 1.7 1631 0.3 2247 1.7		2 Sa	0545 0.4 1159 1.6 1812 0.5		17 Su	0538 0.2 1151 1.8 1811 0.3		2 Tu	0025 1.5 0636 0.5 1254 1.5 1914 0.5		17 We	0107 1.6 0716 0.3 1335 1.8 1958 0.3		2 Th	0036 1.5 0644 0.5 1304 1.6 1925 0.5		17 Fr	0148 1.6 0757 0.4 1414 1.7 2034 0.4
3 Th	0541 0.4 1151 1.6 1759 0.4		18 Fr	0505 0.3 1112 1.7 1727 0.3 2341 1.7		3 Su	0017 1.5 0630 0.5 1246 1.5 1902 0.5		18 Mo	0022 1.7 0633 0.3 1249 1.8 1911 0.3		3 We	0113 1.5 0724 0.5 1344 1.6 2003 0.5		18 Th	0205 1.6 0815 0.3 1434 1.7 2055 0.3		3 Fr	0125 1.5 0735 0.5 1354 1.6 2014 0.4		18 Sa	0244 1.6 0853 0.4 1508 1.7 2127 0.4
4 Fr	0009 1.6 0626 0.4 1239 1.6 1850 0.5		19 Sa	0557 0.3 1207 1.7 1824 0.3		4 Mo	0104 1.5 0716 0.5 1335 1.5 1952 0.5		19 Tu	0120 1.7 0731 0.3 1349 1.8 2011 0.3		4 Th	0202 1.5 0813 0.5 1433 1.6 2051 0.4		19 Fr	0303 1.6 0913 0.3 1530 1.7 2150 0.3		4 Sa	0216 1.5 0827 0.4 1445 1.7 2103 0.4		19 Su	0338 1.6 0947 0.4 1559 1.6 2217 0.4
5 Sa	0056 1.5 0712 0.4 1327 1.5 1940 0.5		20 Su	0037 1.7 0650 0.3 1304 1.7 1924 0.3		5 Tu	0151 1.5 0804 0.5 1424 1.6 2041 0.5		20 We	0218 1.6 0829 0.3 1449 1.8 2110 0.3		5 Fr	0252 1.5 0903 0.5 1521 1.6 2139 0.4		20 Sa	0359 1.6 1008 0.3 1622 1.7 2241 0.3		5 Su	0308 1.6 0920 0.4 1536 1.7 2153 0.3		20 Mo	0430 1.6 1038 0.4 1646 1.6 2304 0.4
6 Su	0143 1.5 0757 0.5 1415 1.5 2029 0.5		21 Mo	0133 1.7 0746 0.3 1403 1.8 2023 0.3		6 We	0240 1.5 0852 0.5 1512 1.6 2128 0.5		21 Th	0317 1.6 0928 0.3 1546 1.8 2207 0.3		6 Sa	0342 1.5 0953 0.4 1609 1.7 2227 0.4		21 Su	0452 1.6 1100 0.3 1712 1.7 2331 0.3		6 Mo	0400 1.6 1013 0.3 1627 1.8 2245 0.3		21 Tu	0517 1.6 1125 0.4 1732 1.6 2348 0.4
7 Mo	0230 1.5 0843 0.5 1503 1.5 2117 0.5		22 Tu	0231 1.7 0843 0.3 1502 1.8 2122 0.3		7 Th	0328 1.5 0940 0.5 1558 1.6 2215 0.4		22 Fr	0415 1.6 1024 0.3 1641 1.8 2301 0.3		7 Su	0432 1.6 1043 0.3 1658 1.7 2316 0.3		22 Mo	0541 1.6 1148 0.3 1759 1.7		7 Tu	0454 1.7 1107 0.2 1720 1.8 2337 0.2		22 We	0601 1.6 1209 0.4 1815 1.6
8 Tu	0317 1.5 0930 0.5 1549 1.6 2204 0.5		23 We	0330 1.7 0942 0.2 1600 1.8 2221 0.2		8 Fr	0416 1.5 1027 0.4 1644 1.7 2302 0.4		23 Sa	0510 1.6 1118 0.3 1733 1.8		8 Mo	0522 1.7 1133 0.3 1747 1.8		23 Tu	0017 0.4 0628 1.6 1235 0.4 1844 1.7		8 We	0547 1.8 1200 0.2 1813 1.9		23 Th	0031 0.4 0644 1.6 1253 0.4 1858 1.6
9 We	0403 1.5 1016 0.5 1634 1.6 2250 0.5		24 Th	0428 1.7 1039 0.2 1657 1.8 2317 0.2		9 Sa	0504 1.5 1114 0.4 1729 1.7 2348 0.3		24 Su	0603 1.6 1209 0.3 1823 1.8		9 Tu	0005 0.2 0613 1.7 1223 0.2 1837 1.8		24 We	0101 0.4 0711 1.6 1319 0.4 1927 1.6		9 Th	0030 0.1 0640 1.9 1255 0.1 1908 1.9		24 Fr	0112 0.4 0724 1.6 1335 0.4 1940 1.6
10 Th	0450 1.5 1101 0.4 1718 1.6 2335 0.4		25 Fr	0526 1.7 1135 0.2 1751 1.9		10 Su	0552 1.6 1201 0.3 1816 1.8		25 Mo	0043 0.3 0652 1.7 1258 0.3 1910 1.7		10 We	0056 0.2 0704 1.8 1315 0.2 1929 1.9		25 Th	0143 0.4 0753 1.6 1402 0.4 2009 1.6		10 Fr	0123 0.1 0734 1.9 1351 0.1 2004 1.9		25 Sa	0152 0.4 0804 1.6 1418 0.4 2022 1.5
11 Fr	0536 1.5 1145 0.4 1801 1.7		26 Sa	0012 0.2 0622 1.7 1229 0.2 1844 1.8		11 Mo	0035 0.3 0640 1.6 1248 0.3 1903 1.8		26 Tu	0130 0.3 0739 1.7 1345 0.3 1956 1.7		11 Th	0147 0.2 0755 1.8 1408 0.2 2023 1.9		26 Fr	0224 0.4 0834 1.6 1445 0.4 2052 1.6		11 Sa	0217 0.1 0829 1.9 1448 0.1 2100 1.8		26 Su	0232 0.4 0844 1.6 1501 0.4 2104 1.5
12 Sa	0020 0.4 0623 1.5 1230 0.4 1845 1.7		27 Su	0106 0.2 0715 1.7 1321 0.2 1935 1.8		12 Tu	0123 0.3 0729 1.7 1337 0.3 1952 1.8		27 We	0215 0.3 0824 1.6 1430 0.4 2040 1.7		12 Fr	0239 0.2 0848 1.9 1503 0.2 2118 1.8		27 Sa	0305 0.4 0915 1.6 1529 0.4 2134 1.5		12 Su	0312 0.1 0925 1.9 1546 0.1 2157 1.8		27 Mo	0312 0.4 0925 1.6 1545 0.4 2147 1.5
13 Su	0105 0.4 0709 1.6 1315 0.4 1930 1.7		28 Mo	0157 0.3 0806 1.7 1411 0.3 2024 1.8		13 We	0212 0.2 0818 1.7 1428 0.2 2043 1.8		28 Th	0258 0.4 0907 1.6 1515 0.4 2124 1.6		13 Sa	0331 0.2 0942 1.9 1600 0.2 2213 1.8		28 Su	0345 0.4 0958 1.6 1614 0.5 2218 1.5		13 Mo	0407 0.2 1021 1.9 1645 0.2 2255 1.7		28 Tu	0353 0.4 1008 1.6 1630 0.4 2230 1.5
14 Mo	0151 0.3 0755 1.6 1401 0.3 2016 1.8		29 Tu	0246 0.3 0854 1.7 1459 0.3 2112 1.7		14 Th	0302 0.2 0908 1.8 1520 0.2 2136 1.8		29 Fr	0340 0.4 0950 1.6 1601 0.4 2208 1.6		14 Su	0425 0.2 1038 1.8 1659 0.2 2310 1.7		29 Mo	0427 0.5 1041 1.6 1701 0.5 2303 1.5		14 Tu	0503 0.2 1120 1.8 1744 0.2 2352 1.7		29 We	0435 0.5 1052 1.6 1715 0.4 2315 1.5
15 Tu	0238 0.3 0842 1.6 1449 0.3 2105 1.8		30 We	0333 0.3 0941 1.6 1547 0.4 2159 1.7		15 Fr	0353 0.2 1000 1.8 1615 0.2 2230 1.8		30 Sa	0422 0.4 1033 1.6 1647 0.5 2253 1.5		15 Mo	0520 0.2 1136 1.8 1759 0.3		30 Tu	0511 0.5 1127 1.6 1749 0.5 2349 1.5		15 We	0600 0.3 1219 1.8 1842 0.3		30 Th	0520 0.5 1139 1.6 1802 0.4
			31 Th	0418 0.4 1026 1.6 1635 0.4 2245 1.6					31 Su	0505 0.4 1119 1.6 1735 0.5 2338 1.5								31 Fr	0001 1.5 0608 0.5 1228 1.6 1849 0.4			

Standard Ports

Remember to add 1 hour for Daylight Saving Time. Commences 28 September.

Napier

Lat. 39° 29' S., Long. 176° 55' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025/26

November

December

January

February

Time	m		Time	m		Time	m		Time	m		Time	m		Time	m						
0050	1.5	16 Su	0218	1.6	1 Mo	0112	1.6	16 Tu	0237	1.5	1 Th	0244	1.8	16 Fr	0337	1.5	1 Su	0427	1.8	16 Mo	0429	1.6
0659	0.4		0828	0.4		0725	0.4		0848	0.5		0903	0.3		0949	0.5		1047	0.2		1045	0.5
1318	1.6		1439	1.6		1340	1.7		1453	1.5		1512	1.7		1550	1.5		1656	1.7		1648	1.5
1938	0.4		2057	0.4		1957	0.3		2109	0.5		2127	0.2		2205	0.5		2308	0.2		2300	0.4
0141	1.6	17 Mo	0311	1.6	2 Tu	0207	1.7	17 We	0327	1.5	2 Fr	0344	1.8	17 Sa	0423	1.6	2 Mo	0525	1.9	17 Tu	0515	1.6
0753	0.4		0921	0.4		0823	0.3		0937	0.5		1003	0.2		1037	0.5		1145	0.2		1131	0.4
1410	1.7		1529	1.6		1436	1.7		1540	1.5		1612	1.7		1638	1.5		1754	1.7		1735	1.5
2028	0.3		2145	0.4		2052	0.3		2156	0.5		2226	0.2		2251	0.5		○			2345	0.4
0235	1.6	18 Tu	0401	1.6	3 We	0305	1.7	18 Th	0415	1.6	3 Sa	0444	1.9	18 Su	0508	1.6	3 Tu	0005	0.2	18 We	0600	1.7
0849	0.3		1010	0.5		0922	0.3		1025	0.5		1103	0.2		1123	0.5		0621	1.9		1217	0.4
1504	1.7		1616	1.6		1533	1.8		1627	1.5		1713	1.8		1725	1.5		1241	0.2		1821	1.6
2121	0.3		2232	0.4		2149	0.2		2242	0.5		○			2326	0.2			1850		1.7	●
0331	1.7	19 We	0448	1.6	4 Th	0404	1.8	19 Fr	0500	1.6	4 Su	0542	1.9	19 Mo	0551	1.6	4 We	0059	0.2	19 Th	0031	0.3
0946	0.3		1057	0.5		1021	0.2		1111	0.5		1202	0.2		1208	0.4		0714	1.9		0645	1.7
1559	1.8		1701	1.5		1632	1.8		1713	1.5		1812	1.8		1810	1.5		1335	0.2		1303	0.3
2215	0.2		2317	0.4		2247	0.2		2327	0.5		●						1943	1.7		1908	1.6
0427	1.8	20 Th	0532	1.6	5 Fr	0502	1.9	20 Sa	0543	1.6	5 Mo	0023	0.1	20 Tu	0019	0.4	5 Th	0151	0.2	20 Fr	0117	0.3
1043	0.2		1142	0.4		1120	0.2		1156	0.5		0639	1.9		0634	1.7		0806	1.8		0732	1.7
1654	1.8		1745	1.5		1731	1.8		1758	1.5		1300	0.2		1252	0.4		1426	0.2		1350	0.3
2310	0.2		●			2345	0.1		●			1910	1.8		1854	1.5		2034	1.7		1954	1.7
0523	1.9	21 Fr	0000	0.4	6 Sa	0600	1.9	21 Su	0010	0.4	6 Tu	0119	0.1	21 We	0102	0.4	6 Fr	0242	0.2	21 Sa	0205	0.3
1139	0.1		0614	1.6		1219	0.1		0625	1.6		0735	1.9		0717	1.7		0856	1.8		0821	1.8
1751	1.8		1226	0.4		1830	1.8		1240	0.4		1357	0.2		1336	0.4		1515	0.3		1437	0.3
			1829	1.5					1842	1.5		2006	1.8		1938	1.6		2122	1.7		2042	1.7
0006	0.1	22 Sa	0041	0.4	7 Su	0042	0.1	22 Mo	0051	0.4	7 We	0213	0.1	22 Th	0145	0.4	7 Sa	0331	0.3	22 Su	0255	0.3
0619	1.9		0655	1.6		0657	2.0		0706	1.6		0829	1.9		0800	1.7		0944	1.7		0911	1.8
1237	0.1		1308	0.4		1318	0.1		1323	0.4		1451	0.2		1420	0.4		1601	0.3		1526	0.3
1848	1.9		1911	1.5		1928	1.8		1925	1.5		2059	1.8		2022	1.6		2209	1.7		2131	1.7
0102	0.1	23 Su	0122	0.4	8 Mo	0138	0.1	23 Tu	0132	0.4	8 Th	0306	0.2	23 Fr	0229	0.3	8 Su	0419	0.3	23 Mo	0346	0.2
0715	2.0		0735	1.6		0754	2.0		0747	1.7		0922	1.9		0845	1.7		1031	1.7		1002	1.8
1334	0.1		1351	0.4		1415	0.1		1406	0.4		1543	0.2		1505	0.3		1646	0.4		1615	0.3
1946	1.9		1954	1.5		2025	1.8		2008	1.5		2150	1.7		2107	1.6		2255	1.6		2223	1.8
0157	0.1	24 Mo	0202	0.4	9 Tu	0233	0.1	24 We	0213	0.4	9 Fr	0358	0.2	24 Sa	0315	0.3	9 Mo	0507	0.4	24 Tu	0441	0.3
0811	2.0		0815	1.6		0849	1.9		0828	1.7		1013	1.8		0932	1.7		1117	1.6		1055	1.7
1432	0.1		1434	0.4		1512	0.1		1449	0.4		1633	0.3		1550	0.3		1730	0.4		1707	0.3
2043	1.8		2036	1.5		2121	1.8		2050	1.5		2240	1.7		2153	1.7		2341	1.6		2317	1.8
0252	0.1	25 Tu	0242	0.4	10 We	0328	0.2	25 Th	0255	0.4	10 Sa	0448	0.3	25 Su	0404	0.3	10 Tu	0555	0.4	25 We	0537	0.3
0907	2.0		0856	1.6		0945	1.9		0911	1.7		1103	1.7		1020	1.7		1202	1.6		1149	1.7
1530	0.1		1517	0.4		1608	0.2		1532	0.4		1721	0.3		1637	0.3		1815	0.4		1800	0.3
2140	1.8		2118	1.5		2215	1.7		2133	1.6		2329	1.6		2241	1.7						
0348	0.2	26 We	0322	0.4	11 Th	0422	0.2	26 Fr	0338	0.4	11 Su	0539	0.4	26 Mo	0455	0.3	11 We	0028	1.6	26 Th	0013	1.8
1004	1.9		0938	1.6		1039	1.8		0955	1.7		1152	1.6		1111	1.7		0644	0.5		0635	0.3
1628	0.2		1600	0.4		1701	0.2		1616	0.4		1808	0.4		1726	0.3		1248	1.5		1245	1.7
2237	1.7		2201	1.5		2309	1.7		2217	1.6					2333	1.7		1900	0.5		1856	0.3
0444	0.2	27 Th	0405	0.4	12 Fr	0516	0.3	27 Sa	0424	0.4	12 Mo	0018	1.6	27 Tu	0550	0.3	12 Th	0117	1.5	27 Fr	0112	1.7
1101	1.8		1022	1.6		1133	1.8		1042	1.7		0630	0.4		1204	1.7		0733	0.5		0734	0.3
1725	0.2		1645	0.4		1753	0.3		1702	0.4		1239	1.6		1817	0.3		1335	1.5		1343	1.7
2333	1.7		2244	1.5					2304	1.6		1854	0.4					1948	0.5		1955	0.3
0540	0.3	28 Fr	0449	0.4	13 Sa	0001	1.6	28 Su	0514	0.4	13 Tu	0108	1.6	28 We	0028	1.7	13 Fr	0207	1.5	28 Sa	0212	1.8
1158	1.8		1108	1.6		0610	0.4		1131	1.7		0721	0.5		0647	0.3		0822	0.5		0834	0.3
1821	0.3		1730	0.4		1225	1.7		1749	0.3		1326	1.5		1259	1.7		1423	1.5		1442	1.6
			2330	1.5		1844	0.4		2353	1.6		1941	0.5		1912	0.3		2037	0.5		2055	0.3
0029	1.6	29 Sa	0538	0.4	14 Su	0054	1.6	29 Mo	0607	0.4	14 We	0158	1.5	29 Th	0126	1.7	14 Sa	0256	1.5			
0637	0.3		1156	1.7		0703	0.4		1223	1.7		0811	0.5		0747	0.3		0911	0.5			
1254	1.7		1817	0.4		1315	1.6		1839	0.3		1414	1.5		1356	1.7		1512	1.5			
1915	0.3					1933	0.4					2029	0.5		2009	0.3		2125	0.5			
0124	1.6	30 Su	0019	1.6	15 Mo	0146	1.6	30 Tu	0047	1.7	15 Th	0248	1.5	30 Fr	0226	1.8	15 Su	0343	1.6			
0733	0.4		0630	0.4		0756	0.5		0703	0.3		0901	0.5		0847	0.3		0958	0.5			
1348	1.7		1247	1.7		1405	1.6		1317	1.7		1502	1.5		1455	1.7		1600	1.5			
2007	0.4		1906	0.4		2021	0.4		1932	0.3		2117	0.5		2109	0.3		2213	0.5			
								31 We	0144	1.7			31 Sa	0327	1.8							
									0802	0.3				0947	0.3							
									1413	1.7				1556	1.7							
									2028	0.3				2209	0.2							

Remember to add 1 hour for Daylight Saving Time.

Napier

Lat. 39° 29' S., Long. 176° 55' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2026

March				April				May				June			
Time m		Time m		Time m		Time m		Time m		Time m		Time m		Time m	
1 Su	0312 1.8 0932 0.3 1541 1.7 2154 0.3	16 Mo	0302 1.6 0918 0.5 1521 1.5 2134 0.5	1 We	0445 1.7 1102 0.3 1714 1.6 2325 0.3	16 Th	0400 1.7 1015 0.3 1625 1.7 2240 0.3	1 Fr	0508 1.6 1123 0.4 1737 1.6 2349 0.4	16 Sa	0422 1.7 1036 0.2 1650 1.8 2308 0.2	1 Mo	0006 0.4 0609 1.5 1219 0.4 1834 1.6	16 Tu	0555 1.8 1207 0.1 1823 2.0
2 Mo	0410 1.8 1030 0.3 1640 1.7 2251 0.3	17 Tu	0349 1.6 1005 0.4 1610 1.5 2223 0.4	2 Th	0536 1.7 1152 0.4 1804 1.7	17 Fr	0451 1.7 1107 0.3 1717 1.7 2333 0.2	2 Sa	0555 1.6 1208 0.4 1822 1.6	17 Su	0518 1.8 1132 0.2 1746 1.9	2 Tu	0050 0.4 0653 1.5 1301 0.4 1915 1.6	17 We	0044 0.1 0655 1.8 1304 0.1 1920 2.0
3 Tu	0506 1.8 1125 0.3 1736 1.7 2346 0.3	18 We	0436 1.7 1053 0.4 1659 1.6 2311 0.4	3 Fr	0015 0.3 0624 1.7 1240 0.4 1851 1.7	18 Sa	0544 1.8 1159 0.2 1810 1.8	3 Su	0034 0.4 0640 1.6 1252 0.4 1905 1.6	18 Mo	0005 0.2 0616 1.8 1228 0.2 1842 1.9	3 We	0133 0.4 0737 1.5 1343 0.5 1956 1.6	18 Th	0143 0.1 0754 1.8 1402 0.1 2017 2.0
4 We	0600 1.8 1218 0.3 1829 1.7	19 Th	0525 1.7 1141 0.3 1748 1.7	4 Sa	0102 0.3 0711 1.6 1325 0.4 1936 1.7	19 Su	0027 0.2 0639 1.8 1253 0.2 1904 1.9	4 Mo	0119 0.4 0724 1.5 1334 0.4 1947 1.6	19 Tu	0102 0.1 0714 1.8 1325 0.1 1939 2.0	4 Th	0217 0.4 0820 1.5 1424 0.5 2037 1.6	19 Fr	0241 0.1 0851 1.8 1458 0.1 2114 1.9
5 Th	0038 0.3 0651 1.8 1309 0.3 1919 1.7	20 Fr	0001 0.3 0614 1.7 1230 0.3 1838 1.7	5 Su	0147 0.4 0756 1.6 1409 0.4 2019 1.6	20 Mo	0122 0.2 0735 1.8 1347 0.2 1958 1.9	5 Tu	0203 0.4 0808 1.5 1416 0.4 2028 1.6	20 We	0201 0.1 0813 1.8 1421 0.1 2036 2.0	5 Fr	0300 0.4 0902 1.5 1506 0.5 2120 1.6	20 Sa	0338 0.1 0948 1.8 1555 0.2 2211 1.9
6 Fr	0128 0.3 0740 1.7 1357 0.3 2006 1.7	21 Sa	0051 0.2 0705 1.8 1320 0.2 1928 1.8	6 Mo	0232 0.4 0840 1.6 1451 0.4 2101 1.6	21 Tu	0218 0.1 0832 1.8 1442 0.2 2054 1.9	6 We	0247 0.4 0851 1.5 1457 0.5 2110 1.6	21 Th	0300 0.1 0911 1.8 1518 0.2 2133 1.9	6 Sa	0343 0.4 0945 1.5 1548 0.5 2203 1.6	21 Su	0433 0.2 1043 1.7 1651 0.2 2306 1.8
7 Sa	0215 0.3 0827 1.7 1443 0.3 2051 1.7	22 Su	0143 0.2 0757 1.8 1411 0.2 2019 1.8	7 Tu	0317 0.4 0924 1.5 1533 0.4 2144 1.6	22 We	0316 0.1 0929 1.8 1537 0.2 2150 1.9	7 Th	0331 0.4 0935 1.5 1539 0.5 2152 1.6	22 Fr	0358 0.1 1009 1.8 1615 0.2 2231 1.9	7 Su	0426 0.4 1028 1.5 1632 0.5 2248 1.6	22 Mo	0527 0.2 1137 1.7 1747 0.3
8 Su	0302 0.3 0913 1.6 1526 0.4 2135 1.6	23 Mo	0236 0.2 0851 1.8 1503 0.2 2112 1.8	8 We	0402 0.4 1007 1.5 1615 0.5 2227 1.6	23 Th	0414 0.2 1026 1.8 1633 0.2 2248 1.9	8 Fr	0415 0.4 1018 1.5 1622 0.5 2236 1.6	23 Sa	0456 0.2 1105 1.7 1712 0.2 2329 1.8	8 Mo	0510 0.4 1112 1.5 1718 0.5 2334 1.6	23 Tu	0000 1.7 0619 0.3 1231 1.7 1842 0.4
9 Mo	0348 0.4 0957 1.6 1609 0.4 2219 1.6	24 Tu	0331 0.2 0945 1.8 1556 0.2 2206 1.8	9 Th	0447 0.4 1051 1.5 1658 0.5 2312 1.6	24 Fr	0513 0.2 1123 1.7 1730 0.3 2347 1.8	9 Sa	0459 0.4 1101 1.5 1706 0.5 2321 1.6	24 Su	0552 0.2 1201 1.7 1810 0.3	9 Tu	0554 0.4 1158 1.6 1808 0.4	24 We	0053 1.7 0709 0.3 1323 1.6 1936 0.4
10 Tu	0434 0.4 1041 1.6 1652 0.4 2303 1.6	25 We	0428 0.2 1041 1.7 1650 0.2 2302 1.8	10 Fr	0533 0.5 1136 1.5 1742 0.5 2358 1.6	25 Sa	0610 0.2 1220 1.7 1828 0.3	10 Su	0544 0.4 1146 1.5 1752 0.5	25 Mo	0025 1.8 0646 0.3 1257 1.7 1907 0.3	10 We	0022 1.6 0640 0.4 1246 1.6 1900 0.4	25 Th	0143 1.6 0758 0.4 1415 1.6 2028 0.4
11 We	0520 0.4 1126 1.5 1735 0.5 2349 1.6	26 Th	0526 0.2 1137 1.7 1745 0.3	11 Sa	0619 0.5 1221 1.5 1829 0.5	26 Su	0045 1.8 0707 0.3 1317 1.7 1926 0.3	11 Mo	0008 1.6 0628 0.4 1231 1.5 1840 0.5	26 Tu	0120 1.7 0738 0.3 1351 1.6 2003 0.4	11 Th	0113 1.6 0728 0.3 1338 1.6 1955 0.4	26 Fr	0232 1.6 0846 0.4 1505 1.6 2118 0.5
12 Th	0608 0.5 1211 1.5 1821 0.5	27 Fr	0000 1.8 0624 0.3 1234 1.7 1843 0.3	12 Su	0045 1.6 0705 0.5 1307 1.5 1916 0.5	27 Mo	0142 1.7 0802 0.3 1413 1.6 2024 0.3	12 Tu	0055 1.6 0714 0.4 1318 1.5 1930 0.4	27 We	0213 1.6 0829 0.4 1444 1.6 2056 0.4	12 Fr	0205 1.7 0820 0.3 1433 1.7 2051 0.3	27 Sa	0320 1.5 0933 0.4 1553 1.6 2206 0.5
13 Fr	0037 1.5 0655 0.5 1257 1.5 1908 0.5	28 Sa	0100 1.8 0722 0.3 1331 1.6 1942 0.3	13 Mo	0133 1.6 0751 0.4 1354 1.5 2006 0.5	28 Tu	0237 1.7 0855 0.3 1508 1.6 2119 0.4	13 We	0144 1.6 0801 0.4 1408 1.6 2023 0.4	28 Th	0303 1.6 0918 0.4 1535 1.6 2147 0.4	13 Sa	0300 1.7 0914 0.3 1530 1.8 2149 0.2	28 Su	0407 1.5 1019 0.5 1638 1.6 2252 0.5
14 Sa	0125 1.5 0743 0.5 1345 1.5 1956 0.5	29 Su	0159 1.7 0819 0.3 1429 1.6 2040 0.3	14 Tu	0221 1.6 0838 0.4 1443 1.5 2056 0.4	29 We	0330 1.7 0946 0.4 1600 1.6 2212 0.4	14 Th	0235 1.7 0850 0.3 1501 1.7 2117 0.3	29 Fr	0352 1.6 1005 0.4 1623 1.6 2235 0.4	14 Su	0357 1.7 1011 0.2 1627 1.9 2247 0.2	29 Mo	0453 1.5 1104 0.5 1721 1.6 2337 0.4
15 Su	0214 1.6 0831 0.5 1433 1.5 2045 0.5	30 Mo	0256 1.7 0915 0.3 1526 1.6 2138 0.3	15 We	0310 1.6 0926 0.4 1533 1.6 2148 0.4	30 Th	0420 1.6 1035 0.4 1650 1.6 2302 0.4	15 Fr	0327 1.7 0942 0.3 1555 1.7 2212 0.3	30 Sa	0438 1.5 1051 0.4 1709 1.6 2321 0.4	15 Mo	0456 1.8 1109 0.2 1725 1.9 2345 0.1	30 Tu	0538 1.5 1148 0.5 1803 1.6
		31 Tu	0352 1.7 1010 0.3 1622 1.6 2233 0.3							31 Su	0524 1.5 1136 0.4 1752 1.6				

Standard Ports

Remember to add 1 hour for Daylight Saving Time. Finishes 5 April.

Nelson

Lat. 41° 16' S., Long. 173° 16' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025

July			August			September			October													
	Time	m		Time	m		Time	m		Time	m		Time	m								
1 Tu	0129 3.9 0742 1.2 1357 3.7 1949 1.3		16 We	0101 4.1 0705 0.9 1333 3.9 1928 1.0		1 Fr	0215 3.6 0820 1.3 1435 3.5 2028 1.5		16 Sa	0212 3.9 0814 1.0 1438 3.7 2047 1.3		1 Mo	0309 3.2 0910 1.6 1527 3.2 2152 1.8		16 Tu	0406 3.3 1012 1.6 1659 3.3 2337 1.5		1 We	0339 3.0 0940 1.7 1605 3.1 2249 1.8		16 Th	0515 3.2 1133 1.6 1815 3.4
2 We	0214 3.7 0829 1.3 1441 3.6 2033 1.4		17 Th	0147 4.0 0752 1.0 1418 3.8 2016 1.1		2 Sa	0303 3.4 0907 1.4 1523 3.2 2126 1.7		17 Su	0310 3.7 0911 1.2 1539 3.5 2207 1.5		2 Tu	0416 3.1 1019 1.7 1650 3.1 2332 1.8		17 We	0528 3.2 1151 1.6 1840 3.4		2 Th	0459 3.0 1107 1.7 1742 3.2		17 Fr	0024 1.3 0628 3.3 1247 1.5 1915 3.6
3 Th	0304 3.6 0918 1.4 1528 3.4 2126 1.6		18 Fr	0238 3.9 0844 1.1 1508 3.7 2114 1.2		3 Su	0359 3.3 1002 1.6 1623 3.2 2247 1.8		18 Mo	0417 3.5 1021 1.4 1704 3.3 2339 1.5		3 We	0533 3.1 1145 1.7 1826 3.2		18 Th	0047 1.3 0648 3.3 1311 1.4 1944 3.6		3 Fr	0005 1.6 0616 3.2 1227 1.5 1854 3.4		18 Sa	0114 1.1 0727 3.5 1341 1.3 1959 3.8
4 Fr	0358 3.4 1009 1.5 1621 3.4 2232 1.7		19 Sa	0335 3.8 0940 1.2 1607 3.6 2225 1.3		4 Mo	0502 3.2 1108 1.6 1741 3.2		19 Tu	0533 3.4 1149 1.5 1842 3.4		4 Th	0043 1.6 0647 3.2 1302 1.5 1933 3.4		19 Fr	0141 1.1 0752 3.5 1408 1.2 2029 3.9		4 Sa	0100 1.3 0720 3.4 1327 1.3 1945 3.8		19 Su	0157 1.0 0815 3.7 1423 1.1 2036 4.0
5 Sa	0457 3.4 1104 1.5 1723 3.3 2344 1.7		20 Su	0439 3.7 1044 1.3 1721 3.5 2345 1.4		5 Tu	0009 1.7 0609 3.2 1221 1.6 1900 3.3		20 We	0055 1.3 0650 3.4 1316 1.4 1956 3.7		5 Fr	0134 1.3 0749 3.4 1400 1.3 2021 3.8		20 Sa	0225 0.9 0841 3.7 1451 1.0 2107 4.1		5 Su	0145 1.0 0811 3.7 1414 0.9 2028 4.1		20 Mo	0235 0.9 0855 3.9 1458 0.9 2111 4.0
6 Su	0555 3.3 1201 1.5 1830 3.3		21 Mo	0547 3.6 1156 1.3 1844 3.6		6 We	0111 1.6 0712 3.3 1329 1.5 2001 3.5		21 Th	0154 1.1 0759 3.6 1421 1.2 2048 3.9		6 Sa	0217 1.1 0840 3.7 1446 1.0 2101 4.0		21 Su	0304 0.8 0922 3.9 1527 0.8 2141 4.2		6 Mo	0227 0.7 0856 4.0 1456 0.6 2108 4.3		21 Tu	0311 0.8 0931 4.0 1530 0.8 2143 4.1
7 Mo	0046 1.6 0650 3.4 1258 1.5 1932 3.5		22 Tu	0057 1.2 0655 3.6 1312 1.3 1957 3.7		7 Th	0159 1.4 0810 3.4 1424 1.3 2047 3.8		22 Fr	0243 0.9 0856 3.7 1511 1.0 2130 4.1		7 Su	0257 0.8 0924 3.9 1526 0.7 2139 4.3		22 Mo	0339 0.7 0958 4.1 1559 0.7 2213 4.2		7 Tu	0308 0.5 0938 4.3 1536 0.4 2148 4.5		22 We	0344 0.7 1005 4.1 1600 0.8 2215 4.1
8 Tu	0138 1.5 0741 3.4 1354 1.4 2024 3.6		23 We	0159 1.1 0800 3.7 1422 1.1 2055 4.0		8 Fr	0242 1.0 0900 3.6 1511 1.1 2127 4.0		23 Sa	0326 0.8 0943 3.9 1552 0.8 2207 4.3		8 Mo	0336 0.6 1005 4.2 1603 0.5 2216 4.5		23 Tu	0412 0.7 1032 4.1 1628 0.7 2245 4.2		8 We	0349 0.4 1019 4.4 1615 0.3 2228 4.6		23 Th	0417 0.7 1038 4.1 1628 0.8 2247 4.0
9 We	0222 1.3 0830 3.5 1444 1.3 2108 3.8		24 Th	0252 0.9 0901 3.8 1520 1.0 2144 4.2		9 Sa	0321 0.9 0946 3.8 1551 0.9 2205 4.2		24 Su	0404 0.7 1023 4.0 1627 0.7 2242 4.3		9 Tu	0415 0.4 1044 4.3 1641 0.4 2254 4.5		24 We	0444 0.7 1104 4.1 1656 0.7 2315 4.1		9 Th	0431 0.3 1100 4.5 1656 0.3 2311 4.5		24 Fr	0450 0.8 1110 4.1 1657 0.9 2319 3.9
10 Th	0302 1.2 0917 3.6 1529 1.1 2148 4.0		25 Fr	0340 0.8 0955 3.9 1608 0.9 2226 4.3		10 Su	0400 0.8 1028 4.0 1629 0.7 2242 4.3		25 Mo	0440 0.7 1100 4.1 1658 0.7 2315 4.3		10 We	0454 0.4 1123 4.4 1718 0.4 2334 4.5		25 Th	0516 0.7 1136 4.1 1724 0.8 2347 4.0		10 Fr	0515 0.4 1141 4.4 1737 0.5 2356 4.3		25 Sa	0523 0.9 1142 4.0 1728 1.0 2353 3.7
11 Fr	0340 1.0 1002 3.7 1611 1.0 2226 4.1		26 Sa	0424 0.7 1042 4.0 1650 0.8 2306 4.3		11 Mo	0438 0.6 1108 4.1 1706 0.6 2319 4.4		26 Tu	0514 0.7 1134 4.1 1728 0.8 2347 4.2		11 Th	0535 0.4 1202 4.3 1757 0.5		26 Fr	0548 0.8 1207 4.0 1753 1.0		11 Sa	0600 0.6 1224 4.2 1823 0.7		26 Su	0558 1.0 1214 3.9 1802 1.1
12 Sa	0418 0.9 1046 3.8 1650 0.9 2303 4.2		27 Su	0505 0.7 1125 4.0 1727 0.8 2343 4.2		12 Tu	0518 0.6 1148 4.2 1743 0.6 2358 4.4		27 We	0547 0.8 1207 4.0 1757 0.9		12 Fr	0015 4.3 0617 0.6 1243 4.2 1839 0.7		27 Sa	0019 3.8 0621 1.0 1239 3.8 1825 1.1		12 Su	0044 4.0 0647 0.8 1310 4.0 1916 1.0		27 Mo	0031 3.6 0635 1.1 1249 3.7 1842 1.3
13 Su	0457 0.9 1128 3.9 1728 0.8 2341 4.2		28 Mo	0544 0.8 1204 4.0 1800 0.9		13 We	0558 0.6 1227 4.2 1821 0.6		28 Th	0020 4.0 0621 0.9 1240 3.9 1827 1.0		13 Sa	0101 4.1 0702 0.8 1326 4.0 1928 1.0		28 Su	0055 3.6 0658 1.2 1314 3.7 1903 1.4		13 Mo	0139 3.7 0740 1.1 1403 3.7 2026 1.3		28 Tu	0114 3.4 0717 1.3 1329 3.6 1931 1.5
14 Mo	0538 0.8 1209 3.9 1806 0.8		29 Tu	0019 4.1 0622 0.9 1241 3.9 1833 1.0		14 Th	0038 4.3 0640 0.7 1307 4.1 1902 0.8		29 Fr	0054 3.8 0655 1.0 1313 3.8 1900 1.2		14 Su	0152 3.8 0752 1.1 1416 3.7 2031 1.3		29 Mo	0137 3.4 0740 1.4 1353 3.4 1953 1.6		14 Tu	0243 3.4 0843 1.4 1512 3.4 2157 1.5		29 We	0206 3.2 0807 1.5 1420 3.4 2039 1.6
15 Tu	0020 4.2 0620 0.8 1251 3.9 1846 0.9		30 We	0055 4.0 0700 1.0 1318 3.8 1907 1.1		15 Fr	0123 4.1 0725 0.8 1349 3.9 1949 1.0		30 Sa	0131 3.6 0733 1.2 1349 3.6 1939 1.4		15 Mo	0253 3.5 0852 1.4 1522 3.4 2203 1.5		30 Tu	0230 3.2 0832 1.5 1446 3.2 2109 1.8		15 We	0356 3.3 1004 1.6 1645 3.3 2320 1.5		30 Th	0309 3.1 0909 1.6 1529 3.3 2202 1.6
			31 Th	0133 3.8 0739 1.1 1355 3.7 1944 1.3					31 Su	0215 3.4 0817 1.4 1431 3.4 2031 1.7							31 Fr	0421 3.1 1025 1.6 1653 3.3 2316 1.5				

Remember to add 1 hour for Daylight Saving Time. Commences 28 September.

Nelson

Lat. 41° 16' S., Long. 173° 16' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025/26

November				December				January				February			
Time m		Time m		Time m		Time m		Time m		Time m		Time m		Time m	
1 Sa	0534 3.2 1142 1.5 1805 3.5	16 Su	0034 1.3 0648 3.4 1302 1.4 1918 3.6	1 Mo	0552 3.5 1203 1.3 1816 3.8	16 Tu	0034 1.4 0658 3.4 1311 1.5 1918 3.5	1 Th	0051 1.2 0737 3.7 1342 1.1 1944 3.8	16 Fr	0149 1.5 0820 3.5 1417 1.4 2025 3.4	1 Su	0304 1.0 0928 4.1 1524 0.8 2139 4.0	16 Mo	0306 1.2 0921 3.9 1514 1.1 2140 3.8
2 Su	0014 1.2 0639 3.5 1246 1.2 1902 3.8	17 Mo	0120 1.2 0740 3.6 1349 1.2 1959 3.7	2 Tu	0022 1.1 0657 3.7 1304 1.1 1912 3.9	17 We	0126 1.3 0754 3.5 1358 1.4 2004 3.6	2 Fr	0201 1.0 0840 4.0 1439 0.9 2045 3.9	17 Sa	0242 1.3 0904 3.7 1458 1.3 2113 3.6	2 Mo	0355 0.8 1012 4.3 1610 0.7 2228 4.1	17 Tu	0344 1.0 0956 4.1 1550 0.9 2219 4.0
3 Mo	0105 1.0 0735 3.7 1339 1.0 1950 4.1	18 Tu	0202 1.1 0825 3.7 1428 1.1 2037 3.8	3 We	0119 0.9 0757 3.9 1359 0.8 2006 4.1	18 Th	0215 1.2 0841 3.7 1439 1.2 2047 3.6	3 Sa	0305 0.9 0934 4.2 1531 0.7 2143 4.0	18 Su	0327 1.2 0943 3.9 1535 1.1 2157 3.7	3 Tu	0437 0.7 1052 4.4 1652 0.6 2311 4.2	18 We	0419 0.8 1030 4.3 1626 0.8 2255 4.1
4 Tu	0153 0.7 0825 4.0 1426 0.7 2035 4.3	19 We	0242 1.0 0905 3.9 1503 1.0 2113 3.9	4 Th	0215 0.8 0851 4.1 1450 0.6 2058 4.2	19 Fr	0300 1.1 0922 3.8 1515 1.1 2128 3.7	4 Su	0400 0.8 1023 4.4 1621 0.6 2237 4.1	19 Mo	0406 1.0 1018 4.1 1611 1.0 2237 3.8	4 We	0515 0.6 1130 4.4 1732 0.7 2350 4.2	19 Th	0452 0.7 1105 4.4 1701 0.7 2331 4.2
5 We	0239 0.6 0912 4.3 1510 0.5 2120 4.4	20 Th	0320 0.9 0941 4.0 1535 1.0 2149 3.9	5 Fr	0310 0.7 0942 4.3 1539 0.5 2150 4.2	20 Sa	0341 1.1 0959 4.0 1550 1.0 2208 3.7	5 Mo	0450 0.7 1107 4.4 1708 0.6 2326 4.1	20 Tu	0441 0.9 1053 4.2 1646 0.9 2316 3.9	5 Th	0548 0.7 1206 4.3 1809 0.7	20 Fr	0525 0.6 1140 4.4 1738 0.6
6 Th	0326 0.4 0957 4.4 1554 0.4 2206 4.4	21 Fr	0356 0.9 1016 4.1 1607 0.9 2224 3.8	6 Sa	0403 0.6 1030 4.4 1628 0.5 2242 4.2	21 Su	0419 1.0 1034 4.1 1625 1.0 2248 3.8	6 Tu	0533 0.7 1149 4.4 1753 0.7	21 We	0515 0.8 1127 4.3 1723 0.8 2352 4.0	6 Fr	0026 4.1 0620 0.8 1241 4.2 1845 0.9	21 Sa	0006 4.2 0600 0.6 1216 4.4 1816 0.7
7 Fr	0413 0.4 1042 4.5 1638 0.4 2253 4.3	22 Sa	0431 0.9 1050 4.1 1638 0.9 2300 3.8	7 Su	0455 0.6 1116 4.4 1717 0.6 2334 4.1	22 Mo	0455 0.9 1109 4.1 1700 1.0 2328 3.8	7 We	0012 4.1 0614 0.7 1230 4.3 1837 0.8	22 Th	0549 0.8 1202 4.3 1800 0.8	7 Sa	0101 4.0 0652 1.0 1317 4.0 1921 1.0	22 Su	0041 4.2 0636 0.7 1256 4.2 1856 0.8
8 Sa	0501 0.5 1126 4.4 1724 0.5 2342 4.2	23 Su	0507 0.9 1123 4.0 1712 1.0 2337 3.7	8 Mo	0544 0.7 1202 4.3 1807 0.8	23 Tu	0531 0.9 1144 4.1 1737 1.0	8 Th	0054 4.0 0651 0.9 1311 4.1 1920 1.0	23 Fr	0029 4.0 0623 0.8 1239 4.2 1839 0.8	8 Su	0135 3.8 0725 1.2 1355 3.7 1959 1.2	23 Mo	0119 4.1 0717 0.9 1340 4.0 1940 1.0
9 Su	0550 0.7 1212 4.3 1814 0.8	24 Mo	0543 1.0 1157 4.0 1748 1.1	9 Tu	0026 4.0 0631 0.8 1248 4.1 1859 0.9	24 We	0007 3.7 0607 0.9 1220 4.1 1817 1.0	9 Fr	0135 3.8 0729 1.1 1353 3.9 2004 1.1	24 Sa	0105 4.0 0700 0.9 1318 4.1 1920 0.9	9 Mo	0212 3.6 0803 1.4 1439 3.5 2041 1.4	24 Tu	0201 3.9 0805 1.2 1431 3.8 2030 1.2
10 Mo	0034 3.9 0640 0.9 1300 4.0 1910 1.0	25 Tu	0017 3.6 0621 1.1 1233 3.9 1829 1.2	10 We	0117 3.8 0717 1.0 1336 3.9 1953 1.1	25 Th	0047 3.7 0644 1.0 1258 4.0 1900 1.1	10 Sa	0216 3.7 0808 1.3 1438 3.7 2049 1.3	25 Su	0144 3.9 0741 1.0 1402 4.0 2005 1.0	10 Tu	0254 3.4 0853 1.7 1530 3.3 2132 1.6	25 We	0252 3.6 0911 1.4 1533 3.6 2132 1.5
11 Tu	0130 3.7 0732 1.1 1353 3.8 2016 1.3	26 We	0100 3.5 0701 1.2 1314 3.7 1917 1.3	11 Th	0207 3.6 0803 1.2 1427 3.7 2050 1.3	26 Fr	0128 3.7 0724 1.1 1341 3.9 1946 1.1	11 Su	0300 3.5 0855 1.5 1529 3.5 2139 1.4	26 Mo	0226 3.7 0829 1.2 1453 3.8 2056 1.2	11 We	0348 3.2 1008 1.8 1634 3.2 2238 1.7	26 Th	0405 3.4 1046 1.6 1648 3.4 2256 1.6
12 We	0230 3.5 0830 1.3 1456 3.5 2131 1.4	27 Th	0148 3.4 0746 1.3 1401 3.6 2013 1.4	12 Fr	0258 3.5 0855 1.4 1524 3.5 2148 1.4	27 Sa	0212 3.6 0809 1.2 1429 3.8 2038 1.2	12 Mo	0349 3.3 0955 1.7 1626 3.3 2235 1.5	27 Tu	0317 3.6 0932 1.4 1554 3.6 2155 1.3	12 Th	0508 3.1 1146 1.9 1747 3.1	27 Fr	0553 3.3 1219 1.5 1813 3.4
13 Th	0334 3.3 0937 1.5 1611 3.4 2242 1.4	28 Fr	0241 3.3 0839 1.4 1458 3.5 2117 1.4	13 Sa	0352 3.4 0955 1.5 1627 3.4 2245 1.4	28 Su	0300 3.5 0902 1.3 1525 3.7 2134 1.2	13 Tu	0451 3.2 1114 1.8 1729 3.3 2339 1.6	28 We	0426 3.4 1055 1.5 1704 3.5 2309 1.4	13 Fr	0002 1.8 0645 3.2 1300 1.8 1901 3.2	28 Sa	0039 1.6 0728 3.5 1328 1.3 1933 3.5
14 Fr	0441 3.3 1052 1.6 1726 3.4 2342 1.4	29 Sa	0340 3.3 0942 1.5 1606 3.5 2222 1.3	14 Su	0451 3.3 1104 1.6 1729 3.4 2340 1.4	29 Mo	0356 3.5 1008 1.4 1629 3.7 2235 1.2	14 We	0608 3.2 1231 1.7 1832 3.3	29 Th	0559 3.4 1222 1.4 1819 3.5	14 Sa	0122 1.7 0755 3.4 1353 1.5 2005 3.3		
15 Sa	0547 3.3 1204 1.5 1828 3.5	30 Su	0445 3.4 1053 1.4 1714 3.6 2324 1.2	15 Mo	0555 3.3 1213 1.6 1827 3.4	30 Tu	0505 3.5 1123 1.4 1735 3.7 2341 1.2	15 Th	0046 1.6 0722 3.3 1330 1.6 1932 3.3	30 Fr	0037 1.4 0729 3.6 1334 1.2 1934 3.6	15 Su	0221 1.5 0842 3.6 1436 1.3 2056 3.5		
						31 We	0623 3.5 1237 1.2 1840 3.7			31 Sa	0200 1.3 0836 3.9 1433 1.0 2042 3.8				

Standard Ports

Remember to add 1 hour for Daylight Saving Time.

Nelson

Lat. 41° 16' S., Long. 173° 16' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2026

March

April

May

June

Time m		Time m		Time m		Time m		Time m		Time m		Time m		Time m	
1 Su	0159 1.4 0828 3.8 1423 1.1 2037 3.7	16 Mo	0147 1.5 0808 3.6 1403 1.3 2029 3.6	1 We	0312 1.0 0926 4.2 1524 0.8 2144 4.1	16 Th	0236 1.0 0847 4.2 1445 0.8 2118 4.1	1 Fr	0315 1.0 0927 4.0 1529 0.9 2150 4.1	16 Sa	0245 0.8 0853 4.2 1458 0.7 2133 4.3	1 Mo	0355 1.1 1011 3.8 1620 1.1 2237 4.1	16 Tu	0403 0.6 1017 4.2 1630 0.7 2254 4.4
2 Mo	0255 1.1 0914 4.1 1509 0.9 2127 4.0	17 Tu	0234 1.2 0848 3.9 1443 1.1 2112 3.8	2 Th	0346 0.8 1000 4.3 1600 0.8 2219 4.2	17 Fr	0316 0.7 0927 4.3 1527 0.7 2159 4.3	2 Sa	0347 0.9 1002 4.0 1605 0.9 2225 4.1	17 Su	0330 0.6 0941 4.3 1548 0.7 2219 4.4	2 Tu	0428 1.1 1050 3.7 1657 1.1 2312 4.1	17 We	0454 0.6 1112 4.1 1722 0.7 2341 4.4
3 Tu	0338 0.9 0953 4.3 1551 0.7 2210 4.1	18 We	0313 1.0 0925 4.2 1521 0.8 2151 4.1	3 Fr	0418 0.8 1033 4.2 1634 0.8 2253 4.2	18 Sa	0355 0.6 1007 4.4 1610 0.6 2240 4.5	3 Su	0418 0.9 1036 4.0 1640 1.0 2259 4.1	18 Mo	0416 0.6 1030 4.3 1638 0.7 2305 4.4	3 We	0502 1.1 1129 3.7 1733 1.1 2346 4.0	18 Th	0545 0.7 1206 4.1 1811 0.8
4 We	0415 0.7 1029 4.4 1629 0.7 2247 4.2	19 Th	0349 0.7 1001 4.4 1558 0.7 2228 4.3	4 Sa	0447 0.8 1106 4.2 1707 0.8 2325 4.2	19 Su	0435 0.5 1050 4.4 1653 0.6 2321 4.5	4 Mo	0449 1.0 1111 3.9 1715 1.0 2332 4.1	19 Tu	0503 0.6 1121 4.2 1729 0.7 2352 4.4	4 Th	0538 1.1 1209 3.6 1810 1.1	19 Fr	0029 4.3 0638 0.8 1258 4.0 1858 0.9
5 Th	0448 0.7 1104 4.4 1704 0.7 2322 4.3	20 Fr	0424 0.6 1037 4.5 1636 0.6 2305 4.4	5 Su	0516 0.9 1138 4.0 1740 0.9 2357 4.1	20 Mo	0517 0.6 1134 4.3 1739 0.7	5 Tu	0521 1.1 1147 3.8 1751 1.1	20 We	0554 0.8 1215 4.1 1821 0.9	5 Fr	0022 3.9 0617 1.2 1251 3.6 1849 1.2	20 Sa	0116 4.1 0731 1.0 1348 3.8 1945 1.1
6 Fr	0518 0.7 1137 4.3 1738 0.8 2355 4.2	21 Sa	0500 0.5 1114 4.5 1715 0.6 2342 4.4	6 Mo	0546 1.0 1212 3.9 1814 1.0	21 Tu	0003 4.4 0602 0.7 1223 4.1 1826 0.9	6 We	0005 4.0 0555 1.2 1226 3.6 1828 1.2	21 Th	0040 4.2 0649 0.9 1310 3.9 1913 1.0	6 Sa	0101 3.8 0702 1.3 1335 3.5 1930 1.3	21 Su	0206 3.9 0825 1.1 1437 3.7 2034 1.3
7 Sa	0547 0.8 1209 4.2 1810 0.9	22 Su	0536 0.5 1154 4.4 1755 0.6	7 Tu	0029 4.0 0617 1.2 1248 3.7 1849 1.2	22 We	0048 4.2 0653 1.0 1316 3.9 1918 1.1	7 Th	0040 3.9 0633 1.3 1308 3.5 1908 1.3	22 Fr	0132 4.0 0751 1.1 1408 3.7 2008 1.2	7 Su	0144 3.7 0751 1.4 1422 3.5 2017 1.4	22 Mo	0300 3.7 0919 1.2 1527 3.6 2129 1.4
8 Su	0027 4.1 0617 1.0 1243 4.0 1844 1.0	23 Mo	0020 4.3 0616 0.7 1236 4.2 1837 0.8	8 We	0103 3.8 0653 1.4 1328 3.5 1929 1.4	23 Th	0138 3.9 0755 1.2 1416 3.7 2016 1.3	8 Fr	0119 3.7 0719 1.5 1355 3.4 1953 1.5	23 Sa	0229 3.8 0858 1.3 1507 3.6 2108 1.4	8 Mo	0234 3.6 0846 1.4 1512 3.4 2111 1.5	23 Tu	0357 3.6 1013 1.3 1621 3.5 2233 1.6
9 Mo	0059 3.9 0648 1.2 1318 3.7 1919 1.2	24 Tu	0100 4.1 0700 0.9 1324 4.0 1924 1.0	9 Th	0140 3.6 0738 1.6 1416 3.3 2016 1.6	24 Fr	0239 3.7 0913 1.4 1522 3.5 2125 1.5	9 Sa	0204 3.5 0817 1.6 1450 3.3 2047 1.6	24 Su	0335 3.6 1004 1.3 1607 3.5 2214 1.5	9 Tu	0332 3.6 0944 1.4 1608 3.4 2215 1.5	24 We	0456 3.5 1108 1.4 1721 3.4 2341 1.6
10 Tu	0133 3.7 0723 1.4 1358 3.5 1959 1.4	25 We	0145 3.9 0754 1.2 1419 3.7 2018 1.3	10 Fr	0226 3.4 0842 1.8 1516 3.2 2115 1.7	25 Sa	0357 3.5 1035 1.5 1635 3.4 2246 1.6	10 Su	0302 3.4 0926 1.6 1551 3.2 2151 1.7	25 Mo	0445 3.6 1105 1.3 1709 3.5 2324 1.5	10 We	0435 3.6 1042 1.3 1710 3.5 2323 1.4	25 Th	0554 3.5 1202 1.4 1825 3.4
11 We	0211 3.5 0807 1.6 1446 3.3 2046 1.6	26 Th	0241 3.6 0910 1.5 1526 3.5 2126 1.6	11 Sa	0332 3.2 1010 1.8 1628 3.1 2232 1.8	26 Su	0525 3.5 1145 1.4 1747 3.4	11 Mo	0414 3.4 1036 1.6 1657 3.3 2304 1.6	26 Tu	0549 3.6 1159 1.3 1811 3.5	11 Th	0536 3.7 1140 1.2 1816 3.6	26 Fr	0044 1.5 0649 3.5 1257 1.4 1926 3.5
12 Th	0259 3.3 0915 1.8 1548 3.1 2149 1.8	27 Fr	0402 3.4 1048 1.6 1644 3.3 2258 1.7	12 Su	0502 3.2 1131 1.7 1745 3.2 2356 1.7	27 Mo	0006 1.6 0637 3.6 1241 1.3 1853 3.6	12 Tu	0526 3.5 1136 1.4 1802 3.4	27 We	0028 1.5 0644 3.6 1249 1.3 1908 3.6	12 Fr	0028 1.3 0635 3.8 1239 1.1 1920 3.8	27 Sa	0136 1.4 0739 3.5 1350 1.3 2019 3.6
13 Fr	0411 3.1 1058 1.9 1705 3.1 2315 1.9	28 Sa	0549 3.4 1210 1.5 1808 3.4	13 Mo	0623 3.4 1232 1.5 1854 3.4	28 Tu	0109 1.4 0730 3.8 1329 1.2 1947 3.7	13 We	0011 1.5 0627 3.7 1230 1.2 1902 3.6	28 Th	0121 1.4 0732 3.7 1335 1.2 1959 3.7	13 Sa	0127 1.1 0731 3.9 1338 1.0 2020 4.0	28 Su	0220 1.3 0826 3.6 1439 1.3 2103 3.8
14 Sa	0556 3.1 1222 1.8 1827 3.1	29 Su	0033 1.6 0712 3.6 1312 1.3 1922 3.5	14 Tu	0102 1.5 0721 3.6 1320 1.3 1949 3.6	29 We	0159 1.2 0813 3.9 1412 1.1 2033 3.9	14 Th	0108 1.2 0719 3.9 1320 1.0 1956 3.9	29 Fr	0206 1.3 0815 3.7 1419 1.2 2044 3.8	14 Su	0221 0.9 0826 4.1 1437 0.9 2114 4.2	29 Mo	0259 1.2 0911 3.6 1523 1.2 2142 3.9
15 Su	0044 1.8 0717 3.3 1319 1.6 1936 3.3	30 Mo	0142 1.4 0806 3.8 1402 1.1 2019 3.8	15 We	0153 1.2 0806 3.9 1403 1.0 2036 3.9	30 Th	0239 1.1 0852 4.0 1452 1.0 2114 4.0	15 Fr	0158 1.0 0807 4.1 1409 0.9 2046 4.1	30 Sa	0245 1.2 0855 3.8 1502 1.1 2125 3.9	15 Mo	0312 0.7 0922 4.1 1535 0.8 2205 4.4	30 Tu	0335 1.1 0953 3.7 1604 1.1 2219 4.0
		31 Tu	0232 1.2 0849 4.0 1445 0.9 2104 4.0							31 Su	0321 1.1 0933 3.8 1542 1.1 2202 4.0				

Remember to add 1 hour for Daylight Saving Time. Finishes 5 April.

Onehunga

Lat. 36° 56' S., Long. 174° 47' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025

July				August				September				October			
Time m		Time m		Time m		Time m		Time m		Time m		Time m		Time m	
1 Tu	0229 3.8 0844 1.1 1455 3.6 2056 1.2	16 We	0159 4.0 0818 0.8 1426 3.8 2035 0.9	1 Fr	0302 3.6 0922 1.2 1530 3.5 2137 1.4	16 Sa	0310 3.8 0930 1.0 1542 3.7 2159 1.1	1 Mo	0345 3.3 1003 1.5 1623 3.3 2240 1.7	16 Tu	0507 3.3 1121 1.4 1756 3.4 2324 1.7	1 We	0411 3.1 1028 1.6 1656 3.2 2324 1.7	16 Th	0618 3.3 1220 1.4 1850 3.5
2 We	0313 3.7 0930 1.2 1540 3.5 2143 1.3	17 Th	0245 3.9 0905 0.9 1514 3.8 2125 1.0	2 Sa	0346 3.5 1006 1.4 1619 3.4 2229 1.6	17 Su	0406 3.6 1028 1.1 1645 3.6 2306 1.3	2 Tu	0448 3.2 1109 1.6 1739 3.2	17 We	0013 1.4 0633 3.3 1240 1.4 1914 3.5	2 Th	0534 3.1 1151 1.6 1820 3.3	17 Fr	0101 1.3 0722 3.4 1326 1.3 1948 3.7
3 Th	0359 3.5 1017 1.3 1629 3.4 2235 1.5	18 Fr	0336 3.8 0957 1.0 1608 3.7 2222 1.1	3 Su	0438 3.3 1100 1.5 1719 3.3 2336 1.7	18 Mo	0514 3.5 1136 1.3 1802 3.5	3 We	0006 1.7 0610 3.1 1233 1.6 1905 3.3	18 Th	0125 1.3 0745 3.4 1351 1.3 2016 3.7	3 Fr	0044 1.5 0657 3.3 1308 1.4 1929 3.5	18 Sa	0158 1.1 0816 3.6 1421 1.1 2037 3.8
4 Fr	0448 3.5 1108 1.4 1723 3.4 2333 1.5	19 Sa	0432 3.7 1054 1.0 1708 3.6 2326 1.2	4 Mo	0539 3.2 1205 1.5 1831 3.3	19 Tu	0023 1.4 0634 3.4 1252 1.3 1923 3.6	4 Th	0125 1.3 0735 3.3 1348 1.4 2011 3.5	19 Fr	0225 1.1 0844 3.6 1447 1.0 2107 3.9	4 Sa	0147 1.2 0802 3.5 1410 1.2 2024 3.8	19 Su	0247 0.9 0903 3.8 1508 1.0 2120 3.9
5 Sa	0542 3.4 1203 1.4 1821 3.4	20 Su	0534 3.7 1158 1.1 1817 3.6	5 Tu	0053 1.6 0652 3.2 1317 1.5 1945 3.4	20 We	0138 1.3 0754 3.5 1405 1.2 2033 3.7	5 Fr	0225 1.3 0838 3.5 1445 1.2 2101 3.8	20 Sa	0315 0.9 0932 3.8 1535 0.9 2151 4.0	5 Su	0239 0.9 0854 3.8 1502 0.9 2112 4.1	20 Mo	0330 0.8 0945 3.9 1550 0.8 2159 4.0
6 Su	0036 1.5 0638 3.4 1301 1.4 1922 3.4	21 Mo	0037 1.2 0643 3.6 1307 1.1 1930 3.7	6 We	0201 1.5 0806 3.3 1421 1.3 2044 3.6	21 Th	0242 1.1 0859 3.6 1505 1.0 2128 3.9	6 Sa	0314 1.0 0927 3.8 1533 0.9 2146 4.0	21 Su	0359 0.7 1014 4.0 1617 0.7 2230 4.1	6 Mo	0328 0.6 0942 4.1 1549 0.6 2158 4.3	21 Tu	0409 0.7 1022 4.0 1628 0.8 2234 4.0
7 Mo	0138 1.5 0737 3.4 1359 1.3 2020 3.5	22 Tu	0149 1.1 0757 3.6 1416 1.0 2041 3.8	7 Th	0256 1.3 0905 3.5 1514 1.1 2132 3.8	22 Fr	0336 0.9 0953 3.8 1556 0.8 2216 4.1	7 Su	0358 0.7 1011 4.0 1617 0.6 2228 4.2	22 Mo	0438 0.6 1051 4.1 1655 0.7 2304 4.1	7 Tu	0413 0.4 1026 4.3 1635 0.4 2242 4.4	22 We	0445 0.7 1056 4.1 1703 0.8 2306 4.0
8 Tu	0233 1.4 0835 3.5 1452 1.2 2111 3.7	23 We	0254 1.0 0906 3.7 1518 0.9 2141 4.0	8 Fr	0343 1.1 0954 3.7 1600 0.9 2215 4.0	23 Sa	0423 0.7 1038 3.9 1641 0.7 2257 4.2	8 Mo	0441 0.5 1053 4.2 1700 0.5 2309 4.4	23 Tu	0515 0.6 1125 4.1 1730 0.7 2336 4.1	8 We	0458 0.3 1110 4.4 1719 0.3 2326 4.4	23 Th	0519 0.7 1128 4.1 1736 0.8 2337 3.9
9 We	0322 1.2 0926 3.6 1539 1.1 2156 3.8	24 Th	0350 0.9 1005 3.8 1611 0.8 2233 4.1	9 Sa	0426 0.9 1037 3.9 1642 0.7 2255 4.1	24 Su	0505 0.6 1118 4.0 1721 0.6 2324 4.2	9 Tu	0523 0.4 1134 4.3 1742 0.4 2350 4.4	24 We	0549 0.6 1156 4.1 1803 0.7	9 Th	0542 0.3 1153 4.4 1804 0.4	24 Fr	0552 0.7 1158 4.0 1809 0.9
10 Th	0406 1.1 1013 3.7 1622 0.9 2238 3.9	25 Fr	0441 0.7 1056 3.9 1659 0.7 2318 4.1	10 Su	0507 0.7 1118 4.0 1724 0.6 2335 4.2	25 Mo	0543 0.6 1155 4.0 1758 0.7	10 We	0605 0.3 1215 4.3 1824 0.4	25 Th	0006 4.0 0621 0.7 1226 4.0 1835 0.9	10 Fr	0010 4.3 0626 0.4 1237 4.3 1849 0.5	25 Sa	0007 3.8 0624 0.8 1229 3.9 1842 1.0
11 Fr	0448 1.0 1056 3.8 1704 0.8 2317 4.0	26 Sa	0527 0.7 1141 3.9 1743 0.7	11 Mo	0548 0.6 1158 4.1 1804 0.5	26 Tu	0008 4.1 0620 0.7 1228 4.0 1833 0.7	11 Th	0031 4.3 0648 0.4 1257 4.2 1907 0.5	26 Fr	0035 3.9 0652 0.8 1256 3.9 1906 1.0	11 Sa	0055 4.1 0711 0.6 1322 4.1 1937 0.8	26 Su	0040 3.7 0657 1.0 1302 3.8 1917 1.2
12 Sa	0529 0.9 1137 3.8 1744 0.8 2356 4.0	27 Su	0000 4.1 0609 0.7 1222 3.9 1824 0.7	12 Tu	0014 4.3 0629 0.5 1239 4.1 1846 0.5	27 We	0039 4.0 0654 0.8 1259 3.9 1906 0.9	12 Fr	0114 4.2 0731 0.6 1340 4.1 1953 0.7	27 Sa	0106 3.8 0724 1.0 1328 3.8 1939 1.2	12 Su	0142 3.9 0758 0.8 1411 3.9 2029 1.0	27 Mo	0115 3.6 0732 1.1 1339 3.6 1955 1.3
13 Su	0609 0.8 1218 3.9 1825 0.7	28 Mo	0038 4.1 0650 0.8 1300 3.9 1902 0.8	13 We	0054 4.2 0711 0.5 1320 4.1 1928 0.6	28 Th	0110 3.9 0727 0.9 1330 3.8 1938 1.0	13 Sa	0159 4.0 0817 0.8 1427 3.9 2043 1.0	28 Su	0139 3.6 0758 1.1 1404 3.6 2017 1.3	13 Mo	0236 3.6 0850 1.1 1510 3.6 2130 1.2	28 Tu	0155 3.4 0812 1.3 1422 3.5 2042 1.4
14 Mo	0035 4.1 0651 0.8 1259 3.9 1906 0.8	29 Tu	0114 4.0 0728 0.8 1336 3.8 1939 0.9	14 Th	0136 4.1 0754 0.6 1402 4.0 2013 0.8	29 Fr	0141 3.8 0759 1.0 1403 3.7 2012 1.2	14 Su	0249 3.7 0908 1.0 1522 3.7 2142 1.2	29 Mo	0219 3.4 0836 1.3 1447 3.4 2102 1.5	14 Tu	0342 3.4 0952 1.3 1623 3.5 2242 1.4	29 We	0244 3.3 0859 1.4 1515 3.4 2140 1.5
15 Tu	0116 4.1 0733 0.8 1341 3.8 1949 0.8	30 We	0149 3.9 0805 1.0 1411 3.7 2016 1.1	15 Fr	0221 4.0 0840 0.8 1449 3.8 2102 0.9	30 Sa	0215 3.6 0834 1.2 1441 3.5 2050 1.4	15 Mo	0349 3.5 1008 1.3 1631 3.5 2254 1.4	30 Tu	0308 3.3 0924 1.5 1543 3.3 2203 1.7	15 We	0502 3.3 1105 1.4 1742 3.5 2355 1.4	30 Th	0346 3.2 1000 1.5 1623 3.4 2250 1.5
		31 Th	0224 3.7 0843 1.1 1448 3.6 2054 1.3			31 Su	0256 3.5 0914 1.3 1526 3.4 2137 1.6						31 Fr	0501 3.2 1113 1.5 1736 3.4	

Standard Ports

Remember to add 1 hour for Daylight Saving Time. Commences 28 September.

Onehunga

Lat. 36° 56' S., Long. 174° 47' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025/26

November

December

January

February

Time m

Time m

Time m

Time m

Time m

Time m

Time m

Time m

1 Sa	0001 1.4 0614 3.4 1226 1.4 1843 3.6	16 Su	0121 1.2 0739 3.6 1347 1.3 1959 3.7	1 Mo	0024 1.1 0638 3.6 1253 1.2 1902 3.8	16 Tu	0130 1.3 0749 3.5 1401 1.4 2005 3.5	1 Th	0200 1.0 0822 3.8 1438 1.0 2045 3.8	16 Fr	0241 1.3 0903 3.6 1512 1.3 2119 3.5	1 Su	0349 0.8 1012 4.1 1619 0.7 2236 4.0	16 Mo	0347 1.0 1003 3.9 1611 1.0 2224 3.8
2 Su	0105 1.2 0720 3.6 1331 1.2 1942 3.8	17 Mo	0212 1.1 0829 3.7 1437 1.1 2045 3.8	2 Tu	0126 0.9 0742 3.8 1357 1.0 2003 3.9	17 We	0223 1.2 0841 3.6 1451 1.3 2055 3.6	2 Fr	0304 0.8 0926 4.0 1538 0.8 2149 3.9	17 Sa	0330 1.1 0949 3.7 1557 1.2 2205 3.6	2 Mo	0439 0.6 1100 4.2 1707 0.6 2322 4.1	17 Tu	0428 0.8 1041 4.0 1651 0.8 2302 4.0
3 Mo	0202 0.9 0818 3.8 1429 0.9 2037 4.0	18 Tu	0258 0.9 0914 3.8 1521 1.0 2127 3.8	3 We	0226 0.8 0843 4.0 1457 0.8 2102 4.0	18 Th	0310 1.1 0928 3.7 1537 1.2 2140 3.7	3 Sa	0401 0.7 1023 4.1 1632 0.7 2245 4.0	18 Su	0412 1.0 1029 3.9 1637 1.0 2246 3.7	3 Tu	0525 0.5 1143 4.3 1751 0.5	18 We	0506 0.7 1118 4.2 1729 0.6 2340 4.1
4 Tu	0256 0.7 0911 4.1 1522 0.6 2128 4.2	19 We	0339 0.9 0954 3.9 1601 0.9 2205 3.9	4 Th	0322 0.6 0940 4.1 1552 0.6 2159 4.1	19 Fr	0353 1.0 1009 3.8 1617 1.1 2222 3.7	4 Su	0453 0.6 1114 4.2 1723 0.6 2336 4.0	19 Mo	0451 0.9 1106 4.0 1715 0.9 2324 3.8	4 We	0004 4.1 0606 0.5 1222 4.2 1831 0.6	19 Th	0545 0.5 1154 4.3 1808 0.5
5 We	0346 0.5 1001 4.3 1611 0.5 2218 4.3	20 Th	0418 0.8 1031 4.0 1639 0.9 2240 3.9	5 Fr	0415 0.5 1033 4.2 1644 0.5 2253 4.1	20 Sa	0432 0.9 1047 3.9 1656 1.0 2300 3.7	5 Mo	0541 0.5 1201 4.3 1810 0.6	20 Tu	0529 0.8 1141 4.1 1753 0.8	5 Th	0043 4.1 0646 0.6 1259 4.2 1910 0.7	20 Fr	0017 4.1 0624 0.5 1232 4.3 1847 0.5
6 Th	0434 0.3 1049 4.3 1700 0.4 2306 4.3	21 Fr	0454 0.8 1105 4.0 1714 0.9 2315 3.8	6 Sa	0506 0.5 1123 4.3 1734 0.5 2344 4.1	21 Su	0510 0.9 1123 3.9 1733 1.0 2337 3.8	6 Tu	0024 4.0 0627 0.6 1245 4.2 1855 0.6	21 We	0001 3.9 0607 0.7 1217 4.1 1831 0.7	6 Fr	0119 4.0 0723 0.7 1334 4.0 1948 0.8	21 Sa	0055 4.1 0704 0.6 1311 4.2 1928 0.6
7 Fr	0522 0.3 1135 4.3 1747 0.4 2354 4.2	22 Sa	0529 0.8 1138 4.0 1749 1.0 2349 3.8	7 Su	0554 0.5 1212 4.2 1824 0.6	22 Mo	0547 0.8 1158 4.0 1811 0.9	7 We	0108 3.9 0710 4.7 1328 4.1 1939 0.8	22 Th	0038 3.9 0645 0.7 1254 4.1 1910 0.7	7 Sa	0154 3.9 0800 0.9 1408 3.9 2025 1.0	22 Su	0134 4.0 0745 0.7 1352 4.1 2011 0.7
8 Sa	0608 0.4 1222 4.3 1835 0.6	23 Su	0603 0.9 1211 3.9 1825 1.0	8 Mo	0035 4.0 0642 0.6 1300 4.1 1913 0.7	23 Tu	0015 3.7 0624 0.9 1234 3.9 1849 0.9	8 Th	0150 3.8 0752 0.8 1409 4.0 2022 0.9	23 Fr	0116 3.9 0724 0.7 1332 4.1 1950 0.8	8 Su	0229 3.7 0837 1.1 1443 3.7 2102 1.1	23 Mo	0217 3.9 0830 0.9 1436 3.9 2057 0.9
9 Su	0042 4.0 0655 0.6 1310 4.1 1925 0.8	24 Mo	0024 3.7 0638 0.9 1246 3.8 1902 1.1	9 Tu	0124 3.8 0729 0.8 1349 4.0 2002 0.9	24 We	0053 3.7 0702 0.9 1311 3.9 1929 1.0	9 Fr	0232 3.7 0835 1.0 1450 3.8 2106 1.1	24 Sa	0156 3.9 0805 0.8 1413 4.0 2033 0.8	9 Mo	0307 3.6 0916 1.3 1522 3.5 2143 1.3	24 Tu	0304 3.8 0922 1.1 1528 3.7 2150 1.1
10 Mo	0133 3.8 0744 0.8 1401 3.9 2018 1.0	25 Tu	0102 3.6 0716 1.0 1324 3.7 1942 1.2	10 We	0215 3.7 0817 1.0 1439 3.8 2053 1.0	25 Th	0132 3.7 0742 1.0 1351 3.9 2011 1.0	10 Sa	0315 3.6 0919 1.2 1533 3.7 2152 1.2	25 Su	0239 3.8 0850 0.9 1459 3.9 2120 0.9	10 Tu	0352 3.4 1003 1.5 1610 3.4 2233 1.5	25 We	0401 3.6 1023 1.3 1630 3.5 2254 1.3
11 Tu	0228 3.6 0836 1.1 1459 3.7 2116 1.2	26 We	0143 3.5 0756 1.1 1406 3.7 2027 1.3	11 Th	0307 3.6 0907 1.1 1531 3.7 2146 1.2	26 Fr	0215 3.6 0825 1.0 1435 3.8 2057 1.0	11 Su	0401 3.5 1008 1.4 1620 3.5 2241 1.3	26 Mo	0327 3.7 0942 1.1 1550 3.8 2214 1.0	11 We	0448 3.3 1106 1.7 1709 3.2 2337 1.6	26 Th	0514 3.5 1139 1.4 1748 3.4
12 We	0332 3.4 0934 1.3 1604 3.6 2220 1.3	27 Th	0230 3.4 0842 1.3 1456 3.6 2119 1.3	12 Fr	0401 3.5 1002 1.3 1626 3.6 2241 1.3	27 Sa	0302 3.6 0913 1.1 1525 3.8 2148 1.1	12 Mo	0453 3.4 1104 1.5 1713 3.4 2337 1.4	27 Tu	0424 3.6 1042 1.2 1650 3.6 2316 1.2	12 Th	0604 3.2 1229 1.7 1828 3.2	27 Fr	0011 1.3 0641 3.5 1300 1.4 1915 3.4
13 Th	0440 3.4 1039 1.4 1711 3.5 2324 1.3	28 Fr	0325 3.4 0936 1.3 1553 3.6 2218 1.3	13 Sa	0457 3.4 1101 1.4 1721 3.5 2338 1.3	28 Su	0356 3.6 1008 1.2 1620 3.7 2244 1.1	13 Tu	0554 3.3 1210 1.6 1814 3.3	28 We	0531 3.5 1154 1.3 1759 3.5	13 Fr	0057 1.6 0729 3.3 1346 1.6 1953 3.2	28 Sa	0130 1.3 0800 3.6 1411 1.2 2030 3.6
14 Fr	0545 3.4 1146 1.4 1812 3.5	29 Sa	0427 3.4 1039 1.3 1656 3.6 2321 1.2	14 Su	0555 3.4 1202 1.5 1817 3.5	29 Mo	0455 3.6 1111 1.2 1721 3.7 2347 1.1	14 We	0039 1.5 0702 3.3 1319 1.6 1920 3.3	29 Th	0027 1.2 0650 3.5 1312 1.3 1919 3.5	14 Sa	0208 1.5 0833 3.4 1444 1.4 2055 3.4	15 Su	0302 1.3 0922 3.7 1530 1.2 2143 3.6
15 Sa	0025 1.3 0644 3.4 1250 1.4 1908 3.6	30 Su	0533 3.5 1146 1.3 1759 3.7	15 Mo	0035 1.3 0653 3.4 1304 1.4 1912 3.5	30 Tu	0600 3.6 1220 1.2 1826 3.7	15 Th	0143 1.4 0808 3.4 1421 1.5 2025 3.4	30 Fr	0143 1.1 0809 3.7 1424 1.1 2037 3.6	15 Su	0302 1.3 0922 3.7 1530 1.2 2143 3.6		
						31 We	0053 1.1 0711 3.7 1330 1.1 1935 3.7			31 Sa	0251 1.0 0917 3.9 1526 0.9 2142 3.8				

Remember to add 1 hour for Daylight Saving Time.

Onehunga

Lat. 36° 56' S., Long. 174° 47' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2026

March				April				May				June			
Time m		Time m		Time m		Time m		Time m		Time m		Time m		Time m	
1 Su	0237 1.1 0903 3.8 1510 0.9 2129 3.8	16 Mo	0226 1.3 0843 3.6 1455 1.2 2109 3.6	1 We	0356 0.7 1010 4.1 1618 0.6 2232 4.1	16 Th	0325 0.8 0933 4.1 1549 0.6 2202 4.1	1 Fr	0410 0.8 1017 4.0 1628 0.7 2240 4.0	16 Sa	0345 0.7 0950 4.1 1608 0.5 2222 4.2	1 Mo	0502 1.0 1104 3.7 1716 0.9 2327 3.9	16 Tu	0511 0.6 1121 4.0 1731 0.5 2350 4.2
2 Mo	0333 0.8 0954 4.0 1600 0.7 2218 4.0	17 Tu	0315 1.0 0928 3.9 1539 0.9 2153 3.9	2 Th	0437 0.6 1048 4.1 1657 0.6 2309 4.1	17 Fr	0411 0.6 1018 4.2 1634 0.5 2246 4.2	2 Sa	0448 0.8 1053 3.9 1705 0.7 2315 4.0	17 Su	0435 0.5 1041 4.2 1657 0.5 2311 4.3	2 Tu	0538 1.0 1140 3.7 1752 0.9	17 We	0601 0.6 1214 4.0 1821 0.6
3 Tu	0420 0.7 1038 4.2 1645 0.6 2300 4.1	18 We	0358 0.8 1009 4.1 1621 0.7 2234 4.1	3 Fr	0515 0.6 1123 4.1 1734 0.6 2343 4.1	18 Sa	0456 0.5 1103 4.3 1718 0.4 2330 4.3	3 Su	0524 0.8 1126 3.9 1740 0.8 2348 4.0	18 Mo	0524 0.5 1131 4.1 1746 0.5	3 We	0001 3.9 0615 1.0 1215 3.7 1827 1.0	18 Th	0039 4.2 0651 0.6 1305 3.9 1909 0.7
4 We	0503 0.6 1118 4.2 1726 0.5 2339 4.1	19 Th	0440 0.6 1049 4.2 1702 0.5 2313 4.2	4 Sa	0550 0.7 1155 4.0 1808 0.7	19 Su	0541 0.4 1147 4.2 1803 0.4	4 Mo	0559 0.9 1158 3.8 1813 0.9	19 Tu	0000 4.2 0613 0.6 1222 4.0 1834 0.6	4 Th	0036 3.8 0651 1.1 1253 3.6 1904 1.1	19 Fr	0129 4.1 0741 0.7 1356 3.8 1957 0.8
5 Th	0542 0.5 1154 4.2 1803 0.6	20 Fr	0521 0.5 1128 4.3 1743 0.4 2353 4.3	5 Su	0015 4.0 0624 0.8 1225 3.9 1841 0.8	20 Mo	0014 4.3 0627 0.5 1233 4.1 1848 0.5	5 Tu	0020 3.9 0633 1.0 1231 3.7 1847 1.0	20 We	0049 4.1 0703 0.7 1314 3.9 1923 0.7	5 Fr	0112 3.8 0730 1.2 1332 3.5 1942 1.1	20 Sa	0218 4.0 0831 0.9 1447 3.7 2047 1.0
6 Fr	0014 4.1 0618 0.6 1227 4.1 1839 0.6	21 Sa	0602 0.4 1209 4.3 1824 0.4	6 Mo	0045 3.9 0656 0.9 1256 3.8 1913 0.9	21 Tu	0100 4.1 0714 0.7 1320 3.9 1935 0.7	6 We	0053 3.8 0708 1.1 1306 3.6 1922 1.1	21 Th	0141 4.0 0756 0.8 1409 3.7 2014 0.9	6 Sa	0152 3.7 0811 1.2 1416 3.5 2025 1.2	21 Su	0309 3.8 0922 1.0 1539 3.6 2139 1.1
7 Sa	0046 4.0 0653 0.7 1258 4.0 1913 0.8	22 Su	0033 4.2 0644 0.5 1250 4.2 1907 0.5	7 Tu	0116 3.8 0729 1.1 1329 3.7 1946 1.1	22 We	0148 4.0 0805 0.9 1413 3.7 2026 0.9	7 Th	0128 3.7 0745 1.2 1346 3.5 2000 1.2	22 Fr	0236 3.9 0851 1.0 1508 3.6 2110 1.1	7 Su	0237 3.6 0858 1.2 1504 3.4 2113 1.3	22 Mo	0401 3.7 1015 1.1 1632 3.6 2235 1.3
8 Su	0117 3.9 0726 0.9 1329 3.9 1946 0.9	23 Mo	0115 4.1 0728 0.6 1333 4.0 1951 0.7	8 We	0151 3.7 0805 1.3 1406 3.5 2023 1.3	23 Th	0243 3.8 0902 1.1 1513 3.6 2123 1.2	8 Fr	0209 3.6 0828 1.4 1431 3.4 2044 1.4	23 Sa	0336 3.7 0950 1.1 1610 3.5 2210 1.2	8 Mo	0327 3.6 0949 1.3 1559 3.4 2208 1.3	23 Tu	0454 3.6 1108 1.2 1726 3.5 2333 1.4
9 Mo	0149 3.8 0759 1.1 1401 3.7 2019 1.1	24 Tu	0159 4.0 0815 0.9 1420 3.8 2039 0.9	9 Th	0231 3.5 0847 1.4 1451 3.3 2106 1.4	24 Fr	0348 3.6 1007 1.2 1625 3.4 2230 1.3	9 Sa	0258 3.5 0919 1.4 1526 3.3 2137 1.5	24 Su	0438 3.7 1051 1.2 1711 3.5 2312 1.3	9 Tu	0423 3.6 1046 1.2 1657 3.5 2310 1.3	24 We	0548 3.5 1204 1.2 1822 3.5
10 Tu	0223 3.6 0835 1.3 1438 3.5 2056 1.3	25 We	0249 3.8 0909 1.1 1515 3.6 2134 1.1	10 Fr	0322 3.4 0941 1.6 1549 3.2 2203 1.6	25 Sa	0502 3.5 1117 1.3 1738 3.4 2341 1.3	10 Su	0357 3.4 1020 1.5 1631 3.3 2241 1.5	25 Mo	0538 3.6 1150 1.2 1809 3.5	10 We	0522 3.6 1146 1.2 1759 3.6	25 Th	0034 1.4 0643 3.5 1301 1.2 1920 3.5
11 We	0304 3.5 0917 1.5 1523 3.3 2141 1.5	26 Th	0351 3.6 1015 1.3 1624 3.4 2241 1.3	11 Sa	0428 3.3 1053 1.7 1703 3.1 2318 1.6	26 Su	0611 3.6 1223 1.2 1844 3.5	11 Mo	0502 3.4 1126 1.4 1739 3.3 2350 1.4	26 Tu	0015 1.3 0634 3.6 1247 1.1 1905 3.6	11 Th	0015 1.2 0623 3.7 1248 1.1 1902 3.7	26 Fr	0134 1.4 0739 3.5 1357 1.2 2016 3.6
12 Th	0356 3.3 1013 1.7 1621 3.2 2241 1.6	27 Fr	0510 3.5 1131 1.4 1748 3.3 2359 1.4	12 Su	0547 3.3 1211 1.6 1825 3.2	27 Mo	0049 1.3 0712 3.7 1323 1.1 1942 3.6	12 Tu	0606 3.5 1229 1.3 1843 3.5	27 We	0114 1.2 0728 3.7 1341 1.1 1959 3.7	12 Fr	0121 1.1 0725 3.8 1350 0.9 2006 3.8	27 Sa	0229 1.3 0833 3.5 1449 1.1 2107 3.7
13 Fr	0508 3.2 1135 1.8 1740 3.1	28 Sa	0632 3.5 1246 1.3 1906 3.4	13 Mo	0037 1.5 0657 3.4 1317 1.4 1932 3.4	28 Tu	0149 1.1 0807 3.8 1417 1.0 2035 3.8	13 We	0056 1.3 0706 3.7 1328 1.1 1943 3.7	28 Th	0209 1.2 0818 3.7 1431 1.0 2048 3.8	13 Sa	0224 1.0 0827 3.9 1450 0.8 2107 4.0	28 Su	0318 1.2 0923 3.6 1535 1.1 2152 3.8
14 Sa	0004 1.7 0639 3.2 1301 1.7 1913 3.2	29 Su	0114 1.3 0742 3.6 1352 1.1 2012 3.6	14 Tu	0142 1.3 0755 3.6 1412 1.1 2027 3.7	29 We	0242 1.0 0855 3.9 1505 0.9 2121 3.9	14 Th	0157 1.1 0803 3.9 1424 0.9 2039 3.9	29 Fr	0258 1.1 0905 3.7 1518 0.9 2133 3.8	14 Su	0323 0.8 0929 4.0 1547 0.6 2205 4.1	29 Mo	0402 1.1 1008 3.6 1618 1.0 2233 3.9
15 Su	0126 1.5 0751 3.4 1405 1.4 2019 3.4	30 Mo	0217 1.1 0839 3.8 1447 0.9 2106 3.8	15 We	0236 1.1 0846 3.9 1502 0.9 2116 3.9	30 Th	0328 0.9 0938 3.9 1548 0.8 2203 4.0	15 Fr	0252 0.8 0857 4.0 1517 0.7 2132 4.1	30 Sa	0343 1.0 0947 3.8 1600 0.9 2214 3.9	15 Mo	0418 0.6 1027 4.0 1641 0.6 2258 4.2	30 Tu	0443 1.0 1048 3.7 1657 0.9 2310 3.9
		31 Tu	0310 0.9 0928 4.0 1535 0.8 2152 4.0							31 Su	0424 1.0 1027 3.8 1639 0.9 2252 3.9				

Standard Ports

Remember to add 1 hour for Daylight Saving Time. Finishes 5 April.

Picton

Lat. 41° 17' S., Long. 174° 00' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025

July			August			September			October		
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 Tu	0040 1.4 0617 0.3 1304 1.3 1829 0.3	16 We	0025 1.6 0552 0.2 1250 1.4 1816 0.2	1 Fr	0113 1.4 0705 0.3 1331 1.4 1911 0.3	16 Sa	0121 1.5 0651 0.2 1328 1.4 1913 0.3	1 Mo	0137 1.2 0736 0.4 1355 1.3 1945 0.5	16 Tu	0225 1.1 0758 0.5 1357 1.2 2111 0.6
2 We	0114 1.4 0702 0.3 1340 1.3 1912 0.4	17 Th	0105 1.5 0635 0.2 1326 1.3 1858 0.3	2 Sa	0147 1.3 0746 0.3 1405 1.3 1953 0.4	17 Su	0205 1.3 0736 0.3 1400 1.3 2008 0.4	2 Tu	0223 1.1 0824 0.5 1438 1.2 2106 0.6	17 We	0347 1.0 0909 0.6 1700 1.0 2307 0.6
3 Th	0152 1.3 0750 0.4 1418 1.3 1959 0.4	18 Fr	0149 1.4 0721 0.2 1404 1.3 1946 0.3	3 Su	0229 1.2 0832 0.4 1445 1.2 2051 0.5	18 Mo	0259 1.2 0828 0.4 1439 1.2 2133 0.5	3 We	0333 1.0 0940 0.6 1600 1.1 2309 0.6	18 Th	0549 1.0 1042 0.6 1923 1.1
4 Fr	0237 1.3 0841 0.4 1501 1.2 2054 0.5	19 Sa	0239 1.4 0811 0.3 1447 1.2 2046 0.4	4 Mo	0323 1.1 0926 0.5 1539 1.1 2219 0.6	19 Tu	0411 1.1 0933 0.5 1636 1.1 2317 0.6	4 Th	0523 1.0 1119 0.7 1848 1.1	19 Fr	0027 0.5 0726 1.1 1213 0.6 2014 1.3
5 Sa	0332 1.2 0935 0.4 1553 1.2 2203 0.5	20 Su	0339 1.3 0907 0.4 1545 1.2 2206 0.5	5 Tu	0432 1.1 1034 0.6 1710 1.1 2347 0.6	20 We	0543 1.1 1053 0.6 1933 1.1	5 Fr	0026 0.5 0722 1.1 1243 0.6 2001 1.2	20 Sa	0121 0.4 0823 1.2 1325 0.5 2052 1.4
6 Su	0434 1.2 1031 0.5 1700 1.2 2317 0.5	21 Mo	0447 1.2 1009 0.5 1732 1.1 2332 0.5	6 We	0554 1.1 1149 0.6 1914 1.1	21 Th	0037 0.5 0722 1.1 1216 0.6 2033 1.3	6 Sa	0119 0.4 0828 1.2 1345 0.5 2044 1.4	21 Su	0202 0.3 0904 1.4 1415 0.4 2125 1.5
7 Mo	0537 1.1 1128 0.5 1824 1.2	22 Tu	0601 1.2 1116 0.5 1928 1.2	7 Th	0053 0.5 0721 1.1 1301 0.6 2022 1.3	22 Fr	0136 0.4 0833 1.2 1331 0.5 2115 1.4	7 Su	0201 0.3 0912 1.3 1431 0.4 2121 1.5	22 Mo	0239 0.2 0938 1.5 1442 0.2 2154 1.6
8 Tu	0022 0.5 0640 1.2 1226 0.5 1941 1.2	23 We	0044 0.4 0717 1.2 1226 0.5 2037 1.3	8 Fr	0143 0.4 0834 1.2 1403 0.5 2107 1.4	23 Sa	0222 0.3 0923 1.3 1429 0.4 2151 1.5	8 Mo	0238 0.2 0950 1.4 1508 0.2 2156 1.6	23 Tu	0312 0.2 1009 1.5 1527 0.2 2220 1.6
9 We	0116 0.4 0740 1.2 1323 0.5 2037 1.3	24 Th	0143 0.4 0827 1.2 1333 0.5 2126 1.4	9 Sa	0224 0.3 0926 1.3 1451 0.4 2144 1.5	24 Su	0301 0.2 1003 1.4 1514 0.3 2223 1.6	9 Tu	0315 0.1 1025 1.5 1543 0.1 2230 1.7	24 We	0345 0.1 1036 1.6 1557 0.1 2244 1.6
10 Th	0202 0.4 0836 1.2 1416 0.5 2121 1.4	25 Fr	0232 0.3 0927 1.3 1434 0.4 2207 1.5	10 Su	0302 0.2 1009 1.4 1530 0.3 2220 1.6	25 Mo	0337 0.2 1036 1.5 1551 0.2 2252 1.6	10 We	0350 0.1 1058 1.6 1617 0.1 2305 1.7	25 Th	0416 0.1 1101 1.6 1627 0.1 2306 1.5
11 Fr	0242 0.3 0927 1.3 1504 0.4 2200 1.5	26 Sa	0316 0.2 1016 1.3 1525 0.3 2244 1.5	11 Mo	0338 0.1 1046 1.4 1606 0.2 2254 1.6	26 Tu	0412 0.1 1106 1.5 1624 0.2 2318 1.6	11 Th	0427 0.0 1129 1.6 1651 0.0 2339 1.7	26 Fr	0447 0.1 1126 1.6 1656 0.1 2330 1.5
12 Sa	0319 0.2 1014 1.3 1546 0.4 2236 1.5	27 Su	0356 0.2 1057 1.4 1609 0.3 2317 1.6	12 Tu	0414 0.1 1121 1.5 1640 0.2 2329 1.7	27 We	0445 0.1 1132 1.5 1656 0.1 2342 1.6	12 Fr	0504 0.1 1200 1.6 1727 0.1	27 Sa	0517 0.2 1152 1.5 1724 0.2 2355 1.4
13 Su	0356 0.2 1056 1.3 1623 0.3 2311 1.6	28 Mo	0435 0.2 1132 1.4 1648 0.2 2347 1.5	13 We	0451 0.1 1154 1.5 1715 0.1	28 Th	0518 0.1 1158 1.5 1726 0.2	13 Sa	0014 1.6 0542 0.1 1229 1.5 1804 0.2	28 Su	0548 0.2 1219 1.5 1754 0.2
14 Mo	0433 0.2 1136 1.4 1700 0.3 2347 1.6	29 Tu	0512 0.2 1203 1.4 1724 0.2	14 Th	0004 1.6 0529 0.1 1226 1.5 1751 0.1	29 Fr	0006 1.5 0550 0.2 1224 1.5 1757 0.2	14 Su	0052 1.4 0622 0.2 1258 1.4 1846 0.3	29 Mo	0023 1.3 0619 0.3 1248 1.4 1827 0.3
15 Tu	0512 0.1 1213 1.4 1737 0.2	30 We	0015 1.5 0549 0.1 1232 1.4 1759 0.2	15 Fr	0041 1.6 0609 0.1 1257 1.4 1830 0.2	30 Sa	0032 1.4 0623 0.2 1251 1.4 1828 0.3	15 Mo	0133 1.3 0706 0.3 1326 1.3 1939 0.4	30 Tu	0056 1.2 0655 0.4 1320 1.3 1907 0.5
		31 Th	0043 1.5 0627 0.2 1301 1.4 1834 0.3			31 Su	0101 1.3 0658 0.3 1321 1.4 1902 0.4				

Remember to add 1 hour for Daylight Saving Time. Commences 28 September.

Picton

Lat. 41° 17' S., Long. 174° 00' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025/26

November			December			January			February													
	Time	m		Time	m		Time	m		Time	m		Time	m								
1 Sa	0427 1.0 1007 0.6 1712 1.1 2254 0.5		16 Su	0610 1.1 1119 0.6 1847 1.2		1 Mo	0510 1.1 1045 0.5 1740 1.2 2303 0.4		16 Tu	0602 1.1 1141 0.5 1830 1.2 2359 0.5		1 Th	0717 1.2 1238 0.5 1912 1.2		16 Fr	0011 0.6 0746 1.2 1311 0.5 1941 1.1		1 Su	0119 0.5 0919 1.4 1426 0.3 2123 1.3		16 Mo	0213 0.5 0908 1.3 1422 0.4 2132 1.2
2 Su	0618 1.1 1134 0.6 1834 1.3 2356 0.4		17 Mo	0002 0.4 0711 1.2 1227 0.5 1933 1.3		2 Tu	0637 1.2 1201 0.5 1845 1.3		17 We	0714 1.2 1244 0.5 1922 1.2		2 Fr	0023 0.5 0828 1.3 1340 0.4 2017 1.3		17 Sa	0121 0.5 0843 1.3 1401 0.4 2045 1.2		2 Mo	0229 0.4 0959 1.5 1510 0.3 2210 1.4		17 Tu	0259 0.4 0941 1.5 1458 0.3 2207 1.4
3 Mo	0726 1.2 1241 0.5 1930 1.4		18 Tu	0050 0.4 0759 1.3 1319 0.4 2010 1.4		3 We	0002 0.4 0744 1.3 1303 0.4 1941 1.4		18 Th	0053 0.4 0810 1.3 1335 0.4 2008 1.3		3 Sa	0128 0.4 0921 1.4 1431 0.3 2116 1.3		18 Su	0223 0.5 0923 1.4 1441 0.4 2134 1.2		3 Tu	0322 0.3 1036 1.6 1549 0.2 2249 1.4		18 We	0331 0.3 1012 1.6 1530 0.2 2239 1.4
4 Tu	0048 0.3 0816 1.3 1332 0.3 2016 1.5		19 We	0133 0.3 0838 1.4 1401 0.3 2043 1.4		4 Th	0057 0.4 0837 1.4 1354 0.3 2032 1.4		19 Fr	0145 0.4 0854 1.4 1417 0.3 2051 1.3		4 Su	0229 0.4 1005 1.5 1517 0.2 2209 1.4		19 Mo	0311 0.4 0958 1.5 1516 0.3 2215 1.3		4 We	0403 0.3 1109 1.6 1626 0.1 2324 1.5		19 Th	0400 0.2 1044 1.6 1603 0.1 2309 1.5
5 We	0134 0.2 0858 1.5 1416 0.2 2058 1.6		20 Th	0213 0.3 0913 1.5 1437 0.2 2114 1.4		5 Fr	0149 0.3 0924 1.5 1440 0.2 2120 1.5		20 Sa	0233 0.4 0931 1.4 1454 0.3 2131 1.3		5 Mo	0323 0.3 1044 1.6 1559 0.2 2255 1.4		20 Tu	0348 0.4 1030 1.5 1550 0.2 2251 1.4		5 Th	0438 0.2 1139 1.6 1701 0.1 2354 1.5		20 Fr	0429 0.2 1115 1.7 1636 0.1 2339 1.5
6 Th	0217 0.2 0938 1.5 1456 0.1 2138 1.6		21 Fr	0251 0.3 0945 1.5 1510 0.2 2144 1.4		6 Sa	0239 0.3 1006 1.5 1523 0.1 2206 1.4		21 Su	0315 0.4 1005 1.5 1528 0.2 2209 1.3		6 Tu	0410 0.3 1121 1.6 1639 0.2 2337 1.4		21 We	0419 0.3 1102 1.6 1623 0.2 2324 1.4		6 Fr	0512 0.2 1207 1.6 1736 0.1		21 Sa	0459 0.1 1147 1.7 1711 0.1
7 Fr	0259 0.2 1015 1.6 1535 0.1 2217 1.6		22 Sa	0327 0.2 1015 1.5 1542 0.2 2214 1.4		7 Su	0327 0.3 1045 1.6 1604 0.1 2251 1.4		22 Mo	0353 0.3 1037 1.5 1601 0.2 2246 1.3		7 We	0452 0.2 1156 1.6 1719 0.2		22 Th	0449 0.2 1133 1.6 1657 0.1 2356 1.4		7 Sa	0021 1.5 0544 0.2 1233 1.5 1811 0.2		22 Su	0007 1.5 0532 0.1 1220 1.6 1747 0.1
8 Sa	0340 0.1 1051 1.6 1614 0.1 2256 1.5		23 Su	0401 0.3 1045 1.5 1613 0.2 2245 1.4		8 Mo	0413 0.2 1123 1.6 1646 0.2 2336 1.4		23 Tu	0428 0.3 1109 1.5 1635 0.2 2323 1.3		8 Th	0014 1.4 0531 0.2 1229 1.5 1759 0.2		23 Fr	0521 0.2 1206 1.6 1732 0.1		8 Su	0046 1.5 0617 0.2 1258 1.4 1846 0.2		23 Mo	0035 1.5 0606 0.1 1255 1.5 1825 0.2
9 Su	0422 0.2 1126 1.6 1653 0.1 2336 1.4		24 Mo	0435 0.3 1115 1.5 1645 0.2 2317 1.3		9 Tu	0458 0.3 1200 1.5 1729 0.2		24 We	0501 0.3 1142 1.5 1710 0.2 2359 1.3		9 Fr	0048 1.4 0609 0.2 1300 1.5 1840 0.2		24 Sa	0026 1.4 0554 0.2 1241 1.6 1810 0.1		9 Mo	0112 1.4 0650 0.3 1326 1.4 1923 0.3		24 Tu	0102 1.4 0644 0.2 1334 1.4 1906 0.3
10 Mo	0504 0.2 1200 1.5 1734 0.2		25 Tu	0508 0.3 1146 1.5 1719 0.2 2352 1.3		10 We	0020 1.3 0542 0.3 1237 1.5 1814 0.3		25 Th	0535 0.3 1216 1.5 1748 0.2		10 Sa	0120 1.3 0648 0.3 1333 1.4 1923 0.3		25 Su	0057 1.4 0629 0.2 1318 1.5 1851 0.2		10 Tu	0141 1.3 0727 0.4 1359 1.3 2003 0.4		25 We	0129 1.3 0728 0.4 1419 1.3 1952 0.4
11 Tu	0018 1.3 0548 0.3 1234 1.4 1821 0.3		26 We	0544 0.3 1219 1.4 1758 0.3		11 Th	0104 1.3 0626 0.3 1315 1.4 1904 0.3		26 Fr	0035 1.3 0611 0.3 1253 1.5 1830 0.2		11 Su	0152 1.3 0729 0.4 1410 1.3 2009 1.4		26 Mo	0128 1.3 0709 0.3 1400 1.4 1935 0.3		11 We	0213 1.3 0811 0.5 1442 1.2 2052 0.5		26 Th	0155 1.2 0831 0.5 1520 1.1 2049 0.5
12 We	0105 1.2 0635 0.4 1312 1.3 1918 0.4		27 Th	0031 1.2 0623 0.4 1257 1.4 1843 0.3		12 Fr	0149 1.2 0714 0.4 1400 1.3 2000 0.4		27 Sa	0113 1.3 0651 0.3 1336 1.4 1916 0.3		12 Mo	0228 1.2 0817 0.5 1455 1.2 2100 0.4		27 Tu	0159 1.3 0757 0.4 1452 1.3 2024 0.4		12 Th	0254 1.1 0929 0.6 1545 1.1 2159 0.6		27 Fr	0223 1.1 1024 0.6 1657 1.0 2208 0.6
13 Th	0202 1.1 0730 0.5 1405 1.2 2033 0.5		28 Fr	0116 1.2 0708 0.4 1344 1.3 1938 0.4		13 Sa	0237 1.2 0807 0.5 1500 1.2 2101 0.5		28 Su	0153 1.2 0737 0.4 1428 1.3 2008 0.3		13 Tu	0312 1.2 0920 0.5 1554 1.1 2157 0.5		28 We	0235 1.2 0905 0.5 1558 1.2 2123 0.5		13 Fr	0407 1.0 1122 0.7 1721 1.0 2328 0.7		28 Sa	0712 1.1 1210 0.6 1902 1.0 2344 0.6
14 Fr	0319 1.1 0837 0.6 1600 1.1 2156 0.5		29 Sa	0213 1.1 0805 0.5 1452 1.2 2046 0.4		14 Su	0334 1.1 0911 0.5 1615 1.2 2203 0.5		29 Mo	0240 1.2 0835 0.5 1533 1.3 2106 0.4		14 We	0415 1.1 1044 0.6 1706 1.1 2302 0.5		29 Th	0337 1.1 1046 0.6 1721 1.1 2235 0.6		14 Sa	0724 1.1 1244 0.6 1934 1.0			
15 Sa	0449 1.1 0958 0.6 1745 1.1 2306 0.5		30 Su	0332 1.1 0920 0.6 1620 1.2 2157 0.5		15 Mo	0443 1.1 1027 0.6 1728 1.2 2303 0.5		30 Tu	0346 1.1 0952 0.5 1647 1.2 2210 0.4		15 Th	0601 1.1 1206 0.6 1825 1.1		30 Fr	0709 1.1 1221 0.5 1856 1.1 2357 0.6		15 Su	0059 0.6 0830 1.2 1341 0.5 2048 1.1			
									31 We	0531 1.1 1121 0.5 1801 1.2 2316 0.5					31 Sa	0829 1.2 1332 0.5 2021 1.2						

Standard Ports

Remember to add 1 hour for Daylight Saving Time.

Picton

Lat. 41° 17' S., Long. 174° 00' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2026

March

April

May

June

Time		m		Time		m		Time		m		Time		m		Time		m				
0821	1.2	16 Mo	0027	0.7	1	0159	0.4	16	0143	0.4	1	0206	0.3	16	0149	0.3	1	0253	0.2	16	0259	0.2
1322	0.5		0754	1.2		0912	1.5		0829	1.4		0905	1.4		0830	1.5		0930	1.3		0944	1.4
2024	1.2		1305	0.5		1423	0.3		1344	0.3		1421	0.3		1346	0.3		1509	0.3		1501	0.3
			2028	1.1		2127	1.4		2108	1.4		2126	1.5		2116	1.4		2204	1.5		2228	1.5
0116	0.6	17 Tu	0141	0.6	2	0240	0.3	17	0224	0.3	2	0243	0.2	17	0233	0.2	2	0328	0.2	17	0344	0.2
0905	1.4		0836	1.3		0944	1.5		0908	1.5		0935	1.5		0915	1.5		1004	1.3		1036	1.4
1413	0.4		1349	0.4		1458	0.2		1424	0.2		1459	0.2		1432	0.3		1549	0.3		1552	0.3
2115	1.3		2108	1.3		2159	1.5		2144	1.5		2157	1.5		2157	1.5		2235	1.5		2310	1.5
0224	0.4	18 We	0226	0.4	3	0315	0.2	18	0301	0.2	3	0317	0.2	18	0315	0.1	3	0402	0.2	18	0428	0.2
0942	1.5		0911	1.5		1012	1.6		0945	1.6		1002	1.5		0958	1.5		1038	1.3		1125	1.4
1454	0.3		1426	0.3		1532	0.2		1503	0.2		1535	0.2		1518	0.2		1627	0.3		1641	0.3
2155	1.4		2142	1.4		2228	1.6		2219	1.6		2226	1.5		2236	1.5		2307	1.5		2350	1.5
0308	0.3	19 Th	0300	0.3	4	0346	0.1	19	0337	0.1	4	0350	0.2	19	0356	0.1	4	0435	0.2	19	0512	0.2
1015	1.6		0944	1.6		1038	1.6		1023	1.6		1029	1.4		1042	1.5		1113	1.3		1213	1.4
1529	0.2		1501	0.2		1605	0.2		1542	0.2		1610	0.2		1603	0.2		1703	0.3		1727	0.3
2229	1.5		2214	1.5		2254	1.6		2253	1.6		2253	1.5		2315	1.5		2339	1.5			
0343	0.2	20 Fr	0332	0.2	5	0417	0.1	20	0413	0.1	5	0421	0.2	20	0437	0.1	5	0511	0.2	20	0030	1.5
1045	1.6		1017	1.6		1102	1.5		1100	1.6		1056	1.4		1127	1.4		1150	1.3		0558	0.2
1603	0.1		1535	0.1		1637	0.2		1622	0.2		1644	0.3		1649	0.3		1739	0.4		1258	1.3
2259	1.5		2245	1.5		2319	1.6		2326	1.6		2321	1.5		2353	1.5					1812	0.3
0415	0.1	21 Sa	0403	0.1	6	0446	0.1	21	0451	0.1	6	0453	0.2	21	0521	0.2	6	0013	1.4	21	0110	1.4
1112	1.6		1050	1.7		1125	1.5		1138	1.5		1124	1.3		1214	1.3		0548	0.3		0647	0.3
1635	0.1		1610	0.1		1709	0.2		1703	0.2		1718	0.3		1735	0.3		1230	1.2		1341	1.3
2325	1.6		2315	1.6		2344	1.5		2359	1.5		2350	1.5					1816	0.4		1859	0.3
0445	0.1	22 Su	0436	0.1	7	0516	0.2	22	0530	0.2	7	0525	0.2	22	0032	1.4	7	0050	1.4	22	0154	1.4
1136	1.6		1124	1.6		1149	1.4		1219	1.4		1156	1.3		0608	0.3		0631	0.3		0738	0.3
1707	0.1		1646	0.1		1741	0.3		1745	0.3		1752	0.4		1304	1.3		1312	1.2		1424	1.3
2350	1.6		2345	1.6											1824	0.4		1857	0.4		1948	0.4
0515	0.1	23 Mo	0509	0.1	8	0010	1.5	23	0032	1.4	8	0021	1.4	23	0115	1.4	8	0133	1.3	23	0243	1.3
1159	1.5		1158	1.6		0546	0.2		0613	0.3		0601	0.3		0702	0.4		0720	0.4		0833	0.4
1739	0.2		1723	0.1		1216	1.3		1303	1.3		1232	1.2		1359	1.2		1359	1.2		1509	1.2
						1813	0.3		1830	0.4		1830	0.4		1916	0.4		1946	0.5		2044	0.5
0013	1.5	24 Tu	0014	1.5	9	0038	1.4	24	0107	1.3	9	0056	1.3	24	0207	1.3	9	0227	1.3	24	0341	1.2
0545	0.2		0545	0.1		0619	0.3		0706	0.4		0643	0.4		0806	0.4		0816	0.4		0929	0.4
1222	1.5		1234	1.5		1247	1.2		1356	1.2		1314	1.2		1459	1.2		1453	1.1		1602	1.2
1811	0.2		1802	0.2		1848	0.4		1923	0.5		1914	0.5		2015	0.5		2046	0.5		2150	0.5
0038	1.5	25 We	0042	1.4	10	0109	1.3	25	0149	1.2	10	0139	1.3	25	0322	1.2	10	0335	1.2	25	0443	1.2
0615	0.2		0624	0.2		0657	0.4		0819	0.5		0738	0.5		0917	0.5		0917	0.4		1025	0.4
1248	1.4		1313	1.3		1325	1.1		1510	1.1		1409	1.1		1606	1.1		1602	1.1		1706	1.2
1844	0.3		1843	0.3		1930	0.5		2027	0.6		2012	0.6		2124	0.5		2200	0.5		2301	0.5
0105	1.4	26 Th	0110	1.3	11	0146	1.2	26	0330	1.1	11	0239	1.2	26	0449	1.2	11	0449	1.2	26	0544	1.2
0647	0.3		0711	0.4		0752	0.5		0952	0.6		0852	0.5		1022	0.5		1019	0.4		1120	0.5
1317	1.3		1359	1.2		1417	1.1		1647	1.0		1529	1.0		1717	1.1		1727	1.1		1822	1.2
1919	0.4		1931	0.4		2032	0.6		2148	0.6		2129	0.6		2237	0.5		2316	0.5			
0134	1.3	27 Fr	0138	1.2	12	0242	1.1	27	0556	1.1	12	0414	1.1	27	0600	1.2	12	0557	1.3	27	0007	0.5
0723	0.5		0820	0.5		0933	0.6		1111	0.5		1009	0.5		1119	0.5		1119	0.4		0642	1.2
1354	1.2		1505	1.1		1555	1.0		1817	1.1		1711	1.1		1825	1.2		1851	1.2		1215	0.5
2000	0.5		2032	0.6		2209	0.7		2313	0.6		2252	0.6		2345	0.5					1933	1.2
0209	1.2	28 Sa	0214	1.1	13	0501	1.1	28	0706	1.2	13	0545	1.2	28	0655	1.2	13	0024	0.4	28	0104	0.4
0819	0.6		1013	0.6		1108	0.6		1211	0.5		1114	0.5		1210	0.4		0659	1.3		0736	1.2
1446	1.0		1658	1.0		1824	1.0		1923	1.2		1838	1.1		1924	1.3		1217	0.4		1310	0.4
2103	0.6		2158	0.6		2342	0.6		●			○						2000	1.3		2028	1.3
0302	1.1	29 Su	0648	1.1	14	0652	1.2	29	0026	0.5	14	0003	0.5	29	0044	0.4	14	0122	0.3	29	0151	0.4
1027	0.7		1149	0.6		1212	0.5		0753	1.3		0650	1.3		0741	1.3		0757	1.3		0826	1.2
1627	1.0		1855	1.1		1941	1.1		1259	0.4		1209	0.4		1258	0.4		1313	0.4		1403	0.4
2248	0.7		2335	0.6					2011	1.3		1941	1.2		2012	1.3		2056	1.4		2112	1.4
0620	1.0	30 Mo	0753	1.2	15	0052	0.5	30	0122	0.4	15	0101	0.4	30	0133	0.4	15	0213	0.3	30	0233	0.3
1204	0.6		1255	0.5		0747	1.3		0831	1.4		0743	1.4		0820	1.3		0851	1.4		0913	1.3
1921	1.0		2003	1.2		1301	0.4		1342	0.3		1259	0.3		1343	0.4		1408	0.3		1453	0.4
						2029	1.3		2051	1.4		2032	1.4		2054	1.4		2144	1.5		2150	1.4
		31 Tu	0059	0.5										31 Su	0215	0.3						
			0836	1.4												0856	1.3					
			1344	0.4												1427	0.3					
			2049	1.3												2130	1.5					

Remember to add 1 hour for Daylight Saving Time. Finishes 5 April.

Port Chalmers

Lat. 45° 49'S., Long. 170° 39'E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025

July				August				September				October											
	Time	m		Time	m		Time	m		Time	m		Time	m		Time	m						
1 Tu	0158	0.4	16 We	0112	0.4	1 Fr	0253	0.6	16 Sa	0239	0.4	1 Mo	0356	0.6	16 Tu	0437	0.4	1 We	0411	0.6	16 Th	0522	0.3
	0810	1.9		0723	1.9		0912	1.8		0901	2.0		1015	1.7		1056	2.0		1029	1.8		1137	2.0
	1420	0.4		1335	0.3		1517	0.6		1513	0.4		1632	0.7		1719	0.4		1650	0.6		1758	0.4
	2035	1.9		1949	2.0		2134	1.7		2131	1.9		2243	1.6		2326	1.9		2257	1.7			
2 We	0249	0.5	17 Th	0203	0.4	2 Sa	0345	0.6	17 Su	0342	0.4	2 Tu	0453	0.6	17 We	0539	0.3	2 Th	0505	0.6	17 Fr	0002	2.0
	0905	1.8		0819	1.9		1004	1.7		1004	2.0		1109	1.8		1156	2.0		1121	1.8		0617	0.3
	1510	0.5		1428	0.4		1613	0.6		1620	0.4		1732	0.6		1819	0.4		1743	0.5		1230	2.0
	2128	1.8		2047	1.9		2228	1.7		2236	1.9		2335	1.7					2346	1.8		1847	0.3
3 Th	0341	0.5	18 Fr	0258	0.4	3 Su	0440	0.6	18 Mo	0447	0.4	3 We	0546	0.6	18 Th	0022	2.0	3 Fr	0555	0.5	18 Sa	0051	2.0
	0957	1.8		0918	2.0		1056	1.7		1108	2.0		1200	1.8		0636	0.3		1211	1.9		0706	0.3
	1603	0.6		1527	0.4		1712	0.6		1728	0.4		1823	0.6		1251	2.1		1829	0.5		1318	2.0
	2220	1.8		2147	1.9		2321	1.7		2338	1.9					1910	0.3					1931	0.3
4 Fr	0433	0.5	19 Sa	0358	0.4	4 Mo	0533	0.6	19 Tu	0550	0.3	4 Th	0023	1.8	19 Fr	0113	2.0	4 Sa	0032	1.9	19 Su	0137	2.0
	1047	1.8		1018	2.0		1147	1.8		1209	2.1		0633	0.5		0727	0.3		0643	0.4		0751	0.3
	1657	0.6		1630	0.4		1808	0.6		1831	0.4		1248	1.9		1342	2.1		1259	2.0		1402	2.0
	2310	1.7		2249	1.9					1908	0.5		1956	0.3		1913	0.4		2011	0.3			
5 Sa	0523	0.5	20 Su	0459	0.4	5 Tu	0011	1.7	20 We	0036	2.0	5 Fr	0108	1.9	20 Sa	0201	2.0	5 Su	0119	2.0	20 Mo	0221	2.0
	1135	1.8		1119	2.0		0622	0.5		0649	0.3		0718	0.4		0814	0.2		0730	0.3		0834	0.3
	1751	0.6		1736	0.4		1236	1.8		1306	2.1		1334	2.0		1428	2.1		1346	2.1		1444	2.0
	2359	1.7		2349	1.9		1858	0.6		1926	0.3		1949	0.4		2038	0.3		1956	0.3		2050	0.3
6 Su	0611	0.5	21 Mo	0600	0.3	6 We	0057	1.8	21 Th	0130	2.0	6 Sa	0152	1.9	21 Su	0246	2.1	6 Mo	0205	2.1	21 Tu	0302	2.0
	1223	1.8		1219	2.1		0708	0.5		0742	0.2		0802	0.3		0858	0.3		0817	0.2		0914	0.4
	1841	0.6		1839	0.4		1322	1.9		1400	2.1		1418	2.1		1511	2.1		1433	2.2		1523	2.0
					1942		0.5	2016		0.3	2029		0.3	2119		0.3	2040		0.2	2128		0.4	
7 Mo	0045	1.8	22 Tu	0047	2.0	7 Th	0141	1.8	22 Fr	0220	2.1	7 Su	0235	2.0	22 Mo	0329	2.0	7 Tu	0254	2.2	22 We	0342	2.0
	0656	0.5		0658	0.3		0750	0.4		0832	0.2		0846	0.2		0941	0.3		0906	0.1		0954	0.4
	1309	1.8		1318	2.1		1407	2.0		1450	2.2		1502	2.1		1551	2.0		1521	2.2		1600	1.9
	1927	0.5		1937	0.3		2022	0.4		2102	0.3		2111	0.2		● 2158	0.3		○ 2127	0.1		● 2206	0.4
8 Tu	0129	1.8	23 We	0143	2.0	8 Fr	0224	1.9	23 Sa	0308	2.1	8 Mo	0320	2.1	23 Tu	0410	2.0	8 We	0343	2.2	23 Th	0421	1.9
	0738	0.5		0753	0.2		0832	0.4		0920	0.2		0931	0.2		1022	0.3		0957	0.1		1034	0.5
	1353	1.9		1414	2.2		1450	2.0		1536	2.2		1547	2.2		1630	2.0		1609	2.2		1637	1.9
	2011	0.5		2030	0.3		2102	0.4		● 2146	0.3		○ 2155	0.2		2237	0.4		2217	0.1		2245	0.5
9 We	0211	1.8	24 Th	0236	2.1	9 Sa	0305	2.0	24 Su	0354	2.1	9 Tu	0406	2.2	24 We	0450	2.0	9 Th	0435	2.3	24 Fr	0500	1.9
	0819	0.4		0847	0.2		0915	0.3		1006	0.2		1019	0.1		1102	0.4		1050	0.1		1114	0.5
	1436	1.9		1507	2.2		1532	2.1		1620	2.1		1633	2.2		1707	1.9		1700	2.2		1714	1.8
	2052	0.5		2121	0.2		○ 2143	0.3		2229	0.3		2242	0.2		2317	0.4		2311	0.2		2326	0.5
10 Th	0252	1.8	25 Fr	0327	2.1	10 Su	0348	2.0	25 Mo	0438	2.0	10 We	0455	2.2	25 Th	0530	1.9	10 Fr	0529	2.2	25 Sa	0540	1.9
	0900	0.4		0939	0.2		1614	2.1		1051	0.3		1109	0.2		1143	0.5		1146	0.2		1156	0.5
	1518	2.0		1557	2.2		2225	0.3		1701	2.1		1721	2.2		1745	1.8		1754	2.1		1755	1.7
	2132	0.4		● 2210	0.2					2311	0.3		2332	0.2		2358	0.5						
11 Fr	0333	1.9	26 Sa	0416	2.1	11 Mo	0432	2.1	26 Tu	0521	2.0	11 Th	0546	2.2	26 Fr	0611	1.8	11 Sa	0008	0.2	26 Su	0011	0.5
	0942	0.4		1030	0.2		1044	0.2		1134	0.3		1202	0.2		1225	0.5		0626	2.2		0623	1.8
	1559	2.0		1645	2.2		1658	2.2		1741	2.0		1812	2.1		1826	1.8		1244	0.2		1241	0.6
	2212	0.4		2258	0.3		2309	0.3		2353	0.4								1853	2.0		1840	1.7
12 Sa	0414	1.9	27 Su	0504	2.1	12 Tu	0518	2.1	27 We	0604	1.9	12 Fr	0025	0.2	27 Sa	0042	0.5	12 Su	0109	0.3	27 Mo	0057	0.6
	1025	0.4		1119	0.2		1132	0.2		1217	0.4		0642	2.1		0655	1.8		0728	2.1		0710	1.8
	1641	2.0		1731	2.1		1744	2.1		1822	1.9		1258	0.3		1309	0.6		1346	0.3		1328	0.6
	2254	0.4		2345	0.3		2356	0.3					1909	2.0		1912	1.7		1958	1.9		1932	1.6
13 Su	0457	1.9	28 Mo	0552	2.0	13 We	0607	2.1	28 Th	0036	0.5	13 Sa	0123	0.3	28 Su	0129	0.6	13 Mo	0212	0.3	28 Tu	0147	0.6
	1110	0.3		1207	0.3		1222	0.2		0648	1.8		0742	2.1		0744	1.7		0832	2.1		0801	1.8
	1723	2.1		1817	2.0		1833	2.1		1300	0.5		1358	0.3		1358	0.6		1451	0.4		1419	0.6
	2338	0.4								1905	1.8		2012	1.9		2007	1.6		2105	1.9		2028	1.6
14 Mo	0542	1.9	29 Tu	0031	0.4	14 Th	0047	0.3	29 Fr	0120	0.5	14 Su	0225	0.3	29 Mo	0221	0.6	14 Tu	0317	0.3	29 We	0238	0.6
	1156	0.3		0640	1.9		0700	2.1		0735	1.8		0847	2.0		0838	1.7		0938	2.0		0855	1.8
	1809	2.1		1253	0.4		1314	0.3		1345	0.6		1502	0.4		1453	0.7		1558	0.4		1513	0.6
				1902	1.9		1927	2.0		1953	1.7		2119	1.9		2106	1.6		2209	1.9		2125	1.7
15 Tu	0023	0.4	30 We	0117	0.4	15 Fr	0141	0.3	30 Sa	0208	0.6	15 Mo	0330	0.4	30 Tu	0315	0.6	15 We	0421	0.3	30 Th	0330	0.6
	0630	1.9		0729	1.9		0758	2.0		0825	1.7		0952	2.0		0935	1.7		1040	2.0		0950	1.8
	1244	0.3		1339	0.5		1411	0.3		1434	0.6		1611	0.4		1552	0.7		1701	0.4		1608	0.6
	1857	2.0		1950	1.8		2027	1.9		2048	1.7		2225	1.9		2205	1.6		2308	1.9		2218	1.7
			31 Th	0204	0.5			31 Su	0300	0.6								31 Fr	0424	0.5			
		0820		1.8			0920		1.7							1043	1.9						
		1426	0.5			1531	0.7							1700	0.5								
		2041	1.8			2147	1.6							2309	1.8								

Standard Ports

Remember to add 1 hour for Daylight Saving Time. Commences 28 September.

Port Chalmers

Lat. 45° 49'S., Long. 170° 39'E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025/26

November

December

January

February

Time m

Time m

Time m

Time m

Time m

Time m

Time m

Time m

1 Sa	0517 0.5 1134 1.9 1750 0.4 2358 1.9	16 Su	0025 2.0 0640 0.4 1249 1.9 1902 0.4	1 Mo	0539 0.4 1155 2.0 1806 0.3	16 Tu	0041 1.9 0658 0.5 1304 1.8 1914 0.4	1 Th	0100 2.1 0717 0.3 1327 2.0 1936 0.2	16 Fr	0143 1.9 0800 0.5 1400 1.8 2009 0.5	1 Su	0240 2.2 0855 0.2 1501 2.1 2113 0.1	16 Mo	0235 2.0 0848 0.4 1449 1.9 2059 0.4
2 Su	0609 0.4 1225 2.0 1837 0.3	17 Mo	0110 2.0 0726 0.4 1334 1.9 1943 0.4	2 Tu	0021 2.1 0635 0.3 1250 2.0 1859 0.3	17 We	0127 1.9 0743 0.5 1347 1.8 1955 0.4	2 Fr	0158 2.2 0814 0.2 1423 2.1 2032 0.2	17 Sa	0225 1.9 0841 0.5 1441 1.8 2049 0.4	2 Mo	0332 2.2 0945 0.2 1552 2.1 2205 0.1	17 Tu	0314 2.0 0925 0.4 1529 2.0 2139 0.3
3 Mo	0047 2.0 0700 0.3 1316 2.1 1925 0.2	18 Tu	0154 2.0 0808 0.4 1415 1.9 2022 0.4	3 We	0116 2.1 0731 0.2 1344 2.1 1951 0.2	18 Th	0210 1.9 0825 0.5 1428 1.8 2034 0.4	3 Sa	0254 2.3 0909 0.2 1517 2.1 2127 0.1	18 Su	0306 1.9 0919 0.5 1520 1.8 2128 0.4	3 Tu	0421 2.2 1034 0.2 1641 2.1 2256 0.2	18 We	0354 2.1 1004 0.3 1610 2.0 2222 0.3
4 Tu	0138 2.1 0752 0.2 1406 2.1 2013 0.2	19 We	0236 1.9 0849 0.4 1455 1.9 2100 0.4	4 Th	0212 2.2 0827 0.2 1438 2.1 2045 0.1	19 Fr	0252 1.9 0906 0.5 1508 1.8 2114 0.4	4 Su	0349 2.3 1003 0.2 1610 2.1 2223 0.1	19 Mo	0345 2.0 0957 0.4 1558 1.9 2209 0.4	4 We	0509 2.2 1122 0.2 1730 2.1 2345 0.2	19 Th	0435 2.1 1045 0.3 1653 2.0 2306 0.3
5 We	0230 2.2 0844 0.1 1457 2.2 2103 0.1	20 Th	0317 1.9 0929 0.5 1533 1.8 2138 0.4	5 Fr	0308 2.3 0922 0.2 1532 2.2 2141 0.1	20 Sa	0332 1.9 0946 0.5 1546 1.8 2154 0.5	5 Mo	0442 2.3 1057 0.2 1703 2.1 2318 0.1	20 Tu	0423 2.0 1036 0.4 1638 1.9 2250 0.4	5 Th	0555 2.1 1210 0.3 1819 2.0	20 Fr	0517 2.1 1129 0.3 1739 2.0 2354 0.3
6 Th	0323 2.3 0938 0.1 1549 2.2 2157 0.1	21 Fr	0356 1.9 1009 0.5 1611 1.8 2218 0.5	6 Sa	0403 2.3 1019 0.2 1626 2.1 2238 0.1	21 Su	0411 1.9 1025 0.5 1625 1.8 2235 0.5	6 Tu	0534 2.2 1150 0.2 1756 2.1	21 We	0503 2.0 1116 0.4 1719 1.9 2333 0.4	6 Fr	0034 0.3 0643 2.0 1257 0.4 1909 1.9	21 Sa	0603 2.0 1216 0.4 1829 2.0
7 Fr	0418 2.3 1033 0.1 1642 2.2 2253 0.1	22 Sa	0435 1.9 1050 0.5 1649 1.8 2300 0.5	7 Su	0459 2.3 1115 0.2 1722 2.1 2337 0.1	22 Mo	0450 1.9 1106 0.5 1705 1.8 2318 0.5	7 We	0013 0.2 0625 2.2 1242 0.3 1850 2.0	22 Th	0544 2.0 1158 0.4 1804 1.9	7 Sa	0122 0.4 0731 1.9 1346 0.5 2001 1.8	22 Su	0044 0.3 0654 2.0 1307 0.4 1924 2.0
8 Sa	0513 2.3 1131 0.2 1738 2.1 2353 0.2	23 Su	0515 1.9 1131 0.5 1729 1.8 2344 0.5	8 Mo	0554 2.2 1213 0.2 1819 2.1	23 Tu	0530 1.9 1147 0.5 1747 1.8	8 Th	0106 0.3 0718 2.1 1334 0.3 1946 2.0	23 Fr	0018 0.4 0629 2.0 1243 0.4 1852 1.9	8 Su	0210 0.5 0823 1.8 1436 0.5 2055 1.8	23 Mo	0138 0.4 0751 1.9 1404 0.4 2025 2.0
9 Su	0611 2.2 1230 0.2 1837 2.0	24 Mo	0556 1.9 1214 0.5 1813 1.7	9 Tu	0036 0.2 0651 2.2 1310 0.3 1918 2.0	24 We	0001 0.5 0612 1.9 1229 0.5 1832 1.8	9 Fr	0158 0.3 0811 2.0 1426 0.4 2042 1.9	24 Sa	0106 0.4 0717 1.9 1331 0.4 1945 1.9	9 Mo	0302 0.6 0919 1.7 1530 0.6 2150 1.7	24 Tu	0237 0.4 0855 1.8 1505 0.4 2129 1.9
10 Mo	0054 0.2 0711 2.2 1331 0.3 1941 2.0	25 Tu	0029 0.5 0640 1.8 1259 0.6 1901 1.7	10 We	0134 0.2 0749 2.1 1407 0.3 2018 2.0	25 Th	0046 0.5 0657 1.9 1314 0.5 1921 1.8	10 Sa	0250 0.4 0906 1.9 1520 0.5 2136 1.8	25 Su	0156 0.4 0812 1.9 1424 0.5 2043 1.9	10 Tu	0359 0.6 1015 1.7 1626 0.6 2243 1.7	25 We	0343 0.5 1001 1.8 1611 0.4 2234 2.0
11 Tu	0156 0.3 0814 2.1 1433 0.3 2045 1.9	26 We	0116 0.5 0728 1.8 1346 0.6 1953 1.7	11 Th	0230 0.3 0847 2.0 1504 0.4 2117 1.9	26 Fr	0132 0.5 0746 1.9 1401 0.5 2013 1.8	11 Su	0344 0.5 1001 1.8 1614 0.5 2229 1.8	26 Mo	0252 0.4 0911 1.9 1521 0.5 2144 1.9	11 We	0459 0.7 1109 1.7 1720 0.6 2335 1.8	26 Th	0453 0.5 1105 1.9 1717 0.4 2337 2.0
12 We	0257 0.3 0916 2.0 1535 0.4 2147 1.9	27 Th	0203 0.5 0819 1.8 1435 0.6 2047 1.7	12 Fr	0327 0.4 0944 1.9 1600 0.4 2213 1.9	27 Sa	0222 0.5 0839 1.9 1452 0.5 2108 1.9	12 Mo	0440 0.6 1054 1.8 1707 0.5 2320 1.8	27 Tu	0354 0.5 1014 1.9 1624 0.4 2246 2.0	12 Th	0557 0.6 1200 1.7 1811 0.6	27 Fr	0559 0.4 1205 1.9 1818 0.3
13 Th	0358 0.3 1016 2.0 1635 0.4 2244 1.9	28 Fr	0253 0.5 0912 1.8 1527 0.5 2141 1.8	13 Sa	0423 0.4 1038 1.9 1654 0.4 2305 1.9	28 Su	0315 0.5 0935 1.9 1546 0.5 2205 1.9	13 Tu	0536 0.6 1145 1.7 1757 0.5	28 We	0501 0.5 1116 1.9 1727 0.4 2347 2.0	13 Fr	0025 1.8 0647 0.6 1246 1.7 1857 0.5	28 Sa	0036 2.1 0657 0.3 1301 2.0 1914 0.2
14 Fr	0456 0.4 1111 2.0 1729 0.4 2336 2.0	29 Sa	0346 0.5 1006 1.9 1620 0.5 2234 1.9	14 Su	0518 0.5 1130 1.9 1744 0.4 2354 1.9	29 Mo	0413 0.4 1034 1.9 1644 0.4 2303 2.0	14 We	0010 1.8 0629 0.6 1233 1.7 1844 0.5	29 Th	0607 0.4 1217 1.9 1828 0.3	14 Sa	0111 1.8 0731 0.5 1329 1.8 1939 0.5		
15 Sa	0550 0.4 1202 2.0 1818 0.4	30 Su	0442 0.4 1101 1.9 1714 0.4 2327 2.0	15 Mo	0610 0.5 1218 1.8 1831 0.4	30 Tu	0515 0.4 1132 1.9 1742 0.4	15 Th	0057 1.8 0717 0.6 1318 1.8 1927 0.5	30 Fr	0048 2.1 0707 0.3 1314 2.0 1925 0.2	15 Su	0154 1.9 0810 0.5 1410 1.8 2019 0.4		
						31 We	0001 2.0 0617 0.4 1230 2.0 1840 0.3			31 Sa	0146 2.2 0803 0.3 1409 2.1 2020 0.2				

Remember to add 1 hour for Daylight Saving Time.

Port Chalmers

Lat. 45° 49'S., Long. 170° 39'E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2026

March				April				May				June			
Time m		Time m		Time m		Time m		Time m		Time m		Time m		Time m	
1 Su	0132 2.1 0749 0.3 1354 2.1 2007 0.2	16 Mo	0117 1.9 0733 0.5 1334 1.9 1945 0.4	1 We	0249 2.1 0857 0.3 1508 2.1 2120 0.3	16 Th	0209 2.1 0816 0.3 1429 2.1 2041 0.2	1 Fr	0305 2.0 0910 0.4 1526 2.0 2138 0.4	16 Sa	0230 2.1 0835 0.2 1456 2.2 2110 0.2	1 Mo	0357 1.8 1004 0.5 1622 1.9 2235 0.5	16 Tu	0358 2.2 1008 0.1 1630 2.3 2245 0.2
2 Mo	0224 2.2 0837 0.2 1443 2.1 2056 0.2	17 Tu	0200 2.0 0811 0.4 1416 2.0 2026 0.3	2 Th	0331 2.1 0938 0.3 1551 2.1 2204 0.3	17 Fr	0255 2.1 0901 0.2 1517 2.2 2130 0.2	2 Sa	0344 1.9 0950 0.4 1607 2.0 2219 0.4	17 Su	0321 2.1 0928 0.2 1550 2.3 2204 0.2	2 Tu	0436 1.8 1045 0.5 1701 1.9 2316 0.5	17 We	0453 2.2 1107 0.1 1725 2.3 2342 0.2
3 Tu	0312 2.2 0922 0.2 1531 2.1 2144 0.2	18 We	0242 2.1 0850 0.3 1458 2.0 2109 0.3	3 Fr	0412 2.0 1019 0.3 1633 2.0 2246 0.4	18 Sa	0343 2.1 0948 0.2 1607 2.2 2221 0.2	3 Su	0423 1.9 1030 0.4 1647 1.9 2300 0.5	18 Mo	0414 2.1 1023 0.2 1645 2.3 2301 0.2	3 We	0515 1.8 1128 0.5 1741 1.9 2358 0.5	18 Th	0548 2.1 1205 0.1 1820 2.2
4 We	0358 2.2 1007 0.2 1617 2.1 2230 0.2	19 Th	0324 2.1 0931 0.3 1542 2.1 2154 0.2	4 Sa	0452 1.9 1100 0.4 1715 1.9 2329 0.4	19 Su	0432 2.1 1040 0.2 1700 2.2 2316 0.2	4 Mo	0501 1.8 1112 0.5 1727 1.9 2342 0.5	19 Tu	0508 2.1 1122 0.2 1741 2.2 2359 0.2	4 Th	0556 1.7 1211 0.5 1822 1.9	19 Fr	0038 0.2 0646 2.1 1303 0.2 1917 2.2
5 Th	0441 2.1 1051 0.3 1702 2.1 2316 0.3	20 Fr	0407 2.1 1015 0.3 1628 2.1 2242 0.2	5 Su	0532 1.8 1143 0.5 1757 1.9	20 Mo	0524 2.1 1136 0.2 1755 2.2	5 Tu	0542 1.7 1156 0.5 1809 1.8	20 We	0606 2.1 1222 0.2 1840 2.2	5 Fr	0040 0.6 0640 1.7 1256 0.5 1906 1.8	20 Sa	0135 0.3 0746 2.0 1400 0.2 2015 2.1
6 Fr	0524 2.0 1135 0.4 1746 2.0	21 Sa	0453 2.1 1102 0.3 1717 2.1 2333 0.3	6 Mo	0011 0.5 0613 1.8 1228 0.5 1842 1.8	21 Tu	0013 0.3 0621 2.0 1236 0.3 1855 2.1	6 We	0026 0.6 0625 1.7 1242 0.6 1854 1.8	21 Th	0059 0.3 0707 2.0 1323 0.2 1940 2.1	6 Sa	0124 0.6 0729 1.7 1341 0.5 1953 1.8	21 Su	0232 0.3 0846 2.0 1456 0.3 2113 2.0
7 Sa	0000 0.4 0606 1.9 1219 0.4 1832 1.9	22 Su	0542 2.1 1154 0.3 1810 2.1	7 Tu	0056 0.6 0659 1.7 1315 0.6 1930 1.7	22 We	0113 0.3 0723 1.9 1338 0.3 1958 2.1	7 Th	0112 0.6 0714 1.7 1329 0.6 1942 1.8	22 Fr	0159 0.3 0811 2.0 1424 0.3 2042 2.1	7 Su	0210 0.6 0820 1.7 1428 0.5 2044 1.8	22 Mo	0329 0.4 0944 2.0 1554 0.4 2210 1.9
8 Su	0045 0.5 0650 1.8 1305 0.5 1920 1.8	23 Mo	0027 0.3 0636 2.0 1250 0.3 1908 2.1	8 We	0144 0.6 0751 1.6 1405 0.6 2022 1.7	23 Th	0216 0.4 0829 1.9 1442 0.3 2103 2.0	8 Fr	0200 0.6 0807 1.6 1418 0.6 2033 1.8	23 Sa	0301 0.3 0914 2.0 1525 0.3 2143 2.0	8 Mo	0259 0.6 0912 1.8 1517 0.5 2136 1.8	23 Tu	0425 0.4 1039 1.9 1651 0.4 2304 1.9
9 Mo	0131 0.6 0739 1.7 1353 0.6 2011 1.7	24 Tu	0125 0.4 0736 1.9 1350 0.4 2012 2.0	9 Th	0237 0.7 0850 1.6 1458 0.6 2118 1.7	24 Fr	0322 0.4 0935 1.9 1547 0.3 2206 2.0	9 Sa	0251 0.6 0902 1.7 1508 0.6 2126 1.8	24 Su	0401 0.4 1013 2.0 1624 0.3 2241 2.0	9 Tu	0350 0.5 1005 1.8 1611 0.5 2231 1.8	24 We	0519 0.4 1131 1.9 1746 0.5 2356 1.9
10 Tu	0221 0.6 0834 1.6 1446 0.6 2106 1.7	25 We	0227 0.4 0843 1.9 1454 0.4 2117 2.0	10 Fr	0335 0.7 0948 1.6 1553 0.6 2212 1.7	25 Sa	0427 0.4 1037 1.9 1649 0.3 2306 2.0	10 Su	0344 0.6 0955 1.7 1559 0.6 2218 1.8	25 Mo	0459 0.4 1108 2.0 1722 0.4 2335 2.0	10 We	0443 0.5 1058 1.9 1708 0.5 2325 1.9	25 Th	0609 0.4 1221 1.9 1838 0.5
11 We	0317 0.7 0933 1.6 1542 0.6 2202 1.7	26 Th	0335 0.4 0950 1.9 1601 0.4 2223 2.0	11 Sa	0432 0.6 1040 1.7 1646 0.6 2303 1.8	26 Su	0527 0.4 1133 2.0 1747 0.3	11 Mo	0435 0.6 1045 1.8 1651 0.5 2309 1.8	26 Tu	0551 0.4 1159 2.0 1815 0.4	11 Th	0536 0.4 1151 2.0 1805 0.4	26 Fr	0044 1.8 0655 0.4 1309 1.9 1926 0.5
12 Th	0419 0.7 1031 1.6 1639 0.6 2256 1.7	27 Fr	0444 0.4 1054 1.9 1706 0.4 2324 2.0	12 Su	0525 0.6 1128 1.7 1736 0.5 2351 1.8	27 Mo	0001 2.0 0620 0.3 1224 2.0 1840 0.3	12 Tu	0525 0.5 1133 1.9 1743 0.5 2359 1.9	27 We	0025 1.9 0639 0.4 1248 2.0 1904 0.4	12 Fr	0020 1.9 0630 0.3 1246 2.1 1902 0.3	27 Sa	0130 1.8 0739 0.4 1354 1.9 2010 0.5
13 Fr	0518 0.7 1123 1.7 1732 0.6 2346 1.8	28 Sa	0547 0.4 1152 2.0 1806 0.3	13 Mo	0611 0.5 1213 1.8 1823 0.5	28 Tu	0052 2.0 0707 0.3 1313 2.0 1929 0.3	13 We	0612 2.0 1221 2.0 1834 0.4	28 Th	0112 1.9 0723 0.4 1335 2.0 1950 0.4	13 Sa	0115 2.0 0722 0.2 1343 2.2 1958 0.3	28 Su	0213 1.8 0820 0.4 1438 1.9 2052 0.5
14 Sa	0610 0.6 1209 1.7 1820 0.5	29 Su	0022 2.1 0642 0.3 1245 2.0 1900 0.3	14 Tu	0037 1.9 0653 0.4 1257 1.9 1909 0.4	29 We	0139 2.0 0750 0.3 1359 2.0 2014 0.3	14 Th	0049 2.0 0659 0.3 1311 2.0 1925 0.3	29 Fr	0157 1.9 0804 0.4 1419 2.0 2033 0.4	14 Su	0209 2.1 0816 0.2 1439 2.2 2054 0.2	29 Mo	0254 1.8 0900 0.4 1519 1.9 2131 0.5
15 Su	0033 1.8 0654 0.5 1253 1.8 1903 0.5	30 Mo	0114 2.1 0730 0.3 1335 2.1 1950 0.2	15 We	0123 2.0 0734 0.4 1342 2.0 1954 0.3	30 Th	0223 2.0 0830 0.3 1444 2.0 2057 0.4	15 Fr	0139 2.0 0746 0.3 1403 2.1 2017 0.2	30 Sa	0239 1.9 0844 0.4 1502 1.9 2115 0.5	15 Mo	0304 2.1 0912 0.1 1535 2.3 2149 0.2	30 Tu	0332 1.8 0940 0.4 1558 1.9 2210 0.5
		31 Tu	0203 2.1 0815 0.3 1422 2.1 2036 0.2							31 Su	0319 1.8 0924 0.4 1543 1.9 2155 0.5				

Standard Ports

Remember to add 1 hour for Daylight Saving Time. Finishes 5 April.

Port Taranaki

Lat. 39°03'S., Long. 174°02'E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025

July

August

September

October

	Time		m	Time		m	Time		m	Time		m	Time		m	Time		m												
1 Tu	0141	3.2	16 We	0103	3.4	1 Fr	0221	2.9	16 Sa	0217	3.2	1 Mo	0318	2.6	16 Tu	0426	2.7	1 We	0355	2.5	16 Th	0539	2.7							
	0800	0.8			0725		0.6			0838	1.0			0838		0.8			0935	1.3			1009	1.4		1151	1.1			
	1405	3.0			1331		3.2			1444	2.8			1451		3.0			1557	2.6			1720	2.9		1639	2.6		1816	3.0
	2011	1.0			1939		0.7			2057	1.2			2109		1.0			2222	1.4			2339	1.1		2303	1.4			
2 We	0227	3.0	17 Th	0150	3.3	2 Sa	0309	2.8	17 Su	0319	3.0	2 Tu	0431	2.5	17 We	0552	2.7	2 Th	0513	2.6	17 Fr	0029	1.0							
	0846	0.9			0813		0.7			0927	1.1			0940		0.9			1049	1.3			1209	1.1		0646	2.9			
	1451	2.9			1420		3.1			1538	2.7			1600		2.9			1720	2.6			1838	3.0		1128	1.3		1255	1.0
	2059	1.1			2031		0.8			2156	1.3			2222		1.1			2343	1.4						1753	2.8		1910	3.1
3 Th	0316	2.9	18 Fr	0243	3.2	3 Su	0407	2.7	18 Mo	0431	2.9	3 We	0549	2.6	18 Th	0051	1.0	3 Fr	0011	1.2	18 Sa	0122	0.8							
	0933	1.0			0906		0.8			1024	1.2			1053		1.0			1209	1.3			0706	2.9		0621	2.7		0737	3.0
	1540	2.8			1516		3.0			1644	2.7			1723		2.9			1834	2.8			1317	0.9		1234	1.1		1344	0.8
	2153	1.2			2130		0.9			2306	1.4			2344		1.1							1936	3.2		1849	3.0		1954	3.2
4 Fr	0407	2.8	19 Sa	0342	3.1	4 Mo	0512	2.6	19 Tu	0551	2.8	4 Th	0052	1.2	19 Fr	0147	0.8	4 Sa	0105	0.9	19 Su	0205	0.7							
	1024	1.1			1004		0.8			1133	1.3			1214		1.0			0657	2.7			0801	3.1		0716	3.0		0819	3.2
	1636	2.7			1620		3.0			1759	2.7			1844		3.0			1313	1.1			1409	0.8		1326	0.9		1426	0.7
	2253	1.3			2238		1.0												1929	3.0			2022	3.3		1935	3.2		2032	3.3
5 Sa	0502	2.8	20 Su	0447	3.0	5 Tu	0019	1.3	20 We	0059	1.0	5 Fr	0143	1.0	20 Sa	0233	0.6	5 Su	0151	0.7	20 Mo	0244	0.6							
	1120	1.1			1110		0.9			0620	2.7			0708		2.9			0751	2.9			0845	3.2		0802	3.2		0854	3.3
	1737	2.7			1732		3.0			1243	1.2			1326		0.9			1402	0.9			1451	0.6		1411	0.6		1502	0.6
	2356	1.3			2351		1.0			1906	2.8			1949		3.2			2013	3.2			2101	3.4		2017	3.5		2105	3.4
6 Su	0558	2.8	21 Mo	0556	3.0	6 We	0122	1.2	21 Th	0200	0.8	6 Sa	0227	0.8	21 Su	0313	0.5	6 Mo	0234	0.4	21 Tu	0319	0.5							
	1218	1.1			1221		0.9			0723	2.8			0811		3.1			0835	3.2			0923	3.3		0845	3.5		0927	3.4
	1838	2.8			1846		3.1			1342	1.0			1423		0.7			1444	0.6			1529	0.5		1453	0.4		1536	0.6
										1959	3.0			2040		3.3			2052	3.4			2136	3.5		2058	3.7		2137	3.4
7 Mo	0056	1.2	22 Tu	0102	0.9	7 Th	0212	1.0	22 Fr	0251	0.6	7 Su	0307	0.5	22 Mo	0349	0.5	7 Tu	0317	0.2	22 We	0352	0.5							
	0654	2.8			0706		3.0			0816	2.9			0902		3.2			0915	3.4			0956	3.4		0926	3.6		0958	3.4
	1315	1.1			1330		0.8			1430	0.9			1511		0.6			1523	0.4			1603	0.5		1536	0.2		1608	0.6
	1934	2.9			1952		3.2			2043	3.2			2124		3.5			2130	3.6			2208	3.5		2140	3.8		2209	3.3
8 Tu	0149	1.1	23 We	0206	0.8	8 Fr	0256	0.9	23 Sa	0336	0.5	8 Mo	0346	0.3	23 Tu	0422	0.4	8 We	0359	0.1	23 Th	0424	0.5							
	0747	2.9			0812		3.1			0902	3.1			0945		3.3			0955	3.5			1027	3.4		1008	3.8		1029	3.4
	1407	1.0			1430		0.6			1512	0.7			1552		0.5			1602	0.3			1636	0.5		1618	0.2		1640	0.6
	2022	3.0			2049		3.4			2122	3.3			2203		3.5			2208	3.7			2239	3.4		2223	3.8		2240	3.3
9 We	0235	1.0	24 Th	0302	0.6	9 Sa	0336	0.7	24 Su	0416	0.4	9 Tu	0426	0.2	24 We	0454	0.5	9 Th	0443	0.1	24 Fr	0457	0.6							
	0836	2.9			0910		3.2			0942	3.2			1024		3.4			1034	3.7			1058	3.4		1051	3.8		1100	3.3
	1452	0.9			1523		0.5			1551	0.5			1630		0.4			1642	0.2			1707	0.6		1703	0.2		1712	0.7
	2105	3.1			2138		3.5			2159	3.5			2239		3.6			2248	3.8			2309	3.4		2308	3.7		2313	3.2
10 Th	0318	0.9	25 Fr	0352	0.5	10 Su	0415	0.5	25 Mo	0453	0.4	10 We	0507	0.2	25 Th	0526	0.6	10 Fr	0528	0.2	25 Sa	0529	0.7							
	0921	3.0			1000		3.3			1021	3.4			1058		3.4			1114	3.7			1128	3.3		1136	3.7		1133	3.2
	1534	0.7			1610		0.5			1629	0.4			1705		0.5			1723	0.2			1738	0.7		1750	0.3		1746	0.9
	2144	3.3			2223		3.6			2236	3.6			2312		3.5			2329	3.7			2340	3.2		2356	3.5		2348	3.1
11 Fr	0358	0.8	26 Sa	0438	0.5	11 Mo	0454	0.4	26 Tu	0528	0.5	11 Th	0550	0.2	26 Fr	0558	0.7	11 Sa	0615	0.4	26 Su	0604	0.8							
	1003	3.1			1046		3.4			1100	3.5			1131		3.4			1156	3.6			1159	3.2		1225	3.5		1208	3.1
	1613	0.6			1653		0.4			1707	0.3			1739		0.6			1807	0.3			1811	0.8		1842	0.6		1825	1.0
	2222	3.3			2305		3.6			2314	3.7			2345		3.4														
12 Sa	0438	0.7	27 Su	0521	0.5	12 Tu	0534	0.3	27 We	0602	0.6	12 Fr	0014	3.6	27 Sa	0014	3.1	12 Su	0048	3.3	27 Mo	0028	2.9							
	1043	3.2			1127		3.3			1140	3.5			1203		3.3			0634	0.4			0632	0.8		0706	0.6		0643	0.9
	1652	0.6			1733		0.5			1747	0.4			1812		0.7			1241	3.5			1234	3.1		1319	3.3		1249	3.0
	2300	3.4			2344		3.5			2355	3.6								1855	0.6			1847	1.0		1940	0.8		1910	1.1
13 Su	0518	0.6	28 Mo	0601	0.5	13 We	0615	0.4	28 Th	0017	3.3	13 Sa	0102	3.4	28 Su	0052	2.9	13 Mo	0148	3.0	28 Tu	0115	2.8							
	1123	3.2			1206		3.3			1221	3.5			0635		0.7			0723	0.6			0710	1.0		0803	0.9		0728	1.1
	1730	0.5			1812		0.6			1829	0.4			1236		3.2			1332	3.2			1314	2.9		1423	3.0		1340	2.8
	2339	3.5												1846		0.8			1950	0.8			1932	1.2		2048	1.0		2005	1.2
14 Mo	0558	0.6	29 Tu	0022	3.4	14 Th	0037	3.5	29 Fr	0052	3.1	14 Su	0158	3.1	29 Mo	0139	2.8	14 Tu	0258	2.8	29 We	0212	2.7							
	1204	3.3			0640		0.6			0659	0.4			0710		0.8			0818	0.8			0755	1.1		0911	1.1		0823	1.2
	1810	0.6			1242		3.2			1304	3.4			1312		3.0			1433	3.0			1406	2.7		1541	2.9		1443	2.8
					1849		0.7			1915	0.6			1923		1.0			2056	1.0			2030	1.3		2205	1.1		2111	1.3
15 Tu	0019	3.4	30 We	0100	3.2	15 Fr	0124	3.4	30 Sa	0131	2.9	15 Mo	0306	2.9	30 Tu	0239	2.6	15 We	0418	2.7	30 Th	0320	2.6							
	0641	0.6			0718		0.7			0746	0.6			0749		1.0			0924	1.0			0854	1.3		1031	1.2		0930	1.3
	1246	3.2			1319		3.1			1353	3.2			1353		2.9			1551	2.9			1517	2.6		1705	2.9		1555	2.8
	1853	0.6			1927		0.9			2007	0.8			2008		1.2			2215	1.1			2144	1.4		2323	1.1		2220	1.2
			31 Th	0138	3.1				31 Su	0218	2.8																			
					0756	0.9						0835	1.2																	
					1359	3.0						1446	2.7																	
					2009	1.1						2106	1.4																	

Remember to add 1 hour for Daylight Saving Time. Commences 28 September.

Port Taranaki

Lat. 39°03'S., Long. 174°02'E.

Time Zone -1200

Times and Heights of High and Low Waters

Year 2025/26

November			December			January			February		
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 Sa	0537 2.8 1148 1.1 1802 3.0	16 Su	0044 0.9 0700 2.9 1311 1.0 1917 3.1	1 Mo	0552 3.0 1206 0.9 1813 3.2	16 Tu	0049 1.0 0706 2.9 1320 1.1 1920 2.9	1 Th	0110 0.7 0732 3.2 1346 0.7 1950 3.2	16 Fr	0201 1.0 0818 2.9 1430 1.1 2032 2.9
2 Su	0021 0.9 0635 3.0 1246 0.9 1854 3.2	17 Mo	0130 0.8 0745 3.0 1355 0.9 1957 3.1	2 Tu	0035 0.7 0652 3.2 1305 0.7 1909 3.3	17 We	0138 1.0 0755 3.0 1407 1.0 2006 3.0	2 Fr	0213 0.6 0832 3.4 1445 0.6 2051 3.3	17 Sa	0247 0.9 0900 3.1 1512 0.9 2116 3.0
3 Mo	0113 0.7 0726 3.2 1337 0.6 1942 3.4	18 Tu	0212 0.8 0824 3.2 1434 0.8 2034 3.2	3 We	0132 0.5 0749 3.4 1401 0.6 2004 3.4	18 Th	0224 0.9 0837 3.1 1449 0.9 2049 3.0	3 Sa	0310 0.4 0926 3.6 1540 0.4 2147 3.4	18 Su	0328 0.8 0938 3.2 1550 0.8 2156 3.1
4 Tu	0202 0.4 0815 3.5 1425 0.4 2029 3.6	19 We	0250 0.7 0900 3.2 1510 0.8 2110 3.2	4 Th	0227 0.4 0842 3.5 1455 0.4 2058 3.5	19 Fr	0305 0.8 0916 3.2 1528 0.9 2129 3.1	4 Su	0402 0.3 1016 3.7 1631 0.4 2239 3.5	19 Mo	0404 0.7 1013 3.3 1627 0.7 2232 3.2
5 We	0249 0.3 0901 3.6 1512 0.3 2115 3.7	20 Th	0326 0.6 0934 3.3 1545 0.7 2145 3.2	5 Fr	0319 0.3 0934 3.7 1547 0.3 2152 3.5	20 Sa	0344 0.7 0953 3.2 1606 0.8 2208 3.1	5 Mo	0450 0.3 1104 3.7 1719 0.3 2328 3.4	20 Tu	0439 0.6 1047 3.4 1702 0.6 2308 3.3
6 Th	0336 0.2 0947 3.7 1559 0.2 2203 3.7	21 Fr	0401 0.6 1008 3.3 1620 0.7 2220 3.2	6 Sa	0410 0.2 1024 3.7 1639 0.3 2245 3.5	21 Su	0421 0.7 1029 3.3 1643 0.8 2246 3.1	6 Tu	0536 0.3 1150 3.6 1806 0.4	21 We	0514 0.5 1121 3.5 1739 0.6 2343 3.3
7 Fr	0423 0.1 1034 3.8 1648 0.3 2253 3.6	22 Sa	0436 0.6 1042 3.3 1655 0.8 2256 3.1	7 Su	0500 0.3 1114 3.7 1731 0.4 2338 3.4	22 Mo	0457 0.7 1104 3.3 1720 0.8 2324 3.1	7 We	0013 3.4 0620 0.5 1234 3.5 1851 0.5	22 Th	0549 0.5 1157 3.5 1816 0.5
8 Sa	0511 0.2 1123 3.7 1739 0.4 2345 3.5	23 Su	0511 0.7 1116 3.2 1732 0.8 2334 3.1	8 Mo	0550 0.4 1204 3.6 1823 0.5	23 Tu	0533 0.7 1140 3.3 1758 0.8	8 Th	0057 3.3 0703 0.6 1318 3.3 1936 0.7	23 Fr	0020 3.3 0627 0.6 1234 3.4 1855 0.6
9 Su	0601 0.4 1214 3.5 1833 0.6	24 Mo	0547 0.8 1153 3.2 1812 0.9	9 Tu	0031 3.3 0639 0.5 1256 3.4 1915 0.6	24 We	0002 3.1 0610 0.7 1218 3.3 1838 0.8	9 Fr	0140 3.1 0747 0.8 1402 3.2 2020 0.8	24 Sa	0058 3.2 0707 0.6 1316 3.3 1938 0.7
10 Mo	0040 3.2 0653 0.6 1309 3.3 1931 0.7	25 Tu	0015 3.0 0626 0.9 1234 3.1 1856 1.0	10 We	0123 3.1 0730 0.7 1349 3.2 2009 0.8	25 Th	0042 3.1 0649 0.8 1258 3.2 1921 0.8	10 Sa	0224 3.0 0833 1.0 1449 3.0 2106 1.0	25 Su	0141 3.2 0752 0.8 1402 3.2 2025 0.8
11 Tu	0139 3.0 0749 0.8 1411 3.1 2034 0.9	26 We	0059 2.9 0709 1.0 1320 3.0 1944 1.0	11 Th	0216 3.0 0823 0.9 1444 3.1 2104 0.9	26 Fr	0124 3.0 0732 0.8 1343 3.2 2007 0.8	11 Su	0312 2.8 0925 1.2 1539 2.8 2157 1.1	26 Mo	0231 3.0 0846 0.9 1457 3.1 2120 0.9
12 We	0244 2.9 0852 1.0 1519 3.0 2141 1.0	27 Th	0149 2.8 0757 1.0 1413 2.9 2039 1.1	12 Fr	0312 2.9 0920 1.1 1542 3.0 2200 1.0	27 Sa	0211 3.0 0820 0.9 1434 3.1 2058 0.9	12 Mo	0407 2.7 1026 1.3 1636 2.7 2255 1.2	27 Tu	0332 2.9 0951 1.1 1601 3.0 2225 1.0
13 Th	0353 2.8 1002 1.1 1630 2.9 2248 1.0	28 Fr	0245 2.8 0853 1.1 1512 2.9 2137 1.1	13 Sa	0410 2.8 1022 1.2 1640 2.9 2257 1.1	28 Su	0305 2.9 0917 1.0 1531 3.1 2154 0.9	13 Tu	0512 2.7 1135 1.3 1738 2.7	28 We	0446 2.9 1108 1.1 1714 2.9 2341 1.0
14 Fr	0503 2.8 1114 1.2 1735 2.9 2350 1.0	29 Sa	0346 2.8 0956 1.1 1614 3.0 2237 1.0	14 Su	0511 2.8 1127 1.2 1737 2.8 2354 1.1	29 Mo	0406 2.9 1021 1.0 1633 3.0 2256 0.9	14 We	0000 1.2 0623 2.7 1243 1.3 1842 2.7	29 Th	0608 2.9 1228 1.0 1833 2.9
15 Sa	0607 2.8 1218 1.1 1830 3.0	30 Su	0449 2.9 1102 1.0 1715 3.1 2337 0.9	15 Mo	0611 2.8 1227 1.2 1831 2.9	30 Tu	0514 2.9 1131 1.0 1738 3.1	15 Th	0105 1.2 0726 2.8 1341 1.2 1941 2.8	30 Fr	0059 0.9 0725 3.1 1339 0.9 1947 3.1
						31 We	0003 0.8 0625 3.1 1241 0.9 1845 3.1			31 Sa	0206 0.7 0827 3.3 1439 0.7 2049 3.2

Standard Ports

Remember to add 1 hour for Daylight Saving Time.

Port Taranaki

Lat. 39°03'S., Long. 174°02'E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2026

March			April			May			June		
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 Su	0159 0.8 0818 3.3 1429 0.7 2042 3.2	16 Mo	0150 1.0 0800 3.0 1414 0.9 2023 3.0	1 We	0312 0.5 0919 3.5 1532 0.5 2142 3.4	16 Th	0233 0.6 0836 3.5 1454 0.4 2105 3.5	1 Fr	0321 0.7 0923 3.3 1538 0.6 2146 3.3	16 Sa	0246 0.5 0848 3.5 1510 0.3 2123 3.6
2 Mo	0251 0.6 0905 3.5 1516 0.5 2128 3.4	17 Tu	0231 0.8 0838 3.3 1453 0.7 2102 3.2	2 Th	0349 0.5 0955 3.5 1608 0.4 2215 3.4	17 Fr	0314 0.4 0918 3.6 1537 0.3 2147 3.6	2 Sa	0356 0.7 0958 3.3 1613 0.6 2219 3.3	17 Su	0335 0.4 0938 3.6 1559 0.3 2211 3.7
3 Tu	0335 0.4 0946 3.6 1558 0.4 2208 3.5	18 We	0309 0.6 0914 3.5 1530 0.5 2139 3.4	3 Fr	0424 0.5 1028 3.4 1642 0.5 2247 3.4	18 Sa	0357 0.3 1000 3.7 1620 0.2 2229 3.7	3 Su	0431 0.7 1032 3.2 1647 0.6 2252 3.3	18 Mo	0425 0.3 1030 3.5 1649 0.3 2301 3.7
4 We	0414 0.4 1024 3.6 1637 0.3 2245 3.5	19 Th	0345 0.4 0950 3.6 1607 0.3 2215 3.6	4 Sa	0457 0.6 1100 3.4 1715 0.5 2318 3.4	19 Su	0441 0.3 1045 3.6 1705 0.2 2314 3.6	4 Mo	0505 0.8 1106 3.1 1721 0.7 2326 3.2	19 Tu	0517 0.4 1123 3.5 1739 0.4 2353 3.6
5 Th	0451 0.4 1059 3.6 1713 0.4 2318 3.5	20 Fr	0423 0.3 1028 3.7 1646 0.3 2253 3.6	5 Su	0530 0.7 1132 3.2 1748 0.6 2350 3.3	20 Mo	0528 0.4 1133 3.5 1751 0.4	5 Tu	0541 0.9 1143 3.0 1757 0.8	20 We	0611 0.5 1219 3.3 1832 0.5
6 Fr	0526 0.4 1133 3.5 1748 0.5 2351 3.4	21 Sa	0502 0.3 1107 3.7 1726 0.3 2332 3.6	6 Mo	0603 0.8 1206 3.1 1822 0.8	21 Tu	0001 3.5 0618 0.5 1224 3.3 1841 0.5	6 We	0002 3.1 0620 1.0 1223 2.9 1836 0.9	21 Th	0047 3.4 0708 0.6 1317 3.2 1926 0.7
7 Sa	0600 0.6 1205 3.3 1821 0.6	22 Su	0543 0.3 1148 3.6 1808 0.4	7 Tu	0024 3.1 0640 1.0 1243 3.0 1859 0.9	22 We	0053 3.4 0714 0.7 1322 3.1 1936 0.7	7 Th	0042 3.0 0703 1.1 1308 2.8 1918 1.0	22 Fr	0146 3.3 0807 0.7 1418 3.0 2025 0.9
8 Su	0023 3.3 0633 0.7 1239 3.2 1855 0.8	23 Mo	0015 3.5 0628 0.5 1234 3.4 1854 0.5	8 We	0103 3.0 0722 1.1 1328 2.8 1941 1.1	23 Th	0153 3.2 0817 0.9 1426 2.9 2038 0.9	8 Fr	0129 2.9 0753 1.2 1400 2.7 2008 1.2	23 Sa	0248 3.1 0909 0.9 1520 2.9 2128 1.0
9 Mo	0056 3.1 0709 0.9 1315 3.0 1932 0.9	24 Tu	0101 3.3 0719 0.7 1326 3.2 1945 0.7	9 Th	0151 2.8 0814 1.3 1423 2.6 2034 1.3	24 Fr	0303 3.0 0926 1.0 1538 2.8 2149 1.1	9 Sa	0224 2.8 0850 1.2 1458 2.7 2105 1.2	24 Su	0353 3.0 1011 0.9 1625 2.9 2235 1.1
10 Tu	0134 2.9 0750 1.1 1358 2.8 2014 1.1	25 We	0156 3.1 0819 0.9 1427 3.0 2045 1.0	10 Fr	0253 2.7 0920 1.4 1530 2.5 2141 1.4	25 Sa	0419 2.9 1040 1.0 1655 2.8 2307 1.1	10 Su	0326 2.8 0950 1.2 1600 2.7 2209 1.2	25 Mo	0457 3.0 1112 0.9 1728 2.9 2341 1.1
11 We	0222 2.8 0843 1.3 1453 2.6 2109 1.3	26 Th	0305 2.9 0932 1.1 1541 2.8 2159 1.1	11 Sa	0408 2.6 1034 1.4 1644 2.6 2257 1.3	26 Su	0534 3.0 1149 1.0 1806 2.9	11 Mo	0429 2.8 1050 1.1 1702 2.7 2313 1.2	26 Tu	0555 3.0 1210 0.9 1827 2.9
12 Th	0327 2.6 0954 1.5 1604 2.5 2221 1.4	27 Fr	0430 2.8 1054 1.1 1707 2.7 2324 1.1	12 Su	0523 2.7 1143 1.3 1754 2.7	27 Mo	0018 1.0 0636 3.1 1249 0.9 1906 3.0	12 Tu	0528 2.9 1147 1.0 1801 2.9	27 We	0039 1.0 0647 3.0 1301 0.9 1918 3.0
13 Fr	0451 2.6 1119 1.5 1726 2.5 2347 1.4	28 Sa	0556 2.9 1213 1.0 1829 2.8	13 Mo	0008 1.2 0623 2.9 1241 1.1 1853 2.8	28 Tu	0115 0.9 0726 3.2 1339 0.8 1954 3.1	13 We	0013 1.0 0621 3.1 1240 0.8 1855 3.1	28 Th	0130 1.0 0733 3.0 1348 0.8 2003 3.1
14 Sa	0614 2.7 1235 1.3 1842 2.6	29 Su	0043 1.0 0705 3.1 1317 0.9 1933 3.0	14 Tu	0104 1.0 0712 3.1 1329 0.9 1941 3.1	29 We	0203 0.8 0809 3.2 1422 0.7 2036 3.2	14 Th	0107 0.8 0711 3.2 1331 0.6 1946 3.3	29 Fr	0214 0.9 0815 3.1 1431 0.8 2043 3.2
15 Su	0058 1.2 0715 2.8 1330 1.1 1939 2.8	30 Mo	0143 0.8 0758 3.2 1409 0.7 2023 3.2	15 We	0150 0.8 0755 3.3 1412 0.6 2024 3.3	30 Th	0244 0.7 0848 3.3 1501 0.6 2112 3.3	15 Fr	0157 0.6 0759 3.4 1421 0.5 2034 3.4	30 Sa	0255 0.8 0855 3.1 1510 0.7 2121 3.2
		31 Tu	0230 0.7 0841 3.4 1452 0.6 2105 3.3							31 Su	0333 0.8 0933 3.1 1549 0.7 2157 3.2

Remember to add 1 hour for Daylight Saving Time. Finishes 5 April.

Tauranga

Lat. 37° 39' S., Long. 176° 11' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025

July			August			September			October													
	Time	m		Time	m		Time	m		Time	m		Time	m								
1 Tu	0528 0.4 1140 1.8 1738 0.4		16 We	0453 0.3 1104 1.8 1706 0.3 2331 1.9		1 Fr	0009 1.8 0621 0.4 1238 1.7 1836 0.5		16 Sa	0608 0.2 1228 1.8 1832 0.4		1 Mo	0052 1.6 0704 0.5 1333 1.6 1933 0.6		16 Tu	0131 1.7 0739 0.3 1413 1.8 2020 0.5		1 We	0102 1.6 0712 0.5 1346 1.6 1950 0.6		16 Th	0219 1.7 0822 0.4 1456 1.8 2107 0.4
2 We	0004 1.9 0616 0.4 1229 1.7 1827 0.5		17 Th	0541 0.3 1153 1.8 1756 0.4		2 Sa	0051 1.7 0705 0.5 1325 1.7 1924 0.6		17 Su	0050 1.9 0702 0.3 1326 1.8 1930 0.4		2 Tu	0140 1.6 0753 0.5 1427 1.6 2027 0.6		17 We	0234 1.7 0841 0.4 1517 1.8 2124 0.5		2 Th	0155 1.6 0805 0.5 1441 1.6 2046 0.6		17 Fr	0323 1.6 0925 0.4 1555 1.7 2207 0.4
3 Th	0050 1.8 0703 0.5 1319 1.7 1917 0.6		18 Fr	0020 1.9 0631 0.3 1246 1.8 1849 0.4		3 Su	0136 1.7 0751 0.5 1417 1.6 2015 0.6		18 Mo	0146 1.8 0759 0.3 1429 1.8 2033 0.5		3 We	0233 1.6 0847 0.5 1523 1.6 2123 0.6		18 Th	0339 1.7 0945 0.4 1618 1.8 2227 0.4		3 Fr	0253 1.6 0903 0.5 1537 1.7 2143 0.5		18 Sa	0424 1.6 1025 0.5 1649 1.7 2302 0.4
4 Fr	0136 1.8 0751 0.5 1410 1.7 2008 0.6		19 Sa	0111 1.9 0724 0.3 1343 1.8 1947 0.4		4 Mo	0224 1.6 0840 0.5 1511 1.6 2109 0.7		19 Tu	0247 1.8 0859 0.3 1533 1.8 2137 0.5		4 Th	0330 1.6 0943 0.5 1618 1.6 2219 0.6		19 Fr	0442 1.7 1046 0.4 1715 1.8 2325 0.4		4 Sa	0353 1.6 1001 0.5 1631 1.7 2238 0.5		19 Su	0520 1.7 1120 0.4 1739 1.8 2353 0.4
5 Sa	0223 1.7 0839 0.5 1502 1.7 2100 0.6		20 Su	0205 1.9 0819 0.3 1444 1.8 2047 0.5		5 Tu	0315 1.6 0932 0.5 1606 1.6 2204 0.7		20 We	0351 1.7 1002 0.3 1635 1.8 2241 0.5		5 Fr	0428 1.6 1039 0.5 1710 1.7 2313 0.5		20 Sa	0541 1.7 1143 0.4 1807 1.8		5 Su	0452 1.7 1057 0.4 1723 1.8 2332 0.4		20 Mo	0611 1.7 1210 0.4 1825 1.8
6 Su	0310 1.7 0928 0.5 1555 1.7 2153 0.7		21 Mo	0303 1.8 0918 0.3 1547 1.8 2151 0.5		6 We	0408 1.6 1025 0.5 1658 1.7 2257 0.6		21 Th	0454 1.7 1103 0.3 1734 1.8 2341 0.4		6 Sa	0524 1.7 1131 0.4 1800 1.8		21 Su	0018 0.4 0634 1.7 1234 0.4 1854 1.8		6 Mo	0548 1.8 1151 0.3 1813 1.9		21 Tu	0038 0.3 0657 1.7 1255 0.4 1907 1.8
7 Mo	0359 1.7 1018 0.5 1646 1.7 2244 0.7		22 Tu	0404 1.8 1019 0.3 1650 1.9 2253 0.5		7 Th	0502 1.6 1116 0.5 1748 1.7 2348 0.6		22 Fr	0555 1.7 1200 0.3 1829 1.9		7 Su	0004 0.4 0617 1.7 1222 0.3 1847 1.9		22 Mo	0106 0.3 0721 1.8 1320 0.3 1938 1.8		7 Tu	0024 0.2 0641 1.8 1244 0.2 1903 1.9		22 We	0120 0.3 0739 1.8 1337 0.4 1947 1.8
8 Tu	0448 1.7 1106 0.5 1735 1.7 2333 0.6		23 We	0506 1.8 1119 0.3 1749 1.9 2354 0.4		8 Fr	0555 1.7 1205 0.4 1835 1.8		23 Sa	0037 0.4 0651 1.8 1253 0.3 1919 1.9		8 Mo	0054 0.3 0707 1.8 1311 0.3 1934 1.9		23 Tu	0149 0.3 0805 1.8 1403 0.3 2019 1.8		8 We	0114 0.1 0733 1.9 1335 0.2 1953 2.0		23 Th	0159 0.3 0818 1.8 1417 0.4 2025 1.7
9 We	0538 1.7 1153 0.5 1822 1.7		24 Th	0607 1.8 1216 0.3 1846 1.9		9 Sa	0036 0.5 0645 1.7 1252 0.4 1920 1.8		24 Su	0128 0.3 0742 1.8 1342 0.3 2005 1.9		9 Tu	0142 0.2 0757 1.9 1359 0.2 2021 2.0		24 We	0230 0.3 0845 1.8 1444 0.4 2057 1.8		9 Th	0204 0.1 0824 2.0 1426 0.2 2043 2.0		24 Fr	0237 0.3 0856 1.8 1456 0.4 2103 1.7
10 Th	0021 0.6 0626 1.7 1238 0.4 1907 1.8		25 Fr	0052 0.4 0705 1.8 1310 0.2 1939 2.0		10 Su	0123 0.4 0734 1.8 1338 0.3 2005 1.9		25 Mo	0215 0.3 0829 1.8 1428 0.3 2049 1.9		10 We	0230 0.2 0845 1.9 1447 0.2 2108 2.0		25 Th	0308 0.3 0924 1.8 1523 0.4 2135 1.8		10 Fr	0254 0.0 0915 2.0 1518 0.2 2134 2.0		25 Sa	0313 0.3 0934 1.8 1534 0.5 2140 1.7
11 Fr	0106 0.6 0713 1.7 1321 0.4 1950 1.8		26 Sa	0147 0.3 0759 1.9 1402 0.2 2029 2.0		11 Mo	0210 0.3 0821 1.8 1423 0.3 2049 1.9		26 Tu	0259 0.3 0912 1.8 1511 0.3 2130 1.9		11 Th	0318 0.1 0934 2.0 1537 0.2 2156 2.0		26 Fr	0345 0.3 1002 1.8 1602 0.4 2212 1.7		11 Sa	0344 0.0 1006 2.0 1611 0.2 2226 1.9		26 Su	0349 0.3 1012 1.8 1614 0.5 2219 1.7
12 Sa	0151 0.5 0759 1.7 1404 0.4 2033 1.9		27 Su	0238 0.3 0850 1.9 1450 0.3 2116 2.0		12 Tu	0256 0.3 0908 1.9 1510 0.2 2134 2.0		27 We	0341 0.3 0954 1.8 1553 0.4 2210 1.8		12 Fr	0406 0.1 1024 2.0 1628 0.2 2246 2.0		27 Sa	0422 0.3 1041 1.7 1642 0.5 2250 1.7		12 Su	0434 0.1 1100 2.0 1706 0.3 2320 1.9		27 Mo	0427 0.4 1052 1.7 1656 0.5 2259 1.6
13 Su	0236 0.5 0845 1.8 1448 0.3 2116 1.9		28 Mo	0326 0.3 0938 1.8 1537 0.3 2201 1.9		13 We	0342 0.2 0955 1.9 1557 0.2 2220 2.0		28 Th	0420 0.3 1034 1.8 1633 0.4 2248 1.8		13 Sa	0455 0.1 1117 1.9 1721 0.3 2338 1.9		28 Su	0500 0.4 1121 1.7 1724 0.5 2330 1.7		13 Mo	0527 0.2 1156 1.9 1803 0.3		28 Tu	0507 0.4 1135 1.7 1740 0.5 2343 1.6
14 Mo	0321 0.4 0930 1.8 1532 0.3 2200 1.9		29 Tu	0412 0.3 1024 1.8 1622 0.4 2245 1.9		14 Th	0430 0.2 1044 1.9 1646 0.3 2308 2.0		29 Fr	0459 0.4 1115 1.7 1715 0.5 2327 1.7		14 Su	0547 0.2 1212 1.9 1817 0.3		29 Mo	0540 0.4 1205 1.7 1809 0.6		14 Tu	0017 1.8 0622 0.2 1255 1.8 1903 0.4		29 We	0550 0.4 1221 1.7 1827 0.5
15 Tu	0407 0.4 1016 1.8 1618 0.3 2245 1.9		30 We	0456 0.4 1108 1.8 1706 0.4 2327 1.8		15 Fr	0518 0.2 1134 1.9 1737 0.3 2358 1.9		30 Sa	0538 0.4 1157 1.7 1758 0.5		15 Mo	0033 1.8 0641 0.2 1311 1.8 1917 0.4		30 Tu	0014 1.6 0623 0.5 1253 1.6 1857 0.6		15 We	0116 1.7 0720 0.3 1355 1.8 2005 0.4		30 Th	0030 1.6 0637 0.5 1310 1.7 1918 0.5
			31 Th	0538 0.4 1152 1.7 1751 0.5					31 Su	0008 1.7 0620 0.5 1243 1.6 1844 0.6								31 Fr	0122 1.6 0730 0.5 1402 1.7 2012 0.5			

Standard Ports

Remember to add 1 hour for Daylight Saving Time. Commences 28 September.

Tauranga

Lat. 37° 39' S., Long. 176° 11' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025/26

November

December

January

February

Time m

Time m

Time m

Time m

Time m

Time m

Time m

Time m

1 Sa	0220 1.6 0826 0.5 1456 1.7 2107 0.5	16 Su	0357 1.6 0956 0.5 1615 1.7 2231 0.4	1 Mo	0249 1.7 0853 0.5 1515 1.8 2132 0.3	16 Tu	0416 1.6 1014 0.6 1623 1.7 2243 0.5	1 Th	0431 1.8 1033 0.4 1646 1.8 2305 0.2	16 Fr	0520 1.7 1118 0.7 1722 1.6 2340 0.5	1 Su	0618 1.9 1223 0.4 1837 1.9	16 Mo	0620 1.7 1220 0.6 1829 1.7
2 Su	0320 1.6 0925 0.5 1551 1.8 2204 0.4	17 Mo	0452 1.6 1050 0.5 1704 1.7 2321 0.4	2 Tu	0351 1.7 0954 0.4 1612 1.8 2230 0.3	17 We	0508 1.7 1106 0.6 1712 1.7 2331 0.5	2 Fr	0534 1.9 1136 0.4 1749 1.9	17 Sa	0609 1.7 1208 0.6 1812 1.6	2 Mo ○	0044 0.2 0714 2.0 1321 0.4 1934 1.9	17 Tu	0036 0.5 0705 1.8 1307 0.5 1917 1.8
3 Mo	0420 1.7 1024 0.4 1646 1.8 2300 0.3	18 Tu	0542 1.7 1140 0.5 1750 1.7	3 We	0453 1.8 1055 0.4 1710 1.9 2328 0.2	18 Th	0556 1.7 1154 0.6 1758 1.7	3 Sa ○	0004 0.2 0633 1.9 1237 0.4 1850 1.9	18 Su	0025 0.5 0655 1.7 1254 0.6 1859 1.7	3 Tu	0138 0.2 0806 2.0 1414 0.3 2028 1.9	18 We ●	0121 0.4 0748 1.9 1351 0.5 2002 1.8
4 Tu	0519 1.8 1122 0.3 1740 1.9 2355 0.2	19 We	0007 0.4 0628 1.7 1227 0.5 1834 1.7	4 Th	0553 1.9 1155 0.3 1809 1.9	19 Fr	0016 0.4 0642 1.7 1240 0.6 1844 1.7	4 Su	0101 0.2 0730 2.0 1336 0.3 1948 1.9	19 Mo ●	0108 0.4 0738 1.8 1338 0.5 1944 1.7	4 We	0229 0.2 0856 2.0 1504 0.3 2117 1.9	19 Th	0204 0.4 0830 1.9 1435 0.4 2047 1.9
5 We	0616 1.9 1218 0.3 1834 1.9	20 Th ●	0049 0.4 0711 1.7 1309 0.5 1915 1.7	5 Fr ○	0024 0.1 0650 2.0 1253 0.3 1906 1.9	20 Sa ●	0058 0.4 0725 1.8 1323 0.6 1927 1.7	5 Mo	0155 0.1 0824 2.0 1431 0.3 2044 1.9	20 Tu	0150 0.4 0819 1.8 1420 0.5 2028 1.8	5 Th	0317 0.2 0942 2.0 1551 0.3 2204 1.9	20 Fr	0248 0.3 0913 2.0 1519 0.3 2131 1.9
6 Th ○	0048 0.1 0710 2.0 1313 0.2 1928 2.0	21 Fr	0129 0.3 0752 1.8 1350 0.5 1955 1.7	6 Sa	0119 0.1 0746 2.0 1350 0.2 2003 1.9	21 Su	0138 0.4 0806 1.8 1405 0.5 2009 1.7	6 Tu	0247 0.1 0916 2.0 1524 0.3 2137 1.9	21 We	0231 0.4 0900 1.9 1503 0.4 2110 1.8	6 Fr	0403 0.3 1027 2.0 1636 0.3 2249 1.9	21 Sa	0333 0.3 0956 2.0 1604 0.3 2217 1.9
7 Fr	0140 0.0 0804 2.0 1407 0.2 2021 2.0	22 Sa	0207 0.3 0831 1.8 1430 0.5 2035 1.7	7 Su	0213 0.1 0841 2.0 1446 0.2 2059 1.9	22 Mo	0217 0.4 0845 1.8 1446 0.5 2051 1.7	7 We	0338 0.2 1007 2.0 1615 0.3 2228 1.9	22 Th	0312 0.3 0940 1.9 1545 0.4 2153 1.8	7 Sa	0448 0.4 1109 1.9 1719 0.4 2333 1.8	22 Su	0419 0.3 1041 2.0 1650 0.3 2304 1.9
8 Sa	0232 0.0 0857 2.0 1501 0.2 2115 2.0	23 Su	0244 0.3 0909 1.8 1510 0.5 2114 1.7	8 Mo	0305 0.1 0934 2.0 1541 0.2 2153 1.9	23 Tu	0256 0.3 0925 1.8 1527 0.5 2132 1.7	8 Th	0427 0.2 1055 2.0 1705 0.3 2317 1.8	23 Fr	0355 0.3 1021 1.9 1628 0.4 2237 1.8	8 Su	0533 0.4 1151 1.9 1802 0.4	23 Mo	0508 0.3 1127 2.0 1738 0.3 2355 1.9
9 Su	0323 0.0 0950 2.0 1556 0.2 2209 1.9	24 Mo	0321 0.3 0948 1.8 1550 0.5 2154 1.7	9 Tu	0357 0.1 1027 2.0 1635 0.3 2247 1.9	24 We	0336 0.3 1005 1.8 1609 0.5 2214 1.7	9 Fr	0515 0.3 1142 1.9 1753 0.3	24 Sa	0439 0.3 1104 1.9 1713 0.3 2322 1.8	9 Mo	0018 1.8 0618 0.5 1233 1.8 1845 0.5	24 Tu	0559 0.4 1217 1.9 1828 0.3
10 Mo	0415 0.1 1044 2.0 1651 0.3 2304 1.9	25 Tu	0400 0.4 1028 1.8 1632 0.5 2235 1.7	10 We	0448 0.2 1119 2.0 1729 0.3 2341 1.8	25 Th	0417 0.3 1046 1.8 1652 0.4 2257 1.7	10 Sa	0006 1.8 0604 0.4 1228 1.8 1840 0.4	25 Su	0525 0.4 1148 1.9 1759 0.3	10 Tu	0105 1.7 0704 0.6 1316 1.7 1931 0.5	25 We	0049 1.9 0654 0.5 1310 1.9 1923 0.3
11 Tu	0508 0.2 1139 1.9 1748 0.3	26 We	0440 0.4 1109 1.8 1715 0.5 2318 1.6	11 Th	0540 0.3 1211 1.9 1822 0.3	26 Fr	0500 0.4 1128 1.8 1736 0.4 2342 1.7	11 Su	0055 1.7 0653 0.5 1314 1.8 1928 0.4	26 Mo	0011 1.8 0615 0.4 1235 1.9 1849 0.3	11 We	0155 1.7 0754 0.6 1403 1.7 2020 0.6	26 Th	0149 1.8 0754 0.5 1409 1.8 2022 0.4
12 We	0000 1.8 0602 0.3 1235 1.9 1845 0.4	27 Th	0523 0.4 1153 1.7 1801 0.5	12 Fr	0035 1.7 0633 0.4 1302 1.8 1915 0.4	27 Sa	0545 0.4 1212 1.8 1823 0.4	12 Mo	0146 1.7 0744 0.6 1400 1.7 2017 0.5	27 Tu	0104 1.8 0709 0.4 1326 1.9 1943 0.3	12 Th	0249 1.6 0848 0.7 1454 1.6 2112 0.6	27 Fr	0253 1.8 0858 0.5 1512 1.8 2125 0.4
13 Th	0058 1.7 0658 0.4 1332 1.8 1943 0.4	28 Fr	0004 1.6 0609 0.4 1239 1.7 1849 0.5	13 Sa	0129 1.7 0727 0.5 1353 1.8 2007 0.4	28 Su	0031 1.7 0635 0.4 1259 1.8 1913 0.4	13 Tu	0239 1.6 0837 0.6 1448 1.7 2107 0.5	28 We	0203 1.8 0808 0.5 1423 1.8 2041 0.3	13 Fr	0345 1.6 0943 0.7 1548 1.6 2207 0.6	28 Sa	0359 1.8 1004 0.5 1619 1.8 2229 0.4
14 Fr	0158 1.7 0757 0.4 1428 1.8 2041 0.4	29 Sa	0054 1.6 0700 0.4 1328 1.8 1941 0.4	14 Su	0225 1.6 0823 0.5 1444 1.7 2100 0.5	29 Mo	0124 1.7 0729 0.4 1350 1.8 2007 0.4	14 We	0333 1.6 0931 0.7 1538 1.6 2159 0.5	29 Th	0307 1.8 0911 0.5 1525 1.8 2142 0.3	14 Sa	0440 1.7 1039 0.7 1644 1.6 2300 0.6		
15 Sa	0258 1.6 0857 0.5 1523 1.7 2138 0.4	30 Su	0149 1.6 0755 0.5 1420 1.8 2035 0.4	15 Mo	0321 1.6 0919 0.6 1534 1.7 2153 0.5	30 Tu	0223 1.7 0827 0.5 1445 1.8 2104 0.3	15 Th	0428 1.6 1026 0.7 1630 1.6 2251 0.5	30 Fr	0413 1.8 1017 0.5 1630 1.8 2245 0.3	15 Su	0532 1.7 1131 0.7 1738 1.7 2350 0.5		
						31 We	0326 1.7 0930 0.5 1544 1.8 2204 0.3			31 Sa	0517 1.9 1121 0.5 1735 1.8 2347 0.3				

Remember to add 1 hour for Daylight Saving Time.

Tauranga

Lat. 37° 39' S., Long. 176° 11' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2026

March				April				May				June			
Time m		Time m		Time m		Time m		Time m		Time m		Time m		Time m	
1 Su	0502 1.9 1108 0.5 1724 1.8 2331 0.4	16 Mo	0450 1.7 1052 0.6 1703 1.7 2311 0.6	1 We	0008 0.4 0630 1.9 1240 0.4 1858 1.9	16 Th	0547 1.9 1157 0.4 1815 1.9	1 Fr	0034 0.5 0646 1.8 1259 0.4 1919 1.9	16 Sa	0604 1.9 1218 0.3 1841 2.0	1 Mo	0135 0.6 0740 1.8 1351 0.4 2015 1.8	16 Tu	0121 0.3 0734 2.0 1344 0.1 2012 2.1
2 Mo	0600 1.9 1208 0.4 1824 1.8	17 Tu	0540 1.8 1143 0.6 1756 1.7	2 Th ○	0058 0.4 0717 1.9 1327 0.4 1945 1.9	17 Fr ●	0018 0.4 0637 1.9 1248 0.3 1907 1.9	2 Sa ○	0119 0.5 0730 1.8 1341 0.4 2001 1.9	17 Su ●	0044 0.4 0658 2.0 1311 0.2 1935 2.0	2 Tu	0217 0.6 0822 1.7 1430 0.4 2055 1.8	17 We	0218 0.3 0832 2.0 1438 0.1 2107 2.1
3 Tu ○	0028 0.3 0654 1.9 1303 0.4 1918 1.9	18 We	0001 0.5 0627 1.8 1232 0.5 1846 1.8	3 Fr	0145 0.4 0801 1.9 1411 0.4 2029 1.9	18 Sa	0109 0.4 0727 2.0 1338 0.2 1958 2.0	3 Su	0202 0.5 0811 1.8 1421 0.4 2042 1.9	18 Mo	0139 0.3 0753 2.0 1404 0.2 2029 2.1	3 We	0258 0.6 0902 1.7 1508 0.4 2135 1.8	18 Th	0314 0.3 0928 2.0 1531 0.2 2201 2.1
4 We	0120 0.3 0744 2.0 1353 0.4 2008 1.9	19 Th ●	0050 0.4 0713 1.9 1319 0.4 1935 1.9	4 Sa	0229 0.4 0843 1.9 1452 0.4 2110 1.9	19 Su	0200 0.3 0818 2.0 1428 0.2 2049 2.1	4 Mo	0243 0.5 0851 1.8 1500 0.4 2121 1.9	19 Tu	0234 0.3 0849 2.0 1457 0.1 2124 2.1	4 Th	0338 0.6 0943 1.7 1547 0.5 2215 1.8	19 Fr	0410 0.3 1024 2.0 1624 0.2 2254 2.1
5 Th	0208 0.3 0830 2.0 1439 0.3 2054 1.9	20 Fr	0137 0.4 0759 2.0 1406 0.3 2022 2.0	5 Su	0310 0.5 0923 1.9 1532 0.4 2150 1.9	20 Mo	0252 0.3 0909 2.0 1518 0.2 2140 2.1	5 Tu	0324 0.5 0930 1.8 1537 0.4 2201 1.9	20 We	0330 0.3 0944 2.0 1550 0.2 2218 2.1	5 Fr	0419 0.6 1024 1.7 1626 0.5 2256 1.8	20 Sa	0504 0.3 1119 1.9 1718 0.3 2347 2.0
6 Fr	0254 0.3 0914 2.0 1523 0.3 2138 1.9	21 Sa	0224 0.3 0845 2.0 1453 0.3 2110 2.0	6 Mo	0351 0.5 1001 1.8 1610 0.4 2229 1.9	21 Tu	0345 0.3 1001 2.0 1608 0.2 2233 2.1	6 We	0404 0.6 1010 1.8 1616 0.5 2241 1.8	21 Th	0426 0.3 1040 2.0 1643 0.2 2313 2.1	6 Sa	0501 0.6 1106 1.7 1708 0.5 2337 1.8	21 Su	0557 0.3 1213 1.9 1811 0.4
7 Sa	0337 0.4 0955 1.9 1604 0.4 2219 1.9	22 Su	0312 0.3 0932 2.0 1540 0.2 2158 2.0	7 Tu	0432 0.5 1040 1.8 1648 0.5 2310 1.8	22 We	0439 0.3 1055 2.0 1700 0.2 2328 2.0	7 Th	0446 0.6 1050 1.7 1655 0.5 2323 1.8	22 Fr	0522 0.3 1137 1.9 1737 0.3	7 Su	0545 0.5 1150 1.7 1752 0.5	22 Mo	0640 2.0 1308 1.8 1906 0.4
8 Su	0420 0.4 1035 1.9 1644 0.4 2300 1.8	23 Mo	0401 0.3 1020 2.0 1628 0.2 2248 2.0	8 We	0513 0.6 1120 1.8 1728 0.5 2352 1.8	23 Th	0535 0.4 1150 1.9 1754 0.3	8 Fr	0528 0.6 1133 1.7 1737 0.5	23 Sa	0009 2.0 0619 0.4 1234 1.9 1834 0.4	8 Mo	0021 1.8 0630 0.5 1237 1.7 1840 0.5	23 Tu	0131 1.9 0743 0.4 1403 1.8 2002 0.5
9 Mo	0501 0.5 1114 1.8 1724 0.4 2342 1.8	24 Tu	0453 0.3 1110 2.0 1718 0.2 2341 2.0	9 Th	0557 0.6 1202 1.7 1810 0.6	24 Fr	0025 2.0 0633 0.4 1248 1.9 1851 0.4	9 Sa	0007 1.8 0613 0.6 1218 1.7 1822 0.6	24 Su	0105 2.0 0715 0.4 1332 1.8 1931 0.4	9 Tu	0106 1.8 0717 0.5 1327 1.7 1931 0.5	24 We	0222 1.8 0836 0.4 1458 1.7 2058 0.6
10 Tu	0544 0.5 1154 1.8 1805 0.5	25 We	0547 0.4 1203 1.9 1811 0.3	10 Fr	0038 1.7 0643 0.7 1248 1.7 1856 0.6	25 Sa	0124 1.9 0733 0.5 1349 1.8 1951 0.4	10 Su	0053 1.8 0700 0.6 1307 1.7 1911 0.6	25 Mo	0201 1.9 0812 0.4 1431 1.8 2030 0.5	10 We	0155 1.8 0808 0.5 1422 1.7 2026 0.5	25 Th	0312 1.8 0928 0.5 1553 1.7 2153 0.6
11 We	0026 1.7 0628 0.6 1237 1.7 1848 0.5	26 Th	0038 1.9 0644 0.5 1259 1.9 1907 0.4	11 Sa	0128 1.7 0732 0.7 1338 1.7 1947 0.6	26 Su	0224 1.9 0834 0.5 1451 1.8 2053 0.5	11 Mo	0142 1.7 0750 0.6 1359 1.7 2004 0.6	26 Tu	0255 1.9 0908 0.5 1529 1.8 2129 0.5	11 Th	0246 1.8 0902 0.4 1520 1.8 2124 0.5	26 Fr	0402 1.7 1020 0.5 1645 1.7 2246 0.6
12 Th	0114 1.7 0716 0.7 1323 1.7 1935 0.6	27 Fr	0138 1.9 0744 0.5 1359 1.8 2007 0.4	12 Su	0220 1.7 0824 0.7 1432 1.6 2041 0.6	27 Mo	0323 1.9 0933 0.5 1553 1.8 2154 0.5	12 Tu	0232 1.8 0841 0.6 1454 1.7 2059 0.6	27 We	0348 1.5 1002 0.5 1625 1.8 2225 0.6	12 Fr	0340 1.9 0958 0.4 1620 1.8 2224 0.5	27 Sa	0452 1.7 1109 0.5 1735 1.8 2336 0.6
13 Fr	0206 1.7 0808 0.7 1413 1.6 2027 0.6	28 Sa	0241 1.9 0848 0.5 1504 1.8 2110 0.5	13 Mo	0313 1.7 0918 0.6 1529 1.7 2137 0.6	28 Tu	0419 1.9 1031 0.5 1651 1.8 2252 0.5	13 We	0323 1.8 0935 0.5 1551 1.7 2156 0.5	28 Th	0439 1.8 1054 0.5 1717 1.8 2317 0.6	13 Sa	0437 1.9 1055 0.3 1720 1.9 2324 0.4	28 Su	0540 1.7 1156 0.5 1822 1.8
14 Sa	0301 1.7 0902 0.7 1509 1.6 2122 0.6	29 Su	0343 1.8 0951 0.5 1608 1.8 2213 0.5	14 Tu	0406 1.8 1012 0.6 1626 1.7 2232 0.6	29 We	0511 1.9 1124 0.4 1745 1.8 2345 0.5	14 Th	0416 1.8 1029 0.4 1649 1.8 2252 0.5	29 Fr	0527 1.8 1143 0.4 1806 1.8	14 Su	0536 1.9 1152 0.2 1819 2.0	29 Mo	0023 0.6 0627 1.7 1240 0.5 1906 1.8
15 Su	0357 1.7 0958 0.7 1606 1.6 2218 0.6	30 Mo	0443 1.9 1052 0.5 1710 1.8 2313 0.5	15 We	0457 1.8 1105 0.5 1722 1.8 2326 0.5	30 Th	0600 1.8 1213 0.4 1834 1.9	15 Fr	0509 1.9 1124 0.4 1745 1.9 2349 0.4	30 Sa	0006 0.6 0613 1.8 1228 0.4 1851 1.8	15 Mo ●	0023 0.4 0635 1.9 1249 0.2 1916 2.0	30 Tu ○	0108 0.6 0712 1.7 1322 0.4 1948 1.8
		31 Tu	0539 1.9 1149 0.5 1807 1.8							31 Su ○	0052 0.6 0658 1.8 1311 0.4 1934 1.8				

Standard Ports

Remember to add 1 hour for Daylight Saving Time. Finishes 5 April.

Timaru

Lat. 44°23'S., Long. 171°15'E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025

July

August

September

October

	Time		m	Time		m	Time		m	Time		m	Time		m	Time		m					
1 Tu	0141	0.8	16 We	0056	0.7	1 Fr	0239	0.9	16 Sa	0223	0.7	1 Mo	0345	1.0	16 Tu	0420	0.7	1 We	0402	0.9	16 Th	0503	0.7
	0758	2.2		0706	2.2		0858	2.1		0843	2.3		1005	2.1		1043	2.4		1021	2.1		1126	2.4
	1359	0.8		1316	0.7		1501	1.0		1456	0.7		1624	1.0		1704	0.7		1644	1.0		1743	0.7
	2020	2.2		1931	2.3		2120	2.0		2115	2.2		2233	2.0		2312	2.2		2247	2.0		2349	2.3
2 We	0233	0.8	17 Th	0148	0.7	2 Sa	0331	0.9	17 Su	0327	0.7	2 Tu	0440	0.9	17 We	0521	0.7	2 Th	0453	0.9	17 Fr	0558	0.7
	0851	2.1		0802	2.2		0949	2.1		0947	2.3		1058	2.1		1144	2.4		1111	2.2		1219	2.4
	1451	0.9		1410	0.7		1559	1.0		1605	0.8		1720	1.0		1802	0.7		1732	0.9		1831	0.7
	2112	2.2		2028	2.3		2214	2.0		2219	2.2		2323	2.0					2332	2.1			
3 Th	0325	0.9	18 Fr	0244	0.8	3 Su	0425	0.9	18 Mo	0431	0.7	3 We	0530	0.9	18 Th	0008	2.3	3 Fr	0540	0.8	18 Sa	0039	2.3
	0941	2.1		0900	2.3		1041	2.1		1051	2.3		1149	2.2		0616	0.6		1158	2.2		0647	0.7
	1545	0.9		1510	0.8		1658	1.0		1713	0.8		1808	0.9		1240	2.4		1815	0.8		1307	2.3
	2203	2.1		2128	2.2		2306	2.0		2322	2.2			1852		0.7				1913		0.7	
4 Fr	0416	0.9	19 Sa	0343	0.7	4 Mo	0516	0.9	19 Tu	0532	0.7	4 Th	0009	2.1	19 Fr	0100	2.3	4 Sa	0016	2.2	19 Su	0125	2.3
	1030	2.1		0958	2.3		1133	2.1		1154	2.4		0615	0.8		0706	0.6		0625	0.7		0732	0.7
	1639	0.9		1615	0.8		1752	1.0		1814	0.7		1236	2.2		1330	2.4		1243	2.3		1350	2.3
	2253	2.1		2229	2.2		2357	2.0			1851		0.8	1937		0.6	1855		0.7	1953		0.7	
5 Sa	0505	0.9	20 Su	0443	0.7	5 Tu	0603	0.9	20 We	0020	2.3	5 Fr	0053	2.2	20 Sa	0147	2.3	5 Su	0100	2.3	20 Mo	0208	2.3
	1118	2.1		1058	2.3		1224	2.1		0628	0.6		0658	0.7		0753	0.6		0710	0.6		0814	0.7
	1732	1.0		1719	0.7		1840	0.9		1253	2.4		1320	2.3		1416	2.4		1328	2.4		1430	2.3
	2342	2.1		2329	2.2			1907		0.7	1930		0.7	2019		0.6	1936		0.6	2031		0.7	
6 Su	0551	0.9	21 Mo	0541	0.6	6 We	0043	2.1	21 Th	0114	2.3	6 Sa	0134	2.2	21 Su	0231	2.3	6 Mo	0145	2.4	21 Tu	0249	2.3
	1207	2.1		1200	2.4		0647	0.8		0721	0.6		0741	0.7		0838	0.6		0756	0.5		0855	0.7
	1822	0.9		1820	0.7		1311	2.2		1347	2.5		1402	2.4		1457	2.4		1413	2.5		1507	2.3
					1923		0.8	1956		0.6	2010		0.7	2100		0.7	2020		0.5	2110		0.7	
7 Mo	0029	2.1	22 Tu	0028	2.3	7 Th	0127	2.1	22 Fr	0205	2.4	7 Su	0216	2.3	22 Mo	0313	2.3	7 Tu	0232	2.5	22 We	0328	2.3
	0634	0.9		0637	0.6		0729	0.8		0811	0.6		0824	0.6		0921	0.7		0844	0.5		0936	0.8
	1255	2.1		1301	2.4		1355	2.3		1436	2.5		1444	2.5		1535	2.4		1458	2.5		1543	2.2
	1908	0.9		1917	0.6		2003	0.8		2042	0.6		2051	0.6		2140	0.7		2106	0.5		2150	0.8
8 Tu	0114	2.1	23 We	0124	2.3	8 Fr	0207	2.2	23 Sa	0252	2.4	8 Mo	0259	2.4	23 Tu	0354	2.3	8 We	0321	2.5	23 Th	0408	2.2
	0716	0.8		0731	0.5		0811	0.7		0859	0.6		0910	0.5		1003	0.7		0935	0.5		1018	0.8
	1341	2.2		1358	2.5		1435	2.3		1521	2.5		1526	2.5		1612	2.3		1546	2.5		1620	2.2
	1951	0.9		2010	0.6		2043	0.7		●	2127		0.6	2135		0.6	2220		0.7	2157		0.5	2231
9 We	0156	2.1	24 Th	0218	2.4	9 Sa	0247	2.2	24 Su	0337	2.4	9 Tu	0344	2.5	24 We	0434	2.3	9 Th	0413	2.6	24 Fr	0448	2.2
	0757	0.8		0824	0.5		0854	0.7		0946	0.6		0959	0.5		1045	0.8		1029	0.5		1100	0.9
	1424	2.2		1451	2.5		1515	2.4		1603	2.4		1610	2.5		1650	2.2		1637	2.5		1700	2.1
	2032	0.8		2101	0.6		2124	0.7		2211	0.6		2222	0.5		2302	0.8		2252	0.5		2315	0.9
10 Th	0237	2.1	25 Fr	0309	2.4	10 Su	0328	2.3	25 Mo	0421	2.3	10 We	0433	2.5	25 Th	0515	2.2	10 Fr	0508	2.5	25 Sa	0531	2.2
	0839	0.8		0917	0.5		0938	0.6		1032	0.6		1049	0.5		1127	0.8		1126	0.5		1144	0.9
	1505	2.3		1541	2.5		1555	2.4		1643	2.4		1658	2.5		1729	2.1		1733	2.4		1744	2.0
	2114	0.8		●	2151		0.6	2206		0.6	2254		0.7	2313		0.5	2345		0.9	2350		0.5	
11 Fr	0316	2.2	26 Sa	0358	2.4	11 Mo	0411	2.3	26 Tu	0504	2.3	11 Th	0525	2.5	26 Fr	0600	2.1	11 Sa	0608	2.6	26 Su	0001	0.9
	0922	0.7		1009	0.5		1025	0.6		1116	0.7		1142	0.5		1211	0.9		1225	0.6		0617	2.1
	1544	2.3		1628	2.5		1637	2.5		1724	2.3		1751	2.4		1814	2.1		1836	2.3		1231	0.9
	2155	0.8		2240	0.6		2251	0.6		2337	0.8											1835	2.0
12 Sa	0356	2.2	27 Su	0447	2.4	12 Tu	0457	2.4	27 We	0549	2.2	12 Fr	0008	0.6	27 Sa	0031	0.9	12 Su	0051	0.6	27 Mo	0049	0.9
	1007	0.7		1059	0.6		1113	0.6		1159	0.8		0623	2.4		0648	2.1		0713	2.5		0708	2.1
	1624	2.4		1714	2.4		1723	2.4		1806	2.2		1239	0.6		1257	1.0		1328	0.6		1321	1.0
	2237	0.7		2327	0.6		2339	0.6			1850		2.3	1850		2.3	1906		2.0	1944		2.3	1932
13 Su	0438	2.2	28 Mo	0536	2.3	13 We	0547	2.4	28 Th	0021	0.8	13 Sa	0106	0.6	28 Su	0120	0.9	13 Mo	0154	0.6	28 Tu	0139	0.9
	1052	0.7		1147	0.6		1202	0.6		0635	2.2		0726	2.4		0740	2.1		0820	2.4		0800	2.1
	1706	2.4		1800	2.4		1812	2.4		1243	0.9		1340	0.7		1349	1.0		1435	0.7		1414	1.0
	2321	0.7						1852		2.1	1956		2.3	2005		2.0	2053		2.2	2028		2.0	
14 Mo	0524	2.2	29 Tu	0014	0.7	14 Th	0029	0.7	29 Fr	0107	0.9	14 Su	0208	0.7	29 Mo	0212	1.0	14 Tu	0259	0.7	29 We	0230	0.9
	1138	0.7		0626	2.2		0642	2.3		0725	2.1		0832	2.4		0835	2.1		0925	2.4		0852	2.1
	1750	2.4		1234	0.7		1255	0.6		1329	0.9		1446	0.7		1447	1.0		1543	0.7		1510	1.0
				1847	2.3		1908	2.3		1944	2.0		2105	2.2		2104	1.9		2157	2.2		2120	2.0
15 Tu	0007	0.7	30 We	0101	0.8	15 Fr	0124	0.7	30 Sa	0156	0.9	15 Mo	0314	0.7	30 Tu	0307	1.0	15 We	0403	0.7	30 Th	0322	0.9
	0613	2.2		0716	2.2		0741	2.3		0817	2.1		0938	2.3		0930	2.1		1028	2.4		0943	2.1
	1226	0.7		1320	0.8		1353	0.7		1422	1.0		1557	0.8		1548	1.0		1647	0.7		1603	0.9
	1838	2.3		1936	2.2		2010	2.3		2040	2.0		2211	2.2		2158	2.0		2256	2.3		2208	2.1
		31 Th	0148	0.9			31 Su	0249	1.0									31 Fr	0413	0.9			
			0807	2.1				0911	2.0							1032	2.2						
			1408	0.9															1653	0.9			
			2027	2.1															2254	2.1			

Remember to add 1 hour for Daylight Saving Time. Commences 28 September.

Timaru

Lat. 44°23'S., Long. 171°15'E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025/26

November			December			January			February						
Time	m	Time	m	Time	m	Time	m	Time	m	Time	m				
1 Sa	0504 0.8 1120 2.3 1737 0.8 2339 2.2	16 Su	0012 2.2 0622 0.8 1239 2.3 1845 0.7	1 Mo	0523 0.7 1136 2.3 1751 0.7 2359 2.3	16 Tu	0029 2.2 0641 0.9 1252 2.1 1856 0.8	1 Th	0040 2.4 0658 0.6 1307 2.4 1916 0.5	16 Fr	0134 2.2 0742 0.9 1350 2.1 1951 0.8	1 Su	0225 2.5 0834 0.5 1444 2.4 2053 0.5	16 Mo	0224 2.3 0829 0.8 1435 2.2 2041 0.7
2 Su	0552 0.7 1208 2.3 1821 0.7	17 Mo	0058 2.2 0707 0.8 1322 2.2 1925 0.7	2 Tu	0617 0.6 1229 2.4 1840 0.6	17 We	0116 2.2 0725 0.9 1335 2.1 1936 0.8	2 Fr	0139 2.5 0753 0.6 1403 2.4 2011 0.5	17 Sa	0217 2.2 0823 0.8 1429 2.1 2032 0.8	2 Mo	0317 2.6 0925 0.5 1534 2.5 2146 0.5	17 Tu	0302 2.3 0907 0.7 1513 2.2 2122 0.7
3 Mo	0027 2.3 0641 0.6 1256 2.4 1906 0.6	18 Tu	0142 2.2 0749 0.8 1402 2.2 2003 0.8	3 We	0054 2.4 0711 0.6 1323 2.4 1931 0.5	18 Th	0201 2.2 0807 0.9 1416 2.1 2017 0.8	3 Sa	0237 2.6 0849 0.5 1457 2.5 2107 0.4	18 Su	0257 2.2 0902 0.8 1507 2.2 2113 0.8	3 Tu	0405 2.6 1015 0.5 1624 2.4 2238 0.5	18 We	0339 2.4 0946 0.7 1552 2.3 2205 0.6
4 Tu	0116 2.4 0731 0.5 1345 2.5 1952 0.5	19 We	0225 2.2 0831 0.8 1441 2.2 2042 0.8	4 Th	0151 2.5 0806 0.5 1416 2.5 2024 0.5	19 Fr	0243 2.2 0849 0.9 1455 2.1 2058 0.8	4 Su	0332 2.6 0943 0.5 1551 2.5 2204 0.4	19 Mo	0334 2.3 0942 0.8 1545 2.2 2154 0.7	4 We	0453 2.5 1104 0.6 1714 2.4 2328 0.6	19 Th	0417 2.4 1028 0.7 1633 2.3 2250 0.6
5 We	0208 2.5 0822 2.5 1435 2.5 2043 0.5	20 Th	0305 2.2 0912 0.8 1518 2.2 2123 0.8	5 Fr	0248 2.6 0902 0.5 1510 2.5 2121 0.4	20 Sa	0323 2.2 0930 0.9 1533 2.1 2140 0.8	5 Mo	0425 2.6 1038 0.5 1645 2.4 2300 0.5	20 Tu	0411 2.3 1021 0.8 1623 2.2 2236 0.7	5 Th	0541 2.4 1153 0.7 1805 2.3	20 Fr	0459 2.4 1112 0.7 1719 2.3 2337 0.6
6 Th	0302 2.6 0917 0.5 1526 2.5 2137 0.4	21 Fr	0345 2.2 0954 0.9 1556 2.1 2205 0.8	6 Sa	0344 2.6 0959 0.5 1606 2.5 2219 0.4	21 Su	0402 2.2 1011 0.8 1612 2.1 2223 0.8	6 Tu	0518 2.6 1132 0.6 1740 2.4 2354 0.5	21 We	0450 2.3 1102 0.8 1704 2.2 2319 0.7	6 Fr	0016 0.6 0629 2.3 1242 0.7 1857 2.2	21 Sa	0544 2.3 1200 0.7 1810 2.3
7 Fr	0357 2.6 1013 2.5 1620 2.5 2234 0.5	22 Sa	0425 2.2 1036 0.9 1636 2.1 2249 0.9	7 Su	0441 2.6 1056 0.5 1703 2.4 2319 0.5	22 Mo	0441 2.2 1053 0.9 1653 2.1 2307 0.8	7 We	0611 2.5 1225 0.6 1837 2.3	22 Th	0530 2.3 1145 0.8 1749 2.2	7 Sa	0105 0.7 0720 2.2 1332 0.8 1950 2.2	22 Su	0027 0.7 0637 2.3 1252 0.7 1907 2.3
8 Sa	0454 2.6 1112 0.5 1718 2.4 2335 0.5	23 Su	0506 2.2 1120 0.9 1719 2.0 2334 0.9	8 Mo	0539 2.6 1154 0.5 1803 2.4	23 Tu	0521 2.2 1136 0.9 1736 2.1 2350 0.8	8 Th	0047 0.6 0705 2.4 1318 0.7 1934 2.3	23 Fr	0004 0.7 0614 2.3 1230 0.8 1838 2.2	8 Su	0154 0.8 0814 2.1 1424 0.9 2043 2.1	23 Mo	0121 0.7 0736 2.2 1350 0.8 2009 2.3
9 Su	0555 2.6 1212 0.6 1821 2.4	24 Mo	0550 2.2 1205 0.9 1806 2.0	9 Tu	0017 0.5 0637 2.5 1252 0.6 1906 2.3	24 We	0603 2.2 1219 0.9 1822 2.1	9 Fr	0139 0.7 0801 2.3 1412 0.8 2030 2.2	24 Sa	0051 0.7 0704 2.2 1319 0.8 1931 2.2	9 Mo	0248 0.9 0910 2.0 1518 0.9 2137 2.1	24 Tu	0222 0.8 0841 2.2 1452 0.8 2112 2.3
10 Mo	0036 0.5 0658 2.5 1313 0.6 1928 2.3	25 Tu	0020 0.9 0636 2.2 1251 0.9 1857 2.0	10 We	0115 0.6 0737 2.4 1351 0.7 2007 2.3	25 Th	0034 0.8 0648 2.2 1304 0.9 1912 2.1	10 Sa	0233 0.8 0856 2.2 1507 0.8 2123 2.2	25 Su	0141 0.8 0758 2.2 1413 0.8 2028 2.2	10 Tu	0347 1.0 1006 2.0 1614 1.0 2230 2.1	25 We	0330 0.8 0947 2.2 1557 0.8 2217 2.3
11 Tu	0137 0.6 0802 2.4 1417 0.7 2034 2.3	26 We	0106 0.9 0724 2.2 1340 0.9 1950 2.0	11 Th	0212 0.6 0836 2.4 1449 0.7 2105 2.3	26 Fr	0120 0.8 0737 2.2 1352 0.9 2003 2.1	11 Su	0328 0.9 0950 2.1 1601 0.9 2215 2.1	26 Mo	0238 0.8 0857 2.2 1511 0.8 2126 2.2	11 We	0447 1.0 1059 2.0 1707 0.9 2324 2.1	26 Th	0439 0.8 1051 2.2 1701 0.7 2321 2.3
12 We	0239 0.6 0904 2.4 1520 0.7 2135 2.3	27 Th	0154 0.9 0814 2.2 1430 0.9 2041 2.0	12 Fr	0309 0.7 0933 2.3 1547 0.8 2200 2.2	27 Sa	0209 0.8 0828 2.2 1444 0.9 2055 2.2	12 Mo	0425 0.9 1043 2.1 1653 0.9 2307 2.1	27 Tu	0341 0.8 0958 2.2 1612 0.8 2226 2.3	12 Th	0542 1.0 1149 2.0 1755 0.9	27 Fr	0543 0.7 1150 2.2 1800 0.6
13 Th	0340 0.7 1004 2.4 1621 0.7 2231 2.3	28 Fr	0243 0.9 0904 2.2 1522 0.9 2130 2.1	13 Sa	0406 0.8 1027 2.2 1641 0.8 2251 2.2	28 Su	0302 0.8 0922 2.2 1538 0.8 2148 2.2	13 Tu	0521 0.9 1133 2.1 1742 0.9 2358 2.1	28 We	0447 0.8 1059 2.2 1712 0.7 2329 2.3	13 Fr	0015 2.1 0630 0.9 1236 2.1 1839 0.9	28 Sa	0022 2.4 0639 0.7 1246 2.3 1854 0.6
14 Fr	0438 0.7 1100 2.3 1715 0.7 2323 2.2	29 Sa	0335 0.8 0954 2.2 1613 0.8 2218 2.2	14 Su	0501 0.8 1118 2.2 1730 0.8 2341 2.2	29 Mo	0401 0.8 1017 2.2 1633 0.8 2242 2.3	14 We	0613 0.9 1222 2.1 1827 0.9	29 Th	0551 0.7 1159 2.3 1809 0.6	14 Sa	0102 2.2 0713 0.9 1318 2.1 1921 0.8		
15 Sa	0533 0.7 1151 2.3 1803 0.7	30 Su	0429 0.8 1045 2.2 1703 0.8 2307 2.3	15 Mo	0553 0.9 1207 2.2 1814 0.8	30 Tu	0501 0.7 1113 2.2 1728 0.7 2340 2.3	15 Th	0048 2.1 0659 0.9 1307 2.1 1909 0.8	30 Fr	0031 2.4 0649 0.7 1257 2.3 1905 0.6	15 Su	0145 2.2 0752 0.8 1358 2.2 2001 0.8		
						31 We	0600 0.7 1210 2.3 1822 0.6			31 Sa	0130 2.5 0743 0.6 1351 2.4 1959 0.5				

Standard Ports

Remember to add 1 hour for Daylight Saving Time.

Timaru

Lat. 44°23'S., Long. 171°15'E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2026

March				April				May				June			
Time m		Time m		Time m		Time m		Time m		Time m		Time m		Time m	
1 Su	0119 2.4 0729 0.6 1338 2.4 1946 0.5	16 Mo	0106 2.2 0715 0.8 1320 2.2 1926 0.7	1 We	0235 2.4 0837 0.6 1452 2.4 2102 0.6	16 Th	0149 2.4 0755 0.6 1407 2.4 2020 0.6	1 Fr	0250 2.2 0850 0.7 1511 2.3 2120 0.8	16 Sa	0206 2.4 0812 0.5 1432 2.5 2048 0.5	1 Mo	0341 2.1 0946 0.8 1609 2.2 2220 0.9	16 Tu	0334 2.5 0946 0.4 1609 2.6 2224 0.5
2 Mo	0210 2.5 0817 0.6 1427 2.4 2036 0.5	17 Tu	0146 2.3 0752 0.7 1359 2.3 2007 0.7	2 Th	0316 2.4 0919 0.7 1535 2.3 2146 0.7	17 Fr	0233 2.4 0839 0.6 1454 2.5 2109 0.5	2 Sa	0328 2.2 0931 0.8 1552 2.3 2203 0.8	17 Su	0257 2.4 0905 0.5 1526 2.6 2143 0.5	2 Tu	0420 2.1 1030 0.9 1649 2.2 2303 0.9	17 We	0430 2.5 1045 0.4 1705 2.6 2321 0.5
3 Tu	0258 2.5 0902 0.6 1514 2.4 2125 0.5	18 We	0225 2.4 0830 0.7 1439 2.3 2050 0.6	3 Fr	0356 2.3 1001 0.7 1617 2.3 2230 0.7	18 Sa	0319 2.4 0927 0.5 1544 2.5 2201 0.5	3 Su	0406 2.1 1013 0.8 1633 2.2 2245 0.9	18 Mo	0349 2.4 1001 0.5 1622 2.6 2240 0.5	3 We	0502 2.0 1114 0.9 1730 2.2 2345 0.9	18 Th	0529 2.4 1144 0.5 1802 2.6
4 We	0342 2.5 0948 0.6 1600 2.4 2212 0.6	19 Th	0305 2.4 0911 0.6 1521 2.4 2135 0.6	4 Sa	0435 2.2 1044 0.8 1700 2.2 2313 0.8	19 Su	0408 2.4 1020 0.5 1637 2.5 2256 0.5	4 Mo	0446 2.1 1057 0.9 1715 2.2 2329 0.9	19 Tu	0445 2.4 1101 0.5 1720 2.6 2339 0.5	4 Th	0546 2.0 1159 0.9 1812 2.2	19 Fr	0019 0.5 0630 2.4 1241 0.5 1901 2.5
5 Th	0425 2.4 1033 0.6 1645 2.4 2259 0.6	20 Fr	0346 2.4 0955 0.6 1606 2.4 2223 0.6	5 Su	0516 2.1 1129 0.8 1744 2.2 2357 0.9	20 Mo	0501 2.4 1117 0.6 1734 2.5 2354 0.6	5 Tu	0529 2.0 1143 0.9 1759 2.1	20 We	0546 2.4 1201 0.5 1821 2.5	5 Fr	0029 0.9 0634 2.0 1243 0.9 1858 2.2	20 Sa	0116 0.6 0732 2.3 1338 0.6 2000 2.4
6 Fr	0507 2.3 1118 0.7 1731 2.3 2344 0.7	21 Sa	0431 2.4 1043 0.6 1655 2.4 2314 0.6	6 Mo	0601 2.1 1215 0.9 1832 2.1	21 Tu	0601 2.3 1217 0.6 1837 2.5	6 We	0014 0.9 0618 2.0 1230 0.9 1847 2.1	21 Th	0039 0.6 0651 2.3 1302 0.6 1924 2.5	6 Sa	0115 0.9 0724 2.0 1328 0.9 1945 2.1	21 Su	0214 0.7 0832 2.3 1436 0.7 2059 2.3
7 Sa	0551 2.2 1204 0.8 1819 2.2	22 Su	0520 2.3 1136 0.6 1750 2.4	7 Tu	0044 0.9 0652 2.0 1304 1.0 1923 2.1	22 We	0054 0.6 0707 2.3 1319 0.6 1942 2.4	7 Th	0102 1.0 0712 2.0 1318 1.0 1937 2.1	22 Fr	0141 0.6 0758 2.3 1403 0.6 2027 2.4	7 Su	0202 0.9 0814 2.0 1415 0.9 2034 2.1	22 Mo	0313 0.7 0930 2.3 1535 0.7 2156 2.3
8 Su	0030 0.8 0639 2.1 1252 0.9 1909 2.1	23 Mo	0008 0.6 0616 2.3 1232 0.7 1850 2.4	8 We	0134 1.0 0750 1.9 1355 1.0 2017 2.1	23 Th	0159 0.7 0817 2.2 1423 0.7 2048 2.4	8 Fr	0152 1.0 0807 2.0 1407 1.0 2028 2.1	23 Sa	0243 0.7 0901 2.3 1505 0.7 2129 2.4	8 Mo	0251 0.9 0902 2.1 1505 0.9 2123 2.1	23 Tu	0410 0.8 1024 2.2 1634 0.8 2250 2.2
9 Mo	0117 0.9 0732 2.0 1341 0.9 2002 2.1	24 Tu	0107 0.7 0721 2.2 1333 0.7 1955 2.3	9 Th	0230 1.0 0849 1.9 1449 1.0 2111 2.1	24 Fr	0306 0.7 0923 2.2 1528 0.7 2152 2.4	9 Sa	0245 1.0 0859 2.0 1458 1.0 2118 2.1	24 Su	0345 0.7 0959 2.3 1606 0.7 2227 2.3	9 Tu	0341 0.9 0950 2.1 1558 0.9 2213 2.2	24 We	0503 0.8 1116 2.2 1730 0.9 2342 2.1
10 Tu	0209 1.0 0830 2.0 1435 1.0 2057 2.0	25 We	0211 0.7 0830 2.2 1438 0.7 2102 2.3	10 Fr	0329 1.0 0943 2.0 1543 1.0 2203 2.1	25 Sa	0411 0.7 1023 2.3 1630 0.7 2252 2.4	10 Su	0338 1.0 0947 2.0 1549 0.9 2206 2.1	25 Mo	0443 0.7 1054 2.3 1704 0.7 2321 2.3	10 We	0431 0.8 1038 2.2 1653 0.8 2304 2.2	25 Th	0551 0.8 1207 2.2 1821 0.9
11 We	0308 1.0 0928 2.0 1532 1.0 2152 2.0	26 Th	0320 0.8 0938 2.2 1545 0.7 2208 2.3	11 Sa	0425 1.0 1032 2.0 1635 0.9 2252 2.1	26 Su	0510 0.7 1119 2.3 1728 0.7 2348 2.3	11 Mo	0427 0.9 1031 2.1 1639 0.9 2254 2.2	26 Tu	0535 0.7 1145 2.3 1757 0.8	11 Th	0521 0.7 1129 2.3 1748 0.7 2357 2.3	26 Fr	0031 2.1 0636 0.8 1257 2.2 1908 0.9
12 Th	0410 1.0 1023 2.0 1627 1.0 2245 2.1	27 Fr	0429 0.8 1040 2.2 1649 0.7 2310 2.3	12 Su	0513 0.9 1116 2.1 1723 0.9 2339 2.2	27 Mo	0602 0.7 1211 2.3 1821 0.7	12 Tu	0513 0.8 1115 2.2 1728 0.8 2341 2.2	27 We	0013 2.2 0621 0.7 1235 2.3 1846 0.8	12 Fr	0610 0.7 1223 2.4 1842 0.7	27 Sa	0116 2.1 0718 0.8 1343 2.2 1952 0.9
13 Fr	0507 1.0 1113 2.0 1718 0.9 2336 2.1	28 Sa	0530 0.7 1138 2.3 1747 0.7	13 Mo	0556 0.8 1158 2.1 1807 0.8	28 Tu	0040 2.3 0648 0.7 1300 2.3 1909 0.7	13 We	0556 0.8 1201 2.3 1816 0.7	28 Th	0100 2.2 0703 0.7 1322 2.2 1932 0.8	13 Sa	0051 2.3 0700 0.6 1319 2.5 1936 0.6	28 Su	0159 2.1 0759 0.8 1427 2.2 2033 0.9
14 Sa	0555 0.9 1158 2.1 1804 0.9	29 Su	0009 2.4 0623 0.7 1231 2.3 1840 0.6	14 Tu	0023 2.2 0635 0.8 1239 2.2 1850 0.7	29 We	0127 2.3 0730 0.7 1346 2.3 1954 0.7	14 Th	0028 2.3 0639 0.7 1249 2.3 1905 0.6	29 Fr	0143 2.2 0743 0.8 1407 2.2 2015 0.8	14 Su	0145 2.4 0753 0.5 1416 2.5 2031 0.5	29 Mo	0239 2.1 0840 0.8 1507 2.2 2114 0.8
15 Su	0023 2.2 0637 0.9 1240 2.1 1846 0.8	30 Mo	0102 2.4 0711 0.6 1321 2.4 1929 0.6	15 We	0106 2.3 0714 0.7 1322 2.3 1934 0.6	30 Th	0210 2.3 0810 0.7 1430 2.3 2038 0.7	15 Fr	0116 2.4 0724 0.6 1340 2.4 1955 0.6	30 Sa	0224 2.2 0823 0.8 1449 2.2 2057 0.8	15 Mo	0239 2.4 0848 0.5 1513 2.6 2127 0.5	30 Tu	0317 2.1 0921 0.8 1545 2.3 2154 0.8
		31 Tu	0151 2.4 0755 0.6 1408 2.4 2016 0.6							31 Su	0303 2.1 0904 0.8 1530 2.2 2138 0.9				

Remember to add 1 hour for Daylight Saving Time. Finishes 5 April.

Wellington

Lat. 41° 17' S., Long. 174° 47' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025

July				August				September				October			
Time m		Time m		Time m		Time m		Time m		Time m		Time m		Time m	
1 Tu	0336 0.6 0936 1.6 1550 0.7 2200 1.7	16 We	0302 0.7 0856 1.6 1506 0.7 2123 1.7	1 Fr	0436 0.7 1045 1.6 1703 0.7 2306 1.6	16 Sa	0419 0.6 1023 1.7 1647 0.6 2256 1.7	1 Mo	0523 0.8 1140 1.6 1759 0.7 2356 1.5	16 Tu	0547 0.6 1201 1.8 1823 0.5	1 We	0523 0.8 1142 1.6 1802 0.7 2358 1.5	16 Th	0009 1.7 0622 0.6 1236 1.8 1853 0.6
2 We	0424 0.7 1027 1.6 1642 0.7 2251 1.6	17 Th	0349 0.7 0945 1.6 1600 0.7 2216 1.7	2 Sa	0518 0.7 1132 1.6 1749 0.7 2351 1.5	17 Su	0510 0.6 1119 1.8 1742 0.6 2351 1.7	2 Tu	0602 0.8 1222 1.6 1839 0.7	17 We	0028 1.7 0640 0.6 1256 1.8 1914 0.6	2 Th	0602 0.7 1224 1.6 1841 0.7	17 Fr	0102 1.6 0715 0.6 1329 1.7 1942 0.6
3 Th	0509 0.7 1117 1.6 1733 0.7 2339 1.6	18 Fr	0436 0.6 1037 1.7 1655 0.6 2309 1.7	3 Su	0600 0.7 1218 1.6 1834 0.7	18 Mo	0602 0.6 1216 1.8 1837 0.6	3 We	0037 1.5 0642 0.8 1304 1.6 1919 0.7	18 Th	0122 1.6 0734 0.6 1349 1.8 2005 0.6	3 Fr	0039 1.5 0644 0.7 1307 1.6 1921 0.7	18 Sa	0155 1.6 0809 0.7 1419 1.7 2031 0.7
4 Fr	0552 0.7 1205 1.6 1821 0.7	19 Sa	0525 0.6 1131 1.7 1751 0.6	4 Mo	0034 1.5 0641 0.8 1302 1.6 1916 0.7	19 Tu	0045 1.7 0655 0.6 1311 1.8 1931 0.6	4 Th	0120 1.5 0723 0.7 1347 1.6 2000 0.7	19 Fr	0216 1.6 0828 0.6 1441 1.7 2056 0.7	4 Sa	0124 1.6 0729 0.7 1353 1.7 2005 0.7	19 Su	0248 1.6 0901 0.7 1509 1.6 2120 0.8
5 Sa	0026 1.6 0634 0.7 1253 1.6 1907 0.8	20 Su	0004 1.7 0615 0.6 1227 1.8 1847 0.6	5 Tu	0117 1.5 0722 0.8 1345 1.6 1959 0.7	20 We	0140 1.6 0749 0.6 1406 1.8 2024 0.6	5 Fr	0204 1.5 0807 0.7 1431 1.7 2045 0.7	20 Sa	0310 1.6 0921 0.7 1533 1.7 2149 0.7	5 Su	0214 1.6 0819 0.7 1444 1.7 2054 0.7	20 Mo	0339 1.6 0953 0.7 1559 1.6 2211 0.8
6 Su	0110 1.5 0716 0.8 1339 1.6 1952 0.8	21 Mo	0059 1.7 0708 0.6 1324 1.8 1943 0.6	6 We	0202 1.5 0804 0.8 1427 1.6 2042 0.7	21 Th	0235 1.6 0844 0.6 1500 1.8 2118 0.6	6 Sa	0252 1.5 0854 0.7 1518 1.7 2133 0.7	21 Su	0403 1.6 1015 0.7 1623 1.6 2241 0.7	6 Mo	0308 1.6 0915 0.7 1539 1.7 2150 0.7	21 Tu	0429 1.6 1045 0.8 1649 1.5 2302 0.8
7 Mo	0155 1.5 0758 0.8 1423 1.6 2036 0.8	22 Tu	0155 1.7 0803 0.6 1421 1.8 2040 0.6	7 Th	0247 1.5 0847 0.8 1510 1.6 2127 0.7	22 Fr	0331 1.6 0939 0.6 1553 1.8 2213 0.7	7 Su	0344 1.6 0946 0.7 1609 1.7 2227 0.7	22 Mo	0455 1.6 1107 0.7 1714 1.6 ● 2334 0.8	7 Tu	0405 1.7 1015 0.6 1637 1.7 ● 2251 0.7	22 We	0518 1.6 1137 0.8 1739 1.5 ● 2352 0.8
8 Tu	0240 1.5 0842 0.8 1506 1.6 2122 0.8	23 We	0252 1.7 0859 0.6 1517 1.8 2137 0.6	8 Fr	0334 1.5 0933 0.7 1555 1.6 2215 0.7	23 Sa	0425 1.6 1033 0.6 1645 1.7 ● 2308 0.7	8 Mo	0437 1.6 1041 0.7 1703 1.7 ○ 2323 0.7	23 Tu	0545 1.6 1200 0.7 1805 1.6	8 We	0504 1.7 1118 0.6 1737 1.7 2352 0.6	23 Th	0605 1.6 1228 0.8 1828 1.5
9 We	0327 1.5 0926 0.8 1549 1.6 2208 0.8	24 Th	0349 1.6 0956 0.6 1612 1.8 2235 0.6	9 Sa	0423 1.5 1021 0.7 1642 1.7 ○ 2307 0.7	24 Su	0518 1.6 1127 0.7 1737 1.7	9 Tu	0531 1.6 1139 0.6 1759 1.7	24 We	0025 0.8 0634 1.6 1252 0.7 1855 1.6	9 Th	0602 1.7 1222 0.6 1837 1.7	24 Fr	0040 0.8 0651 1.6 1317 0.8 1916 1.5
10 Th	0414 1.5 1012 0.8 1632 1.6 2257 0.8	25 Fr	0445 1.6 1052 0.6 1706 1.8 ● 2333 0.6	10 Su	0512 1.5 1111 0.7 1731 1.7	25 Mo	0003 0.7 0610 1.6 1221 0.7 1829 1.7	10 We	0021 0.7 0626 1.6 1240 0.6 1857 1.7	25 Th	0114 0.8 0721 1.6 1343 0.7 1944 1.5	10 Fr	0052 0.6 0659 1.8 1325 0.5 1936 1.7	25 Sa	0125 0.8 0736 1.6 1405 0.7 2001 1.5
11 Fr	0501 1.5 1058 0.8 1717 1.6 ○ 2347 0.7	26 Sa	0540 1.6 1148 0.6 1800 1.8	11 Mo	0000 0.7 0602 1.6 1204 0.7 1823 1.7	26 Tu	0056 0.7 0700 1.6 1314 0.7 1921 1.6	11 Th	0118 0.6 0721 1.7 1340 0.6 1954 1.7	26 Fr	0200 0.8 0808 1.6 1432 0.7 2031 1.5	11 Sa	0150 0.6 0757 1.8 1426 0.5 2033 1.7	26 Su	0209 0.8 0819 1.6 1450 0.7 2045 1.5
12 Sa	0548 1.5 1145 0.8 1803 1.6	27 Su	0029 0.6 0634 1.6 1242 0.6 1853 1.7	12 Tu	0053 0.7 0652 1.6 1259 0.7 1917 1.7	27 We	0146 0.7 0749 1.6 1406 0.7 2011 1.6	12 Fr	0213 0.6 0816 1.8 1440 0.6 2051 1.7	27 Sa	0244 0.8 0853 1.6 1519 0.7 2116 1.5	12 Su	0246 0.6 0854 1.9 1524 0.5 2128 1.7	27 Mo	0250 0.8 0902 1.6 1533 0.7 2125 1.5
13 Su	0037 0.7 0635 1.5 1233 0.7 1851 1.7	28 Mo	0124 0.7 0726 1.6 1337 0.6 1947 1.7	13 We	0145 0.7 0743 1.6 1355 0.6 2012 1.7	28 Th	0233 0.7 0838 1.6 1457 0.7 2100 1.6	13 Sa	0307 0.6 0912 1.8 1539 0.5 2146 1.7	28 Su	0326 0.8 0937 1.6 1603 0.7 2158 1.5	13 Mo	0340 0.5 0951 1.9 1620 0.5 2222 1.7	28 Tu	0330 0.8 0944 1.6 1613 0.7 2205 1.5
14 Mo	0126 0.7 0721 1.5 1322 0.7 1940 1.7	29 Tu	0216 0.7 0817 1.6 1430 0.7 2039 1.7	14 Th	0237 0.7 0835 1.7 1453 0.6 2107 1.7	29 Fr	0319 0.7 0925 1.6 1547 0.7 2147 1.6	14 Su	0400 0.6 1008 1.8 1635 0.5 2241 1.7	29 Mo	0406 0.8 1020 1.6 1645 0.7 2239 1.5	14 Tu	0434 0.5 1047 1.9 1713 0.5 2316 1.7	29 We	0408 0.8 1024 1.6 1651 0.7 2243 1.5
15 Tu	0215 0.7 0808 1.6 1413 0.7 2031 1.7	30 We	0305 0.7 0907 1.6 1523 0.7 2130 1.6	15 Fr	0328 0.6 0928 1.7 1550 0.6 2202 1.7	30 Sa	0402 0.8 1012 1.6 1633 0.7 2232 1.5	15 Mo	0453 0.6 1105 1.8 1730 0.5 2335 1.7	30 Tu	0445 0.8 1102 1.6 1724 0.7 2318 1.5	15 We	0528 0.6 1142 1.8 1804 0.5	30 Th	0446 0.8 1105 1.6 1728 0.7 2322 1.6
		31 Th	0352 0.7 0956 1.6 1614 0.7 2219 1.6			31 Su	0443 0.8 1057 1.6 1717 0.7 2315 1.5							31 Fr	0526 0.7 1147 1.6 1806 0.7

Standard Ports

Remember to add 1 hour for Daylight Saving Time. Commences 28 September.

Wellington

Lat. 41° 17' S., Long. 174° 47' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025/26

November

December

January

February

Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m	Time	m
1 Sa	0004 1.6 0609 0.7 1232 1.7 1846 0.7	16 Su	0131 1.6 0746 0.7 1354 1.6 2002 0.7	1 Mo	0025 1.6 0635 0.6 1255 1.7 1905 0.6	16 Tu	0152 1.6 0807 0.7 1411 1.5 2015 0.8	1 Th	0159 1.8 0814 0.6 1430 1.7 2036 0.6	16 Fr	0246 1.6 0900 0.8 1505 1.5 2105 0.8	1 Su	0337 1.8 0955 0.6 1609 1.6 2216 0.6	16 Mo	0330 1.6 0947 0.8 1556 1.5 2153 0.8
2 Su	0050 1.6 0658 0.7 1321 1.7 1931 0.7	17 Mo	0222 1.6 0837 0.7 1443 1.6 2049 0.8	2 Tu	0118 1.7 0731 0.6 1350 1.7 1957 0.6	17 We	0240 1.6 0854 0.8 1458 1.5 2100 0.8	2 Fr	0257 1.8 0915 0.6 1530 1.7 2136 0.6	17 Sa	0329 1.6 0946 0.8 1552 1.5 2150 0.8	2 Mo	0433 1.8 1056 0.6 1707 1.6 2315 0.6	17 Tu	0416 1.6 1037 0.8 1645 1.5 2243 0.8
3 Mo	0142 1.6 0751 0.6 1414 1.7 2022 0.7	18 Tu	0312 1.6 0927 0.8 1531 1.5 2137 0.8	3 We	0216 1.7 0830 0.6 1449 1.7 2055 0.6	18 Th	0325 1.6 0942 0.8 1545 1.5 2146 0.8	3 Sa	0356 1.8 1017 0.6 1631 1.7 2237 0.8	18 Su	0413 1.6 1035 0.8 1640 1.5 2237 0.8	3 Tu	0530 1.8 1157 0.6 1804 1.6	18 We	0505 1.6 1130 0.8 1735 1.5 2336 0.7
4 Tu	0239 1.7 0850 0.6 1512 1.7 2120 0.7	19 We	0400 1.6 1017 0.8 1620 1.5 2226 0.8	4 Th	0316 1.8 0933 0.6 1551 1.7 2158 0.6	19 Fr	0410 1.6 1030 0.8 1633 1.5 2234 0.8	4 Su	0455 1.9 1121 0.6 1731 1.7 2338 0.6	19 Mo	0457 1.6 1125 0.8 1728 1.5 2324 0.8	4 We	0014 0.6 0626 1.8 1256 0.7 1900 1.6	19 Th	0557 1.6 1225 0.8 1826 1.5
5 We	0338 1.7 0953 0.6 1614 1.7 2222 0.6	20 Th	0447 1.6 1107 0.8 1709 1.5 2315 0.8	5 Fr	0417 1.8 1039 0.6 1654 1.7 2301 0.6	20 Sa	0454 1.6 1120 0.8 1722 1.5 2321 0.8	5 Mo	0553 1.9 1223 0.6 1829 1.7	20 Tu	0543 1.6 1216 0.8 1815 1.5	5 Th	0112 0.6 0722 1.7 1352 0.7 1954 1.6	20 Fr	0031 0.7 0650 1.6 1318 0.7 1917 1.6
6 Th	0439 1.8 1059 0.6 1716 1.7 2326 0.6	21 Fr	0532 1.6 1158 0.8 1757 1.5	6 Sa	0517 1.9 1144 0.5 1755 1.7	21 Su	0538 1.6 1210 0.8 1809 1.5	6 Tu	0037 0.6 0650 1.8 1323 0.6 1925 1.7	21 We	0013 0.8 0631 1.6 1306 0.8 1901 1.5	6 Fr	0209 0.6 0818 1.7 1444 0.7 2046 1.6	21 Sa	0128 0.7 0745 1.6 1410 0.7 2008 1.6
7 Fr	0539 1.8 1204 0.5 1817 1.7	22 Sa	0002 0.8 0617 1.6 1247 0.8 1844 1.5	7 Su	0002 0.6 0616 1.9 1247 0.5 1853 1.7	22 Mo	0007 0.8 0623 1.6 1258 0.8 1854 1.5	7 We	0135 0.6 0747 1.8 1419 0.6 2020 1.7	22 Th	0102 0.8 0719 1.6 1354 0.8 1947 1.5	7 Sa	0304 0.7 0911 1.6 1533 0.7 2137 1.6	22 Su	0225 0.7 0839 1.6 1500 0.7 2100 1.7
8 Sa	0027 0.6 0638 1.9 1307 0.5 1916 1.7	23 Su	0048 0.8 0701 1.6 1334 0.8 1929 1.5	8 Mo	0101 0.5 0714 1.9 1347 0.5 1950 1.7	23 Tu	0052 0.8 0707 1.6 1345 0.8 1937 1.5	8 Th	0232 0.6 0843 1.8 1512 0.6 2113 1.7	23 Fr	0152 0.7 0809 1.6 1440 0.7 2033 1.6	8 Su	0357 0.7 1001 1.6 1619 0.7 2227 1.6	23 Mo	0322 0.6 0932 1.7 1549 0.7 2153 1.7
9 Su	0126 0.6 0736 1.9 1408 0.5 2012 1.7	24 Mo	0131 0.8 0744 1.6 1420 0.7 2012 1.5	9 Tu	0159 0.5 0811 1.9 1444 0.5 2044 1.7	24 We	0137 0.8 0752 1.6 1429 0.7 2020 1.5	9 Fr	0328 0.6 0938 1.7 1602 0.6 2205 1.7	24 Sa	0243 0.7 0859 1.6 1525 0.7 2120 1.6	9 Mo	0447 0.7 1049 1.6 1702 0.7 2315 1.6	24 Tu	0417 0.6 1025 1.7 1638 0.6 2247 1.8
10 Mo	0223 0.5 0833 1.9 1506 0.5 2107 1.7	25 Tu	0213 0.8 0827 1.6 1502 0.7 2053 1.5	10 We	0255 0.5 0908 1.8 1538 0.5 2138 1.7	25 Th	0220 0.8 0837 1.6 1511 0.7 2101 1.5	10 Sa	0422 0.6 1030 1.7 1649 0.6 2256 1.6	25 Su	0334 0.7 0949 1.6 1610 0.7 2209 1.7	10 Tu	0533 0.7 1133 1.6 1743 0.7	25 We	0510 0.6 1117 1.7 1728 0.6 2341 1.8
11 Tu	0318 0.5 0930 1.9 1600 0.5 2201 1.7	26 We	0254 0.8 0909 1.6 1542 0.7 2132 1.5	11 Th	0351 0.6 1003 1.8 1629 0.6 2230 1.7	26 Fr	0305 0.7 0922 1.6 1552 0.7 2144 1.6	11 Su	0514 0.7 1120 1.6 1734 0.7 2345 1.6	26 Mo	0426 0.6 1039 1.7 1655 0.7 2300 1.7	11 We	0000 1.6 0616 0.7 1216 1.5 1823 0.7	26 Th	0602 0.6 1209 1.7 1819 0.6
12 We	0413 0.5 1026 1.8 1652 0.5 2254 1.7	27 Th	0334 0.8 0951 1.6 1620 0.7 2211 1.5	12 Fr	0445 0.6 1057 1.7 1717 0.6 2322 1.7	27 Sa	0351 0.7 1008 1.6 1632 0.7 2228 1.6	12 Mo	0603 0.7 1207 1.6 1816 0.7	27 Tu	0519 0.6 1130 1.7 1742 0.6 2353 1.7	12 Th	0043 1.6 0657 0.7 1257 1.5 1902 0.8	27 Fr	0035 1.8 0654 0.6 1301 1.7 1911 0.6
13 Th	0507 0.6 1121 1.8 1742 0.6 2346 1.7	28 Fr	0415 0.7 1033 1.6 1658 0.7 2252 1.6	13 Sa	0538 0.6 1148 1.7 1803 0.6	28 Su	0438 0.7 1055 1.6 1713 0.7 2315 1.6	13 Tu	0033 1.6 0649 0.7 1251 1.6 1858 0.7	28 We	0612 0.6 1222 1.7 1831 0.6	13 Fr	0125 1.6 0737 0.7 1339 1.5 1942 0.8	28 Sa	0130 1.8 0745 0.6 1356 1.6 2005 0.6
14 Fr	0601 0.6 1214 1.7 1829 0.6	29 Sa	0458 0.7 1118 1.6 1737 0.7 2336 1.6	14 Su	0013 1.6 0630 0.7 1237 1.6 1847 0.7	29 Mo	0529 0.7 1145 1.7 1758 0.6	14 We	0119 1.6 0733 0.7 1335 1.5 1939 0.8	29 Th	0048 1.8 0705 0.6 1316 1.7 1924 0.6	14 Sa	0206 1.6 0818 0.7 1422 1.5 2023 0.8	15 Su	0247 1.6 0901 0.8 1508 1.5 2107 0.8
15 Sa	0039 1.6 0654 0.7 1305 1.7 1916 0.7	30 Su	0545 0.7 1205 1.7 1819 0.7	15 Mo	0104 1.6 0719 0.7 1325 1.6 1931 0.7	30 Tu	0006 1.7 0621 0.6 1237 1.7 1846 0.6	15 Th	0203 1.6 0816 0.8 1420 1.5 2021 0.8	30 Fr	0144 1.8 0800 0.6 1412 1.7 2019 0.6	15 Su	0247 1.6 0901 0.8 1508 1.5 2107 0.8		
						31 We	0101 1.7 0716 0.6 1332 1.7 1938 0.6			31 Sa	0240 1.8 0857 0.6 1510 1.6 2117 0.6				

Remember to add 1 hour for Daylight Saving Time.

Wellington

Lat. 41° 17' S., Long. 174° 47' E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2026

March				April				May				June			
Time m		Time m		Time m		Time m		Time m		Time m		Time m		Time m	
1 Su	0224 1.8 0838 0.6 1451 1.6 2101 0.6	16 Mo	0207 1.6 0818 0.7 1425 1.5 2026 0.7	1 We	0352 1.7 1005 0.7 1622 1.6 2236 0.7	16 Th	0307 1.6 0915 0.7 1531 1.6 2139 0.7	1 Fr	0423 1.6 1031 0.8 1651 1.6 2310 0.8	16 Sa	0339 1.6 0945 0.7 1604 1.7 2221 0.6	1 Mo	0534 1.5 1136 0.8 1753 1.6	16 Tu	0519 1.7 1125 0.6 1741 1.9
2 Mo	0318 1.8 0933 0.6 1548 1.6 2158 0.6	17 Tu	0251 1.6 0902 0.7 1513 1.5 2114 0.7	2 Th	0445 1.6 1100 0.8 1715 1.6 2332 0.7	17 Fr	0403 1.6 1012 0.7 1628 1.7 2241 0.6	2 Sa	0513 1.5 1122 0.8 1739 1.6	17 Su	0439 1.7 1046 0.6 1703 1.8 2326 0.6	2 Tu	0022 0.8 0620 1.5 1222 0.8 1837 1.6	17 We	0009 0.5 0618 1.7 1225 0.5 1840 1.9
3 Tu	0412 1.7 1030 0.7 1644 1.6 2255 0.6	18 We	0339 1.6 0952 0.7 1605 1.5 2207 0.7	3 Fr	0538 1.6 1154 0.8 1807 1.6	18 Sa	0502 1.6 1113 0.7 1726 1.7 2345 0.6	3 Su	0002 0.8 0603 1.5 1211 0.8 1826 1.6	18 Mo	0541 1.7 1148 0.6 1802 1.8	3 We	0110 0.8 0706 1.5 1307 0.8 1921 1.6	18 Th	0111 0.5 0716 1.7 1325 0.5 1938 1.9
4 We	0507 1.7 1129 0.7 1739 1.6 2352 0.7	19 Th	0431 1.6 1047 0.7 1659 1.6 2305 0.7	4 Sa	0027 0.7 0630 1.5 1247 0.8 1857 1.6	19 Su	0602 1.7 1214 0.7 1825 1.7	4 Mo	0053 0.8 0652 1.5 1259 0.8 1912 1.6	19 Tu	0030 0.6 0640 1.7 1249 0.6 1901 1.9	4 Th	0157 0.8 0750 1.5 1350 0.8 2005 1.6	19 Fr	0211 0.5 0812 1.7 1423 0.5 2036 1.9
5 Th	0602 1.7 1226 0.7 1833 1.6	20 Fr	0527 1.6 1146 0.7 1754 1.6	5 Su	0121 0.7 0722 1.5 1337 0.8 1946 1.6	20 Mo	0050 0.6 0702 1.7 1314 0.6 1923 1.8	5 Tu	0143 0.8 0739 1.5 1345 0.8 1958 1.6	20 We	0133 0.5 0738 1.7 1347 0.6 1959 1.9	5 Fr	0242 0.8 0833 1.5 1433 0.8 2049 1.6	20 Sa	0307 0.5 0908 1.7 1521 0.6 2134 1.8
6 Fr	0049 0.7 0657 1.6 1321 0.7 1926 1.6	21 Sa	0006 0.7 0625 1.6 1244 0.7 1849 1.7	6 Mo	0213 0.7 0811 1.5 1423 0.8 2034 1.6	21 Tu	0152 0.6 0800 1.7 1411 0.6 2020 1.8	6 We	0230 0.7 0824 1.5 1429 0.8 2042 1.6	21 Th	0233 0.5 0835 1.7 1445 0.5 2058 1.9	6 Sa	0324 0.7 0913 1.5 1515 0.8 2132 1.6	21 Su	0402 0.6 1003 1.7 1619 0.6 2231 1.8
7 Sa	0145 0.7 0750 1.6 1412 0.7 2017 1.6	22 Su	0108 0.6 0723 1.6 1341 0.7 1945 1.7	7 Tu	0302 0.7 0858 1.5 1507 0.8 2120 1.6	22 We	0252 0.5 0856 1.7 1507 0.6 2118 1.8	7 Th	0315 0.7 0907 1.5 1511 0.8 2126 1.6	22 Fr	0330 0.5 0930 1.7 1542 0.5 2156 1.8	7 Su	0404 0.7 0954 1.5 1557 0.8 2215 1.6	22 Mo	0454 0.6 1058 1.7 1716 0.6 2326 1.7
8 Su	0240 0.7 0842 1.6 1500 0.7 2107 1.6	23 Mo	0210 0.6 0820 1.7 1436 0.7 2040 1.7	8 We	0347 0.7 0942 1.5 1549 0.8 2204 1.6	23 Th	0349 0.5 0951 1.7 1602 0.6 2215 1.8	8 Fr	0357 0.7 0948 1.5 1551 0.8 2208 1.6	23 Sa	0424 0.5 1025 1.7 1639 0.6 2253 1.8	8 Mo	0442 0.7 1034 1.5 1640 0.8 2259 1.6	23 Tu	0544 0.6 1153 1.7 1812 0.6
9 Mo	0331 0.7 0930 1.6 1545 0.7 2155 1.6	24 Tu	0308 0.6 0915 1.7 1529 0.6 2136 1.8	9 Th	0430 0.7 1023 1.5 1629 0.8 2246 1.6	24 Fr	0443 0.5 1045 1.7 1657 0.6 2311 1.8	9 Sa	0436 0.7 1027 1.5 1631 0.8 2249 1.6	24 Su	0516 0.6 1119 1.7 1735 0.6 2348 1.8	9 Tu	0520 0.7 1117 1.6 1726 0.7 2344 1.6	24 We	0019 1.7 0631 0.7 1246 1.6 1904 0.7
10 Tu	0418 0.7 1016 1.6 1627 0.7 2241 1.6	25 We	0405 0.6 1009 1.7 1621 0.6 2232 1.8	10 Fr	0509 0.7 1103 1.5 1708 0.8 2327 1.6	25 Sa	0535 0.5 1138 1.7 1752 0.6	10 Su	0513 0.7 1106 1.5 1711 0.8 2330 1.6	25 Mo	0606 0.6 1213 1.7 1831 0.6	10 We	0600 0.7 1203 1.6 1815 0.7	25 Th	0109 1.6 0718 0.7 1337 1.6 1954 0.7
11 We	0502 0.7 1059 1.5 1707 0.7 2324 1.6	26 Th	0458 0.5 1102 1.7 1713 0.6 2327 1.8	11 Sa	0547 0.7 1142 1.5 1746 0.8	26 Su	0006 1.8 0625 0.6 1231 1.7 1846 0.6	11 Mo	0550 0.7 1146 1.5 1752 0.7	26 Tu	0041 1.7 0654 0.6 1307 1.6 1924 0.7	11 Th	0032 1.6 0643 0.7 1254 1.7 1906 0.7	26 Fr	0157 1.6 0803 0.7 1425 1.6 2041 0.7
12 Th	0543 0.7 1139 1.5 1746 0.7	27 Fr	0550 0.5 1154 1.7 1806 0.6	12 Su	0007 1.6 0623 0.7 1221 1.5 1825 0.7	27 Mo	0059 1.8 0714 0.6 1324 1.6 1940 0.6	12 Tu	0013 1.6 0628 0.7 1229 1.6 1837 0.7	27 We	0132 1.7 0742 0.7 1400 1.6 2016 0.7	12 Fr	0124 1.6 0731 0.7 1348 1.7 2002 0.6	27 Sa	0243 1.5 0847 0.8 1510 1.6 2127 0.8
13 Fr	0006 1.6 0621 0.7 1219 1.5 1824 0.8	28 Sa	0022 1.8 0640 0.6 1247 1.7 1859 0.6	13 Mo	0047 1.6 0701 0.7 1302 1.5 1907 0.7	28 Tu	0151 1.7 0802 0.7 1418 1.6 2033 0.7	13 We	0058 1.6 0709 0.7 1317 1.6 1926 0.7	28 Th	0222 1.6 0829 0.7 1450 1.6 2107 0.7	13 Sa	0219 1.6 0825 0.6 1446 1.8 2101 0.6	28 Su	0329 1.5 0931 0.8 1554 1.6 2212 0.8
14 Sa	0046 1.6 0659 0.7 1259 1.5 1903 0.7	29 Su	0115 1.8 0730 0.6 1340 1.6 1953 0.6	14 Tu	0130 1.6 0740 0.7 1347 1.6 1953 0.7	29 We	0242 1.7 0851 0.7 1510 1.6 2126 0.7	14 Th	0147 1.6 0755 0.7 1410 1.6 2020 0.6	29 Fr	0310 1.6 0915 0.8 1538 1.6 2156 0.7	14 Su	0318 1.7 0923 0.6 1544 1.8 2202 0.6	29 Mo	0416 1.5 1016 0.8 1636 1.6 2259 0.8
15 Su	0125 1.6 0738 0.7 1340 1.5 1943 0.7	30 Mo	0208 1.8 0820 0.6 1434 1.6 2047 0.6	15 We	0216 1.6 0825 0.7 1437 1.6 2043 0.7	30 Th	0332 1.6 0941 0.8 1601 1.6 2218 0.7	15 Fr	0241 1.6 0847 0.7 1506 1.7 2118 0.6	30 Sa	0358 1.5 1003 0.8 1624 1.6 2244 0.8	15 Mo	0419 1.7 1024 0.6 1643 1.9 2306 0.6	30 Tu	0502 1.5 1101 0.8 1719 1.6 2347 0.8
		31 Tu	0300 1.7 0912 0.7 1529 1.6 2141 0.7							31 Su	0446 1.5 1050 0.8 1709 1.6 2333 0.8				

Standard Ports

Remember to add 1 hour for Daylight Saving Time. Finishes 5 April.

Westport

Lat. 41°45'S., Long. 171°36'E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2025

July			August			September			October														
	Time	m		Time	m		Time	m		Time	m		Time	m									
1 Tu	0246	3.2	16 We	0201	3.4	1 Fr	0327	2.9	16 Sa	0323	3.2	1 Mo	0428	2.6	16 Tu	0546	2.8	1 We	0507	2.6	16 Th	0027	1.1
	0901	1.0		0818	0.8		0940	1.2		0939	1.0		1043	1.5		1157	1.2		1119	1.5		0648	2.8
	1512	3.0		1429	3.2		1550	2.8		1552	3.1		1704	2.6		1823	2.9		1744	2.6		1255	1.2
	2116	1.1		2034	0.9		2203	1.3		2209	1.1		2328	1.5								1916	3.0
2 We	0335	3.1	17 Th	0250	3.3	2 Sa	0418	2.8	17 Su	0432	3.0	2 Tu	0544	2.6	17 We	0041	1.1	2 Th	0004	1.4	17 Fr	0129	1.0
	0949	1.2		0908	0.9		1032	1.4		1047	1.1		1200	1.5		0704	2.9		0621	2.7		0748	2.9
	1600	2.9		1519	3.2		1646	2.7		1706	2.9		1823	2.6		1313	1.2		1232	1.4		1353	1.1
	2207	1.3		2128	1.0		2303	1.4		2326	1.1			1935		3.0	1851		2.8	2009		3.1	
3 Th	0425	3.0	18 Fr	0347	3.2	3 Su	0518	2.7	18 Mo	0549	3.0	3 We	0041	1.4	18 Th	0148	1.0	3 Fr	0106	1.2	18 Sa	0219	0.9
	1039	1.3		1005	1.0		1133	1.4		1203	1.2		0656	2.7		0809	3.0		0722	2.8		0837	3.0
	1650	2.8		1617	3.1		1751	2.7		1826	2.9		1310	1.4		1415	1.1		1331	1.2		1439	0.9
	2301	1.3		2230	1.1					1928	2.8		2033	3.1		1945	3.0		2053	3.2			
4 Fr	0518	2.9	19 Sa	0451	3.1	4 Mo	0010	1.5	19 Tu	0044	1.1	4 Th	0142	1.3	19 Fr	0243	0.9	4 Sa	0158	1.0	19 Su	0302	0.8
	1131	1.3		1108	1.0		0622	2.7		0705	3.0		0756	2.8		0902	3.1		0813	3.0		0917	3.1
	1744	2.8		1723	3.0		1238	1.4		1318	1.2		1407	1.2		1505	0.9		1420	1.0		1518	0.8
	2358	1.4		2340	1.1		1858	2.7		1940	3.0		2021	3.0		2119	3.3		2031	3.2		2129	3.3
5 Sa	0611	2.8	20 Su	0559	3.1	5 Tu	0114	1.4	20 We	0154	1.0	5 Fr	0232	1.1	20 Sa	0328	0.8	5 Su	0244	0.8	20 Mo	0338	0.8
	1225	1.3		1215	1.1		0725	2.8		0815	3.0		0847	3.0		0945	3.2		0858	3.2		0951	3.2
	1840	2.8		1834	3.0		1341	1.4		1424	1.1		1455	1.0		1546	0.8		1504	0.7		1553	0.8
							1958	2.8		2043	3.2		2106	3.2		2158	3.4		2115	3.4		2202	3.3
6 Su	0054	1.4	21 Mo	0050	1.1	6 We	0210	1.3	21 Th	0254	0.9	6 Sa	0317	0.8	21 Su	0407	0.7	6 Mo	0327	0.6	21 Tu	0412	0.7
	0704	2.8		0708	3.1		0823	2.9		0914	3.2		0931	3.2		1021	3.3		0941	3.4		1022	3.3
	1318	1.3		1324	1.1		1436	1.2		1520	0.9		1537	0.8		1622	0.7		1546	0.5		1626	0.7
	1935	2.8		1943	3.1		2050	3.0		2135	3.3		2147	3.4		2233	3.4		2157	3.6		2234	3.3
7 Mo	0147	1.3	22 Tu	0157	1.0	7 Th	0300	1.1	22 Fr	0345	0.8	7 Su	0358	0.6	22 Mo	0442	0.6	7 Tu	0410	0.4	22 We	0444	0.7
	0756	2.9		0815	3.2		0913	3.0		1004	3.3		1012	3.4		1054	3.3		1022	3.6		1053	3.3
	1411	1.3		1428	1.0		1523	1.1		1606	0.8		1616	0.6		1655	0.7		1628	0.4		1658	0.7
	2026	2.9		2046	3.2		2135	3.1		2220	3.4		2226	3.5		●	2305		3.4	○		2239	3.7
8 Tu	0236	1.2	23 We	0258	0.9	8 Fr	0344	0.9	23 Sa	0430	0.7	8 Mo	0438	0.5	23 Tu	0515	0.6	8 We	0453	0.3	23 Th	0516	0.7
	0846	3.0		0917	3.3		0958	3.2		1046	3.4		1051	3.5		1124	3.3		1104	3.6		1124	3.3
	1500	1.2		1526	0.9		1605	0.9		1647	0.7		1655	0.5		1727	0.7		1711	0.3		1730	0.8
	2113	3.0		2143	3.4		2215	3.3		●	2300		3.5	○		2305	3.7		2336	3.4		2323	3.7
9 We	0322	1.1	24 Th	0353	0.7	9 Sa	0425	0.8	24 Su	0509	0.6	9 Tu	0519	0.4	24 We	0547	0.7	9 Th	0536	0.3	24 Fr	0549	0.8
	0934	3.1		1012	3.3		1040	3.3		1123	3.4		1130	3.6		1154	3.3		1147	3.6		1157	3.2
	1545	1.1		1619	0.8		1645	0.8		1724	0.7		1735	0.4		1759	0.7		1755	0.4		1804	0.8
	2157	3.1		2234	3.5		2254	3.4		2336	3.5		2346	3.7									
10 Th	0405	1.0	25 Fr	0444	0.7	10 Su	0505	0.7	25 Mo	0546	0.6	10 We	0600	0.4	25 Th	0007	3.3	10 Fr	0009	3.6	25 Sa	0012	3.1
	1018	3.2		1102	3.4		1119	3.4		1158	3.4		1211	3.6		0619	0.8		0622	0.4		0623	0.9
	1627	1.0		1706	0.7		1723	0.7		1759	0.7		1816	0.4		1225	3.2		1232	3.5		1230	3.1
	2238	3.2		●	2320		3.5	2332		3.5				1831		0.8	1842		0.5	1839		0.9	
11 Fr	0447	0.9	26 Sa	0531	0.6	11 Mo	0545	0.6	26 Tu	0010	3.4	11 Th	0029	3.7	26 Fr	0040	3.2	11 Sa	0058	3.5	26 Su	0049	3.0
	1101	3.2		1147	3.4		1158	3.5		0621	0.7		0643	0.5		0652	0.9		0711	0.6		0700	1.0
	1707	0.9		1749	0.7		1801	0.6		1230	3.3		1253	3.5		1258	3.1		1322	3.4		1307	3.0
	2317	3.3						1833		0.8	1900		0.5	1906		1.0	1935		0.7	1918		1.1	
12 Sa	0527	0.8	27 Su	0002	3.5	12 Tu	0011	3.6	27 We	0043	3.3	12 Fr	0114	3.5	27 Sa	0115	3.1	12 Su	0154	3.3	27 Mo	0129	2.9
	1142	3.3		0614	0.7		0625	0.5		0655	0.8		0729	0.6		0727	1.0		0805	0.8		0739	1.1
	1746	0.9		1229	3.4		1237	3.5		1303	3.2		1339	3.4		1333	3.0		1419	3.2		1348	2.9
	2356	3.4		1830	0.7		1841	0.6		1907	0.9		1949	0.7		1943	1.1		2037	0.9		2003	1.2
13 Su	0608	0.8	28 Mo	0043	3.4	13 We	0052	3.6	28 Th	0117	3.2	13 Sa	0206	3.3	28 Su	0154	2.9	13 Mo	0300	3.0	28 Tu	0217	2.8
	1222	3.3		0655	0.7		0707	0.6		0730	0.9		0820	0.8		0806	1.2		0909	1.0		0825	1.2
	1825	0.8		1307	3.3		1318	3.4		1336	3.1		1431	3.2		1414	2.8		1529	3.0		1438	2.8
				1909	0.8		1923	0.7		1943	1.0		2046	0.9		2029	1.3		2152	1.1		2059	1.3
14 Mo	0035	3.4	29 Tu	0122	3.3	14 Th	0136	3.5	29 Fr	0153	3.1	14 Su	0307	3.1	29 Mo	0242	2.7	14 Tu	0416	2.9	29 We	0316	2.7
	0649	0.8		0735	0.8		0752	0.7		0806	1.1		0921	1.0		0854	1.3		1024	1.2		0924	1.3
	1302	3.3		1345	3.2		1402	3.3		1413	3.0		1537	3.0		1507	2.7		1651	2.9		1544	2.7
	1905	0.8		1948	0.9		2010	0.8		2022	1.2		2158	1.1		2129	1.4		2312	1.1		2209	1.3
15 Tu	0116	3.4	30 We	0201	3.2	15 Fr	0226	3.4	30 Sa	0234	2.9	15 Mo	0423	2.9	30 Tu	0347	2.6	15 We	0536	2.8	30 Th	0427	2.6
	0732	0.8		0815	1.0		0842	0.8		0847	1.2		1035	1.2		0959	1.4		1144	1.2		1035	1.4
	1344	3.3		1423	3.1		1452	3.2		1455	2.8		1659	2.9		1621	2.6		1810	2.9		1659	2.7
	1947	0.9		2028	1.1		2104	0.9		2109	1.3		2321	1.2		2248	1.4					2321	1.3
			31 Th	0242	3.1			31 Su	0324	2.8									31 Fr	0537	2.7		
		0856		1.1			0937		1.4												1147	1.3	
		1503		3.0			1550		2.7												1807	2.8	
		2112		1.2			2211		1.4														

Remember to add 1 hour for Daylight Saving Time. Commences 28 September.

Westport

Lat. 41°45'S., Long. 171°36'E.

Time Zone -1200

Times and Heights of High and Low Waters

Year 2025/26

November				December				January				February			
Time m		Time m		Time m		Time m		Time m		Time m		Time m		Time m	
1 Sa	0024 1.1 0639 2.8 1248 1.1 1903 3.0	16 Su	0144 1.0 0800 2.9 1405 1.0 2017 3.0	1 Mo	0038 0.9 0652 3.0 1304 0.9 1918 3.2	16 Tu	0147 1.1 0803 2.8 1411 1.1 2021 2.9	1 Th	0209 0.8 0826 3.2 1438 0.7 2055 3.3	16 Fr	0252 1.2 0906 2.9 1515 1.1 2127 2.9	1 Su	0357 0.7 1012 3.4 1623 0.6 2242 3.4	16 Mo	0355 1.0 1005 3.2 1614 0.8 2228 3.2
2 Su	0118 0.9 0733 3.0 1342 0.9 1954 3.2	17 Mo	0227 1.0 0842 3.0 1446 1.0 2056 3.1	2 Tu	0134 0.8 0749 3.1 1400 0.8 2014 3.3	17 We	0232 1.1 0847 2.9 1454 1.0 2104 3.0	2 Fr	0309 0.7 0925 3.3 1536 0.6 2154 3.4	17 Sa	0337 1.0 0950 3.0 1558 1.0 2211 3.0	2 Mo	0446 0.6 1100 3.5 1711 0.5 2328 3.5	17 Tu	0432 0.8 1041 3.4 1651 0.7 2305 3.4
3 Mo	0208 0.7 0823 3.2 1431 0.7 2042 3.4	18 Tu	0306 0.9 0919 3.1 1523 0.9 2132 3.1	3 We	0229 0.7 0844 3.3 1454 0.6 2108 3.4	18 Th	0315 1.0 0928 3.0 1535 1.0 2145 3.0	3 Sa	0404 0.6 1019 3.5 1630 0.5 2249 3.4	18 Su	0419 0.9 1029 3.2 1637 0.8 2251 3.2	3 Tu	0530 0.5 1144 3.6 1755 0.5	18 We	0507 0.7 1116 3.5 1728 0.6 2340 3.4
4 Tu	0256 0.6 0910 3.4 1518 0.5 2129 3.6	19 We	0342 0.9 0953 3.1 1558 0.8 2207 3.2	4 Th	0322 0.6 0936 3.4 1546 0.5 2201 3.5	19 Fr	0356 0.9 1008 3.1 1615 0.9 2225 3.1	4 Su	0456 0.5 1111 3.5 1722 0.4 2341 3.5	19 Mo	0457 0.8 1106 3.3 1715 0.8 2329 3.2	4 We	0010 3.5 0611 0.5 1224 3.6 1836 0.5	19 Th	0542 0.6 1152 3.5 1804 0.5
5 We	0343 0.4 0956 3.5 1604 0.4 2216 3.6	20 Th	0417 0.8 1027 3.2 1633 0.8 2242 3.2	5 Fr	0414 0.5 1027 3.5 1638 0.4 2254 3.5	20 Sa	0435 0.9 1046 3.1 1653 0.9 2305 3.1	5 Mo	0546 0.5 1200 3.6 1812 0.5	20 Tu	0533 0.8 1141 3.3 1752 0.7	5 Th	0049 3.4 0650 0.6 1304 3.5 1916 0.6	20 Fr	0015 3.5 0618 0.6 1228 3.6 1842 0.5
6 Th	0430 0.4 1042 3.6 1651 0.3 2305 3.7	21 Fr	0453 0.8 1102 3.2 1709 0.8 2318 3.2	6 Sa	0505 0.5 1118 3.6 1730 0.4 2347 3.5	21 Su	0513 0.8 1123 3.2 1732 0.8 2344 3.1	6 Tu	0030 3.4 0633 0.6 1247 3.5 1901 0.5	21 We	0005 3.3 0608 0.7 1216 3.4 1829 0.7	6 Fr	0126 3.3 0729 0.7 1342 3.3 1954 0.8	21 Sa	0052 3.4 0656 0.6 1308 3.5 1922 0.6
7 Fr	0518 0.4 1129 3.6 1739 0.4 2355 3.6	22 Sa	0528 0.8 1137 3.2 1745 0.8 2355 3.1	7 Su	0556 0.5 1210 3.5 1822 0.5	22 Mo	0550 0.8 1159 3.2 1810 0.8	7 We	0116 3.4 0718 0.6 1334 3.4 1948 0.7	22 Th	0040 3.3 0643 0.7 1252 3.4 1906 0.7	7 Sa	0203 3.2 0807 0.9 1421 3.1 2034 1.0	22 Su	0131 3.4 0738 0.7 1351 3.4 2006 0.7
8 Sa	0607 0.5 1219 3.5 1831 0.5	23 Su	0605 0.9 1213 3.1 1823 0.9	8 Mo	0041 3.4 0647 0.6 1302 3.4 1917 0.6	23 Tu	0022 3.1 0627 0.9 1236 3.2 1848 0.8	8 Th	0202 3.2 0804 0.8 1421 3.3 2035 0.8	23 Fr	0117 3.3 0720 0.7 1331 3.7 1946 0.7	8 Su	0241 3.0 0849 1.1 1503 3.0 2116 1.1	23 Mo	0214 3.3 0825 0.8 1441 3.2 2057 0.9
9 Su	0048 3.4 0658 0.6 1311 3.4 1926 0.6	24 Mo	0034 3.0 0642 0.9 1250 3.0 1903 1.0	9 Tu	0136 3.3 0740 0.7 1357 3.3 2013 0.7	24 We	0101 3.1 0704 0.9 1313 3.1 1928 0.9	9 Fr	0247 3.1 0850 0.9 1508 3.1 2122 1.0	24 Sa	0155 3.2 0800 0.8 1413 3.3 2030 0.8	9 Mo	0324 2.8 0937 1.3 1552 2.8 2205 1.3	24 Tu	0307 3.1 0923 1.0 1543 3.1 2159 1.1
10 Mo	0146 3.2 0754 0.8 1410 3.2 2029 0.8	25 Tu	0115 3.0 0721 1.0 1330 3.0 1946 1.0	10 We	0231 3.1 0834 0.9 1454 3.2 2111 0.9	25 Th	0140 3.1 0743 0.9 1354 3.1 2012 0.9	10 Sa	0333 2.9 0940 1.1 1558 2.9 2212 1.1	25 Su	0239 3.1 0847 0.9 1503 3.2 2121 0.9	10 Tu	0417 2.7 1036 1.4 1652 2.7 2306 1.4	25 We	0414 2.9 1037 1.1 1700 2.9 2315 1.2
11 Tu	0250 3.1 0856 1.0 1518 3.0 2138 1.0	26 We	0159 2.9 0804 1.1 1416 2.9 2036 1.1	11 Th	0328 3.0 0931 1.0 1554 3.0 2210 1.0	26 Fr	0222 3.0 0826 1.0 1440 3.1 2100 0.9	11 Su	0423 2.8 1034 1.2 1652 2.8 2306 1.3	26 Mo	0330 3.0 0943 1.0 1603 3.1 2221 1.0	11 We	0524 2.6 1147 1.5 1801 2.6	26 Th	0538 2.9 1201 1.2 1824 2.9
12 We	0359 2.9 1004 1.1 1630 2.9 2249 1.1	27 Th	0249 2.8 0854 1.2 1510 2.9 2133 1.1	12 Fr	0425 2.9 1031 1.1 1654 2.9 2308 1.1	27 Sa	0310 3.0 0917 1.0 1534 3.0 2154 1.0	12 Mo	0519 2.7 1134 1.3 1749 2.7	27 Tu	0434 2.9 1052 1.1 1713 3.0 2331 1.1	12 Th	0017 1.5 0639 2.6 1258 1.4 1911 2.6	27 Fr	0038 1.2 0702 2.9 1319 1.1 1942 3.0
13 Th	0508 2.8 1115 1.2 1739 2.9 2355 1.1	28 Fr	0347 2.8 0953 1.2 1613 2.9 2235 1.1	13 Sa	0523 2.8 1132 1.2 1751 2.9	28 Su	0405 2.9 1016 1.1 1636 3.0 2255 1.0	13 Tu	0003 1.3 0620 2.7 1236 1.3 1848 2.7	28 We	0549 2.9 1209 1.1 1829 3.0	13 Fr	0127 1.4 0746 2.7 1400 1.3 2013 2.8	28 Sa	0152 1.1 0813 3.1 1426 0.9 2047 3.1
14 Fr	0613 2.8 1221 1.2 1841 2.9	29 Sa	0449 2.8 1058 1.2 1719 2.9 2338 1.0	14 Su	0004 1.2 0620 2.8 1230 1.2 1845 2.8	29 Mo	0508 2.9 1123 1.1 1742 3.0	14 We	0103 1.3 0721 2.7 1335 1.3 1946 2.7	29 Th	0046 1.1 0707 3.0 1324 1.0 1944 3.0	14 Sa	0226 1.3 0841 2.9 1451 1.2 2105 2.9	15 Su	0314 1.1 0926 3.0 1535 1.0 2149 3.1
15 Sa	0054 1.1 0711 2.9 1317 1.1 1933 3.0	30 Su	0552 2.9 1203 1.1 1821 3.0	15 Mo	0058 1.2 0713 2.8 1323 1.2 1935 2.9	30 Tu	0000 1.0 0616 3.0 1231 1.0 1849 3.1	15 Th	0200 1.3 0817 2.8 1428 1.2 2039 2.8	30 Fr	0158 1.0 0818 3.1 1431 0.9 2051 3.2	15 Su	0302 0.9 0919 3.3 1530 0.7 2150 3.3		
						31 We	0105 0.9 0723 3.0 1337 0.9 1953 3.2								

Standard Ports

Remember to add 1 hour for Daylight Saving Time.

Westport

Lat. 41°45'S., Long. 171°36'E.

Time Zone –1200

Times and Heights of High and Low Waters

Year 2026

March				April				May				June												
	Time	m		Time	m			Time	m		Time	m		Time	m		Time	m						
1 Su	0254	0.9	16 Mo	0240	1.2	1 We		0404	0.7	16 Th	0324	0.8	1 Fr	0410	0.8	16 Sa	0338	0.6	1 Mo	0458	1.0	16 Tu	0505	0.5
	0911	3.3		0851	3.1			1016	3.5		0934	3.5		1020	3.4		0950	3.6		1108	3.2		1123	3.6
	1522	0.8		1502	1.0			1625	0.7		1548	0.6		1630	0.8		1605	0.6		1718	1.0		1732	0.6
	2141	3.3		2116	3.1			2238	3.4		2200	3.5		2240	3.3		2217	3.6		2327	3.2		2346	3.6
2 Mo	0344	0.8	17 Tu	0322	1.0	2 Th		0440	0.7	17 Fr	0406	0.6	2 Sa	0445	0.8	17 Su	0426	0.5	2 Tu	0536	1.0	17 We	0559	0.5
	0959	3.4		0931	3.3			1051	3.5		1017	3.6		1054	3.3		1040	3.6		1147	3.2		1218	3.6
	1609	0.6		1542	0.8			1700	0.7		1630	0.5		1704	0.8		1654	0.5		1756	1.0		1825	0.6
	2226	3.4		2156	3.3			○	2311		3.4	●		2242	3.6		○	2313		3.3	●		2306	3.6
3 Tu ○	0428	0.6	18 We	0400	0.8	3 Fr		0514	0.7	18 Sa	0448	0.5	3 Su	0520	0.9	18 Mo	0516	0.5	3 We	0004	3.2	18 Th	0040	3.6
	1041	3.5		1009	3.5			1124	3.5		1100	3.7		1129	3.3		1131	3.6		0615	1.0		0654	0.6
	1651	0.5		1621	0.6			1734	0.7		1714	0.5		1739	0.9		1744	0.6		1227	3.1		1313	0.5
	2306	3.5		2234	3.4			2343	3.4		2324	3.6		2347	3.3		2356	3.6		1834	1.0		1918	0.7
4 We	0507	0.6	19 Th ●	0437	0.6	4 Sa		0547	0.7	19 Su	0532	0.5	4 Mo	0555	0.9	19 Tu	0608	0.6	4 Th	0043	3.2	19 Fr	0134	3.5
	1120	3.6		1047	3.6			1157	3.4		1145	3.7		1204	3.2		1225	3.6		0655	1.1		0750	0.7
	1730	0.5		1659	0.5			1807	0.8		1759	0.5		1815	1.0		1835	0.6		1307	3.1		1408	3.4
	2343	3.5		2311	3.5												1913	1.1		2011	0.8			
5 Th	0544	0.6	20 Fr	0515	0.5	5 Su		0015	3.3	20 Mo	0009	3.6	5 Tu	0023	3.2	20 We	0049	3.5	5 Fr	0123	3.1	20 Sa	0230	3.4
	1156	3.5		1125	3.7			0621	0.8		0619	0.5		0632	1.0		0703	0.7		0737	1.1		0846	0.8
	1806	0.6		1738	0.5			1230	3.3		1234	3.6		1242	3.1		1323	3.4		1350	3.0		1503	3.3
				2349	3.6			1841	0.9		1846	0.6		1852	1.0		1930	0.8		1954	1.2		2106	1.0
6 Fr	0016	3.4	21 Sa	0554	0.5	6 Mo		0048	3.2	21 Tu	0057	3.5	6 We	0100	3.1	21 Th	0146	3.4	6 Sa	0205	3.0	21 Su	0327	3.3
	0619	0.6		1205	3.7			0656	0.9		0709	0.7		0712	1.1		0803	0.8		0822	1.2		0943	1.0
	1230	3.5		1819	0.5			1306	3.2		1327	3.4		1323	3.0		1424	3.3		1434	3.0		1558	3.1
	1841	0.7						1916	1.0		1938	0.8		1932	1.2		2029	0.9		2038	1.2		2203	1.1
7 Sa	0049	3.4	22 Su	0028	3.6	7 Tu		0123	3.1	22 We	0151	3.4	7 Th	0141	3.0	22 Fr	0249	3.3	7 Su	0252	3.0	22 Mo	0425	3.2
	0653	0.8		0635	0.5			0734	1.1		0807	0.8		0756	1.2		0907	0.9		0911	1.2		1039	1.1
	1304	3.3		1248	3.6			1345	3.0		1428	3.2		1409	2.9		1527	3.2		1523	2.9		1653	3.0
	1915	0.8		1902	0.6			1955	1.2		2037	1.0		2016	1.3		2132	1.1		2128	1.3		2301	1.2
8 Su	0122	3.2	23 Mo	0111	3.5	8 We		0203	3.0	23 Th	0254	3.2	8 Fr	0228	2.9	23 Sa	0355	3.2	8 Mo	0345	3.0	23 Tu	0522	3.1
	0728	0.9		0720	0.7			0818	1.3		0915	1.0		0847	1.3		1013	1.0		1005	1.2		1135	1.2
	1339	3.2		1335	3.4			1430	2.9		1538	3.1		1501	2.8		1632	3.1		1617	2.9		1749	2.9
	1950	1.0		1949	0.8			2040	1.3		2145	1.1		2107	1.4		2237	1.1		2224	1.3			
9 Mo	0157	3.1	24 Tu	0158	3.3	9 Th		0252	2.8	24 Fr	0409	3.1	9 Sa	0325	2.8	24 Su	0501	3.1	9 Tu	0443	3.0	24 We	0000	1.2
	0806	1.1		0812	0.8			0912	1.4		1030	1.1		0947	1.4		1117	1.1		1102	1.2		0617	3.0
	1417	3.0		1430	3.2			1528	2.7		1652	3.0		1601	2.8		1735	3.0		1715	2.9		1229	1.2
	2029	1.1		2043	1.0			2137	1.4		2300	1.2		2208	1.4		2342	1.2		2326	1.2		1845	2.9
10 Tu	0236	2.9	25 We	0256	3.1	10 Fr		0357	2.7	25 Sa	0526	3.0	10 Su	0429	2.8	25 Mo	0603	3.1	10 We	0543	3.1	25 Th	0056	1.3
	0850	1.3		0915	1.0			1022	1.5		1144	1.1		1050	1.3		1217	1.1		1200	1.1		0710	3.0
	1503	2.8		1538	3.0			1639	2.7		1805	3.0		1705	2.8		1834	3.0		1814	3.0		1321	1.2
	2115	1.3		2149	1.1			2250	1.5					2313	1.4								1938	2.9
11 We	0326	2.8	26 Th	0410	3.0	11 Sa		0514	2.7	26 Su	0013	1.2	11 Mo	0533	2.9	26 Tu	0042	1.2	11 Th	0027	1.1	26 Fr	0147	1.2
	0947	1.4		1034	1.2			1136	1.5		0635	3.1		1151	1.3		0700	3.1		0642	3.2		0759	3.0
	1602	2.7		1658	2.9			1751	2.7		1250	1.1		1805	2.9		1311	1.1		1258	1.0		1411	1.2
	2215	1.5		2309	1.3						1910	3.0					1928	3.0		1913	3.1		2026	3.0
12 Th	0435	2.6	27 Fr	0536	2.9	12 Su		0003	1.5	27 Mo	0116	1.1	12 Tu	0015	1.3	27 We	0135	1.1	12 Fr	0126	1.0	27 Sa	0235	1.2
	1101	1.5		1157	1.2			0623	2.8		0735	3.2		0631	3.0		0749	3.1		0739	3.3		0846	3.0
	1717	2.6		1820	2.9			1240	1.3		1347	1.0		1246	1.1		1400	1.1		1355	0.9		1457	1.2
	2332	1.5						1855	2.8		2005	3.1		1901	3.0		2016	3.1		2010	3.3		2111	3.0
13 Fr	0557	2.6	28 Sa	0030	1.2	13 Mo		0105	1.3	28 Tu	0210	1.0	13 We	0110	1.2	28 Th	0222	1.1	13 Sa	0222	0.8	28 Su	0319	1.1
	1219	1.5		0655	3.0			0720	2.9		0825	3.2		0723	3.2		0834	3.1		0836	3.4		0930	3.0
	1834	2.6		1311	1.1			1334	1.2		1435	0.9		1338	1.0		1444	1.1		1451	0.8		1540	1.1
				1933	3.0			1949	3.0		2052	3.2		1952	3.2		2058	3.1		2106	3.4		2153	3.1
14 Sa	0049	1.5	29 Su	0140	1.1	14 Tu		0157	1.2	29 We	0255	1.0	14 Th	0201	1.0	29 Fr	0304	1.0	14 Su	0317	0.7	29 Mo	0401	1.1
	0709	2.7		0800	3.1			0808	3.1		0908	3.3		0813	3.3		0914	3.2		0932	3.5		1012	3.1
	1324	1.4		1412	1.0			1421	1.0		1517	0.9		1428	0.8		1524	1.0		1546	0.7		1621	1.0
	1939	2.7		2032	3.1			2035	3.1		2132	3.2		2041	3.3		2137	3.2		2200	3.5		2232	3.2
15 Su	0151	1.3	30 Mo	0237	1.0	15 We		0242	1.0	30 Th	0334	0.9	15 Fr	0250	0.8	30 Sa	0342	1.0	15 Mo ●	0411	0.6	30 Tu ○	0441	1.0
	0805	2.9		0853	3.3			0852	3.3		0945	3.3		0902	3.5		0952	3.2		1028	3.6		1053	3.2
	1417	1.2		1503	0.8			1505	0.8		1555	0.8		1516	0.7		1603	1.0		1640	0.6		1701	1.0
	2032	2.9		2121	3.2			2119	3.3		2207	3.3		2129	3.5		2214	3.2		2253	3.6		2311	3.2
			31 Tu	0323	0.8									31 Su ○	0420	1.0								
				0937	3.4											1030	3.2							
				1547	0.7										1640	1.0								
				2202	3.3										2250	3.2								

Remember to add 1 hour for Daylight Saving Time. Finishes 5 April.

Te Aumiti / French Pass

Lat. 40° 55'S., Long. 173° 50'E.

Tidal Stream Diagrams During Spring Tide Conditions

Times Relative to High Water at Nelson

The following diagrams depict the direction and rate of the Te Aumiti / French Pass tidal stream at hourly intervals during average spring tide conditions.

Each arrow represents the direction and rate of the tidal stream.


The arrows are arranged in a grid pattern at a spacing of 0.1 nautical miles. Additional arrows are included along the main channel at intervals of 0.1 nautical miles.

The diagrams commence 6 hours before high water and end 6 hours after high water at Nelson. The predicted times of high water at Nelson can be found on pages 58 – 60.

Tidal streams can be influenced by local weather conditions so caution is advised when navigating through this passage. Local tide rips and eddies are not shown on these diagrams. Chart NZ 6151 and the publication *ADMIRALTY Sailing Directions, New Zealand Pilot* (NP51) should be consulted for further information.

Additional notes about tidal streams in general, and the conditions at Te Aumiti / French Pass in particular, can be found on page 26.

Predictions of the times of the commencement of the ebb (NE) and flood (SW) streams at Te Aumiti / French Pass can be found on pages 113 – 115.




-6hr HW Nelson, Spring Tide

Te Aumiti / French Pass


Lat. 40° 55'S., Long. 173° 50'E.

Tidal Stream Diagrams During **Spring** Tide Conditions

Times Relative to High Water at **Nelson**



-5hr HW Nelson, Spring Tide




-4hr HW Nelson, Spring Tide

Te Aumiti / French Pass


Lat. 40° 55'S., Long. 173° 50'E.

Tidal Stream Diagrams During **Spring** Tide Conditions

Times Relative to High Water at **Nelson**



-3hr HW Nelson, Spring Tide




-2hr HW Nelson, Spring Tide

Te Aumiti / French Pass


Lat. 40° 55'S., Long. 173° 50'E.

Tidal Stream Diagrams During **Spring** Tide Conditions

Times Relative to High Water at **Nelson**



-1hr HW Nelson, Spring Tide




At HW Nelson, Spring Tide

Te Aumiti / French Pass


Lat. 40° 55'S., Long. 173° 50'E.

Tidal Stream Diagrams During **Spring** Tide Conditions

Times Relative to High Water at **Nelson**



+1hr HW Nelson, Spring Tide




+2hr HW Nelson, Spring Tide

Te Aumiti / French Pass


Lat. 40° 55'S., Long. 173° 50'E.

Tidal Stream Diagrams During **Spring** Tide Conditions

Times Relative to High Water at **Nelson**



+3hr HW Nelson, Spring Tide




+4hr HW Nelson, Spring Tide

Te Aumiti / French Pass


Lat. 40° 55'S., Long. 173° 50'E.

Tidal Stream Diagrams During **Spring** Tide Conditions

Times Relative to High Water at **Nelson**



+5hr HW Nelson, Spring Tide



+6hr HW Nelson, Spring Tide

Te Aumiti / French Pass

Lat. 40° 55'S., Long. 173° 50'E.

Tidal Stream Diagrams During Neap Tide Conditions Times Relative to High Water at Nelson

The following diagrams depict the direction and rate of the Te Aumiti / French Pass tidal stream at hourly intervals during average neap tide conditions.

Each arrow represents the direction and rate of the tidal stream.


The arrows are arranged in a grid pattern at a spacing of 0.1 nautical miles. Additional arrows are included along the main channel at intervals of 0.1 nautical miles.

The diagrams commence 6 hours before high water and end 6 hours after high water at Nelson. The predicted times of high water at Nelson can be found on pages 58 – 60.

Tidal streams can be influenced by local weather conditions so caution is advised when navigating through this passage. Local tide rips and eddies are not shown on these diagrams. Chart NZ 6151 and the publication *ADMIRALTY Sailing Directions, New Zealand Pilot* (NP51) should be consulted for further information.

Additional notes about tidal streams in general, and the conditions at Te Aumiti / French Pass in particular, can be found on page 26.

Predictions of the times of the commencement of the ebb (NE) and flood (SW) streams at Te Aumiti / French Pass can be found on pages 113 – 115.




-6hr HW Nelson, Neap Tide

Te Aumiti / French Pass


Lat. 40° 55'S., Long. 173° 50'E.

Tidal Stream Diagrams During **Neap** Tide Conditions

Times Relative to High Water at **Nelson**



-5hr HW Nelson, Neap Tide




-4hr HW Nelson, Neap Tide

Te Aumiti / French Pass


Lat. 40° 55'S., Long. 173° 50'E.

Tidal Stream Diagrams During Neap Tide Conditions

Times Relative to High Water at Nelson



-3hr HW Nelson, Neap Tide




-2hr HW Nelson, Neap Tide


Te Aumiti / French Pass

Lat. 40° 55'S., Long. 173° 50'E.

Tidal Stream Diagrams During **Neap** Tide Conditions Times Relative to High Water at **Nelson**



-1hr HW Nelson, Neap Tide




At HW Nelson, Neap Tide

Te Aumiti / French Pass


Lat. 40° 55'S., Long. 173° 50'E.

Tidal Stream Diagrams During Neap Tide Conditions

Times Relative to High Water at Nelson



+1hr HW Nelson, Neap Tide




+2hr HW Nelson, Neap Tide

Te Aumiti / French Pass


Lat. 40° 55'S., Long. 173° 50'E.

Tidal Stream Diagrams During **Neap** Tide Conditions

Times Relative to High Water at **Nelson**



+3hr HW Nelson, Neap Tide




+4hr HW Nelson, Neap Tide


Te Aumiti / French Pass

Lat. 40° 55'S., Long. 173° 50'E.

Tidal Stream Diagrams During Neap Tide Conditions Times Relative to High Water at Nelson



+5hr HW Nelson, Neap Tide



+6hr HW Nelson, Neap Tide

Tory Channel / Kura te Au Entrance

Lat. 41° 13'S., Long. 174° 19'E.

Tidal Stream Diagrams During Spring Tide Conditions

Times Relative to High Water at Picton

The following diagrams depict the direction and rate of the Tory Channel / Kura te Au Entrance tidal stream at hourly intervals during average spring tide conditions.

Each arrow represents the direction and rate of the tidal stream.


The arrows are arranged in a grid pattern at a spacing of 0.1 nautical miles. Additional arrows are included along the main channel at intervals of 0.1 nautical miles.

The diagrams commence 6 hours before high water and end 6 hours after high water at Picton. The predicted times of high water at Picton can be found on pages 64 - 66.

Tidal streams can be influenced by local weather conditions so caution is advised when navigating through this passage. Local tide rips and eddies are not shown on these diagrams. Chart NZ 6154 and the publication *ADMIRALTY Sailing Directions, New Zealand Pilot* (NP51) should be consulted for further information.

Additional notes about tidal streams in general, and the conditions at Tory Channel / Kura te Au Entrance in particular, can be found on page 26.

Predictions of the times of the commencement of the ebb (E) and flood (W) streams at Tory Channel / Kura te Au Entrance can be found on pages 116 - 118.




-6hr HW Picton, Spring Tide

Tory Channel / Kura te Au Entrance


Lat. 41° 13'S., Long. 174° 19'E.

Tidal Stream Diagrams During **Spring** Tide Conditions

Times Relative to High Water at **Picton**



-5hr HW Picton, Spring Tide




-4hr HW Picton, Spring Tide

Tory Channel / Kura te Au Entrance


Lat. 41° 13'S., Long. 174° 19'E.

Tidal Stream Diagrams During **Spring** Tide Conditions

Times Relative to High Water at **Picton**



-3hr HW Picton, Spring Tide




-2hr HW Picton, Spring Tide

Tory Channel / Kura te Au Entrance


Lat. 41° 13'S., Long. 174° 19'E.

Tidal Stream Diagrams During **Spring** Tide Conditions

Times Relative to High Water at **Picton**



-1hr HW Picton, Spring Tide




At HW Picton, Spring Tide

Tory Channel / Kura te Au Entrance


Lat. 41° 13'S., Long. 174° 19'E.

Tidal Stream Diagrams During **Spring** Tide Conditions

Times Relative to High Water at **Picton**



+1hr HW Picton, Spring Tide




+2hr HW Picton, Spring Tide

Tory Channel / Kura te Au Entrance


Lat. 41° 13'S., Long. 174° 19'E.

Tidal Stream Diagrams During **Spring** Tide Conditions

Times Relative to High Water at **Picton**



+3hr HW Picton, Spring Tide




+4hr HW Picton, Spring Tide

Tory Channel / Kura te Au Entrance


Lat. 41° 13'S., Long. 174° 19'E.

Tidal Stream Diagrams During **Spring** Tide Conditions

Times Relative to High Water at **Picton**



+5hr HW Picton, Spring Tide



+6hr HW Picton, Spring Tide

Tory Channel / Kura te Au Entrance

Lat. 41° 13'S., Long. 174° 19'E.

Tidal Stream Diagrams During Neap Tide Conditions

Times Relative to High Water at Picton

The following diagrams depict the direction and rate of the Tory Channel / Kura te Au Entrance tidal stream at hourly intervals during average neap tide conditions.

Each arrow represents the direction and rate of the tidal stream.


The arrows are arranged in a grid pattern at a spacing of 0.1 nautical miles. Additional arrows are included along the main channel at intervals of 0.1 nautical miles.

The diagrams commence 6 hours before high water and end 6 hours after high water at Picton. The predicted times of high water at Picton can be found on pages 64 - 66.

Tidal streams can be influenced by local weather conditions so caution is advised when navigating through this passage. Local tide rips and eddies are not shown on these diagrams. Chart NZ 6154 and the publication *ADMIRALTY Sailing Directions, New Zealand Pilot* (NP51) should be consulted for further information.

Additional notes about tidal streams in general, and the conditions at Tory Channel / Kura te Au Entrance in particular, can be found on page 26.

Predictions of the times of the commencement of the ebb (E) and flood streams (W) at Tory Channel / Kura te Au Entrance can be found on pages 116 - 118.




-6hr HW Picton, Neap Tide

Tory Channel / Kura te Au Entrance


Lat. 41° 13'S., Long. 174° 19'E.

Tidal Stream Diagrams During Neap Tide Conditions

Times Relative to High Water at Picton



-5hr HW Picton, Neap Tide




-4hr HW Picton, Neap Tide

Tory Channel / Kura te Au Entrance


Lat. 41° 13'S., Long. 174° 19'E.

Tidal Stream Diagrams During Neap Tide Conditions

Times Relative to High Water at Picton



-3hr HW Picton, Neap Tide




-2hr HW Picton, Neap Tide

Tory Channel / Kura te Au Entrance


Lat. 41° 13'S., Long. 174° 19'E.

Tidal Stream Diagrams During Neap Tide Conditions

Times Relative to High Water at Picton



-1hr HW Picton, Neap Tide




At HW Picton, Neap Tide

Tory Channel / Kura te Au Entrance


Lat. 41° 13'S., Long. 174° 19'E.

Tidal Stream Diagrams During Neap Tide Conditions

Times Relative to High Water at Picton



+1hr HW Picton, Neap Tide




+2hr HW Picton, Neap Tide

Tory Channel / Kura te Au Entrance


Lat. 41° 13'S., Long. 174° 19'E.

Tidal Stream Diagrams During Neap Tide Conditions

Times Relative to High Water at Picton



+3hr HW Picton, Neap Tide




+4hr HW Picton, Neap Tide

Tory Channel / Kura te Au Entrance


Lat. 41° 13'S., Long. 174° 19'E.

Tidal Stream Diagrams During Neap Tide Conditions

Times Relative to High Water at Picton



+5hr HW Picton, Neap Tide



+6hr HW Picton, Neap Tide

Te Aumiti / French Pass

Lat. 40° 55 ' S., Long. 173° 50 ' E.

Time Zone -1200

Tidal Stream begins at the time shown in direction indicated

Year 2025

July				August				September				October			
Time	Dir	Time	Dir	Time	Dir	Time	Dir	Time	Dir	Time	Dir	Time	Dir	Time	Dir
1 Tu	0507 SW 1216 NE 1714 SW	16 We	0430 SW 1147 NE 1653 SW	1 Fr	0038 NE 0545 SW 1302 NE 1753 SW	16 Sa	0034 NE 0539 SW 1305 NE 1812 SW	1 Mo	0141 NE 0635 SW 1401 NE 1916 SW	16 Tu	0241 NE 0735 SW 1532 NE 2057 SW	1 We	0214 NE 0704 SW 1440 NE 2011 SW	16 Th	0346 NE 0853 SW 1635 NE 2143 SW
2 We	0037 NE 0554 SW 1309 NE 1758 SW	17 Th	0004 NE 0517 SW 1242 NE 1741 SW	2 Sa	0134 NE 0632 SW 1356 NE 1850 SW	17 Su	0142 NE 0636 SW 1414 NE 1930 SW	2 Tu	0251 NE 0742 SW 1524 NE 2052 SW	17 We	0357 NE 0911 SW 1655 NE 2205 SW	2 Th	0332 NE 0828 SW 1609 NE 2124 SW	17 Fr	0445 NE 1005 SW 1721 NE 2232 SW
3 Th	0135 NE 0642 SW 1402 NE 1850 SW	18 Fr	0105 NE 0609 SW 1340 NE 1839 SW	3 Su	0234 NE 0725 SW 1458 NE 2009 SW	18 Mo	0252 NE 0744 SW 1536 NE 2059 SW	3 We	0401 NE 0905 SW 1644 NE 2201 SW	18 Th	0501 NE 1029 SW 1743 NE 2258 SW	3 Fr	0436 NE 0946 SW 1705 NE 2218 SW	18 Sa	0530 NE 1058 SW 1755 NE 2314 SW
4 Fr	0233 NE 0732 SW 1456 NE 1954 SW	19 Sa	0209 NE 0704 SW 1442 NE 1948 SW	4 Mo	0335 NE 0829 SW 1608 NE 2128 SW	19 Tu	0401 NE 0909 SW 1656 NE 2213 SW	4 Th	0500 NE 1020 SW 1735 NE 2251 SW	19 Fr	0549 NE 1125 SW 1819 NE 2342 SW	4 Sa	0525 NE 1044 SW 1744 NE 2302 SW	19 Su	0607 NE 1140 SW 1824 NE 2352 SW
5 Sa	0330 NE 0825 SW 1553 NE 2104 SW	20 Su	0314 NE 0806 SW 1551 NE 2105 SW	5 Tu	0430 NE 0940 SW 1710 NE 2229 SW	20 We	0502 NE 1034 SW 1752 NE 2311 SW	5 Fr	0547 NE 1117 SW 1812 NE 2334 SW	20 Sa	0629 NE 1209 SW 1851 NE	5 Su	0604 NE 1131 SW 1818 NE 2344 SW	20 Mo	0640 NE 1216 SW 1854 NE
6 Su	0419 NE 0920 SW 1647 NE 2204 SW	21 Mo	0413 NE 0916 SW 1658 NE 2215 SW	6 We	0519 NE 1046 SW 1756 NE 2316 SW	21 Th	0555 NE 1138 SW 1834 NE	6 Sa	0628 NE 1203 SW 1846 NE	21 Su	0022 SW 0704 NE 1245 SW 1922 NE	6 Mo	0641 NE 1214 SW 1852 NE	21 Tu	0029 SW 0712 NE 1248 SW 1924 NE
7 Mo	0502 NE 1016 SW 1734 NE 2255 SW	22 Tu	0506 NE 1030 SW 1753 NE 2316 SW	7 Th	0603 NE 1141 SW 1834 NE 2359 SW	22 Fr	0000 SW 0641 NE 1229 SW 1911 NE	7 Su	0015 SW 0706 NE 1244 SW 1920 NE	22 Mo	0058 SW 0738 NE 1318 SW 1953 NE	7 Tu	0026 SW 0719 NE 1254 SW 1928 NE	22 We	0103 SW 0745 NE 1319 SW 1955 NE
8 Tu	0541 NE 1111 SW 1815 NE 2339 SW	23 We	0556 NE 1139 SW 1840 NE	8 Fr	0645 NE 1229 SW 1909 NE	23 Sa	0044 SW 0724 NE 1311 SW 1947 NE	8 Mo	0054 SW 0745 NE 1322 SW 1956 NE	23 Tu	0131 SW 0813 NE 1348 SW 2026 NE	8 We	0108 SW 0759 NE 1335 SW 2008 NE	23 Th	0137 SW 0819 NE 1348 SW 2028 NE
9 We	0620 NE 1201 SW 1852 NE	24 Th	0010 SW 0646 NE 1238 SW 1925 NE	9 Sa	0039 SW 0726 NE 1310 SW 1945 NE	24 Su	0123 SW 0803 NE 1347 SW 2023 NE	9 Tu	0135 SW 0825 NE 1401 SW 2036 NE	24 We	0205 SW 0847 NE 1417 SW 2059 NE	9 Th	0151 SW 0843 NE 1417 SW 2055 NE	24 Fr	0211 SW 0854 NE 1418 SW 2104 NE
10 Th	0020 SW 0700 NE 1247 SW 1928 NE	25 Fr	0059 SW 0735 NE 1327 SW 2006 NE	10 Su	0119 SW 0808 NE 1349 SW 2043 NE	25 Mo	0200 SW 0843 NE 1419 SW 2059 NE	10 We	0215 SW 0909 NE 1440 SW 2121 NE	25 Th	0238 SW 0924 NE 1446 SW 2137 NE	10 Fr	0237 SW 0930 NE 1459 SW 2147 NE	25 Sa	0245 SW 0931 NE 1450 SW 2144 NE
11 Fr	0059 SW 0742 NE 1330 SW 2006 NE	26 Sa	0144 SW 0823 NE 1411 SW 2049 NE	11 Mo	0158 SW 0852 NE 1427 SW 2104 NE	26 Tu	0236 SW 0921 NE 1450 SW 2137 NE	11 Th	0257 SW 0955 NE 1520 SW 2210 NE	26 Fr	0311 SW 1001 NE 1516 SW 2215 NE	11 Sa	0323 SW 1021 NE 1547 SW 2246 NE	26 Su	0321 SW 1009 NE 1525 SW 2230 NE
12 Sa	0138 SW 0827 NE 1411 SW 2046 NE	27 Su	0226 SW 0911 NE 1449 SW 2132 NE	12 Tu	0240 SW 0938 NE 1506 SW 2150 NE	27 We	0310 SW 1001 NE 1520 SW 2216 NE	12 Fr	0341 SW 1045 NE 1603 SW 2307 NE	27 Sa	0345 SW 1040 NE 1549 SW 2259 NE	12 Su	0411 SW 1118 NE 1641 SW 2354 NE	27 Mo	0359 SW 1052 NE 1606 SW 2323 NE
13 Su	0218 SW 0914 NE 1450 SW 2130 NE	28 Mo	0307 SW 0957 NE 1523 SW 2215 NE	13 We	0321 SW 1025 NE 1545 SW 2238 NE	28 Th	0345 SW 1041 NE 1551 SW 2258 NE	13 Sa	0427 SW 1138 NE 1653 SW	28 Su	0423 SW 1123 NE 1628 SW 2352 NE	13 Mo	0505 SW 1223 NE 1751 SW	28 Tu	0442 SW 1142 NE 1656 SW
14 Mo	0300 SW 1003 NE 1529 SW 2216 NE	29 Tu	0346 SW 1042 NE 1557 SW 2259 NE	14 Th	0404 SW 1114 NE 1627 SW 2334 NE	29 Fr	0420 SW 1122 NE 1625 SW 2344 NE	14 Su	0010 NE 0517 SW 1239 NE 1756 SW	29 Mo	0505 SW 1211 NE 1718 SW	14 Tu	0111 NE 0608 SW 1344 NE 1920 SW	29 We	0027 NE 0532 SW 1244 NE 1804 SW
15 Tu	0344 SW 1055 NE 1610 SW 2307 NE	30 We	0425 SW 1128 NE 1632 SW 2347 NE	15 Fr	0450 SW 1206 NE 1714 SW	30 Sa	0458 SW 1206 NE 1704 SW	15 Mo	0123 NE 0617 SW 1355 NE 1926 SW	30 Tu	0056 NE 0557 SW 1315 NE 1834 SW	15 We	0231 NE 0727 SW 1519 NE 2041 SW	30 Th	0141 NE 0634 SW 1403 NE 1925 SW
		31 Th	0504 SW 1214 NE 1709 SW			31 Su	0038 NE 0542 SW 1257 NE 1756 SW							31 Fr	0256 NE 0748 SW 1526 NE 2037 SW

Tidal Streams

Caution: Tidal Streams may be subject to irregularities and these times should be regarded as approximate only.
Remember to add 1 Hour for Daylight Saving Time. Commences 28 September.

Te Aumiti / French Pass

Lat. 40° 55 'S., Long. 173° 50 'E.

Time Zone -1200

Tidal Stream begins at the time shown in direction indicated

Year 2025/26

November

December

January

February

Time	Dir	Time	Dir	Time	Dir	Time	Dir	Time	Dir	Time	Dir	Time	Dir	Time	Dir
1 Sa	0402 NE 0902 SW 1627 NE 2133 SW	16 Su	0501 NE 1020 SW 1723 NE 2238 SW	1 Mo	0417 NE 0922 SW 1636 NE 2141 SW	16 Tu	0508 NE 1029 SW 1723 NE 2243 SW	1 Th	0538 NE 1059 SW 1743 NE 2318 SW	16 Fr	0611 NE 1134 SW 1815 NE 2359 SW	1 Su	0022 SW 0710 NE 1242 SW 1920 NE	16 Mo	0024 SW 0703 NE 1232 SW 1921 NE
2 Su	0454 NE 1004 SW 1711 NE 2223 SW	17 Mo	0540 NE 1106 SW 1755 NE 2319 SW	2 Tu	0507 NE 1022 SW 1719 NE 2237 SW	17 We	0551 NE 1115 SW 1759 NE 2332 SW	2 Fr	0628 NE 1156 SW 1832 NE	17 Sa	0648 NE 1216 SW 1856 NE	2 Mo ○	0114 SW 0752 NE 1329 SW 2008 NE	17 Tu	0103 SW 0736 NE 1309 SW 1959 NE
3 Mo	0536 NE 1056 SW 1748 NE 2310 SW	18 Tu	0615 NE 1145 SW 1825 NE 2359 SW	3 We	0553 NE 1116 SW 1800 NE 2332 SW	18 Th	0629 NE 1156 SW 1834 NE	3 Sa ○	0023 SW 0715 NE 1249 SW 1924 NE	18 Su	0045 SW 0724 NE 1253 SW 1937 NE	3 Tu	0157 SW 0834 NE 1413 SW 2055 NE	18 We ●	0139 SW 0810 NE 1346 SW 2037 NE
4 Tu	0615 NE 1143 SW 1824 NE 2356 SW	19 We	0649 NE 1221 SW 1856 NE	4 Th	0637 NE 1208 SW 1843 NE	19 Fr	0018 SW 0704 NE 1233 SW 1910 NE	4 Su	0119 SW 0803 NE 1341 SW 2018 NE	19 Mo ●	0125 SW 0758 NE 1330 SW 2018 NE	4 We	0237 SW 0917 NE 1454 SW 2140 NE	19 Th	0213 SW 0848 NE 1422 SW 2118 NE
5 We	0655 NE 1228 SW 1902 NE	20 Th ●	0038 SW 0722 NE 1253 SW 1929 NE	5 Fr ○	0028 SW 0723 NE 1258 SW 1930 NE	20 Sa ●	0100 SW 0739 NE 1309 SW 1948 NE	5 Mo	0211 SW 0850 NE 1429 SW 2112 NE	20 Tu	0201 SW 0835 NE 1407 SW 2101 NE	5 Th	0311 SW 0959 NE 1532 SW 2224 NE	20 Fr	0247 SW 0928 NE 1500 SW 2159 NE
6 Th ○	0044 SW 0737 NE 1313 SW 1946 NE	21 Fr	0115 SW 0756 NE 1326 SW 2004 NE	6 Sa	0122 SW 0810 NE 1348 SW 2023 NE	21 Su	0139 SW 0815 NE 1345 SW 2030 NE	6 Tu	0255 SW 0939 NE 1516 SW 2207 NE	21 We	0237 SW 0913 NE 1445 SW 2143 NE	6 Fr	0344 SW 1042 NE 1609 SW 2307 NE	21 Sa	0323 SW 1011 NE 1540 SW 2242 NE
7 Fr	0133 SW 0823 NE 1358 SW 2035 NE	22 Sa	0151 SW 0832 NE 1358 SW 2043 NE	7 Su	0216 SW 0901 NE 1439 SW 2121 NE	22 Mo	0216 SW 0853 NE 1421 SW 2114 NE	7 We	0338 SW 1029 NE 1601 SW 2258 NE	22 Th	0312 SW 0955 NE 1523 SW 2227 NE	7 Sa	0417 SW 1127 NE 1646 SW 2349 NE	22 Su	0400 SW 1101 NE 1621 SW 2329 NE
8 Sa	0222 SW 0912 NE 1446 SW 2131 NE	23 Su	0228 SW 0909 NE 1434 SW 2125 NE	8 Mo	0307 SW 0955 NE 1530 SW 2224 NE	23 Tu	0253 SW 0933 NE 1459 SW 2201 NE	8 Th	0415 SW 1119 NE 1645 SW 2349 NE	23 Fr	0347 SW 1040 NE 1603 SW 2312 NE	8 Su	0450 SW 1214 NE 1724 SW	23 Mo	0442 SW 1155 NE 1705 SW
9 Su	0313 SW 1007 NE 1538 SW 2234 NE	24 Mo	0306 SW 0949 NE 1511 SW 2213 NE	9 Tu	0355 SW 1051 NE 1624 SW 2327 NE	24 We	0330 SW 1016 NE 1541 SW 2250 NE	9 Fr	0454 SW 1211 NE 1729 SW	24 Sa	0425 SW 1128 NE 1645 SW	9 Mo	0034 NE 0528 SW 1306 NE 1806 SW	24 Tu	0021 NE 0530 SW 1257 NE 1755 SW
10 Mo	0404 SW 1106 NE 1635 SW 2343 NE	25 Tu	0345 SW 1032 NE 1553 SW 2306 NE	10 We	0442 SW 1150 NE 1718 SW	25 Th	0408 SW 1103 NE 1625 SW 2340 NE	10 Sa	0039 NE 0533 SW 1305 NE 1814 SW	25 Su	0000 NE 0506 SW 1222 NE 1730 SW	10 Tu	0124 NE 0618 SW 1404 NE 1856 SW	25 We	0122 NE 0636 SW 1407 NE 1856 SW
11 Tu	0457 SW 1211 NE 1741 SW	26 We	0426 SW 1123 NE 1642 SW	11 Th	0028 NE 0528 SW 1252 NE 1815 SW	26 Fr	0449 SW 1157 NE 1711 SW	11 Su	0131 NE 0620 SW 1403 NE 1903 SW	26 Mo	0051 NE 0554 SW 1323 NE 1821 SW	11 We	0223 NE 0731 SW 1509 NE 2000 SW	26 Th	0240 NE 0808 SW 1522 NE 2018 SW
12 We	0056 NE 0555 SW 1326 NE 1855 SW	27 Th	0005 NE 0511 SW 1221 NE 1738 SW	12 Fr	0128 NE 0620 SW 1357 NE 1912 SW	27 Sa	0034 NE 0534 SW 1255 NE 1803 SW	12 Mo	0224 NE 0719 SW 1501 NE 1957 SW	27 Tu	0150 NE 0656 SW 1429 NE 1919 SW	12 Th	0340 NE 0906 SW 1613 NE 2121 SW	27 Fr	0418 NE 0938 SW 1634 NE 2157 SW
13 Th	0208 NE 0701 SW 1446 NE 2004 SW	28 Fr	0109 NE 0604 SW 1328 NE 1842 SW	13 Sa	0227 NE 0719 SW 1502 NE 2007 SW	28 Su	0131 NE 0627 SW 1359 NE 1858 SW	13 Tu	0325 NE 0835 SW 1558 NE 2059 SW	28 We	0301 NE 0817 SW 1536 NE 2030 SW	13 Fr	0458 NE 1018 SW 1710 NE 2240 SW	28 Sa	0531 NE 1045 SW 1735 NE 2316 SW
14 Fr	0315 NE 0814 SW 1555 NE 2102 SW	29 Sa	0215 NE 0706 SW 1441 NE 1945 SW	14 Su	0325 NE 0825 SW 1558 NE 2100 SW	29 Mo	0231 NE 0731 SW 1504 NE 1957 SW	14 We	0430 NE 0949 SW 1648 NE 2204 SW	29 Th	0423 NE 0941 SW 1638 NE 2155 SW	14 Sa	0552 NE 1110 SW 1800 NE 2338 SW		
15 Sa	0413 NE 0923 SW 1645 NE 2152 SW	30 Su	0319 NE 0815 SW 1545 NE 2045 SW	15 Mo	0419 NE 0932 SW 1645 NE 2152 SW	30 Tu	0337 NE 0844 SW 1603 NE 2101 SW	15 Th	0526 NE 1047 SW 1734 NE 2306 SW	30 Fr	0532 NE 1051 SW 1736 NE 2317 SW	15 Su	0629 NE 1153 SW 1841 NE		
						31 We	0441 NE 0955 SW 1655 NE 2209 SW			31 Sa	0624 NE 1150 SW 1829 NE				

Caution: Tidal Streams may be subject to irregularities and these times should be regarded as approximate only.

Remember to add 1 Hour for Daylight Saving Time.

Te Aumiti / French Pass

Lat. 40° 55 'S., Long. 173° 50 'E.

Time Zone –1200

Tidal Stream begins at the time shown in direction indicated

Year 2026

March			April			May			June		
Time	Dir		Time	Dir		Time	Dir		Time	Dir	
1 Su	0618 NE 1140 SW 1825 NE		16 Mo	0602 NE 1120 SW 1819 NE 2351 SW		1 We	0030 SW 0708 NE 1242 SW 1925 NE		16 Sa	0002 SW 0639 NE 1216 SW 1914 NE	
2 Mo	0013 SW 0657 NE 1227 SW 1909 NE		17 Tu	0634 NE 1200 SW 1855 NE		2 Th	0105 SW 0740 NE 1319 SW 1959 NE		17 Fr	0034 SW 0709 NE 1245 SW 1939 NE	
3 Tu	0057 SW 0733 NE 1310 SW 1950 NE		18 We	0031 SW 0707 NE 1239 SW 1931 NE		3 Fr	0138 SW 0814 NE 1354 SW 2035 NE		18 Sa	0114 SW 0747 NE 1329 SW 2021 NE	
4 We	0135 SW 0809 NE 1349 SW 2028 NE		19 Th	0108 SW 0741 NE 1317 SW 2008 NE		4 Sa	0208 SW 0849 NE 1428 SW 2111 NE		19 Su	0155 SW 0832 NE 1414 SW 2106 NE	
5 Th	0209 SW 0847 NE 1425 SW 2107 NE		20 Fr	0144 SW 0818 NE 1356 SW 2048 NE		5 Su	0238 SW 0926 NE 1502 SW 2149 NE		20 Mo	0239 SW 0921 NE 1501 SW 2156 NE	
6 Fr	0240 SW 0925 NE 1500 SW 2146 NE		21 Sa	0221 SW 0858 NE 1437 SW 2131 NE		6 Mo	0309 SW 1007 NE 1538 SW 2227 NE		21 Tu	0325 SW 1020 NE 1550 SW 2251 NE	
7 Sa	0310 SW 1003 NE 1533 SW 2225 NE		22 Su	0258 SW 0945 NE 1518 SW 2216 NE		7 Tu	0341 SW 1051 NE 1613 SW 2309 NE		22 We	0418 SW 1126 NE 1643 SW 2353 NE	
8 Su	0341 SW 1045 NE 1608 SW 2304 NE		23 Mo	0340 SW 1036 NE 1601 SW 2306 NE		8 We	0418 SW 1140 NE 1654 SW 2355 NE		23 Th	0520 SW 1239 NE 1741 SW	
9 Mo	0412 SW 1128 NE 1644 SW 2347 NE		24 Tu	0425 SW 1136 NE 1649 SW		9 Th	0503 SW 1239 NE 1741 SW		24 Fr	0106 NE 0638 SW 1355 NE 1849 SW	
10 Tu	0448 SW 1217 NE 1724 SW		25 We	0001 NE 0519 SW 1243 NE 1743 SW		10 Fr	0051 NE 0607 SW 1349 NE 1840 SW		25 Sa	0232 NE 0757 SW 1510 NE 2008 SW	
11 We	0033 NE 0532 SW 1315 NE 1811 SW		26 Th	0109 NE 0635 SW 1400 NE 1850 SW		11 Sa	0206 NE 0733 SW 1503 NE 1954 SW		26 Su	0355 NE 0905 SW 1613 NE 2125 SW	
12 Th	0130 NE 0640 SW 1423 NE 1913 SW		27 Fr	0237 NE 0810 SW 1518 NE 2019 SW		12 Su	0335 NE 0851 SW 1611 NE 2116 SW		27 Mo	0452 NE 0959 SW 1704 NE 2227 SW	
13 Fr	0246 NE 0819 SW 1537 NE 2036 SW		28 Sa	0414 NE 0929 SW 1630 NE 2151 SW		13 Mo	0441 NE 0950 SW 1705 NE 2220 SW		28 Tu	0532 NE 1046 SW 1746 NE 2316 SW	
14 Sa	0420 NE 0941 SW 1645 NE 2202 SW		29 Su	0519 NE 1030 SW 1726 NE 2259 SW		14 Tu	0526 NE 1038 SW 1747 NE 2310 SW		29 We	0606 NE 1129 SW 1822 NE 2356 SW	
15 Su	0523 NE 1037 SW 1737 NE 2304 SW		30 Mo	0600 NE 1119 SW 1811 NE 2349 SW		15 We	0600 NE 1120 SW 1824 NE 2353 SW		30 Th	0638 NE 1210 SW 1857 NE	
			31 Tu	0635 NE 1202 SW 1848 NE							
									31 Su	0039 SW 0714 NE 1301 SW 1942 NE	

Tidal Streams

Caution: Tidal Streams may be subject to irregularities and these times should be regarded as approximate only.

Remember to add 1 Hour for Daylight Saving Time. Finishes 5 April.

Tory Channel / Kura te Au Entrance

Lat. 41° 13' S., Long. 174° 19' E.

Time Zone –1200

Tidal Stream begins at the time shown in direction indicated

Year 2025

Tidal Streams

July				August				September				October			
Time	Dir	Time	Dir	Time	Dir	Time	Dir	Time	Dir	Time	Dir	Time	Dir	Time	Dir
1 Tu	0050 E 0634 W 1852 W	16 We	0029 E 0557 W 1303 E 1832 W	1 Fr	0135 E 0746 W 1359 E 1955 W	16 Sa	0145 E 0725 W 1355 E 1958 W	1 Mo	0207 E 0831 W 1431 E 2044 W	16 Tu	0309 E 0903 W 1433 E 2236 W	1 We	0208 E 0837 W 1439 E 2128 W	16 Th	0435 E 1017 W 1747 E
2 We	0136 E 0741 W 1411 E 1956 W	17 Th	0124 E 0701 W 1352 E 1935 W	2 Sa	0220 E 0846 W 1444 E 2056 W	17 Su	0244 E 0831 W 1437 E 2117 W	2 Tu	0307 E 0938 W 1525 E 2231 W	17 We	0442 E 1034 W 1747 E	2 Th	0335 E 1020 W 1613 E 2346 W	17 Fr	0002 W 0617 E 1152 W 1902 E
3 Th	0227 E 0852 W 1500 E 2104 W	18 Fr	0223 E 0810 W 1442 E 2046 W	3 Su	0314 E 0949 W 1534 E 2134 W	18 Mo	0350 E 0944 W 1526 E 2300 W	3 We	0428 E 1108 W 1655 E	18 Th	0020 W 0623 E 1202 W 1924 E	3 Fr	0550 E 1207 W 1835 E	18 Sa	0049 W 0711 E 1249 W 1935 E
4 Fr	0324 E 1000 W 1552 E 2216 W	19 Sa	0326 E 0921 W 1536 E 2206 W	4 Mo	0417 E 1053 W 1634 E 2344 W	19 Tu	0505 E 1100 W 1728 E	4 Th	0021 W 0605 E 1228 W 1902 E	19 Fr	0106 W 0726 E 1258 W 1959 E	4 Sa	0044 W 0713 E 1259 W 1925 E	19 Su	0117 W 0745 E 1324 W 2002 E
5 Sa	0427 E 1102 W 1648 E 2330 W	20 Su	0434 E 1032 W 1640 E 2333 W	5 Tu	0524 E 1156 W 1755 E	20 We	0027 W 0619 E 1210 W 1931 E	5 Fr	0105 W 0724 E 1314 W 1950 E	20 Sa	0133 W 0806 E 1335 W 2028 E	5 Su	0114 W 0752 E 1331 W 1957 E	20 Mo	0138 W 0815 E 1349 W 2028 E
6 Su	0526 E 1154 W 1747 E	21 Mo	0537 E 1135 W 1812 E	6 We	0044 W 0627 E 1246 W 1918 E	21 Th	0111 W 0724 E 1300 W 2013 E	6 Sa	0132 W 0809 E 1346 W 2022 E	21 Su	0156 W 0838 E 1404 W 2057 E	6 Mo	0137 W 0824 E 1357 W 2027 E	21 Tu	0200 W 0843 E 1413 W 2053 E
7 Mo	0027 W 0615 E 1233 W 1847 E	22 Tu	0036 W 0631 E 1226 W 1927 E	7 Th	0119 W 0723 E 1323 W 2005 E	22 Fr	0141 W 0813 E 1338 W 2048 E	7 Su	0155 W 0845 E 1415 W 2054 E	22 Mo	0221 W 0909 E 1431 W 2125 E	7 Tu	0200 W 0856 E 1423 W 2059 E	22 We	0224 W 0910 E 1438 W 2117 E
8 Tu	0103 W 0657 E 1305 W 1936 E	23 We	0114 W 0720 E 1305 W 2016 E	8 Fr	0145 W 0814 E 1357 W 2041 E	23 Sa	0209 W 0855 E 1414 W 2122 E	8 Mo	0220 W 0921 E 1444 W 2127 E	23 Tu	0247 W 0941 E 1500 W 2153 E	8 We	0226 W 0931 E 1452 W 2134 E	23 Th	0251 W 0939 E 1505 W 2143 E
9 We	0130 W 0735 E 1334 W 2016 E	24 Th	0145 W 0809 E 1339 W 2058 E	9 Sa	0210 W 0858 E 1430 W 2115 E	24 Su	0238 W 0934 E 1449 W 2156 E	9 Tu	0250 W 0958 E 1516 W 2204 E	24 We	0318 W 1011 E 1530 W 2220 E	9 Th	0258 W 1008 E 1527 W 2214 E	24 Fr	0322 W 1008 E 1534 W 2209 E
10 Th	0156 W 0816 E 1405 W 2054 E	25 Fr	0216 W 0859 E 1417 W 2139 E	10 Su	0239 W 0941 E 1503 W 2153 E	25 Mo	0310 W 1011 E 1524 W 2229 E	10 We	0323 W 1036 E 1552 W 2245 E	25 Th	0351 W 1040 E 1604 W 2246 E	10 Fr	0336 W 1047 E 1607 W 2256 E	25 Sa	0356 W 1040 E 1609 W 2240 E
11 Fr	0223 W 0859 E 1440 W 2131 E	26 Sa	0250 W 0948 E 1459 W 2220 E	11 Mo	0311 W 1022 E 1540 W 2232 E	26 Tu	0347 W 1046 E 1600 W 2301 E	11 Th	0404 W 1115 E 1633 W 2328 E	26 Fr	0428 W 1111 E 1640 W 2316 E	11 Sa	0420 W 1127 E 1653 W 2344 E	26 Su	0433 W 1114 E 1645 W 2314 E
12 Sa	0253 W 0946 E 1519 W 2211 E	27 Su	0329 W 1035 E 1543 W 2300 E	12 Tu	0349 W 1105 E 1620 W 2315 E	27 We	0426 W 1119 E 1640 W 2332 E	12 Fr	0450 W 1155 E 1722 W	27 Sa	0508 W 1145 E 1717 W 2349 E	12 Su	0511 W 1208 E 1747 W	27 Mo	0515 W 1150 E 1729 W 2353 E
13 Su	0329 W 1034 E 1559 W 2252 E	28 Mo	0413 W 1119 E 1630 W 2338 E	13 We	0433 W 1148 E 1705 W	28 Th	0509 W 1153 E 1720 W	13 Sa	0014 E 0543 W 1235 E 1815 W	28 Su	0551 W 1221 E 1800 W	13 Mo	0033 E 0609 W 1247 E 1852 W	28 Tu	0602 W 1232 E 1819 W
14 Mo	0411 W 1124 E 1645 W 2338 E	29 Tu	0501 W 1159 E 1717 W	14 Th	0001 E 0524 W 1231 E 1756 W	29 Fr	0004 E 0554 W 1228 E 1804 W	14 Su	0106 E 0641 W 1314 E 1917 W	29 Mo	0026 E 0637 W 1301 E 1849 W	14 Tu	0132 E 0716 W 1329 E 2015 W	29 We	0040 E 0658 W 1320 E 1925 W
15 Tu	0501 W 1213 E 1736 W	30 We	0016 E 0553 W 1239 E 1807 W	15 Fr	0051 E 0622 W 1313 E 1853 W	30 Sa	0039 E 0643 W 1305 E 1850 W	15 Mo	0202 E 0747 W 1352 E 2036 W	30 Tu	0111 E 0731 W 1344 E 1949 W	15 We	0245 E 0837 W 1420 W 2219 W	30 Th	0140 E 0808 W 1420 E 2100 W
		31 Th	0054 E 0649 W 1318 E 1859 W			31 Su	0118 E 0735 W 1345 E 1941 W							31 Fr	0308 E 0946 W 1558 E 2257 W

Caution: Tidal Streams may be subject to irregularities and these times should be regarded as approximate only.
Remember to add 1 Hour for Daylight Saving Time. Commences 28 September.

Tory Channel / Kura te Au Entrance

Lat. 41° 13' S., Long. 174° 19' E.

Time Zone –1200

Tidal Stream begins at the time shown in direction indicated

Year 2025/26

November				December				January				February			
Time	Dir	Time	Dir	Time	Dir	Time	Dir	Time	Dir	Time	Dir	Time	Dir	Time	Dir
1 Sa	0520 E 1133 W 1757 E	16 Su	0019 W 0637 E 1228 W 1901 E	1 Mo	0555 E 1205 W 1817 E	16 Tu	0017 W 0632 E 1241 W 1850 E	1 Th	0026 W 0720 E 1311 W 1917 E	16 Fr	0057 W 0739 E 1328 W 1936 E	1 Su	0132 W 0852 E 1411 W 2055 E	16 Mo	0203 W 0842 E 1409 W 2104 E
2 Su	0011 W 0643 E 1237 W 1853 E	17 Mo	0053 W 0716 E 1306 W 1931 E	2 Tu	0017 W 0655 E 1252 W 1900 E	17 We	0051 W 0718 E 1314 W 1924 E	2 Fr	0104 W 0809 E 1343 W 2001 E	17 Sa	0133 W 0821 E 1355 W 2023 E	2 Mo ○	0214 W 0930 E 1445 W 2142 E	17 Tu	0236 W 0912 E 1435 W 2139 E
3 Mo	0049 W 0726 E 1313 W 1929 E	18 Tu	0117 W 0748 E 1332 W 1956 E	3 We	0053 W 0738 E 1324 W 1936 E	18 Th	0119 W 0756 E 1340 W 1955 E	3 Sa ○	0137 W 0854 E 1415 W 2049 E	18 Su	0209 W 0855 E 1422 W 2106 E	3 Tu	0256 W 1011 E 1522 W 2226 E	18 We ●	0304 W 0944 E 1503 W 2214 E
4 Tu	0116 W 0800 E 1339 W 2000 E	19 We	0139 W 0817 E 1355 W 2021 E	4 Th	0121 W 0816 E 1351 W 2012 E	19 Fr	0146 W 0830 E 1405 W 2028 E	4 Su	0214 W 0937 E 1451 W 2141 E	19 Mo ●	0246 W 0929 E 1450 W 2147 E	4 We	0337 W 1050 E 1603 W 2309 E	19 Th	0333 W 1020 E 1537 W 2250 E
5 We	0140 W 0833 E 1405 W 2033 E	20 Th ●	0203 W 0846 E 1419 W 2047 E	5 Fr ○	0148 W 0856 E 1421 W 2053 E	20 Sa ●	0216 W 0903 E 1432 W 2103 E	5 Mo	0257 W 1020 E 1532 W 2233 E	20 Tu	0321 W 1004 E 1523 W 2228 E	5 Th	0417 W 1128 E 1646 W 2348 E	20 Fr	0406 W 1057 E 1615 W 2328 E
6 Th ○	0205 W 0909 E 1434 W 2109 E	21 Fr	0230 W 0916 E 1445 W 2115 E	6 Sa	0221 W 0938 E 1457 W 2138 E	21 Su	0250 W 0937 E 1501 W 2141 E	6 Tu	0344 W 1105 E 1618 W 2325 E	21 We	0354 W 1041 E 1559 W 2309 E	6 Fr	0501 W 1205 E 1734 W	21 Sa	0444 W 1138 E 1700 W
7 Fr	0236 W 0947 E 1508 W 2149 E	22 Sa	0300 W 0947 E 1515 W 2146 E	7 Su	0300 W 1021 E 1538 W 2228 E	22 Mo	0326 W 1012 E 1534 W 2222 E	7 We	0435 W 1150 E 1711 W	22 Th	0431 W 1120 E 1641 W 2350 E	7 Sa	0024 E 0546 W 1240 E 1825 W	22 Su	0005 E 0529 W 1222 E 1750 W
8 Sa	0313 W 1028 E 1549 W 2234 E	23 Su	0334 W 1021 E 1548 W 2221 E	8 Mo	0348 W 1107 E 1627 W 2324 E	23 Tu	0405 W 1050 E 1613 W 2307 E	8 Th	0014 E 0527 W 1235 E 1807 W	23 Fr	0513 W 1204 E 1729 W	8 Su	0058 E 0634 W 1314 E 1917 W	23 Mo	0043 E 0618 W 1310 E 1846 W
9 Su	0358 W 1111 E 1636 W 2324 E	24 Mo	0413 W 1057 E 1626 W 2300 E	9 Tu	0442 W 1155 E 1724 W	24 We	0446 W 1132 E 1658 W 2354 E	9 Fr	0101 E 0622 W 1317 E 1908 W	24 Sa	0031 E 0600 W 1251 E 1824 W	9 Mo	0133 E 0723 W 1352 E 2012 W	24 Tu	0120 E 0714 W 1403 E 1947 W
10 Mo	0450 W 1155 E 1731 W	25 Tu	0456 W 1137 E 1711 W 2345 E	10 We	0022 E 0543 W 1245 E 1829 W	25 Th	0533 W 1217 E 1751 W	10 Sa	0144 E 0720 W 1402 E 2012 W	25 Su	0113 E 0652 W 1341 E 1925 W	10 Tu	0212 E 0818 W 1436 E 2110 W	25 We	0156 E 0820 W 1502 E 2054 W
11 Tu	0020 E 0551 W 1241 E 1840 W	26 We	0546 W 1221 E 1806 W	11 Th	0122 E 0647 W 1337 E 1944 W	26 Fr	0043 E 0625 W 1307 E 1853 W	11 Su	0227 E 0821 W 1450 E 2118 W	26 Mo	0155 E 0752 W 1437 E 2030 W	11 We	0254 E 0921 W 1530 E 2214 W	26 Th	0231 E 0947 W 1614 E 2210 W
12 We	0124 E 0701 W 1333 E 2005 W	27 Th	0037 E 0643 W 1313 E 1913 W	12 Fr	0223 E 0759 W 1437 E 2106 W	27 Sa	0135 E 0725 W 1406 E 2002 W	12 Mo	0313 E 0929 W 1545 E 2223 W	27 Tu	0236 E 0901 W 1542 E 2138 W	12 Th	0344 E 1056 W 1640 E 2326 W	27 Fr	0307 E 1148 W 1745 E 2334 W
13 Th	0240 E 0823 W 1444 E 2150 W	28 Fr	0139 E 0750 W 1416 E 2034 W	13 Sa	0324 E 0915 W 1551 E 2225 W	28 Su	0228 E 0833 W 1513 E 2117 W	13 Tu	0405 E 1046 W 1649 E 2324 W	28 We	0322 E 1029 W 1653 E 2250 W	13 Fr	0502 E 1230 W 1804 E	28 Sa	0717 E 1257 W 1911 E
14 Fr	0413 E 0955 W 1655 E 2323 W	29 Sa	0254 E 0913 W 1542 E 2206 W	14 Su	0429 E 1036 W 1709 E 2330 W	29 Mo	0328 E 0953 W 1628 E 2231 W	14 We	0509 E 1204 W 1752 E	29 Th	0432 E 1205 W 1804 E 2357 W	14 Sa	0033 W 0725 E 1314 W 1931 E		
15 Sa	0539 E 1125 W 1821 E	30 Su	0427 E 1046 W 1714 E 2324 W	15 Mo	0534 E 1151 W 1809 E	30 Tu	0441 E 1119 W 1737 E 2336 W	15 Th	0017 W 0631 E 1255 W 1847 E	30 Fr	0715 E 1303 W 1907 E	15 Su	0122 W 0811 E 1344 W 2025 E		
						31 We	0611 E 1229 W 1831 E				31 Sa	0050 W 0810 E 1339 W 2004 E			

Tidal Streams

Caution: Tidal Streams may be subject to irregularities and these times should be regarded as approximate only.

Remember to add 1 Hour for Daylight Saving Time.

Tory Channel / Kura te Au Entrance

Lat. 41° 13' S., Long. 174° 19' E.

Time Zone -1200

Tidal Stream begins at the time shown in direction indicated

Year 2026

Tidal Streams

March				April				May				June			
Time	Dir	Time	Dir	Time	Dir	Time	Dir	Time	Dir	Time	Dir	Time	Dir	Time	Dir
1 Su	0043 W 0804 E 1333 W 2006 E	16 Mo	0106 W 0745 E 1325 W 2009 E	1 We	0154 W 0845 E 1409 W 2059 E	16 Th	0145 W 0810 E 1345 W 2042 E	1 Fr	0158 W 0839 E 1408 W 2058 E	16 Sa	0148 W 0811 E 1347 W 2049 E	1 Mo	0231 W 0902 E 1444 W 2136 E	16 Tu	0236 W 0915 E 1438 W 2202 E
2 Mo	0130 W 0839 E 1403 W 2048 E	17 Tu	0144 W 0816 E 1348 W 2042 E	2 Th ○	0221 W 0915 E 1435 W 2130 E	17 Fr ●	0210 W 0842 E 1410 W 2115 E	2 Sa ○	0224 W 0907 E 1436 W 2128 E	17 Su ●	0216 W 0848 E 1416 W 2128 E	2 Tu	0301 W 0936 E 1522 W 2209 E	17 We	0317 W 1011 E 1525 W 2251 E
3 Tu ○	0210 W 0913 E 1432 W 2126 E	18 We	0211 W 0845 E 1411 W 2113 E	3 Fr	0250 W 0944 E 1505 W 2202 E	18 Sa	0238 W 0916 E 1439 W 2152 E	3 Su	0251 W 0933 E 1508 W 2159 E	18 Mo	0250 W 0929 E 1452 W 2211 E	3 We	0336 W 1013 E 1604 W 2247 E	18 Th	0405 W 1110 E 1621 W 2342 E
4 We	0244 W 0947 E 1502 W 2203 E	19 Th ●	0237 W 0915 E 1438 W 2146 E	4 Sa	0319 W 1013 E 1539 W 2232 E	19 Su	0310 W 0956 E 1515 W 2230 E	4 Mo	0323 W 1003 E 1544 W 2230 E	19 Tu	0329 W 1017 E 1537 W 2257 E	4 Th	0413 W 1055 E 1649 W 2328 E	19 Fr	0501 W 1213 E 1722 W
5 Th	0316 W 1021 E 1537 W 2238 E	20 Fr	0305 W 0949 E 1508 W 2221 E	5 Su	0352 W 1041 E 1616 W 2302 E	20 Mo	0348 W 1039 E 1558 W 2311 E	5 Tu	0357 W 1034 E 1625 W 2305 E	20 We	0416 W 1112 E 1631 W 2346 E	5 Fr	0500 W 1142 E 1738 W	20 Sa	0036 E 0606 W 1314 E 1826 W
6 Fr	0350 W 1054 E 1613 W 2310 E	21 Sa	0337 W 1027 E 1544 W 2257 E	6 Mo	0427 W 1110 E 1657 W 2334 E	21 Tu	0433 W 1127 E 1649 W 2354 E	6 We	0436 W 1109 E 1709 W 2342 E	21 Th	0513 W 1214 E 1733 W	6 Sa	0013 E 0551 W 1236 E 1832 W	21 Su	0131 E 0719 W 1412 E 1937 W
7 Sa	0426 W 1124 E 1654 W 2342 E	22 Su	0415 W 1109 E 1627 W 2336 E	7 Tu	0506 W 1141 E 1741 W	22 We	0526 W 1221 E 1747 W	7 Th	0519 W 1150 E 1757 W	22 Fr	0039 E 0621 W 1322 E 1844 W	7 Su	0103 E 0655 W 1333 E 1934 W	22 Mo	0229 E 0834 W 1508 E 2049 W
8 Su	0505 W 1154 E 1738 W	23 Mo	0457 W 1153 E 1716 W	8 We	0009 E 0548 W 1217 E 1828 W	23 Th	0039 E 0628 W 1321 E 1853 W	8 Fr	0024 E 0610 W 1239 E 1853 W	23 Sa	0137 E 0741 W 1436 E 2002 W	8 Mo	0202 E 0808 W 1436 E 2046 W	23 Tu	0331 E 0950 W 1601 E 2204 W
9 Mo	0013 E 0547 W 1225 E 1825 W	24 Tu	0014 E 0547 W 1241 E 1812 W	9 Th	0047 E 0637 W 1259 E 1920 W	24 Fr	0126 E 0747 W 1432 E 2012 W	9 Sa	0111 E 0713 W 1336 E 1959 W	24 Su	0246 E 0914 W 1550 E 2126 W	9 Tu	0312 E 0928 W 1543 E 2206 W	24 We	0436 E 1056 W 1657 E 2318 W
10 Tu	0047 E 0631 W 1301 E 1914 W	25 We	0052 E 0644 W 1335 E 1913 W	10 Fr	0129 E 0734 W 1351 E 2023 W	25 Sa	0223 E 0932 W 1603 E 2142 W	10 Su	0210 E 0834 W 1449 E 2122 W	25 Mo	0416 E 1043 W 1701 E 2251 W	10 We	0430 E 1043 W 1657 E 2327 W	25 Th	0534 E 1149 W 1752 E
11 We	0124 E 0719 W 1340 E 2007 W	26 Th	0131 E 0755 W 1436 E 2024 W	11 Sa	0219 E 0854 W 1459 E 2149 W	26 Su	0425 E 1119 W 1737 E 2316 W	11 Mo	0326 E 1014 W 1623 E 2256 W	26 Tu	0539 E 1146 W 1801 E 2359 W	11 Th	0539 E 1144 W 1808 E	26 Fr	0016 W 0620 E 1229 W 1845 E
12 Th	0203 E 0812 W 1429 E 2106 W	27 Fr	0208 E 0933 W 1557 E 2149 W	12 Su	0330 E 1100 W 1650 E 2335 W	27 Mo	0628 E 1223 W 1842 E	12 Tu	0508 E 1135 W 1756 E	27 We	0631 E 1228 W 1847 E	12 Fr	0026 W 0629 E 1228 W 1904 E	27 Sa	0055 W 0658 E 1259 W 1931 E
13 Fr	0249 E 0932 W 1535 E 2227 W	28 Sa	0255 E 1139 W 1746 E 2325 E	13 Mo	0548 E 1221 W 1847 E	28 Tu	0024 W 0713 E 1257 W 1924 E	13 We	0010 W 0621 E 1225 W 1855 E	28 Th	0043 W 0706 E 1257 W 1925 E	13 Sa	0104 W 0709 E 1300 W 1949 E	28 Su	0124 W 0733 E 1327 W 2009 E
14 Sa	0354 E 1151 W 1720 E	29 Su	0702 E 1246 W 1906 E	14 Tu	0042 W 0704 E 1258 W 1936 E	29 We	0105 W 0744 E 1322 W 1957 E	14 Th	0053 W 0703 E 1256 W 1936 E	29 Fr	0114 W 0736 E 1321 W 1958 E	14 Su	0133 W 0747 E 1329 W 2032 E	29 Mo	0149 W 0808 E 1357 W 2045 E
15 Su	0007 W 0644 E 1254 W 1923 E	30 Mo	0038 W 0744 E 1320 W 1951 E	15 We	0118 W 0740 E 1323 W 2010 E	30 Th	0133 W 0812 E 1344 W 2028 E	15 Fr	0123 W 0737 E 1322 W 2012 E	30 Sa	0139 W 0803 E 1345 W 2030 E	15 Mo ●	0203 W 0828 E 1400 W 2115 E	30 Tu ○	0216 W 0846 E 1431 W 2121 E
		31 Tu	0122 W 0816 E 1345 W 2026 E							31 Su ○	0204 W 0832 E 1412 W 2102 E				

Caution: Tidal Streams may be subject to irregularities and these times should be regarded as approximate only.

Remember to add 1 Hour for Daylight Saving Time. Finishes 5 April.

Alphabetical Index of Secondary Ports

Secondary Port	Standard Port of Reference	Secondary Port	Standard Port of Reference
Ahipara Bay	Port Taranaki	Doves Bay	Marsden Point
Ahuahu	Tauranga	Dryden Bay	Picton
Akaroa	Lyttelton	Dusky Sound	Westport
Akatarere Point	Marsden Point	East Arm	Nelson
Ākitio River Entrance	Napier	East Bay	Picton
Anakakata Bay	Picton	East Cape	Gisborne
Anawhata	Onehunga	Easy Harbour	Bluff
Anita Bay	Westport	Elaine Bay	Nelson
Antipodes Island	Bluff	Elie Bay	Nelson
Aotea Harbour	Port Taranaki	Elmslie Bay	Nelson
Aotea Island	Marsden Point	Ernest Islands	Bluff
Aparima	Bluff		
Ashburton River Entrance	Timaru	Far North	Port Taranaki
Astrolabe Roadstead	Nelson	Farewell Spit	Nelson
Auckland Island	Bluff	Farmer Point	Marsden Point
Awanui River	Marsden Point	Fiordland Sounds	Westport
		Fishermans Rock	Picton
Banks Peninsula	Lyttelton	Fishing Bay	Westport
Bare Island	Napier	Fishing Rock	Marsden Point
Bay of Islands	Marsden Point	Flour Cask Bay	Bluff
Ben Gunn Wharf	Marsden Point	Flower Pot	Lyttelton
Bay of Plenty	Tauranga	French Pass	Nelson
Bethells Beach	Onehunga	Freshwater Basin	Westport
Blanket Bay	Westport	Front Islands	Westport
Bligh Sound	Westport		
Boat Cove	Marsden Point	George Sound	Westport
Boat Harbour	Tauranga	Gilbert Islands	Westport
Bon Accord Harbour	Auckland	Golden Bay, Nelson	Nelson
Bowentown	Tauranga	Golden Bay, Stewart Island /	Bluff
Bradshaw Sound	Westport	Rakiura	
Breaksea Sound	Westport	Great Barrier Island	Marsden Point
Bruce Bay	Westport	Great Island	Port Taranaki
Burgess Island	Marsden Point	Great Mercury Island	Tauranga
		Green Island	Port Chalmers
Campbell Island	Bluff	Greville Harbour	Nelson
Cape Campbell	Wellington	Greymouth	Westport
Cape Farewell	Westport		
Cape Kidnappers	Napier	Haast River Entrance	Westport
Cape Maria van Diemen	Port Taranaki	Hakaterere Entrance	Timaru
Cape Palliser	Wellington	Halfmoon Bay	Bluff
Cape Reinga /	Port Taranaki	Happy Jacks Boat Harbour	Gisborne
Te Rerenga Wairua		Hamilton Bay	Nelson
Cape Terawhiti	Wellington	Hauraki Gulf	Auckland
Cape Turnagain	Napier	Haurere Point	Tauranga
Cape Wiwiki	Marsden Point	Hautere	Bluff
Carnley Harbour	Bluff	Havelock	Nelson
Castlepoint	Napier	Hāwea	Westport
Catherine Cove	Nelson	Hawke Bay	Napier
Cavalli Islands	Marsden Point	Helensville	Port Taranaki
Cave Bay	Wellington	Hicks Bay	Gisborne
Chalky Inlet	Westport	Hobsonville	Auckland
Chalky Island	Westport	Hokianga Harbour	Port Taranaki
Charles Sound	Westport	Hokitika River Bar	Westport
Charleston	Westport	Horowhenua	Port Taranaki
Chatham Island	Lyttelton	Houhora Harbour	Marsden Point
Christmas Village Bay	Bluff	Houhora Harbour Entrance	Marsden Point
Clarks Beach	Onehunga	Huruhi Harbour	Marsden Point
Coal Island	Westport		
Colac Bay	Bluff	Island Point	Port Taranaki
Collingwood	Nelson		
Conway Flat	Lyttelton	Jackson Bay	Westport
Cook Strait	Picton, Wellington	Jane Coves	Westport
Cooks Cove	Gisborne		
Coppermine Bay	Nelson	Kaikiekie	Westport
Cornwallis	Onehunga	Kaikōura	Lyttelton
Coromandel Harbour	Auckland	Kaingaroa	Lyttelton
Coromandel Peninsula	Auckland, Marsden Point, Tauranga	Kaipara Harbour	Port Taranaki
Croisilles Harbour	Nelson	Kaiteriteri	Nelson
D'Urville Island	Nelson	Kaituna River Entrance	Tauranga
Dairy Factory Wharf	Marsden Point	Kapiti	Port Taranaki
Dargaville	Port Taranaki	Kapiti Island	Port Taranaki
Deas Cove	Westport	Karaka Bay	Wellington
Deep Cove	Westport	Karamea River Entrance	Westport
Devonport Naval Base	Auckland	Karehana Bay	Port Taranaki
Dog Island	Bluff	Karori Rock Light	Wellington
Doubtful Sound	Westport	Katikati	Tauranga

Alphabetical Index of Secondary Ports

Secondary Port	Standard Port of Reference	Secondary Port	Standard Port of Reference
Kauri Point	Tauranga	Oamaru	Timaru
Kawakaputa Bay	Bluff	Oban	Bluff
Kawau Island	Auckland	Ocean Bay	Wellington
Kawhia	Port Taranaki	Ōhau Point	Lyttelton
Kekerengu	Lyttelton	Ōkārito	Westport
Kenepuru Sound	Nelson	Okiwa Bay	Picton
Kerikeri	Marsden Point	Ōkiwi Bay	Nelson
Kermadec Islands	Marsden Point	Ōkukari Bay	Picton
Kingfish Point	Marsden Point	Omaha Bridge	Auckland
Kohukohu	Port Taranaki	Omaia Island	Marsden Point
Korotiti Bay	Marsden Point	Omaio Bay	Tauranga
Kotiatia Point	Marsden Point	Ōmāpere	Port Taranaki
Kōtiro Point	Nelson	Ōmokoroa	Tauranga
Kura te Au	Picton	Onetaunga Bay	Auckland
		Onoua	Lyttelton
Le Bons Bay	Lyttelton	Opononi	Port Taranaki
Leigh	Auckland	Ōpōtiki Wharf	Tauranga
Little Wanganui	Westport	Opua	Marsden Point
Long Island	Picton	Ōpunake Bay	Port Taranaki
Long Point	Napier	Ōraka	Bluff
Long Sound	Westport	Orongorongo River Entrance	Wellington
Lottin Point	Tauranga	Ōtaki Beach	Port Taranaki
LPG Terminal	Onehunga	Oteranga Bay	Wellington
Lucky Bay	Wellington	Otou	Marsden Point
		Owenga	Lyttelton
Macdonell Island	Westport	Pāharakeke	Nelson
Mahurangi Harbour	Auckland	Pahi	Port Taranaki
Maitai Bay	Marsden Point	Papakura Channel	Onehunga
Mākara Beach	Port Taranaki	Papamoa Beach	Tauranga
Maketu Estuary Entrance	Tauranga	Paparoa Point	Nelson
Mana Marina	Port Taranaki	Paraparaumu Beach	Port Taranaki
Man o'War Bay	Auckland	Paratutae Island	Onehunga
Manawatāwhi	Port Taranaki	Pārengarenga Harbour	Marsden Point
Manawatū River Entrance	Port Taranaki	Pātea, Taranaki	Port Taranaki
Mangawhai Heads	Marsden Point	Patea, Fiordland	Westport
Mangōnui	Marsden Point	Pauanui	Tauranga
Man-o-War Bay	Nelson	Pelorus Sound	Nelson
Mansion House Bay	Auckland	Pelorus Sound Entrance	Nelson
Manu Bay	Port Taranaki	Perseverance Harbour	Bluff
Manukau Harbour	Onehunga	Pigeon Island	Westport
Many Islands	Westport	Piha Beach	Onehunga
Māpua	Nelson	Pine Harbour	Auckland
Maraetai	Auckland	Piopiota	Westport
Marlborough Sounds	Nelson	Point Gibson	Lyttelton
Matakana River	Auckland	Pokohinu	Marsden Point
Mātakitaki-a-Kupe	Wellington	Pōrangahau River Entrance	Napier
Matiatia Bay	Auckland	Porirua	Port Taranaki
Maunganui Bay	Marsden Point	Port Adventure	Bluff
McKenzie Bay	Auckland	Port Albert	Port Taranaki
Milford Sound	Westport	Port Charles	Marsden Point
Moeraki	Timaru	Port Craig	Bluff
Mohua	Nelson	Port Jackson	Marsden Point
Mokau River Entrance	Port Taranaki	Port Ōhope Wharf	Tauranga
Mokohinau Islands	Marsden Point	Port Underwood	Wellington
Motu Ihupuku	Bluff	Port Waikato	Port Taranaki
Motuara Island	Picton	Port William/Potirepo	Bluff
Motueka	Nelson	Portage	Nelson
Motukawanui Island	Marsden Point	Portland Island	Napier
Motunau Beach	Lyttelton	Portland Wharf	Marsden Point
Motunui Island	Tauranga	Pourerere	Napier
Motupipi Inlet	Nelson	Pouto Point	Port Taranaki
Moturiki Island	Tauranga	Preservation Inlet	Westport
Moutohora Island	Tauranga	Pukatea	Wellington
Muriwai Beach	Onehunga	Pukenui Wharf	Marsden Point
Murrays Bay	Auckland	Purau Lead	Lyttelton
		Queen Charlotte Sound	Picton
Nagle Cove	Marsden Point	Raglan	Port Taranaki
New River Entrance	Bluff	Rakaia River Mouth	Lyttelton
Ngaiotonga Bay	Marsden Point	Rakino Island	Auckland
Ngawi	Wellington	Rakituma	Westport
North Cape	Marsden Point	Rakiura	Bluff
North East Island	Bluff	Rangatira Point	Port Taranaki
North Taranaki Bight	Port Taranaki	Rangaunu Harbour	Marsden Point
North West Bay	Port Taranaki		
Nugget Point	Bluff		
Nydia Bay	Nelson		

Alphabetical Index of Secondary Ports

Secondary Port	Standard Port of Reference	Secondary Port	Standard Port of Reference
Rangitaiki River Entrance	Tauranga	Tikao Bay	Lyttelton
Rangitata River Entrance	Timaru	Tikinui	Port Taranaki
Rangitoto ki te Tonga	Nelson	Tini Heke	Bluff
Raoul Island	Marsden Point	Tinopai	Port Taranaki
Raupo	Port Taranaki	Tiritiri Matangi Island	Auckland
Rawene	Port Taranaki	Tokomaru Bay	Gisborne
Richmond Bay	Nelson	Tolaga Bay Wharf	Gisborne
Riverton	Bluff	Tory Channel	Picton
Rocky Point	Marsden Point	Tōtaranui	Picton
Ruapuke Island	Bluff	Town Basin	Marsden Point
Russell	Marsden Point	Town Wharf	Tauranga
Sandspit	Auckland	Tryphena	Marsden Point
Sandspit Passage	Auckland	Turn Point	Westland
Scheigis Rock	Marsden Point	Tutukaka Harbour	Marsden Point
Sealers Bay	Westport		
Shelly Beach	Port Taranaki	Unahi Jetty	Marsden Point
Shelter Islands	Westport		
Slipper Island	Tauranga	Waiheke Island	Auckland
Small Craft Harbour Islands	Westport	Waihi Beach	Tauranga
Small Craft Retreat	Bluff	Waihopai River Entrance	Bluff
Snares Islands	Bluff	Waiiti Bay	Marsden Point
Solander Island	Bluff	Waikanae River Entrance	Port Taranaki
South Bay	Lyttelton	Waikawa Bay	Nelson
South Taranaki Bight	Port Taranaki	Waikawa Harbour	Bluff
Spit Wharf	Port Chalmers	Waikokopu	Napier
Sponge Bay	Gisborne	Waiorua Bay	Port Taranaki
Squally Cove	Nelson	Waipapa Point	Bluff
Stephens Island	Nelson	Waipiro Bay	Gisborne
Stephenson Island	Marsden Point	Wairarapa Coast	Napier
Stewart Island	Bluff	Wairau River Entrance	Wellington
Sub-Antarctic Islands	Bluff	Wairoa River Mouth	Napier
Sumner Head	Lyttelton	Waitangi, Bay of Islands	Marsden Point
Sunday Bay	Nelson	Waitangi, Chatham Island	Lyttelton
Swamp Bay	Nelson	Waitara River Entrance	Port Taranaki
		Waitare Beach	Port Taranaki
Taiari	Westport	Waiuku	Onehunga
Taipare Bay	Nelson	Wakatiri	Tauranga
Taiporoporo	Westport	Weiti River Entrance	Auckland
Tairua	Tauranga	Welcombe Bay	Westport
Taiwawe Bay	Marsden Point	West Coast Beaches	Onehunga
Takapourewa	Nelson	Weymouth	Onehunga
Takerau Bay	Marsden Point	Whakaari	Tauranga
Tamaki River	Auckland	Whakahau	Tauranga
Tamatea	Westport	Whakapirau	Port Taranaki
Tamateatai Point	Marsden Point	Whakatahuri	Nelson
Tapuaetahi Bay	Tauranga	Whakatāne	Tauranga
Tarakohe	Nelson	Whangamatā	Tauranga
Taramahiti Point	Napier	Whangamumu Harbour	Marsden Point
Tasman Bay	Nelson	Whanganui Inlet	Westport
Tauranga Harbour	Tauranga	Whanganui Island	Auckland
Te Aumiti	Nelson	Whanganui River Entrance	Port Taranaki
Te Awaroa	Westport	Whangārei	Marsden Point
Te Awa-o-Tū	Westport	Whangaroa	Marsden Point
Te Hāpua	Marsden Point	Whangaroa Harbour	Marsden Point
Te Henga	Onehunga	Whangaruru Harbour	Marsden Point
Te Hoiere Entrance	Nelson	Whangateau Harbour	Auckland
Te Houhou	Westport	Wharariki	Nelson
Te Iro Bay	Picton	Wharekahika	Gisborne
Te Kaha	Tauranga	Whau River Entrance	Auckland
Te Karaka	Port Taranaki	White Island	Tauranga
Te Kauwae-a-Māui	Napier	Whites Bay	Wellington
Te Kōpuru	Port Taranaki	Whitianga	Tauranga
Te Motu-o-Kura	Napier	Wilson Bay	Nelson
Te Oka Bay	Lyttelton		
Te Puaitaha	Westport	Yankee River Entrance	Bluff
Te Tai-o-Aorere	Nelson	Yncyca Bay	Nelson
Te Weka Bay	Picton	Young Nicks Head / Te Kuri	Gisborne
Te Whanganui	Wellington		
Thames	Auckland		
Thompson Sound	Westport		
Three Kings Islands	Port Taranaki		
Tikapa Moana	Auckland		

Secondary Ports Table

No.	Port	Lat.	S.	Long.	E.	Time Differences High Water		Time Differences Low Water		Mean Spring, Neap and Sea Level Heights (metres)					Range Ratio
						Mean	Range	Mean	Range	MHWS	MHWN	MLWN	MLWS	MSL	
6400	Auckland	36	51	174	46	hmmm	hmmm to hmmm	hmmm	hmmm to hmmm	3.3	2.8	1.0	0.5	1.93	
6399c	Devonport Naval Base	36	50	174	47	0000	-0007 to +0003	0000	-0007 to +0004	3.2	2.7	0.9	0.4	1.8	1.00
6399e	Hobsonville	36	47	174	40	+0008	-0013 to +0036	+0003	-0028 to +0033	3.6	3.1	1.1	0.6	2.1	1.07
6402	Maratai	36	52	175	03	-0015	-	-0015	-	-	-	-	-	-	*
6396d	Omaha Bridge	36	20	174	46	+0009	+0001 to +0023	+0002	-0017 to +0021	2.7	2.3	0.8	0.4	1.6	0.82
6399d	Onetaunga Bay	36	49	174	42	+0004	-	-0007	-	3.4	2.9	0.9	0.5	2.0	1.04 *
6401b	Pine Harbour	36	53	174	59	-0012	-0033 to +0006	0000	-0025 to +0021	3.2	2.7	0.9	0.3	1.8	1.04
6402a	Sandspit Passage	36	54	175	11	-0015	-0033 to -0001	-0004	-0025 to +0009	3.3	2.7	0.9	0.3	1.8	1.07
6401c	Tamaki River	36	55	174	52	0000	-0008 to +0008	0000	-0007 to +0007	3.4	2.8	1.1	0.5	1.9	1.04
6399f	Whau River Entrance	36	52	174	39	+0010	-0042 to +0031	+0007	-0040 to +0029	3.6	3.1	1.1	0.6	2.1	1.07
Coromandel Peninsula															
6405	Coromandel Harbour - Whanganui Island	36	47	175	27	-0021	-0044 to +0011	-0015	-0048 to +0011	2.9	2.3	0.7	0.0	1.5	1.04
6404	Thames	37	08	175	31	-0017	-0027 to -0009	-0010	-0017 to +0003	3.5	2.9	0.9	0.3	1.9	1.14
Hauraki Gulf / Tikapa Moana															
6396b	Leigh	36	17	174	48	-0012	-0033 to +0013	-0001	-0031 to +0022	2.6	2.2	0.8	0.3	1.5	0.82
6398	Mahurangi Harbour	36	29	174	43	-0010	-0025 to +0014	0000	-0018 to +0025	2.9	2.4	0.9	0.4	1.7	0.89
6397a	Matakana River - Sandspit	36	24	174	44	-0006	-0018 to +0015	+0001	-0013 to +0014	2.9	2.5	0.9	0.5	1.7	0.86
6400a	McKenzie Bay	36	47	174	50	-0012	-0030 to +0008	-0003	-0023 to +0018	3.1	2.6	0.9	0.4	1.7	0.96
6399a	Murrays Bay	36	44	174	45	-0011	-0030 to +0008	0000	-0021 to +0022	3.1	2.6	0.9	0.3	1.7	1.00
6399b	Rakino Island	36	44	174	57	-0014	-0039 to +0006	-0003	-0030 to +0022	3.0	2.5	0.9	0.3	1.7	0.96
6398a	Tiritiri Matangi Island	36	36	174	53	-0013	-0031 to +0007	-0001	-0023 to +0022	2.9	2.5	0.8	0.3	1.7	0.93
6399	Weiti River Entrance	36	39	174	44	+0001	-0020 to +0022	+0007	-0023 to +0025	3.0	2.5	1.0	0.5	1.8	0.89
6396c	Whangateau Harbour	36	19	174	47	-	-	-	-	2.7	2.3	0.6	0.2	1.5	0.89 *
Kawau Island															
6397	Bon Accord Harbour - Mansion House Bay	36	26	174	49	-0010	-0038 to +0012	0000	-0030 to +0023	2.9	2.4	0.9	0.4	1.7	0.89
Waiheke Island															
6401	Man o'War Bay	36	47	175	09	-0015	-0033 to -0001	-0004	-0023 to +0014	3.2	2.6	0.9	0.3	1.8	1.04
6401a	Matiatia Bay	36	47	174	59	-0011	-0028 to +0005	-0002	-0021 to +0016	3.1	2.6	0.9	0.4	1.7	0.96
6504	Bluff	46	36	168	21	hmmm	hmmm to hmmm	hmmm	hmmm to hmmm	2.8	2.4	1.1	0.6	1.76	*
6506	Colac Bay / Ōraka	46	22	167	54	-	-	-	-	2.3	1.8	0.9	0.4	1.3	0.86 *
6503	Dog Island	46	39	168	25	-0017	-0028 to -0002	-0035	-0047 to -0015	2.9	2.5	1.2	0.6	1.8	1.05
6506a	Kawakaputa Bay	46	23	167	49	-0115	-0148 to -0035	-0119	-0148 to -0048	2.8	2.3	0.9	0.4	1.6	1.09
6505	New River Entrance	46	32	168	15	-0022	-	-0022	-	2.8	2.5	0.7	0.4	1.6	1.09 *

* Data Approximate

- No Data

No.	Port	Lat. °	S.	Long.	E. °	Time Differences High Water			Time Differences Low Water			Mean Spring, Neap and Sea Level Heights (metres)					Range Ratio
						Mean	Range	hhmm to hhmm	Mean	Range	hhmm to hhmm	MHWS	MHWN	MLWN	MSL		
6504	Bluff	46	36	168	21							2.8	2.4	1.1	0.6	1.76	
6500	Nugget Point	46	27	169	49	+0054	+0028 to +0146	+0052	+0052	+0025 to +0144	+0025 to +0144	2.5	2.1	0.9	0.7	1.5	0.82
6510f	Port Craig	46	13	167	22	-0203	-0236 to -0138	-0205	-0205	-0230 to -0142	-0230 to -0142	3.1	2.6	1.3	0.7	1.9	1.09
6505d	Riverton / Aparima	46	22	168	01	-0052	-0107 to -0044	-0048	-0048	-0101 to -0041	-0101 to -0041	2.8	2.5	1.2	0.8	1.8	0.91
6503a	Ruapuke Island	46	47	168	30	-0008	-0032 to +0035	-0013	-0013	-0036 to +0030	-0036 to +0030	2.8	2.4	1.1	0.7	1.8	0.95
6505b	Waihopai River Entrance	46	25	168	20	+0011	-0011 to +0023	+0054	+0054	+0031 to +0114	+0031 to +0114	2.6	2.2	1.0	0.8	1.6	0.82
6501	Waikawa Harbour	46	39	169	10	+0110	+0036 to +0151	+0108	+0108	+0042 to +0145	+0042 to +0145	2.3	1.9	0.7	0.3	1.3	0.91
6502	Waipapa Point	46	39	168	51	-	-	-	-	-	-	2.7	2.5	0.9	0.6	1.7	0.95
Stewart Island / Rakiura																	
6510d	Christmas Village Bay	46	45	168	00	-0033	-0107 to -0014	-0046	-0046	-0112 to -0024	-0112 to -0024	2.4	2.0	1.1	0.6	1.5	0.82
6509a	Easy Harbour	47	09	167	34	-0200	-0235 to -0140	-0201	-0201	-0225 to -0143	-0225 to -0143	2.6	2.2	0.9	0.4	1.6	1.00
6510	Ernest Islands	46	58	167	41	-0200	-0226 to -0131	-0203	-0203	-0224 to -0134	-0224 to -0134	2.2	1.8	0.7	0.2	1.2	0.91
6509	Flour Cask Bay	47	17	167	29	-0124	-0146 to -0110	-0136	-0136	-0145 to -0128	-0145 to -0128	2.8	2.4	1.0	0.5	1.7	1.05
6507	Golden Bay	46	54	168	07	-0001	-0022 to +0022	-0012	-0012	-0031 to +0014	-0031 to +0014	2.7	2.2	1.1	0.6	1.7	0.95
6506c	Halfmoon Bay / Oban	46	54	168	08	-0006	-0033 to +0024	-0019	-0019	-0039 to +0012	-0039 to +0012	2.6	2.2	1.1	0.6	1.6	0.91
6508	Port Adventure	47	05	168	11	-0011	-0036 to +0038	-0013	-0013	-0036 to +0027	-0036 to +0027	2.9	2.4	1.1	0.6	1.8	1.05
6510e	Port William / Potirepo	46	50	168	05	-0015	-0043 to +0009	-0028	-0028	-0056 to -0005	-0056 to -0005	2.6	2.1	1.1	0.6	1.6	0.91
6508a	Small Craft Retreat	47	15	167	39	-0100	-0123 to -0037	-0102	-0102	-0118 to -0039	-0118 to -0039	3.0	2.5	1.1	0.6	1.8	1.09
6510c	Yankee River Entrance	46	41	167	53	-0103	-0132 to -0031	-0117	-0117	-0144 to -0044	-0144 to -0044	2.3	1.9	0.9	0.5	1.4	0.82
Sub-Antarctic Islands																	
6535	Antipodes Island	49	40	178	48	+0210	-	-	-	-	-	1.8	-	-	-	1.1	-
6534	Auckland Island - Carnley Harbour	50	50	166	03	-0042	-0103 to -0027	-0040	-0040	-0055 to -0019	-0055 to -0019	1.9	1.4	0.7	0.2	1.1	0.77
6532	Campbell Island / Motu Ihupuku - Perseverance Harbour	52	33	169	08	+0013	-	+0020	+0020	-	-	1.7	1.4	0.9	0.6	1.2	0.50
6510b	Snares Islands / Tini Heke - North East Island	48	01	166	36	-0140	-0226 to -0117	-0143	-0143	-0217 to -0124	-0217 to -0124	1.9	1.6	0.7	0.3	1.2	0.73
6510a	Solander Island / Hautere	46	35	166	53	-0206	-0254 to -0144	-0207	-0207	-0243 to -0146	-0243 to -0146	2.3	2.0	0.9	0.4	1.4	0.86
6425	Gisborne	38	40	178	02							2.0	1.7	0.7	0.4	1.25	
6422	East Cape	37	41	178	33	+0032	-	+0030	+0030	-	-	2.1	1.9	0.7	0.5	1.3	1.00
6427	Happy Jacks Boat Harbour	39	01	177	54	0000	-0017 to +0025	0000	0000	-0016 to +0020	-0016 to +0020	2.0	1.7	0.8	0.5	1.3	0.94
6424d	Sponge Bay	38	42	178	03	0000	-0019 to +0021	0000	0000	-0023 to +0014	-0023 to +0014	2.0	1.7	0.7	0.4	1.2	1.00
6423a	Tokomaru Bay	38	08	178	20	-	-	-	-	-	-	1.9	1.8	0.6	0.5	1.2	0.88
6424	Tolaga Bay - Cooks Cove	38	23	178	20	+0005	-0015 to +0025	+0005	+0005	-0013 to +0027	-0013 to +0027	1.7	1.6	0.4	0.3	1.0	0.88
6423b	Tolaga Bay Wharf	38	23	178	19	+0008	-0007 to +0033	+0008	+0008	-0006 to +0027	-0006 to +0027	1.6	1.4	0.3	0.1	1.3	0.94
6423	Waipiro Bay	38	02	178	20	+0011	-0011 to +0024	+0010	+0010	-0011 to +0025	-0011 to +0025	2.1	1.8	0.8	0.5	1.3	1.00
6421	Wharekahika / Hicks Bay	37	35	178	19	+0039	+0018 to +0101	+0039	+0039	+0020 to +0102	+0020 to +0102	1.9	1.6	0.5	0.2	1.1	1.06
6425b	Young Nicks Head / Te Kuri	38	45	177	58	0000	-0019 to +0021	-0001	-0001	-0023 to +0015	-0023 to +0015	2.0	1.7	0.7	0.5	1.2	0.94

* Data Approximate

- No Data

Secondary Ports Table – continued

No.	Port	Lat. °	S.	Long.	E. °	Time Differences High Water			Time Differences Low Water			Mean Spring, Neap and Sea Level Heights (metres)					Range Ratio
						Mean	Range	hhmm	hhmm to hhmm	hhmm	Range	hhmm to hhmm	MHWS	MHWN	MLWN	MLWS	
6490	Lyttelton	43	36	172	43	hhmm	hhmm to hhmm	hhmm	hhmm	hhmm	hhmm to hhmm	2.5	2.0	0.8	0.3	1.45	
6487b	Conway Flat	42	38	173	27	+0015	-0010 to +0033	+0014	-0014 to +0032	+0014	-0014 to +0032	1.8	1.3	0.4	0.0	0.8	0.82
6487	Kaikōura	42	25	173	42	+0017	+0010 to +0025	+0017	+0007 to +0029	+0017	+0007 to +0029	1.8	1.4	0.4	0.0	0.9	0.82
6486	Kekerengu	42	00	174	01	+0023	0000 to +0036	+0022	-0004 to +0038	+0022	-0004 to +0038	1.8	1.3	0.4	0.0	0.9	0.82
6488b	Motunau Beach	43	03	173	04	+0009	-0012 to +0032	+0008	-0010 to +0035	+0008	-0010 to +0035	2.2	1.9	0.7	0.4	1.3	0.82
6489	New Brighton Pier	43	30	172	44	+0001	-0005 to +0009	+0001	-0006 to +0009	+0001	-0006 to +0009	2.4	1.9	0.8	0.3	1.3	0.95
6486a	Ōhau Point	42	14	173	51	+0014	-0003 to +0013	+0013	-0003 to +0032	+0013	-0003 to +0032	1.7	1.2	0.3	0.0	0.8	0.77
6488	Point Gibson	42	53	173	19	+0014	-0004 to +0034	+0013	-0003 to +0037	+0013	-0003 to +0037	2.1	1.6	0.7	0.3	1.1	0.82
6490b	Purau Lead	43	37	172	46	-0001	-0006 to +0003	-0001	-0005 to +0003	-0001	-0005 to +0003	2.6	2.1	0.8	0.3	1.5	1.05
6491d	Rakaia River Mouth	43	54	172	13	-0046	-	-	-	-	-	-	-	-	-	-	*
6487a	South Bay	42	26	173	41	+0018	+0002 to +0035	+0017	+0001 to +0035	+0017	+0001 to +0035	1.8	1.4	0.5	0.1	0.9	0.77
6489b	Sumner Head	43	34	172	46	+0001	-0002 to +0005	+0001	-0002 to +0005	+0001	-0002 to +0005	2.4	2.0	0.7	0.3	1.3	0.95
Banks Peninsula																	
6490f	Akaroa	43	48	172	58	-0044	-0126 to +0005	-0042	-0122 to +0008	-0042	-0122 to +0008	2.7	2.1	0.9	0.4	1.5	1.05
6490d	Le Bons Bay	43	44	173	06	-0022	-0046 to +0001	-0025	-0051 to -0002	-0025	-0051 to -0002	2.5	1.9	0.8	0.3	1.4	1.00
6491b	Te Oka Bay	43	52	172	49	-0052	-0107 to -0029	-0052	-0112 to -0033	-0052	-0112 to -0033	2.3	1.9	0.7	0.4	1.4	0.86
6491	Tikao Bay	43	48	172	55	-0043	-	-0042	-	-0042	-	2.6	2.2	0.9	0.6	1.5	0.91 *
Chatham Islands ¹																	
6535a	Flower Pot (Onoua)	44	14	176	14W	+0020	-0002 to + 0039	+0019	-0007 to +0040	+0019	-0007 to +0040	1.0	0.8	0.2	0.0	0.5	0.45
6536a	Kaingaroa	43	44	176	16W	+0053	+0035 to +0108	+0053	+0038 to +0108	+0053	+0038 to +0108	1.4	1.1	0.3	0.0	0.7	0.64
6536b	Owenga	44	02	176	22W	+0022	+0007 to +0052	+0021	+0009 to +0031	+0021	+0009 to +0031	1.3	1.0	0.3	0.0	0.7	0.59
6536	Waitangi	43	57	176	34W	+0022	-0004 to +0052	+0021	-0022 to +0101	+0021	-0022 to +0101	0.9	0.6	0.2	0.0	0.4	0.41
6394	Marsden Point	35	50	174	30	hhmm	hhmm to hhmm	hhmm	hhmm	hhmm	hhmm to hhmm	2.7	2.3	0.9	0.5	1.63	
6388e	Maitai Bay	34	49	173	25	+0006	+0010 to +0027	+0009	-0009 to +0026	+0009	-0009 to +0026	2.5	2.0	0.9	0.3	1.4	1.00
6396a	Mangawhai Heads	36	05	174	36	+0004	-0021 to +0027	+0002	-0023 to +0026	+0002	-0023 to +0026	2.4	2.1	0.8	0.4	1.4	0.91
6389	Mangōnui	34	59	173	32	+0033	+0004 to +0100	+0049	+0028 to +0117	+0049	+0028 to +0117	2.6	2.2	0.9	0.5	1.6	0.95
6391d	Ngaiotonga Bay	35	19	174	19	-0011	-0029 to +0013	-0008	-0024 to +0017	-0008	-0024 to +0017	2.5	2.0	0.8	0.3	1.4	1.00
6386f	North Cape / Otou	34	25	173	03	+0013	+0002 to +0026	+0017	+0006 to +0029	+0017	+0006 to +0029	2.5	2.0	0.9	0.4	1.4	0.95
6395a	Portland Wharf	35	48	174	21	+0019	+0006 to +0027	+0013	+0005 to +0023	+0013	+0005 to +0023	3.1	2.6	1.1	0.4	1.8	1.23
6389b	Stephenson Island	34	58	173	47	0000	-0020 to +0022	+0003	-0018 to +0024	+0003	-0018 to +0024	2.5	2.1	0.8	0.4	1.4	0.95
6392a	Taiwawe Bay	35	26	174	23	-0014	-0031 to +0012	-0010	-0026 to +0015	-0010	-0026 to +0015	2.5	2.0	0.8	0.3	1.4	1.00
6389a	Takerau Bay	34	56	173	33	+0004	-0011 to +0021	+0007	-0008 to +0025	+0007	-0008 to +0025	2.5	2.1	0.8	0.3	1.5	1.00
6394a	Town Basin	35	43	174	20	+0025	+0013 to +0032	+0020	+0013 to +0029	+0020	+0013 to +0029	3.1	2.6	1.1	0.6	1.8	1.14
6393	Tutukaka Harbour	35	37	174	32	-0015	-0035 to +0001	-0010	-0029 to +0005	-0010	-0029 to +0005	2.3	1.9	0.8	0.3	1.4	0.91
6391c	Whangamumu Harbour	35	15	174	18	+0014	-0036 to +0104	+0031	-0020 to +0115	+0031	-0020 to +0115	2.1	1.9	0.6	0.2	1.2	0.86

¹Add a further 45 minutes to NZST to obtain Chatham Island Standard Time
 * Data Approximate

No.	Port	Lat. °	S.	Long.	E. °	Time Differences High Water			Time Differences Low Water			Mean Spring, Neap and Sea Level Heights (metres)					Range Ratio
						Mean	Range	hhmm to hhmm	Mean	Range	hhmm to hhmm	MHWS	MHWN	MLWN	MLWS	MSL	
6394	Marsden Point continued	35	50	174	30							2.7	2.3	0.9	0.5	1.63	
6395	Whangārei	35	46	174	21	+0021	+0012 to +0027	hhmm to hhmm	+0014	+0007 to +0020	hhmm to hhmm	3.0	2.6	1.0	0.5	1.8	1.14
	Awanui River																
6388d	Ben Gunn Wharf	35	00	173	16	+0059	+0041 to +0117		+0122	+0105 to +0138		2.4	2.0	0.6	0.2	1.3	1.00
6388b	Dairy Factory Wharf	35	02	173	15	+0122	+0043 to +0211		+0223	+0118 to +0311		2.3	1.8	0.6	0.1	1.2	1.00
6388c	Unahi Jetty	35	00	173	15	+0102	+0004 to +0152		+0117	+0029 to +0210		2.3	1.9	0.6	0.2	1.3	0.95
	Bay of Islands																
6390c	Cape Wīwī	35	09	174	08	-0006	-0027 to +0017		-0002	-0026 to +0020		2.5	2.0	0.9	0.4	1.5	0.95
6390e	Doves Bay	35	12	174	02	-0006	-0025 to +0024		-0002	-0020 to +0031		2.5	2.0	0.9	0.3	1.4	1.00
6390d	Kerikeri	35	13	173	56	+0002	-0044 to +0049		+0018	-0028 to +0100		2.3	1.9	0.7	0.2	1.3	0.95
6391b	Maunganui Bay	35	12	174	18	-0008	-0029 to +0015		-0004	-0028 to +0017		2.5	2.0	0.9	0.4	1.4	0.95
6391a	Opua	35	19	174	07	+0001	-0005 to +0009		0000	-0005 to +0010		2.6	2.2	0.9	0.5	1.5	0.95
6391	Russell	35	16	174	07	0000	-0026 to +0025		+0004	-0023 to +0029		2.5	2.0	0.9	0.4	1.4	0.95
6390f	Waitangi	35	16	174	05	+0022	-		+0022	-		2.3	2.0	0.6	0.4	1.4	0.86 *
	Cavalli Islands																
6390b	Motukawanui Island	35	01	173	57	-0002	-0023 to +0022		+0001	-0022 to +0024		2.5	2.0	0.9	0.4	1.5	0.95
6390a	Waiti Bay	35	00	173	56	+0013	-		+0009	-		2.2	2.0	0.7	0.5	1.3	0.77 *
	Coromandel Peninsula																
6409	Port Charles	36	31	175	28	-0039	-0059 to -0026		-0035	-0055 to -0021		2.3	1.9	0.6	0.1	1.2	1.00
6408	Port Jackson	36	29	175	20	-0037	-0057 to -0020		-0032	-0053 to -0015		2.6	2.1	0.8	0.2	1.4	1.09
	Great Barrier Island (Aotea Island)																
6407a	Korotiti Bay	36	11	175	29	-0035	-0042 to -0024		-0030	-0037 to -0022		2.4	2.1	0.9	0.5	1.5	0.86
6406	Nagle Cove	36	09	175	19	-0031	-0058 to -0011		-0027	-0053 to -0005		2.6	2.2	1.0	0.4	1.5	1.00
6407	Tryphena	36	19	175	29	-0029	-0054 to -0004		-0025	-0048 to -0002		2.6	2.2	0.9	0.4	1.5	1.00
	Great Mercury Island (Ahuahu)																
6410	Huruhi Harbour	36	36	175	46	-0043	-0049 to -0036		-0039	-0046 to -0033		2.5	1.9	0.8	0.2	1.3	1.05
	Houhora Harbour																
6387b	Farmer Point	34	48	173	10	+0009	-0007 to +0026		+0012	-0004 to +0030		2.6	2.1	0.8	0.3	1.5	1.05
6387d	Houhora Harbour Entrance	34	50	173	09	+0019	+0003 to +0041		+0016	-0003 to +0037		2.6	2.2	0.9	0.5	1.5	0.95
6387c	Pukenui Wharf	34	49	173	07	+0030	+0012 to +0100		+0030	+0012 to +0054		2.7	2.2	0.9	0.5	1.6	1.00
	Kermadec Islands - Raoul Island																
6537	Fishing Rock	29	15	177	55W	-0035	-0049 to -0022		-0032	-0052 to -0019		1.7	1.5	0.6	0.4	1.1	0.59
6537a	Boat Cove	29	17	177	54W	-0034	-0051 to -0020		-0027	-0048 to -0013		1.7	1.5	0.7	0.4	1.1	0.59
	Mokohinau Islands																
6396	Burgess Island (Pokohinu)	35	54	175	07	-0024	-0054 to 0000		-0020	-0051 to +0002		2.4	2.0	0.8	0.4	1.4	0.91

* Data Approximate

- No Data

Secondary Ports Table – continued

No.	Port	Lat. °	S.	Long. °	E. '	Time Differences High Water			Time Differences Low Water			Mean Spring, Neap and Sea Level Heights (metres)					Range Ratio																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																															
						Mean	Range	hhmm	hhmm	hhmm	hhmm	Mean	Range	hhmm	hhmm	MHWS		MHWN	MLWN	MLWS	MSL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
6394	Marsden Point continued	35	50	174	30																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											</

* Data Approximate

- No Data

No.	Port	Lat. °	S.	Long.	E.	Time Differences High Water			Time Differences Low Water			Mean Spring, Neap and Sea Level Heights (metres)					Range Ratio
						Mean	Range	hhmm to hhmm	Mean	Range	hhmm to hhmm	MHWS	MHWN	MLWN	MLWS	MSL	
6458	Nelson continued	41	16	173	16							4.3	3.2	1.6	0.6	2.44	
Golden Bay / Mohua																	
6453	Collingwood	40	40	172	40	-	-		-	-		4.7	3.8	1.4	0.5	2.6	1.14 *
6528b	Farewell Spit	40	31	173	02	+0010	-0035 to +0054		+0017	-0025 to +0105		3.7	3.1	1.3	0.7	2.2	0.81 *
6454	Motupipi Inlet	40	50	172	51	-	-		-	-		5.0	4.1	1.5	0.6	2.8	1.19 *
6452	Tarakohe	40	49	172	54	+0002	-0003 to +0015		+0008	+0004 to +0015		3.9	2.9	1.4	0.6	2.2	0.89
Kenepuru Sound																	
6470	Portage	41	12	174	02	-0016	-0114 to +0015		-0044	-0146 to -0002		2.9	2.0	0.8	0.1	1.4	0.76
Pelorus Sound / Te Hoiere																	
6469	Elaine Bay	41	03	173	46	-0026	-0131 to +0009		-0038	-0134 to -0018		2.8	2.0	1.1	0.4	1.5	0.65
6467c	Elie Bay	41	08	173	59	-0027	-0157 to -0006		-0040	-0142 to -0020		2.8	2.1	1.1	0.4	1.6	0.65
6465a	Hamilton Bay	40	55	173	51	-0030	-0118 to +0010		-0035	-0134 to +0011		2.7	2.0	1.0	0.4	1.5	0.62
6471	Havelock	41	17	173	46	-0012	-0106 to +0007		-0025	-0135 to +0005		3.0	2.1	1.1	0.3	1.6	0.73
6468a	Nydia Bay	41	10	173	48	-0022	-0152 to +0022		-0036	-0157 to +0019		3.0	2.1	1.1	0.4	1.6	0.70
6454a	Paparoa Point	40	55	173	01	-0033	-0120 to 0000		-0039	-0139 to -0005		2.6	1.9	1.0	0.4	1.4	0.59
6467	Pelorus Sound / Te Hoiere Entrance	40	55	173	59	-0100	-		-0120	-		2.8	2.2	1.1	0.5	1.6	0.62 *
6467b	Richmond Bay	41	01	173	59	-0029	-0133 to -0013		-0040	-0133 to -0021		2.8	2.0	1.1	0.4	1.5	0.65
6467a	Sunday Bay	40	59	174	03	-0031	-0125 to +0006		-0040	-0144 to +0002		2.6	2.0	1.0	0.4	1.4	0.59
6468	Whakatahuri	41	01	174	03	-0051	-0144 to +0029		-0043	-0147 to +0028		2.7	2.1	1.1	0.5	1.6	0.59
6468c	Wilson Bay	41	05	173	54	-0024	-0128 to 0000		-0039	-0126 to -0016		2.9	2.1	1.1	0.5	1.6	0.65
6468b	Yncya Bay	41	08	173	53	-0024	-0204 to +0023		-0037	-0203 to +0021		3.0	2.2	1.1	0.4	1.6	0.70
Rangitoto ki te Tonga / D'Urville Island																	
6465	Catherine Cove	40	52	173	53	-0031	-0104 to +0005		-0032	-0105 to -0007		2.6	1.9	0.8	0.2	1.4	0.65
6466c	Coppermine Bay	40	56	173	48	-0005	-0042 to +0037		-0002	-0040 to +0052		3.9	3.1	1.4	0.6	2.2	0.89
6463	East Arm	40	46	173	52	-0014	-0055 to +0037		-0014	-0049 to +0033		3.3	2.6	1.3	0.6	2.0	0.73
6462	Greville Harbour / Wharariki	40	52	173	48	-0020	-		-0020	-		3.8	2.9	1.5	0.6	2.2	0.86 *
6463b	Swamp Bay	40	45	173	56	-0014	-0054 to +0038		-0013	-0048 to +0034		3.3	2.6	1.3	0.6	1.9	0.73
Tasman Bay / Te Tai-o-Aore																	
6455	Astrolabe Roadstead	40	58	173	03	-	-		-	-		4.8	3.8	1.2	0.2	2.5	1.24 *
6456	Kaiteriteri	41	03	173	01	+0001	-0005 to +0010		+0005	-0002 to +0011		3.9	2.9	1.3	0.4	2.1	0.95
6455b	Māpua	41	15	173	06	+0019	-0008 to +0032		+0019	-0011 to +0039		4.1	3.3	1.6	0.6	2.4	0.95
6455a	Motueka	41	08	173	01	+0005	-0037 to +0036		+0019	-0040 to +0101		4.2	3.4	1.4	0.6	2.4	0.97
6461	Taipare Bay	41	00	173	43	-0012	-0049 to +0041		-0004	-0040 to +0043		4.0	3.2	1.6	0.8	2.4	0.86
6466a	Waikawa Bay	40	58	173	48	-	-		-	-		3.9	3.1	1.4	0.6	2.3	0.89 *
Te Aumiti / French Pass																	
6466	Elmslie Bay	40	56	173	51	-0030	-0118 to +0010		-0035	-0133 to +0011		2.7	2.0	1.0	0.4	1.5	0.62
6466b	Man-o-War Bay / Paharakeke	40	56	173	50	-0005	-0040 to +0037		-0001	-0039 to +0053		3.9	3.0	1.4	0.6	2.2	0.89

* Data Approximate

- No Data

Secondary Ports Table – continued

No.	Port	Lat. °	S.	Long. °	E.	Time Differences High Water			Time Differences Low Water			Mean Spring, Neap and Sea Level Heights (metres)					Range Ratio
						Mean	Range	hmm to hmmm	hmm	hmm to hmmm	hmm	MHWS	MHWN	MLWN	MLWS	MSL	
6375	Onehunga	36	56	174	47							4.1	3.3	1.4	0.5	2.43	
Manukau Harbour																	
6374c	Clarks Beach	37	09	174	42	+0008	-0028 to +0026	-0003	-0026 to +0014	-0003	-0026 to +0014	4.4	3.5	1.6	0.6	2.6	1.06
6374	Cornwallis	37	00	174	36	-0013	-0042 to +0031	-0017	-0040 to +0029	-0017	-0040 to +0029	3.7	3.1	1.2	0.6	2.2	0.86
6374a	Papakura Channel - LPG Terminal	37	02	174	50	+0005	-	-0004	-	-0004	-	3.9	3.2	1.1	0.4	2.1	0.97 *
6373	Paratutae Island	37	03	174	31	-0033	-0052 to +0002	-0028	-0047 to +0005	-0028	-0047 to +0005	3.3	2.6	1.1	0.4	1.9	0.81
6375a	Waiuku	37	15	174	44	+0030	-	-	-	-	-	-	-	-	-	-	*
6374b	Weymouth	37	03	174	52	+0004	-0032 to +0022	-0002	-0027 to +0014	-0002	-0027 to +0014	4.5	3.6	1.6	0.6	2.6	1.08
West Coast Beaches																	
6375c	Anawhata	36	56	174	27	-0101	-0113 to -0043	-0058	-0109 to -0043	-0058	-0109 to -0043	3.2	2.5	1.0	0.3	1.7	0.81
6375e	Muriwai Beach	36	50	174	26	-0040	-	-0030	-	-0030	-	-	-	-	-	-	*
6375b	Piha Beach	36	57	174	28	-0045	-	-0035	-	-0035	-	-	-	-	-	-	*
6375d	Te Henga / Bethells Beach	36	53	174	27	-0040	-	-0050	-	-0050	-	-	-	-	-	-	*
6477	Pictou	41	17	174	00							1.5	1.0	0.5	0.1	0.84	
Cook Strait																	
6480	Fishermans Rock	41	04	174	36	0000	-	0000	-	0000	-	1.5	1.0	0.5	0.0	0.7	1.07 *
Queen Charlotte Sound / Tōtaranui																	
6470c	Anakakata Bay	41	03	174	17	0000	-0029 to +0046	+0013	-0014 to +0036	+0013	-0014 to +0036	1.7	1.1	0.5	0.1	0.8	1.14
6470a	Dryden Bay	41	10	174	11	+0002	-0103 to +0246	+0010	-0041 to +0109	+0010	-0041 to +0109	1.6	1.1	0.5	0.0	0.8	1.14
6476	East Bay	41	14	174	08	+0003	-0104 to +0127	+0004	-0042 to +0038	+0004	-0042 to +0038	1.5	1.0	0.5	0.0	0.8	1.07
6474	Long Island	41	07	174	17	0000	-0032 to +0056	+0008	-0028 to +0028	+0008	-0028 to +0028	1.6	1.1	0.6	0.1	0.8	1.07
6470b	Motuara Island	41	06	174	16	-0003	-0145 to +0209	+0004	-0058 to +0052	+0004	-0058 to +0052	1.7	1.1	0.6	0.2	0.9	1.07
6478	Okiwa Bay	41	17	173	55	-0003	-	-0006	-	-0006	-	1.5	1.0	0.5	0.0	0.7	1.07 *
Tory Channel / Kura te Au																	
6479a	Ōkukari Bay	41	12	174	19	-0056	-0240 to +0017	-0039	-0202 to +0008	-0039	-0202 to +0008	1.2	0.8	0.5	0.1	0.7	0.79
6479	Te Iro Bay	41	14	174	11	-0007	-0225 to +0124	-0005	-0116 to +0039	-0005	-0116 to +0039	1.4	0.9	0.4	0.0	0.7	1.00
6475	Te Weka Bay	41	15	174	11	-0010	-0159 to +0109	-0011	-0103 to +0043	-0011	-0103 to +0043	1.4	0.9	0.5	0.1	0.7	0.93
6497	Port Chalmers	45	49	170	39							2.1	1.7	0.5	0.1	1.15	
6499	Green Island	45	57	170	23	-0039	-0048 to -0032	-0038	-0045 to -0030	-0038	-0045 to -0030	2.0	1.6	0.5	0.1	1.1	0.95
6496	Spit Wharf	45	47	170	43	-0013	-0017 to -0009	-0024	-0029 to -0018	-0024	-0029 to -0018	1.9	1.5	0.6	0.3	1.1	0.80

* Data Approximate

- No Data

No.	Port	Lat.	S.	Long.	E.	Time Differences High Water			Time Differences Low Water			Mean Spring, Neap and Sea Level Heights (metres)					Range Ratio
						Mean	Range	hhmm to hhmm	Mean	Range	hhmm to hhmm	MHWS	MHWN	MLWN	MSL		
6366	Port Taranaki	39	03	174	02							3.5	2.7	1.2	0.3	1.98	
6370	Aotea Harbour	38	00	174	50	-0004	-	-	-0004	-	-	3.7	2.9	1.2	0.4	2.1	1.03 *
6369	Kawhia	38	04	174	49	+0024	+0002 to +0036		0000	-0011 to +0009		3.7	2.9	1.2	0.4	2.1	1.03
6442	Mākara Beach	41	13	174	42	-0040	-	-	-0040	-	-	1.3	0.9	0.7	0.3	0.8	0.31 *
6372a	Manu Bay	37	49	174	49	-0006	-0046 to +0028		-0009	-0059 to +0024		3.4	2.6	1.2	0.4	1.9	0.94
6368	Mōkau River Entrance	38	42	174	37	+0010	-0021 to +0052		+0049	-0014 to +0120		2.5	1.8	0.7	0.2	1.2	0.72
6371	Raglan	37	48	174	53	+0031	+0008 to +0046		+0014	+0003 to +0025		3.3	2.6	0.9	0.1	1.8	1.00
6372	Port Waikato	37	23	174	44	+0024	-0021 to +0059		+0103	+0010 to +0131		2.3	1.8	0.6	0.2	1.2	0.66
Far North																	
6384	Ahipara Bay	35	10	173	07	-0031	-0101 to +0011		-0032	-0058 to +0010		3.1	2.3	1.0	0.3	1.7	0.88
6386	Cape Maria van Diemen	34	29	172	38	-0052	-0134 to -0014		-0104	-0141 to -0025		2.8	2.2	1.0	0.3	1.6	0.78
6386b	Cape Reinga / Te Rerenga Wairua	34	25	172	40	-0134	-0226 to -0103		-0148	-0237 to -0113		3.0	2.3	1.1	0.5	1.8	0.78
Hokianga Harbour																	
6382	Kohukohu	35	22	173	32	+0036	-0020 to +0103		+0033	-0010 to +0053		3.6	2.8	1.0	0.1	1.9	1.09
6380c	Ōmāpere	35	32	173	23	-0005	-0032 to +0028		+0001	-0022 to +0022		2.9	2.3	0.8	0.1	1.6	0.88
6381	Opononi	35	30	173	24	+0007	-0031 to +0031		+0010	-0029 to +0032		2.9	2.3	0.9	0.3	1.6	0.81
6381a	Rawene	35	24	173	30	+0027	-0023 to +0052		+0027	-0014 to +0048		3.5	2.7	1.0	0.1	1.9	1.06
6381b	Te Karaka	35	25	173	25	+0017	-0020 to +0044		+0021	-0018 to +0043		3.2	2.5	0.9	0.1	1.7	0.97
Horowhenua																	
6445	Manawatū River Entrance	40	28	175	14	+0025	-0042 to +0056		+0042	-0040 to +0132		2.0	1.4	0.7	0.2	1.0	0.56
6444c	Ōtaki Beach	40	44	175	06	+0013	-0035 to +0116		+0009	-0056 to +0107		2.3	1.7	1.0	0.4	1.3	0.59
6444d	Waitarere Beach	40	34	175	11	-0020	-	-	-0020	-	-	-	-	-	-	-	*
Kaipara Harbour																	
6380b	Dargaville	35	56	173	52	+0216	+0132 to +0241		+0301	+0130 to +0333		4.2	3.5	1.4	0.7	2.4	1.09
6378a	Helensville	36	40	174	27	+0122	+0041 to +0142		+0150	+0051 to +0217		3.9	3.2	1.2	0.4	2.2	1.09
6376	Island Point	36	14	174	05	+0046	-	-	+0046	-	-	3.6	2.8	1.1	0.3	1.9	1.03 *
6379b	Pahi	36	09	174	14	+0120	+0020 to +0153		+0116	+0032 to +0142		3.9	3.1	1.1	0.3	2.1	1.13
6378b	Port Albert	36	16	174	26	+0119	+0018 to +0152		+0121	+0027 to +0148		3.9	3.1	1.2	0.3	2.2	1.13
6377	Pouto Point	36	22	174	11	+0042	+0024 to +0054		+0037	+0019 to +0047		3.3	2.6	1.1	0.4	1.9	0.91
6380d	Raupo	36	07	173	59	+0132	+0050 to +0203		+0151	+0053 to +0220		3.7	2.9	1.0	0.2	2.0	1.09
6378	Shelly Beach	36	34	174	23	+0100	+0015 to +0132		+0057	+0023 to +0120		3.9	3.0	1.2	0.3	2.1	1.13
6380	Te Kōpuru	36	02	173	56	+0156	-	-	+0236	-	-	3.4	3.0	-	-	-	*
6380a	Tikinui	36	07	173	58	+0138	+0044 to +0216		+0155	+0046 to +0231		3.8	2.9	0.8	0.1	2.0	1.16
6379	Tinopai	36	15	174	15	+0104	+0022 to +0135		+0108	+0026 to +0136		3.5	2.8	1.0	0.2	1.9	1.03
6379a	Whakapirau	36	09	174	15	+0125	-	-	+0107	-	-	3.9	3.0	1.2	0.3	2.1	1.13
Kapiti																	
6443b	Paraparaumu Beach	40	54	174	59	-0020	-	-	-0020	-	-	-	-	-	-	-	*
6444	Waikanae River Entrance	40	52	175	00	0000	-0155 to +0050		-0004	-0152 to +0214		1.9	1.2	0.6	0.0	0.9	0.59

* Data Approximate

- No Data

Secondary Ports Table – continued

No.	Port	Lat. °	S.	Long. °	E. '	Time Differences High Water			Time Differences Low Water			Mean Spring, Neap and Sea Level Heights (metres)						Range Ratio
						Mean	Range	hhmm to hhmm	Mean	Range	hhmm to hhmm	MHWS	MHWN	MLWN	MLWS	MSL		
6366	Port Taranaki continued	39	03	174	02							3.5	2.7	1.2	0.3	1.98		
Kapiti Island																		
6444a	Rangatira Point	40	51	174	56	+0003	-0139 to +0050	+0001	+0001	-0209 to +0120		1.9	1.2	0.7	0.1	0.9	0.56	
6444b	Waiorua Bay	40	50	174	57	+0000	-0113 to +0056	+0001	+0001	-0125 to +0055		2.0	1.4	0.8	0.2	1.1	0.56	
Manawatāwhi / Three Kings Islands																		
6385	Manawatāwhi / Great Island - North West Bay	34	09	172	09	-0136	-	-0133	-	-		2.4	2.0	0.7	0.4	1.4	0.63 *	
North Taranaki Bight																		
6367	Waitara River Entrance	38	59	174	14	0000	-	0000	-	-		3.5	2.9	1.1	0.4	2.0	0.97 *	
Porirua																		
6443a	Karehana Bay	41	04	174	51	-0007	-0247 to +0144	-0018	-0018	-0318 to +0120		1.7	1.1	0.9	0.3	1.0	0.44	
6443	Mana Marina	41	06	174	52	+0003	-0225 to +0050	-0010	-0010	-0242 to +0118		1.7	1.2	0.9	0.5	1.1	0.38	
South Taranaki Bight																		
6451	Ōpunake Bay	39	28	173	51	+0008	-0029 to +0055	+0009	+0009	-0020 to +0055		3.6	2.5	1.2	0.2	1.9	1.06	
6449	Pātea	39	47	174	29	+0015	-0040 to +0107	+0017	+0017	-0102 to +0115		3.2	2.1	1.1	0.1	1.6	0.97	
6447	Whanganui River Entrance	39	57	174	59	+0020	-0041 to +0145	+0023	+0023	-0056 to +0141		3.0	2.1	1.3	0.4	1.7	0.81	
6415	Tauranga	37	39	176	11	hhmm	hhmm to hhmm	hhmm	hhmm	hhmm to hhmm		1.9	1.6	0.5	0.2	1.12		
Bay of Plenty																		
6418b	Haurere Point	37	58	177	27	-0025	-	-0030	-	-		-	-	-	-	-	*	
6415b	Kaituna River Entrance	37	45	176	25	-0018	-0026 to -0005	+0037	+0037	+0008 to +0051		1.5	1.2	0.3	0.1	0.8	0.82	
6420	Lottin Point / Wakatiri	37	33	178	10	-0037	-0042 to -0031	-0031	-0031	-0036 to -0025		1.9	1.5	0.5	0.1	1.0	1.06	
6416	Maketu	37	45	176	28	-0027	-0048 to -0002	-0021	-0021	-0041 to +0004		2.0	1.6	0.6	0.2	1.1	1.06	
6414d	Moturiki Island	37	38	176	11	-0023	-0038 to -0012	-0017	-0017	-0031 to -0004		2.0	1.6	0.5	0.2	1.1	1.06	
6417	Moutohora Island	37	52	176	59	-0029	-0046 to -0015	-0024	-0024	-0038 to -0008		2.0	1.6	0.5	0.2	1.1	1.06	
6419	Omaio Bay - Motunui Island	37	47	177	39	-0033	-0056 to -0006	-0027	-0027	-0048 to -0004		1.9	1.6	0.4	0.1	1.0	1.06	
6418a	Ōpōtiki Wharf	38	00	177	17	-0024	-0034 to -0013	-0008	-0008	-0021 to +0004		1.8	1.5	0.4	0.1	0.9	1.00	
6415a	Papamoa Beach	37	43	176	20	-0040	-	-	-	-		-	-	-	-	-	*	
6418	Port Ōhope Wharf	37	59	177	06	+0020	+0010 to +0028	0000	0000	-0009 to +0012		1.9	1.6	0.5	0.1	1.1	1.06	
6416a	Rangitaiki River Entrance	37	55	176	52	-0013	-0027 to -0013	+0045	+0045	+0010 to +0107		1.5	1.2	0.3	0.2	0.8	0.76	
6419a	Te Kaha	37	46	177	40	-0034	-0053 to -0015	-0027	-0027	-0044 to -0013		2.0	1.7	0.6	0.2	1.1	1.06	
6413b	Waihi Beach	37	23	175	58	-0024	-0046 to -0001	-0018	-0018	-0038 to +0006		2.1	1.7	0.7	0.2	1.2	1.12	
6417a	Whakaari / White Island	37	31	177	11	-0031	-0051 to -0019	-0024	-0024	-0040 to -0012		2.0	1.6	0.5	0.2	1.1	1.06	
6417b	Whakatāne	37	57	177	00	-0022	-0032 to -0012	-0008	-0008	-0015 to +0002		2.1	1.8	0.7	0.4	1.2	1.00	
Coromandel Peninsula																		
6413	Pauanui	37	04	175	53	-0004	-0031 to +0036	-0002	-0002	-0026 to +0023		-	-	-	-	-	*	
6412a	Slipper Island (Whakahau)	37	03	175	57	-0038	-	-0010	-	-		2.0	1.8	0.5	0.4	1.2	0.94 *	
- No Data																		
* Data Approximate																		

* Data Approximate - No Data

No.	Port	Lat. °	S.	Long.	E. °	Time Differences High Water		Time Differences Low Water		Mean Spring, Neap and Sea Level Heights (metres)							Range Ratio
						Mean hhmm	Range hhmm to hhmm	Mean hhmm	Range hhmm to hhmm	MHWS	MHWN	MLWN	MLWS	MSL			
6415	Tauranga continued	37	39	176	11					1.9	1.6	0.5	0.2	1.12			
Coromandel Peninsula continued																	
6412	Tairua	37	01	175	51	+0007	-0010 to +0023	+0018	+0002 to +0035	1.9	1.6	0.5	0.2	1.1	1.00		
6411a	Tapuaetahi Bay / Boat Harbour	36	56	175	51	-0029	-0053 to -0008	-0020	-0044 to -0009	1.9	1.6	0.5	0.2	1.0	1.00		
6413a	Whangamatā	37	12	175	53	-0006	-0026 to +0021	-0008	-0028 o +0007	2.0	1.7	0.6	0.2	1.1	1.06		
6411	Whitianga	36	50	175	42	-0006	-0009 to +0003	-0009	-0013 to -0002	2.1	1.8	0.7	0.4	1.3	1.00		
Tauranga Harbour																	
6414	Bowentown - Katikati Entrance	37	28	175	59	-0005	-	-	-	-	-	-	-	-	-	*	
6414a	Katikati Entrance - Kauri Point	37	31	175	59	+0030	-	-	-	-	-	-	-	-	-	*	
6414b	Ōmokoroa	37	38	176	03	+0048	+0035 to +0055	+0052	+0039 to +0103	2.0	1.7	0.5	0.2	1.1	1.06		
6414c	Town Wharf	37	40	176	09	+0020	-	-	-	-	-	-	-	-	-	*	
6492	Timaru	44	23	171	15					2.4	2.0	0.8	0.5	1.50			
6491f	Ashburton River / Hakatere Entrance	44	03	171	48	+0007	-0015 to +0033	+0007	-0016 to +0028	2.3	1.9	0.8	0.3	1.3	1.05		
6495	Moeraki	45	21	170	51	-0008	-0035 to +0016	-0007	-0030 to +0021	2.0	1.5	0.6	0.2	1.1	0.95		
6494	Oamaru	45	06	170	59	-0005	-0017 to +0002	-0004	-0015 to +0001	2.3	1.9	0.8	0.5	1.4	0.95		
6491h	Rangitata River Entrance	44	11	171	31	+0015	-	-	-	-	-	-	-	-	-	*	
6439	Wellington	41	17	174	47					1.8	1.4	0.7	0.5	1.15			
Cook Strait - North Island																	
6438	Cape Palliser / Mātakitaki-a-Kupe	41	37	175	17	+0010	-	+0010	-	1.5	1.4	0.5	0.3	0.9	0.92	*	
6440	Cave Bay	41	20	174	39	-0002	-0102 to +0140	+0010	-0154 to +0155	1.0	0.6	0.6	0.1	0.6	0.69		
6439a	Karori Rock Light	41	21	174	39	+0045	-	+0045	-	-	-	-	-	-	-	*	
6438a	Ngawi	41	35	175	14	-0002	-0033 to +0015	-0005	-0040 to +0019	2.2	1.8	1.0	0.7	1.4	1.15		
6438b	Orongorongo River Entrance	41	25	174	54	-0004	-0019 to +0015	-0003	-0024 to +0029	1.8	1.3	0.6	0.5	1.1	1.00		
6441	Oteranga Bay	41	18	174	37	+0107	-	+0113	-	0.9	0.7	0.5	0.3	0.6	0.46	*	
Cook Strait - South Island																	
6485	Cape Campbell	41	44	174	15	+0026	+0005 to +0050	+0032	+0009 to +0057	1.6	1.2	0.4	0.0	0.8	1.23		
6481a	Karaka Bay	41	21	174	09	+0122	+0043 to +0158	+0122	+0048 to +0213	1.9	1.5	0.9	0.6	1.2	1.00		
6481	Lucky Bay	41	16	174	17	+0208	-	+0206	-	1.3	1.2	0.5	0.4	0.9	0.69	*	
6482a	Pukatea / Whites Bay	41	23	174	04	+0118	+0048 to +0202	+0114	+0047 to +0158	1.4	0.9	0.2	0.0	0.6	1.08		
6482	Te Whanganui / Port Underwood - Ocean Bay	41	20	174	06	+0116	+0026 to +0239	+0121	+0035 to +0230	1.5	1.1	0.6	0.3	0.9	0.92		
6483	Wairau River Entrance	41	29	174	03	+0111	+0035 to +0154	+0108	+0034 to +0200	1.8	1.4	0.8	0.4	1.1	1.08		
6526	Westport	41	45	171	36					3.4	2.8	1.2	0.5	2.05			
6520	Bruce Bay	43	35	169	35	+0022	-0005 to +0108	+0024	-0001 to +0107	2.9	2.4	1.1	0.5	1.7	0.83		
6528a	Cape Farewell	40	30	172	40	-0032	-0109 to +0010	-0030	-0103 to -0003	3.6	2.9	1.2	0.5	2.1	1.07		

* Data Approximate

- No Data

Secondary Ports Table – continued

No.	Port	Lat. °	S. '	Long. °	E. '	Time Differences High Water			Time Differences Low Water			Mean Spring, Neap and Sea Level Heights (metres)					Range Ratio
						Mean	Range	hmm to hmmm	Mean	Range	hmm to hmmm	MHWS	MHWN	MLWN	MLWS	MSL	
6526	Westport continued	41	45	171	36							3.4	2.8	1.2	0.5	2.05	
6525	Charleston	41	54	171	26	+0010	-0001 to +0019	+0011	+0011	+0003 to +0018	3.3	2.6	1.1	0.5	1.9	0.97	
6524	Greymouth	42	26	171	13	+0006	-0026 to +0047	+0008	+0008	-0022 to +0051	3.4	2.6	1.3	0.7	2.0	0.93	
6519	Haast River Entrance	43	51	169	03	+0030	-	+0030	+0030	-	2.3	1.8	0.6	0.2	1.2	0.72	*
6523	Hokitika River Bar	42	43	170	58	+0010	-	+0010	+0010	-	2.3	1.8	0.6	0.2	1.2	0.72	*
6518	Jackson Bay	43	58	168	37	+0027	+0020 to +0040	+0030	+0030	+0024 to +0039	2.4	1.9	0.8	0.2	1.3	0.76	*
6527	Karamea River Entrance	41	15	172	06	-0035	-	-	-	-	-	-	-	-	-	-	*
6527c	Little Wanganui	41	24	172	02	-0002	-0046 to +0023	-0001	-0001	-0046 to +0024	3.8	2.9	1.5	0.6	2.2	1.10	*
6521	Ōkārito	43	13	170	11	+0015	-	+0015	+0015	-	2.3	1.8	0.6	0.2	1.2	0.72	*
6528	Whanganui Inlet	40	35	172	35	-0105	-	-0105	-0105	-	2.9	2.3	0.8	0.0	1.4	1.00	*
	Doubtful Sound / Patea																
6513b	Blanket Bay	45	18	166	59	+0040	-0001 to +0114	+0043	+0043	+0011 to +0114	2.3	1.7	0.8	0.2	1.2	0.72	
6513	Deep Cove	45	28	167	09	+0038	-0001 to +0112	+0041	+0041	+0008 to +0114	2.3	1.7	0.8	0.2	1.3	0.72	
6513d	Shelter Islands	45	16	166	54	+0038	-0007 to +0110	+0042	+0042	+0006 to +0116	2.3	1.8	0.8	0.2	1.3	0.72	
6513a	Turn Point	45	25	167	01	+0039	+0007 to +0106	+0041	+0041	+0015 to +0104	2.3	1.7	0.8	0.2	1.3	0.72	
	Fiordland Sounds																
6515	Hāwea / Bligh Sound	44	48	167	31	+0100	-	+0100	+0100	-	2.1	1.8	0.6	0.3	1.2	0.62	*
6514a	Taiporoporo / Charles Sound	45	05	167	06	+0038	-0002 to +0103	+0040	+0040	+0007 to +0105	2.9	2.3	0.8	0.2	1.5	0.93	
6514b	Te Houhou / George Sound	44	52	167	22	+0034	+0004 to +0126	+0035	+0035	+0007 to +0123	2.5	2.1	0.9	0.3	1.4	0.76	
	Kaikiekie / Bradshaw Sound																
6513c	Macdonell Island	45	16	167	08	+0040	0000 to +0114	+0042	+0042	+0009 to +0115	2.3	1.7	0.8	0.2	1.3	0.72	
	Milford Sound / Piopiotahi																
6516	Anita Bay	44	35	167	48	+0032	-0004 to +0104	+0033	+0033	+0004 to +0105	2.5	1.9	0.9	0.3	1.4	0.76	
6517	Fresh Water Basin	44	40	167	56	+0032	+0023 to +0042	+0036	+0036	+0027 to +0046	2.4	2.0	0.8	0.3	1.4	0.72	
	Rakituma / Preservation Inlet																
6511	Coal Island - Fishing Bay	46	06	166	39	+0109	0000 to +0206	+0113	+0113	+0016 to +0205	2.4	1.8	0.8	0.4	1.4	0.69	*
6511a	Welcombe Bay	46	05	166	35	+0103	+0052 to +0116	+0106	+0106	+0057 to +0116	2.3	1.9	0.7	0.2	1.3	0.72	
	Taiari / Chalky Inlet																
6511b	Chalky Island - Sealers Bay	46	03	166	33	+0058	+0014 to +0133	+0102	+0102	+0025 to +0135	2.5	2.0	0.9	0.3	1.4	0.76	
6511c	Small Craft Harbour Islands	45	58	166	40	+0058	+0020 to +0141	+0100	+0100	+0017 to +0139	2.4	1.9	0.8	0.2	1.3	0.76	
	Tamatea / Dusky Sound																
6512a	Front Islands	45	44	166	44	+0101	+0036 to +0141	+0103	+0103	+0038 to +0139	2.1	1.6	0.5	0.0	1.0	0.72	
6512	Many Islands	45	46	166	31	+0047	-0004 to +0119	+0049	+0049	-0003 to +0119	2.3	1.7	0.7	0.2	1.2	0.72	
6512c	Pigeon Island	45	42	166	33	+0046	-0001 to +0122	+0047	+0047	+0001 to +0117	2.3	1.7	0.8	0.2	1.2	0.72	
	Te Awa-o-Tū / Thompson Sound																
6514	Deas Cove	45	12	166	58	+0040	+0002 to +0115	+0043	+0043	+0010 to +0114	2.3	1.8	0.8	0.2	1.3	0.72	
	Te Awaroa / Long Sound																
6511d	Jane Coves	46	02	166	46	+0105	+0023 to +0141	+0110	+0110	+0029 to +0149	2.5	2.0	0.8	0.3	1.4	0.76	
	Te Puaitaha / Breaksea Sound																
6512b	Gilbert Islands	45	36	166	41	+0043	-0003 to +0115	+0045	+0045	+0007 to +0115	2.3	1.8	0.7	0.2	1.3	0.72	

Light List Information

Introductory Remarks	134
International Light Numbers	134
General Information	134
Layout of Column Headings in the Light Lists	134
Explanation—Lights	134
Nomenclature of Lights	136
Luminous Range Diagram	137
Geographical Range Table	138
Use of Geographical Range Table	139
Light Characteristics	140
Fog Signals	143
Abbreviations Used in the Light Lists	144
North Island Light List (K3686 — K4153)	145
South Island Light List (K4180 — K4506)	179
Chatham Island Light List (K4541 — K4549)	197

Caution: Navigational lights, particularly those in harbour areas, may be difficult to distinguish due to brilliant shore lights, advertising signs, etc. Mariners are requested to report these cases to the appropriate harbour authority and to the General Manager, Safety and Response Services, Maritime New Zealand so that improvements may be made wherever possible.

Introductory Remarks

Lights on mobile oil, gas and drilling platforms are not listed.

The date to which this publication has been amended will be found in the Preface. Updates to lights are promulgated in the fortnightly editions of *New Zealand Notices to Mariners*.

International Light Numbers

The numbers assigned to lights in the *ADMIRALTY List of Lights and Fog Signals* publications, prefixed by the publication's Volume Letter, are the International Numbers, in accordance with the resolutions of the International Hydrographic Organization (IHO).

For all New Zealand lights the Volume Letter is K. For example, the International Number for Castlepoint is K3994.

These letter-number combinations should be quoted whenever lights are referred to.

General Information

The duration of light and darkness are those for which the apparatus was designed. In practice they are subject to some degree of fluctuation, due to slight variations in the working speed of the apparatus. The duration of a flash may also appear to be less than normal when seen from a great distance, and haze has the same apparent effect.

The limits of sectors and of arcs of visibility, and the alignment of direction lights and leading lights are given **as seen by an observer from seaward. All bearings refer to the true compass and are measured clockwise from 000 to 359.**

Racons, Ramarks and AIS are included in the light lists when they are situated at a light station. For details of Coast Radio Stations and Radar Stations, reference must be made to the relevant volumes of the *ADMIRALTY List of Radio Signals* (NP282).

Weather, ice, storm, danger, tide, tidal stream, traffic and port signals may be mentioned when they are shown at a light station but full details will be found in the *ADMIRALTY Sailing Directions, New Zealand Pilot* (NP51).

Layout of Column Headings in the Light Lists

Column 1: Contains the International Number of each light – for clarity the prefix K is omitted.

Column 2: Location, name.

The names of lights having a range of 15 miles and over are printed in **bold** type.

Names of lights owned by Maritime New Zealand are annotated (M).

Column 3: WGS84 Latitude and longitude, given to two decimal places of a minute.

Column 4: Characteristics.

Column 5: Elevation in metres above mean high water spring level.

Column 6: Nominal range in sea miles, in **bold** type if 15 miles or more.

Column 7: Description of structure and its height in metres.

Column 8: Remarks, including phase, sectors and arcs of visibility. Phase is expressed in seconds.

Explanation — Lights

Rhythmic lights: The character of a rhythmic light is quick flashing, flashing, isophase or occulting, solely according to the relative durations of light and darkness, and without any reference to the type of apparatus employed. At short distances, and in clear weather, flashing lights may show a faint continuous light.

Rhythmic lights produced by rotating apparatus may be detected at ranges greater than the geographical range by the appearance of the loom of the light.

Meteorological visibility is the greatest distance at which a black object of suitable dimensions can be seen and recognised against the horizon sky or, in the case of night observations, could be seen and recognised if the general illumination were raised to the normal daylight level.

Luminous intensity: The luminous flux leaving a light source, in a given direction, usually expressed as candlepower in candelas.

Lights with differing intensity may appear to change their character at different distances because a part of the character may not be visible. Lights exhibiting a very short flash may not be visible at the range calculated from the Luminous Range Diagram—see Diagram 1.

Sectors: Some lights change colour in sectors, some change character, and a few change both colour and character. Others show different colours in succession.

Aeromarine lights are marine-type lights in which a part of the beam is deflected to an angle of 10°–15° above the horizon for the use of aircraft.

Aero lights are often of great intensity and elevation. Their intensity is usually greater than that of most navigational lights and they may be the first lights, or looms of lights, to be sighted when approaching the land. Those likely to be visible from seaward are inserted in the light lists; their character is always preceded by the word "Aero". These lights are not designed for marine navigation and they are subject to changes which are not always notified to the hydrographic office. The details of the lights may not be complete and this information should be treated with caution.

Obstruction lights mark radio towers, chimneys and other obstructions to aircraft. Like aero lights, they are not maintained for marine navigation, and the same cautionary remarks apply. They are usually red in colour, either fixed, flashing or occulting, but other colours and characters may be employed.

Obstruction lights of high intensity and likely to be visible from seaward are listed with the character preceded by the word "Aero" and with the legend "**Obstruction**" in columns 4 and 8 respectively of the light lists.

Lights on wind turbines are usually located at the top of the turbine house/structure. Their light characteristics are normally aero fixed red; however, occasionally they may exhibit navigation light characteristics. Dependent on the stopped position of the blades, rotation of the turbine blades, prevailing wind speed and direction, vessel approach direction, these lights may on occasion appear to occult, flash or be interrupted. Care should be taken when identifying such lights for navigational purposes.

Daytime lights: Lights shown throughout 24 hours without change of character are annotated "Shown 24 hours" in column 8 of the light lists and during daylight, their intensity may be increased. If, by day, there are any differences to their character, elevation, range or arc of visibility, such differences are shown as a subsidiary entry to the light preceded by the words "By day" in column 4 of the light lists.

Cautionary Notes: Where ice conditions are prevalent the windows of lights may be covered with frost or ice, which will greatly reduce the sighting range.

Lights placed at a great elevation are more frequently obscured by cloud, etc., than those near sea level.

The distance of an observer from a light cannot be estimated from its apparent brightness.

The distance at which lights are sighted varies greatly with atmospheric conditions and this distance may be increased by abnormal atmospheric refraction. It will be reduced by fog, haze, dust, smoke or precipitation; a light of low intensity is easily obscured by any of these conditions and the sighting range of even a light of very high intensity is considerably reduced in such conditions. For this reason the intensity or nominal range of a light should always be considered when estimating the range at which it may be sighted, bearing in mind that varying atmospheric conditions may exist between the observer and the light—see Luminous Range Diagram (Diagram 1) and Geographical Range Table (Table 1).

The limits of sectors should not be relied upon; they are those for which the apparatus was designed and they should invariably be checked by compass bearing.

The limits of an arc of visibility are rarely clear cut, especially at a short distance, and instead of disappearing suddenly the light usually fades after the limit of the sector has been crossed.

At the boundary of sectors of different colour there is usually a small arc in which the light may be either obscured, indeterminate in colour, or white.

A light apparatus may be encountered where sector boundaries are defined with far greater accuracy than can be achieved with older sector lights.

In cold weather, and more particularly with rapid changes of weather, the lantern glass and screens are often covered with moisture, frost or snow; the sector of uncertainty is then considerably increased in width and coloured sectors may appear more or less white. The effect is greatest in green sectors and with weak lights. Under these conditions white sectors tend to extend into coloured and obscured sectors, and fixed or occulting lights into flashing ones.

White lights may have a reddish hue under some atmospheric conditions.

When a light is cut off by sloping land the bearing on which the light will disappear will vary with distance and the observer's height of eye.

Nomenclature of Lights

A light must, on a given bearing, maintain a consistent character.

Lights exhibit a distinctive appearance by which they are recognised, e.g. Fixed, Flashing, etc. Those properties of their appearance by which they are distinguished are referred to as the **Character or Characteristics** of the light. The principal characteristics are generally the sequence of intervals of light and darkness exhibited and in some cases the sequence of colours of light exhibited. Lights which are exhibited without interruption or change of characteristics are called **Fixed lights**.

Normally, all lights other than fixed lights exhibit a sequence of intervals of light and darkness, the whole sequence being repeated identically at regular intervals. Such lights are called **Rhythmic lights**, and the time taken to exhibit one complete sequence is called the **Period** of the light. Each element of the sequence (e.g. a flash, an eclipse) is called a **Phase**.

Rhythmic lights which exhibit different colours during each sequence are called **Alternating lights**. The period of an alternating light is the time taken to exhibit the complete sequence, including all changes of colour.

Elevation is the vertical distance between the focal plane of the light and the level of Mean High Water Springs. For vertical lights, e.g. 2 F R(vert), the elevation listed is for the uppermost light.

Luminous range is the maximum distance at which a light can be seen at a given time, as determined by the intensity of the light and the meteorological visibility prevailing at that time; it takes no account of elevation, height of the observer's eye or the curvature of the earth—see Luminous Range Diagram (Diagram 1).

Nominal range is the luminous range when the meteorological visibility is 10 nautical miles.

Geographical range is the maximum distance at which light from a light can theoretically reach an observer, as limited only by the curvature of the earth and the refraction of the atmosphere, and by the elevation of the light and the height of eye of the observer—see Geographical Range Table (Table 1).

Loom: The diffused glow observed from a light below the horizon or hidden by an obstacle, due to atmospheric scattering.

Main light: The major of two or more lights situated on the same support or neighbouring supports.

Subsidiary (auxiliary) light: A light placed on or near the support of a main light and having a special use in navigation.

Sector light: A light presenting different appearances, either of colour or character, over various parts of the horizon. Where no sector limits or arcs of visibility are listed in column 8 of the light lists, then the light is assumed to be visible all around.

Leading lights: Two or more lights associated so as to form a leading line to be followed.

Lights described as "Lts in line" are particular cases, and are intended to mark limits of areas, alignments of cables, alignments for anchoring, etc.; they do not mark a direction to be followed.

Directional light: A light showing over a very narrow sector, forming a single leading light. This sector may be flanked by sectors of greatly reduced intensity, or by sectors of different colours or character.

Directional lights are also used to mark the limits of areas, etc., in the same way as "Lts in line".

Vertical lights: Two or more lights disposed vertically (or horizontally, or in a geometric shape) to give a different character or appearance. If the individual lights serve different purposes, the less important are termed auxiliary lights.

Occasional lights: Lights exhibited only when specially needed (e.g. for fishing vessels, ferries, firing ranges and some private lights).

Reserve and Emergency lights: A distinction is made between Reserve lights and Emergency lights:

- **Reserve lights** retain the character of the main light but have a reduced range and their installation is usually restricted to major stations.
- **Emergency lights** are being installed at certain light stations. The apparatus is of lesser intensity and is automatically activated by a failure of the main light. It is normally visible at 5 nautical miles.

A second light sequence has been added and the term Emergency light or Reserve light has been used in column 2 of the light lists to indicate those stations where they have been installed; where Reserve or Emergency light details are confirmed they are included with the sequence.

Standby light: An alternative name used for Emergency light or Reserve light.


Description of structures:

- **Bands** Where the colour divisions of a structure, or any part of it, are horizontal, the term "bands" is used.
- **Stripes**. Where the colour divisions of a structure, or any part of it, are vertical, the term "stripes" is used.
- **Diagonal stripes**. Where the marking of a structure is in the form of a spiral, the term "diagonal stripes" is used.
- **Shape**. The shape of topmarks and daymarks is often shown diagrammatically; e.g. "White  on beacon" or "Red  on mast". Such symbols never refer to the plan cross-section of a structure.
- **Height** is measured from the top of the structure to the ground.

Luminous Range Diagram

This diagram gives the approximate range at which a light may be sighted, at night, in the prevailing meteorological visibility conditions. The straight line labelled "Perfect Visibility" gives the maximum possible luminous range. The diagram is entered from the top border with the charted nominal range of the light. At the point in the diagram where this intersects the appropriate visibility curve the approximate luminous range will be found from the left-hand scale. Example: K3994 Castlepoint has a charted nominal range of 19 miles. For an estimated meteorological visibility of 20 miles, the approximate range at which light may be sighted is 32 miles.

Diagram 1



Cautions

1. The diagram gives luminous range i.e., the range at which a light may be sighted, irrespective of its elevation and of the observer's height of eye.
2. Ranges are approximate.
3. The transparency of the atmosphere is not necessarily consistent between the observer and the light.
4. Glare from background lighting will reduce considerably the range at which lights are sighted.

Intensity

The power of a light is normally measured in candelas (cd), the international unit of luminous intensity. However for the purposes of this list, the significant property is not how bright a light is, but how far away it can be seen. Hence the measured intensity values for New Zealand lights have been converted to the corresponding nominal range figures in nautical miles. The correlation between intensity and nominal range may be seen by comparing the scales along the bottom and top of the Luminous Range Diagram.

Table 1 Geographical Range Table

Elevation	Height of Eye of Observer in Metres																						
metres	1	2	3	4	5	6	7	8	9	10	12	14	16	18	20	22	24	26	28	30	35	40	45
	Range in Sea Miles																						
0	2.0	2.9	3.5	4.1	4.5	5.0	5.4	5.7	6.1	6.4	7.0	7.6	8.1	8.6	9.1	9.5	10.0	10.4	10.7	11.1	12.0	12.8	13.6
1	4.1	4.9	5.5	6.1	6.6	7.0	7.4	7.8	8.1	8.5	9.1	9.6	10.2	10.6	11.1	11.6	12.0	12.4	12.8	13.2	14.0	14.9	15.7
2	4.9	5.7	6.4	6.9	7.4	7.8	8.2	8.6	9.0	9.3	9.9	10.5	11.0	11.5	12.0	12.4	12.8	13.2	13.6	14.0	14.9	15.7	16.5
3	5.5	6.4	7.0	7.6	8.1	8.5	8.9	9.3	9.6	9.9	10.6	11.1	11.6	12.1	12.6	13.0	13.5	13.9	14.3	14.6	15.5	16.4	17.1
4	6.1	6.9	7.6	8.1	8.6	9.0	9.4	9.8	10.2	10.5	11.1	11.7	12.2	12.7	13.1	13.6	14.0	14.4	14.8	15.2	16.1	16.9	17.7
5	6.6	7.4	8.1	8.6	9.1	9.5	9.9	10.3	10.6	11.0	11.6	12.1	12.7	13.2	13.6	14.1	14.5	14.9	15.3	15.7	16.6	17.4	18.2
6	7.0	7.8	8.5	9.0	9.5	9.9	10.3	10.7	11.1	11.4	12.0	12.6	13.1	13.6	14.1	14.5	14.9	15.3	15.7	16.1	17.0	17.8	18.6
7	7.4	8.2	8.9	9.4	9.9	10.3	10.7	11.1	11.5	11.8	12.4	13.0	13.5	14.0	14.5	14.9	15.3	15.7	16.1	16.5	17.4	18.2	19.0
8	7.8	8.6	9.3	9.8	10.3	10.7	11.1	11.5	11.8	12.2	12.8	13.3	13.9	14.4	14.8	15.3	15.7	16.1	16.5	16.9	17.8	18.6	19.4
9	8.1	9.0	9.6	10.2	10.6	11.1	11.5	11.8	12.2	12.5	13.1	13.7	14.2	14.7	15.2	15.6	16.0	16.4	16.8	17.2	18.1	18.9	19.7
10	8.5	9.3	9.9	10.5	11.0	11.4	11.8	12.2	12.5	12.8	13.5	14.0	14.5	15.0	15.5	15.9	16.4	16.8	17.2	17.5	18.4	19.3	20.0
11	8.8	9.6	10.3	10.8	11.3	11.7	12.1	12.5	12.8	13.2	13.8	14.3	14.9	15.4	15.8	16.3	16.7	17.1	17.5	17.9	18.8	19.6	20.4
12	9.1	9.9	10.6	11.1	11.6	12.0	12.4	12.8	13.1	13.5	14.1	14.6	15.2	15.7	16.1	16.6	17.0	17.4	17.8	18.2	19.1	19.9	20.7
13	9.4	10.2	10.8	11.4	11.9	12.3	12.7	13.1	13.4	13.7	14.4	14.9	15.4	15.9	16.4	16.8	17.3	17.7	18.1	18.4	19.3	20.2	20.9
14	9.6	10.5	11.1	11.7	12.1	12.6	13.0	13.3	13.7	14.0	14.6	15.2	15.7	16.2	16.7	17.1	17.6	18.0	18.3	18.7	19.6	20.4	21.2
15	9.9	10.7	11.4	11.9	12.4	12.8	13.2	13.6	14.0	14.3	14.9	15.5	16.0	16.5	17.0	17.4	17.8	18.2	18.6	19.0	19.9	20.7	21.5
16	10.2	11.0	11.6	12.2	12.7	13.1	13.5	13.9	14.2	14.5	15.2	15.7	16.2	16.7	17.2	17.7	18.1	18.5	18.9	19.2	20.1	21.0	21.7
17	10.4	11.2	11.9	12.4	12.9	13.3	13.7	14.1	14.5	14.8	15.4	16.0	16.5	17.0	17.4	17.9	18.3	18.7	19.1	19.5	20.4	21.2	22.0
18	10.6	11.5	12.1	12.7	13.2	13.6	14.0	14.4	14.7	15.0	15.7	16.2	16.7	17.2	17.7	18.1	18.6	19.0	19.4	19.7	20.6	21.5	22.2
19	10.9	11.7	12.4	12.9	13.4	13.8	14.2	14.6	14.9	15.3	15.9	16.5	17.0	17.5	17.9	18.4	18.8	19.2	19.6	20.0	20.9	21.7	22.5
20	11.1	12.0	12.6	13.1	13.6	14.1	14.5	14.8	15.2	15.5	16.1	16.7	17.2	17.7	18.2	18.6	19.0	19.4	19.8	20.2	21.1	21.9	22.7
22	11.6	12.4	13.0	13.6	14.1	14.5	14.9	15.3	15.6	15.9	16.6	17.1	17.7	18.1	18.6	19.1	19.5	19.9	20.3	20.7	21.5	22.4	23.2
24	12.0	12.8	13.5	14.0	14.5	14.9	15.3	15.7	16.0	16.4	17.0	17.6	18.1	18.6	19.0	19.5	19.9	20.3	20.7	21.1	22.0	22.8	23.6
26	12.4	13.2	13.9	14.4	14.9	15.3	15.7	16.1	16.4	16.8	17.4	18.0	18.5	19.0	19.4	19.9	20.3	20.7	21.1	21.5	22.4	23.2	24.0
28	12.8	13.6	14.3	14.8	15.3	15.7	16.1	16.5	16.8	17.2	17.8	18.3	18.9	19.4	19.8	20.3	20.7	21.1	21.5	21.9	22.8	23.6	24.4
30	13.2	14.0	14.6	15.2	15.7	16.1	16.5	16.9	17.2	17.5	18.2	18.7	19.2	19.7	20.2	20.7	21.1	21.5	21.9	22.2	23.1	24.0	24.7
35	14.0	14.9	15.5	16.1	16.6	17.0	17.4	17.8	18.1	18.4	19.1	19.6	20.1	20.6	21.1	21.5	22.0	22.4	22.8	23.1	24.0	24.9	25.6
40	14.9	15.7	16.4	16.9	17.4	17.8	18.2	18.6	18.9	19.3	19.9	20.4	21.0	21.5	21.9	22.4	22.8	23.2	23.6	24.0	24.9	25.7	26.5
45	15.7	16.5	17.1	17.7	18.2	18.6	19.0	19.4	19.7	20.0	20.7	21.2	21.7	22.2	22.7	23.2	23.6	24.0	24.4	24.7	25.6	26.5	27.2
50	16.4	17.2	17.9	18.4	18.9	19.3	19.7	20.1	20.5	20.8	21.4	22.0	22.5	23.0	23.4	23.9	24.3	24.7	25.1	25.5	26.4	27.2	28.0
55	17.1	17.9	18.6	19.1	19.6	20.0	20.4	20.8	21.2	21.5	22.1	22.7	23.2	23.7	24.1	24.6	25.0	25.4	25.8	26.2	27.1	27.9	28.7
60	17.8	18.6	19.3	19.8	20.3	20.7	21.1	21.5	21.8	22.2	22.8	23.3	23.9	24.3	24.8	25.3	25.7	26.1	26.5	26.9	27.7	28.6	29.4
65	18.4	19.2	19.9	20.4	20.9	21.4	21.7	22.1	22.5	22.8	23.4	24.0	24.5	25.0	25.5	25.9	26.3	26.7	27.1	27.5	28.4	29.2	30.0
70	19.0	19.9	20.5	21.1	21.5	22.0	22.4	22.7	23.1	23.4	24.0	24.6	25.1	25.6	26.1	26.5	26.9	27.4	27.7	28.1	29.0	29.8	30.6
75	19.6	20.5	21.1	21.7	22.1	22.6	23.0	23.3	23.7	24.0	24.6	25.2	25.7	26.2	26.7	27.1	27.5	27.9	28.3	28.7	29.6	30.4	31.2
80	20.2	21.0	21.7	22.2	22.7	23.1	23.5	23.9	24.3	24.6	25.2	25.8	26.3	26.8	27.3	27.7	28.1	28.5	28.9	29.3	30.2	31.0	31.8
85	20.8	21.6	22.2	22.8	23.3	23.7	24.1	24.5	24.8	25.1	25.8	26.3	26.9	27.3	27.8	28.3	28.7	29.1	29.5	29.9	30.7	31.6	32.4
90	21.3	22.1	22.8	23.3	23.8	24.2	24.6	25.0	25.4	25.7	26.3	26.9	27.4	27.9	28.4	28.8	29.2	29.6	30.0	30.4	31.3	32.1	32.9
95	21.8	22.7	23.3	23.9	24.3	24.8	25.2	25.5	25.9	26.2	26.8	27.4	27.9	28.4	28.9	29.3	29.7	30.1	30.5	30.9	31.8	32.6	33.4
100	22.3	23.2	23.8	24.4	24.9	25.3	25.7	26.1	26.4	26.7	27.3	27.9	28.4	28.9	29.4	29.8	30.3	30.7	31.1	31.4	32.3	33.2	33.9
110	23.3	24.2	24.8	25.4	25.8	26.3	26.7	27.0	27.4	27.7	28.3	28.9	29.4	29.9	30.4	30.8	31.3	31.7	32.1	32.4	33.3	34.1	34.9
120	24.3	25.1	25.8	26.3	26.8	27.2	27.6	28.0	28.3	28.7	29.3	29.8	30.4	30.9	31.3	31.8	32.2	32.6	33.0	33.4	34.3	35.1	35.9
130	25.2	26.0	26.7	27.2	27.7	28.1	28.5	28.9	29.2	29.6	30.2	30.8	31.3	31.8	32.2	32.7	33.1	33.5	33.9	34.3	35.2	36.0	36.8
140	26.1	26.9	27.6	28.1	28.6	29.0	29.4	29.8	30.1	30.5	31.1	31.6	32.2	32.6	33.1	33.6	34.0	34.4	34.8	35.2	36.0	36.9	37.7
150	26.9	27.7	28.4	28.9	29.4	29.9	30.2	30.6	31.0	31.3	31.9	32.5	33.0	33.5	34.0	34.4	34.8	35.2	35.6	36.0	36.9	37.7	38.5
160	27.7	28.6	29.2	29.8	30.2	30.7	31.1	31.4	31.8	32.1	32.7	33.3	33.8	34.3	34.8	35.2	35.6	36.0	36.4	36.8	37.7	38.5</	

Use of Geographical Range Table

Caution: The geographical range of a light, sometimes referred to as the dipping range, can only be used for finding the distance off the light in clear weather when the luminous range is equal to or exceeds the geographical range.

Definition of geographical range: The **maximum** distance at which light from a light can theoretically reach an observer, as limited only by the curvature of the earth and the refraction of the atmosphere, and by the elevation of the light and the height of eye of the observer.

The **Geographical Range Table** can be used to find the geographical range of a light as follows:

Enter the table at the top with the observer's height of eye and at the left, in the elevation column, with the height of the light as taken from the chart or the light lists in this publication. The geographical range can then be taken from the body of the table, e.g.

- 1. Height of eye of observer 9 metres, charted height of light 30 metres. Geographical range = 17.2 nautical miles.
- 2. Height of eye 3 metres, charted height of light 52 metres. Geographical range = 18.18 nautical miles.

To find out whether a light is of sufficient power to be visible at its extreme range, reference must be made to the Light List and to the Luminous Range Diagram. For example, to find whether the following lights will be visible at their geographical range to an observer having a height of eye of 8 metres. The estimated meteorological visibility is 20 miles.

- (a) K4486 Cape Foulwind has a nominal range of 9 miles and elevation of light 70 metres.
The Geographical Range Table gives a range of 22.7 miles, the Luminous Range Diagram gives a range of 13 miles. This light, therefore, **will not** be visible at its geographical range for this particular observer.
- (b) K3994 Castlepoint has a nominal range of 19 miles and elevation of light 52 metres.
The Geographical Range Table gives a range of 20.38 miles and the Luminous Range Diagram gives a range of 32 miles. This light **will** be visible at its geographical range for this particular observer.

Note:

- 1. Geographical ranges can only be used in clear weather when the loom of the light is visible before or after the light dips on the horizon.
- 2. Some lights whose charted range is less than their geographical range may be observed to dip on the horizon in conditions of excellent visibility.
- 3. Conditions of abnormal refraction may cause the geographical ranges to increase and consequently ranges obtained by this method should be used with caution.

Table 2 Light Characteristics

Class of Light	Characteristic	General Description	Abbreviation	Illustration
A – Fixed	Fixed	A light showing continuously and steadily.	F W	
B – Rhythmic		A rhythmic light is a light showing intermittently with a regular periodicity. The rhythmic character of a light is the regular periodic rhythm presented by the light.		
1 – Occulting, Group Occulting		A light in which the total duration of light in a period is longer than the total duration of darkness and the intervals of darkness (eclipses) are usually of equal duration.		
	(a) Occulting	An occulting light in which an eclipse is regularly repeated.	Oc W	
	(b) Group occulting	An occulting light in which a group of eclipses, specified in number, is regularly repeated. The total duration of light in each period may be equal to the total duration of darkness.	Oc(2)W	
	(c) Composite group occulting	A light similar to a group occulting light except that successive groups in a period have different numbers of eclipses. The total duration of light in each period may be equal to the total duration of darkness.	Oc(3+4)W	
2 – Isophase	Isophase	A light in which all the durations of light and darkness are clearly equal.	Iso W	
3 – Flashing, Group Flashing		A light in which the total duration of light in a period is shorter than the total duration of darkness and the appearances of light (flashes) are usually of equal duration.		
	(a) Flashing	A flashing light in which a flash is regularly repeated (at a rate of less than 50 flashes per minute).	FI W	
	(b) Long flashing	A single-flashing light in which an appearance of light of not less than 2s duration (long flash) is regularly repeated.	LFI W	
	(c) Group flashing	A flashing light in which a group of flashes, specified in number, is regularly repeated.	FI(3)W	
	(d) Composite group flashing	A light similar to a group-flashing light except that successive groups in a period have different numbers of flashes.	FI(3+2)W	

Table 2 Light Characteristics

Class Of Light	Characteristic	General Description	Abbreviation	Illustration
4 – Quick Lights				
		A light in which flashes are repeated at a rate of not less than 50 flashes per minute but less than 80 flashes per minute.		
	(a) Quick	A quick light in which a flash is regularly repeated.	Q W	
	(b) Group quick	A quick light in which a specified group is regularly repeated.	Q(9)W	
			Q(6)+LFI W	
	(c) Interrupted quick	A quick light in which the sequence of flashes is interrupted by regular repeated eclipses of constant and long duration.	IQ W	
NOTE: The group flashing light FI(6)+LFI W is an exceptional light character reserved for use in IALA Buoyage System to indicate a South Cardinal mark.				
5 – Very Quick Lights				
		A light in which flashes are repeated at a rate of not less than 80 flashes per minute but less than 160 flashes per minute.		
	(a) Very quick	A very quick light in which a flash is regularly repeated.	VQ W	
	(b) Group very quick	A very quick light in which a specified group of flashes is regularly repeated.	VQ(3)W	
	(c) Interrupted very quick	A very quick light in which the sequence of flashes is interrupted by regularly repeated eclipses of constant and long duration.	IVQ W	
6 – Ultra Quick Lights				
		A light in which flashes are repeated at a rate of not less than 160 flashes per minute.		
	(a) Ultra quick	An ultra quick light in which a flash is regularly repeated.	UQ W	
	(b) Interrupted ultra quick	An ultra quick light in which the sequence of flashes is interrupted by eclipses of long duration.	IUQ W	
7 – Morse code				
	Morse code	A light in which appearances of light of two clearly different durations are grouped to represent a character or characters in the Morse Code.		
			Mo(K)W	
			Mo(AR)W	
			Mo(4)W	

Table 2 Light Characteristics

Class of Light	Characteristic	General Description	Abbreviation	Illustration
8 – Fixed and Flashing		A light in which a fixed light is combined with a flashing light of higher luminous intensity.		
	(a) Fixed and flashing	A fixed light varied, at regular intervals, by a single flash of higher luminous intensity.	FFI W	
	(b) Fixed and group flashing	A fixed light varied, at regular intervals, by a group of two or more flashes of higher luminous intensity.	FFI(2)W	
C – Alternating		A light showing different colours alternately.		
1 – Alternating	Alternating	A continuous steady light which shows a change in colour.	AI WGR	
2 – Flashing, Group Flashing	(a) Alternating	See C1 and B3	AIFI WR	
	(b) Alternating group flashing	See C1 and B3	AIFI RW	
			AIFI WWRR	
3 – Occulting, Group Occulting	(a) Alternating occulting	See C1 and B1	AIOc WR	
	(b) Alternating group occulting	See C1 and B1	AIOc WGR	
4 – Fixed and Flashing, Fixed and Group Flashing	(a) Alternating fixed and flashing	See C1, A and B3	AIF W FI R	
			AIF W FI RG	
	(b) Alternating fixed and group flashing	See C1, A and B3	AIF W FI(3)G	
	(c) Alternating fixed and composite group flashing	See C1, A and B3	AIF W FI WRR	

Fog Signals

Sound is often conveyed in an unpredictable way through the atmosphere and the following points should be remembered:

- (a) Fog signals are heard at greatly varying distances.
- (b) Under certain atmospheric conditions, if a fog signal is a combination of high and low tones, one of the tones may be inaudible.
- (c) There are occasionally areas around a station in which the fog signal is wholly inaudible.
- (d) Fog may exist a short distance from a station and not be observable from it, so that the signal may not be sounded.
- (e) Some fog signal emitters cannot be started immediately after signs of fog are observed.

Mariners are therefore warned that fog signals should never be relied upon implicitly. Particular attention should be given to placing look-outs in positions in which the noises in the ship are least likely to interfere with the hearing of a fog signal; experience shows that, though such a signal may not be heard from the deck or bridge when the engines are moving, it may be heard when the ship is stopped, or from a quiet position.

Fog signals are mainly produced by the following types of emitters:

The Diaphone uses compressed air and generally emits a powerful, low-pitched sound, which often concludes with a brief sound of suddenly lowered pitch termed the "grunt". Where it is known that the sound does not terminate in a "grunt", the signal is annotated "No grunt".

The Horn uses compressed air or electricity to vibrate a diaphragm and exists in a variety of types which differ greatly in their sound and power; some types, particularly those at major fog signal stations, combine emitter units which simultaneously produce sounds of different pitch; these are often very powerful. Others produce a single steady tone, whilst others vary continuously in pitch.

The Siren uses compressed air and exists in a variety of types which differ considerably in their sound and power.

The Reed uses compressed air and emits a weak, high-pitched sound; it is particularly weak when hand-operated.

The Explosive emitter produces short reports by the firing of explosive charges.

The Bell, the Gong and the Whistle may be operated by machinery, sounding a regular character; by hand, sounding a somewhat irregular character; or by wave action, sounding erratically.

Morse code fog signals: In a similar manner to lights, the abbreviation "Mo" is included in the abridged description of fog signals which consist of one or more characters of the Morse code; e.g. Horn Mo(AR), Horn Mo(4) and composite fog signals are described, e.g. Siren(2+3).

Fog signal emitters of all types vary greatly in power; reserve emitters are often especially weak.

Some fog signal emitters sound characters composed of separate blasts of two or more different pitches; these are annotated, in column 8 of the light lists, "2-tone", "3-tone", etc. Other emitters commence with an ascending pitch, or conclude with a descending pitch, and are annotated accordingly; others which produce a continuously-varying pitch are annotated "warble tone".

Abbreviations Used in the Light Lists

AHP	Above Head of Passes (in miles)	NNE	North Northeast
AIS	Automatic Identification System Station	NNW	North Northwest
Al	Alternating	NW	Northwest
<i>bl</i>	Blast	Oc	Occulting
Bu	Blue	Oc(. .)	Group occulting
CALM	Catenary Anchor Leg Mooring	Occas	Occasional
Dia	Diaphone	(P)	Preliminary
Dir Lt	Direction Light	PA	Position approximate
E	East	PEL	Port Entry Light
ec	Eclipse (phase)	Q	Quick flashing
ED	Existence Doubtful	R	Red
ENE	East Northeast	Ra refl	Radar reflector
ESE	East Southeast	Racon	Radar responder beacon
Explos	Explosive fog signal	RC	Circular radio beacon
F	Fixed	Ramark	Radar beacon (continuous)
FFI	Fixed and flashing	Ro Bn	Radio beacon
FFI(. .)	Fixed and group flashing	Rot	Rotating
Fl	Flashing	RTE	Radar Target Enhancer
Fl(. .)	Group flashing	S	South
<i>fl</i>	Flash (phase)	s	Seconds
FPSO	Floating Production Storage and Offloading facility	SAR	Search and Rescue
FSO	Floating Storage and Offloading facility	SBM	Single Buoy Mooring
FSU	Floating Storage Unit	SE	Southeast
G	Green	<i>si</i>	Silence
GRP	Glass Reinforced Plastic	Sig Stn	Signal Station
HFPB	High Focal Plane Buoy	SPM	Single Point Mooring
(hor)	Horizontal	SSE	South Southeast
I	Interrupted	SSW	South Southwest
Intens	Intensified sector	SV	Sodium vapour discharge lamp orange in colour
Irreg	Irregular	SW	Southwest
Iso	Isophase	(T)	Temporary
<i>Lanby</i>	Large Automatic Navigational Buoy	TALM	Taut Anchor Leg Mooring
Lat	Latitude	TD	Temporarily discontinued (non-light AtoN)
Ldg Lts	Leading Lights	TE	Temporarily extinguished (light AtoN)
LED	Light Emitting Diode	TR	Racon temporarily discontinued
LFI	Long flash	Unintens	Unintensified sector
Lit	Light (no details known)	UQ	Ultra quick flashing
Long	Longitude	(var)	Varying
LPG	Liquid Petroleum Gas	(vert)	Vertical
<i>lt</i>	Light (phase)	Vi	Violet
<i>Lt F</i>	Light-float	Vis	Visible
Lts in line	Lights in line	VQ	Very quick flashing
(M)	Light owned by Maritime New Zealand	W	West
M	Sea miles	W	White
m	Metres	Whis	Whistle
min	Minutes	WNW	West Northwest
Mo	Morse code light or fog signal	WSW	West Southwest
MV	Mercury vapour discharge lamp greenish-white in colour	Y	Yellow, amber or orange
N	North		
NE	Northeast		

North Island

Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
3686	Cape Maria van Diemen (M)	34 28.60 172 38.70		Fl(3)W 20s	91	9	White fibreglass tower 3	<i>fl 1, ec 1</i> x 2, <i>fl 1, ec 15</i> W (Obscured) 141°- 145° (4°) W 145°-206° (61°) W 314°-141° (187°)
3688	Cape Reinga / Te Rerenga Wairua (M)	34 25.60 172 40.65		Fl W 12s	165	19	White concrete tower 10	<i>fl 1, ec 11</i> W (Obscured) 011°- 013° (2°) W 013°-263° (250°) W (Obscured) 263°- 285° (22°) W (Obscured) 326°- 356° (30°) W 356°-011° (15°)
3690	Reserve light North Cape (Otoutu) Murimotu Island. Summit (M)	34 24.89 173 03.03		Fl W 8s	99	18	White concrete tower 4	<i>fl 0.5, ec 7.5</i> W (Obscured) 080°- 135° (55°) Obscured from shore to 135° W 135°-080° (305°)
Pārengarenga Harbour								
3690.4	Parengarenga Harbour	34 31.25 172 58.12		Fl(2)W 5s	47	6	White tower 5	<i>fl 0.3, ec 1, fl 0.3, ec 3.4</i> Square tower
Houhora Harbour								
3690.6	Ruakōura / Perpendicular Point	34 49.50 173 10.05		Fl W 4s	97	6	White metal pole	<i>fl 0.3, ec 3.7</i>
3690.7	HH2	34 49.54 173 09.38		Q R	5	1	Red □ Red metal pole	
3690.76	HH1	34 49.33 173 08.55		Q G	3	1	Green △ Green wooden pole	
3690.77	HH3	34 49.38 173 08.45		Q G	3	1	Green △ Green wooden pole	
3690.8	HH4	34 49.47 173 08.22		Q R	3	2	Red □ Red wooden pole	
3690.85	HH6	34 49.19 173 07.56		Q R	3	2	Red □ Red wooden pole	
3690.89	HH5	34 48.95 173 07.28		Q G	3	2	Green △ Green wooden pole	
3690.9	Pukenui Wharf. Head SE corner	34 48.85 173 07.16		2 F R(vert)	5			Lamp post
Rangaunu Harbour								
3691	Wairakia Point	34 54.08 173 18.09		Fl R 2.5s	3	2	Red □ Red metal pile beacon 3	<i>fl 0.3, ec 2.2</i>
3691.2	Omere, Janus or Toby Rock	34 52.80 173 16.93		Fl(2)R 6s	5	5	Red □ Red metal pile beacon 5	<i>fl 0.3, ec 0.9, fl 0.3, ec 4.5</i>
3691.3	Otiaia Point	34 53.34 173 16.89		Q G	9	2	Green △ Green metal pile beacon	
3691.35	Scheigis Rock	34 53.42 173 17.67		Fl R 3s	1	2	Red □ Red concrete pile beacon 1	<i>fl 0.3, ec 2.7</i>
Awanui Channel								
3691.4	Tohunga	34 55.46 173 17.44		Q G	3	2	Green △ Green wooden pile beacon	
3691.45	AC2	34 56.26 173 16.98		Fl R 3s		2	Red □ Red wooden pile beacon	<i>fl 0.3, ec 2.7</i>
3691.5	Mangatete	34 57.01 173 16.28		Fl G 2s	3	2	Green △ Green wooden pile beacon 2	<i>fl 0.3, ec 1.7</i>
3691.52	AC4	34 57.42 173 15.64		Fl R 3s		2	Red □ Red wooden pile beacon 3	<i>fl 0.3, ec 2.7</i>
3691.54	Rat Island	34 57.57 173 15.34		Q G	2	2	Green △ Green wooden pile beacon	<i>fl 0.3, ec 0.7</i>
3691.55	Home Creek	34 57.90 173 15.23					Green △ Green wooden pile beacon 3	
3691.56	Mangrove Island	34 58.44 173 15.14		Q G	3	2	Green △ Green wooden pile beacon	<i>fl 0.3, ec 0.7</i>
3691.58	Junction Reach	34 58.89 173 14.60		Q R	2	2	Red □ Red pile beacon 2	<i>fl 0.3, ec 0.7</i> 2 piles

North Island								
Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
3691.59	J4	34 58.99 173 14.65	Q R		2	2	Red □ Red pile beacon 2	<i>fl 0.3, ec 0.7</i>
3691.595	J6	34 59.35 173 14.96	Q R			2	Red □ Red wooden pile beacon 3	<i>fl 0.3, ec 0.7</i>
3691.598	Prices	34 59.33 173 15.29	Q G			2	Green △ Green wooden pile beacon 3	<i>fl 0.3, ec 0.7</i>
3691.6	J16	34 59.37 173 15.42	Q R		2	2	Red □ Red pile beacon 2	<i>fl 0.3, ec 0.7</i>
3691.7	J18	34 59.57 173 15.41	Q R		2	2	Red □ Red pile beacon 2	<i>fl 0.3, ec 0.7</i>
3691.8	J20	34 59.75 173 15.33	Q R		2	2	Red □ Red pile beacon 2	<i>fl 0.3, ec 0.7</i>
3691.9	A1	34 59.99 173 15.09	Q G		2	2	Green △ Green pile beacon 2	<i>fl 0.3, ec 0.7</i>
3691.95	A5	35 00.08 173 15.10	Q G		2	2	Green △ Green pile beacon 2	<i>fl 0.3, ec 0.7</i>
3692	Awanui River Unahi Head	35 00.21 173 15.27	2 F G(hor)				Pole	On each end of wharf
3694	Cape Karikari (Whakapouaka) (M)	34 46.99 173 23.84	FI(3)W 15s		59	10	White tower 3	<i>(fl 0.5, ec 1.5) x 2, fl 0.5, ec 10.5</i>
3695	Taipa River Entrance	34 59.51 173 28.20	FI R 2.5s		2	3	Red □ Red metal pole	<i>fl 0.3, ec 2.2</i>
Mangōnui Harbour								
3696.5	Cole Point	34 58.90 173 31.66	Q G		3	5	Green △ Green metal pole 3	
3697	Port Mangōnui Wharf	34 59.30 173 32.13	2 F G(vert)					Shed
3697.5	Albert Reef	34 55.21 173 31.11	VQ(3)W 5s		4	2	Black ⬤ Black, yellow and black horizontal stripes, pile beacon 4	
Whangaroa Harbour								
3698	South Head	35 00.33 173 46.14	FI(2)WR 6s		105	W6 R4	White metal column	<i>fl 1, ec 1, fl 1, ec 3</i> W 121°-232° (111°) R 232°-282° (50°)
3698.1	Kingfish Point	35 00.67 173 45.31	FI W 2s		13	5	White pole 6	<i>fl 0.3, ec 1.7</i>
3698.12	Shark Island	35 00.83 173 45.20	FI R 2.5s		3	2	Red □ Red metal pile beacon 3	
3698.14	East Pekapeka	35 00.48 173 44.85	FI(2)W 5s		2	2	Black ⬤ Black, red and black horizontal stripes, metal pile beacon 2	pillar
3698.15	North Pekapeka	35 00.43 173 44.70	FI(2)W 5s		2	2	Black ⬤ Black, red and black horizontal stripes, metal pile beacon 2	pillar
3698.18	West Pekapeka	35 00.61 173 44.26	FI(2)W 5s		2	2	Black ⬤ Black, red and black horizontal stripes, metal pile beacon 2	pillar
3698.2	Clansman Wharf	35 02.68 173 44.67	2 F R(vert)				Metal pole	steel

North Island

Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
Cavalli Islands								
3699	Nukutaunga Island (M)	34 58.59 173 57.91		Fl W 10s	111	7	White metal tower 4	<i>fl 1, ec 9</i>
Bay of Islands Harbour								
3700	Fraser Rock	35 14.48 174 06.99		Fl WR 4s	13	W9 R8	Grey metal tower 3	<i>fl 0.7, ec 3.3</i> R 229°-238.9° (9.9°) W 238.9°-312.8° (73.9°) W 352.9°-229° (236.1°)
3700.5	The Brothers	35 11.86 174 03.90		Q(2)W 5s	5	5	Black  Black, red and black horizontal stripes, pile beacon 5	<i>fl 0.3, ec 0.7, fl 0.3, ec 3.7</i>
3700.55	Motupapa (Cocked Hat) Island	35 11.88 174 02.99		Q R	3	2	Red  Red metal pile beacon	
3700.6	Kerikeri Inlet. No 1S	35 11.83 174 00.56		Q G	3	2	Green  Green metal pile beacon 3	
3700.601	KK2	35 11.89 174 00.17		Fl R 2s	2	1	Red  Red metal pole 2	<i>fl 0.3, ec 1.7</i>
3700.6015	KK3	35 11.83 174 00.38		Fl G 2s	3	1	Green  Green wooden pile beacon 3	<i>fl 0.3, ec 1.7</i>
3700.602	KK4	35 11.86 173 59.92		Fl R 2s	2	1	Red  Red metal pole 2	<i>fl 0.3, ec 1.7</i>
3700.603	KK5	35 11.85 174 00.25		Fl G 2s	3	1	Green  Green wooden pile beacon 3	<i>fl 0.3, ec 1.7</i>
3700.604	KK6	35 11.87 173 59.88		Fl R 2s	2	1	Red  Red metal pole 2	<i>fl 0.3, ec 1.7</i>
3700.605	KK7	35 12.01 173 59.63		Fl G 2s	3	1	Green  Green wooden pile beacon 3	<i>fl 0.3, ec 1.7</i>
3700.606	KK8	35 11.97 173 59.70		Fl R 2s	2	1	Red  Red metal pole 2	<i>fl 0.3, ec 1.7</i>
3700.607	KK9	35 12.21 173 59.52		Fl G 2s	3	1	Green  Green wooden pile beacon 3	<i>fl 0.3, ec 1.7</i>
3700.61	No. 10	35 12.05 173 59.62		Q R	3	2	Red  Red wooden pile beacon	
3700.615	KK12	35 12.21 173 59.54		Fl R 2s	2	1	Red  Red wooden pile beacon 2	<i>fl 0.3, ec 1.7</i>
3700.62	No. 13	35 12.35 173 59.39		Q G	3	2	Green  Green wooden pile beacon	
3700.624	KK17	35 12.44 173 59.12		Fl G 2s	2	1	Green  Green wooden pile beacon 2	<i>fl 0.3, ec 1.7</i>
3700.625	KK19	35 12.50 173 58.84		Fl G 2s	3	2	Green  Green pile beacon 3	<i>fl 0.3, ec 1.7</i>
3700.626	KK14	35 12.56 173 58.62		Fl R 2s	3	1	Red  Red wooden pile beacon 3	<i>fl 0.3, ec 1.7</i>
3700.628	KK Junction	35 12.52 173 58.61		Fl(2+1)G 6s	3	2	Green  Green, red and green horizontal stripes, wooden pile beacon 3	<i>fl 0.3, ec 0.4, fl 0.3, ec 1.2, fl 0.3, ec 3.5</i>
3700.65	DB2	35 11.75 174 02.08		Q R	3	1	Red  Red wooden pile beacon	
3700.7	Doves Bay Marina Breakwater head	35 11.66 174 02.04		2 F G(vert)			Beacon	

North Island								
Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
3701	Entrance Dir Lt	35 16.28 174 05.00		Dir Al WRG	9	15	White metal pile beacon	F G 211.2°-213° (1.8°) Al WG 213°-213.3° (0.3°) F W 213.3°-214.6° (1.3°) Al WR 214.6°-215.1° (0.5°) F R 215.1°-216.6° (1.5°) F W 213.3°-214.6° (1.3°)
	Dir Lt			By day		9		
3702	Russell Wharf. Head	35 15.72 174 07.21		2 F R(vert)	7	2	Grey metal pole	
3702.1	Hermione Rock	35 15.84 174 05.60		Fl(3)G 10s	4	3	Green △ Green metal pile beacon 4	
3702.6	Micky Rock	35 16.16 174 05.63		Q R	3	2	Red □ Red metal pile beacon 3	fl 0.3, ec 0.7
3703	Ti Point. Waitangi River Entrance	35 16.39 174 05.01		Q G		2	Green △ Green metal pile beacon	
3703.11	WR1	35 16.38 174 04.96		Fl G 2s	3	1	Green △ Green wooden pile beacon 3	fl 0.3, ec 1.7
3703.13	WR3	35 16.36 174 04.92		Fl G 2s	3	1	Green △ Green wooden pile beacon 3	fl 0.3, ec 1.7
3703.2	Waitangi Jetty Head	35 16.33 174 04.89		2 F G(vert)			Metal pole	
3704	Taylor Island off N end	35 16.62 174 05.84		Fl G 2.5s	3	5	Green △ Green metal pile beacon 4	fl 0.3, ec 2.2
3704.1	Pahia No. 5 Starboard Beacon	35 16.80 174 05.62		Fl G 2s	2	1	Green △ Green wooden pile beacon 2	fl 0.3, ec 1.7
3704.2	Paihia Jetty Head	35 16.84 174 05.59		2 F G(vert)	3	3	Beacon	On building
3704.3	Nihinui Point, Starboard Beacon	35 16.66 174 05.47		Fl G 2s	3	1	Green △ Green metal pile beacon 3	fl 0.3, ec 1.7
3704.4	Nihinui Point, Port Beacon	35 16.63 174 05.50		Fl R 2s	3	1	Red □ Red metal pile beacon 3	fl 0.3, ec 1.7
3705.1	Veronica Channel Ldg Lts 172° 24'. Front	35 18.28 174 06.53		F Bu	30	5	White metal tower 36	Framework
3705.2	Veronica Channel Leading Rear Light	35 18.54 174 06.58		F Bu	57	5	Metal pole 6	
				By day Oc W 6s				ec 2, fl 4
3705.4	No. 1	35 15.84 174 06.10		Fl G 2s	7	5	Green △ Green metal pile beacon 7	fl 0.3, ec 1.7
3705.5	No. 2	35 15.82 174 06.18		Fl R 2s	5	5	Red □ Red metal pile beacon 5	fl 0.3, ec 1.7
3705.6	No. 3	35 16.64 174 06.23		Fl G 2.5s	5	5	Green △ Green metal pile beacon	fl 0.3, ec 2.2
3705.7	No. 4	35 16.65 174 06.31		Fl R 2.5s	5	5	Red □ Red metal pile beacon	fl 0.3, ec 2.2
3706	No. 5	35 17.87 174 06.37		Fl G 2.5s	4	3	Green △ Green metal pile beacon	fl 0.3, ec 2.2
3707	No. 6	35 18.18 174 06.85		Q R		2	Red □ Red metal pile beacon	
3707.4	Okiato Ferry Ramp	35 18.30 174 07.12		2 F R(vert)	3	2	Grey concrete pile beacon 3	
3707.8		35 18.70 174 07.92		Q R	4	2	Red □ Red wooden pile beacon 4	
Opua								
3708	Wharf, Head - NE corner	35 18.66 174 07.19		2 F G(vert)	6	1	Beacon	On shed
3708.3	Opua N Cardinal	35 18.67 174 07.17		Q W	5	2	Black △ Black and yellow horizontal stripes, metal pile beacon	

North Island

Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
3708.4	Ferry Ramp	35 18.73 174 07.22		2 F R(ver)	3	2	White pile beacon 3	
3708.5	Marina, Outer Breakwater. N End	35 18.77 174 07.34		Q R	4	1	Grey pile beacon	
3708.6		35 18.83 174 07.36		Q R	4	1	Grey pile beacon	
3708.7		35 18.90 174 07.37		Q R	4	1	Grey pile beacon	
3708.8	S end	35 18.98 174 07.32		Q R	4	1	Grey pile beacon	
3708.9	Inner Breakwater E End	35 18.97 174 07.31		Q G	4	1	Grey pile beacon	
3708.93	Ashbys. N	35 19.08 174 07.16		2 F G(ver)	3	1	Metal pile beacon 3	
3708.95	Ashbys. S	35 19.13 174 07.14		2 F G(ver)	3	1	Metal pile beacon 3	
Eastern Bay of Islands								
3709	Cape Brett (M)	35 10.51 174 19.96		Fl W 15s	146	17	White tower 4	<i>fl 0.1, ec 14.9</i> W (Obscured) 031°- 106° (75°) W 106°-173° (67°) W (Partially obscured) 173°- 195° (22°) Obscured by Otuwahanga Island decreasing out to 2M. W 195°-205° (10°) W (Obscured) 205°- 212.5° (7.5°) Obscured by Motukoku Island (Piercy Island) and over a greater arc when within 3M. W 212.5°-000.9° (148.4°) The old lighthouse (14m) is situated close SW of the new light tower.
3709.5	Hat Island	35 13.03 174 15.15		Q G	4	2	Green △ Green metal pole 2	
3710	Urupukapuka Island - Otehei Bay	35 13.45 174 13.56		VQ(9)W 10s	3	2	Black ∇ Yellow, black and yellow horizontal stripes, concrete pile beacon 3	
3710.05	Pakatahi Island	35 13.90 174 12.06		Q G	2	2	Green △ Green wooden pole 2	
3710.1	Paramena Reef	35 14.20 174 13.11		Q(2)W 5s	5	2	Black ● Black, red and black horizontal stripes, beacon	<i>fl 0.3, ec 0.7, fl 0.3, ec 3.7</i>
3710.2	Okuia Point. Shag Rock	35 14.33 174 14.20		Q(9)W 15s	5	2	Black ∇ Yellow, black and yellow horizontal stripes, concrete pile beacon 4	
Whangaruru Harbour								
3710.3	Motukauri Island	35 21.39 174 20.26		Q G	4	2	Green △ Green metal pile beacon	
3710.4	Hongaio Rock	35 21.43 174 21.00		Q G	4	3	Green △ Green metal pile beacon	
3710.5	Orapa Rock	35 21.72 174 20.55		Q R	4	3	Red □ Red pile beacon	
3710.7	Black Rocks	35 22.72 174 21.49		Q G	4	3	Green △ Green metal pile beacon	On steel pile
3711	Poor Knights Island. N Island (M)	35 26.90 174 44.27		Fl W 5s	158	17	White metal tower 4	<i>fl 0.5, ec 4.5</i> W 039°-317° (278°) W (Obscured) 317°- 039° (82°)
Tutukaka Harbour								
3712	Tutukaka Head (South Gable). N point of harbour entrance. (M)	35 36.69 174 32.75		Fl W 10s	92	14	White metal tower 4	<i>fl 0.5, ec 9.5</i> W (Obscured) 006°- 166° (160°) W 166°-006° (200°)

North Island								
Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
3712.1	Ldg Lts 270° 07'. Front	35 36.89 174 31.98		Fl R 3s	3	5	Red metal pile beacon 2	
3712.11	Ldg Lts Rear	35 36.89 174 31.87		Fl W 1.5s	7	5	White metal pile beacon 1	
3712.12	T1	35 36.81 174 31.90		Q G		1	Green △ Green wooden pole 3	
3712.125	T2	35 36.82 174 31.89		Q R	3	1	Red □ Red wooden pole 3	
3712.13	T4	35 36.78 174 31.81		Q R		1	Red □ Red metal pile beacon 3	
3712.135	T3	35 36.75 174 31.81		Q G	3	1	Green △ Green wooden pole 3	
3712.14	T5	35 36.73 174 31.75		Q G		1	Green △ Green metal pile beacon 3	
3712.145	T6	35 36.75 174 31.74		Q R	3	1	Red □ Red wooden pole 3	
3713	Bream Head (M)	35 50.66 174 34.87		Fl(3)W 20s	172	10	White metal tower 4	(fl 1, ec 1) x 2, fl 1, ec 15 W (Obscured) 138°- 170° (32°) W 170°-320° (150°) W (Obscured) 320°- 323° (3°) W 323°-326.5° (3.5°) W (Obscured) 326.5°- 050° (83.5°)
3713.5	Wareware Island	35 52.96 174 41.70		Fl(2)W 10s	42	6	Green and white metal	fl 1, ec 1.5, fl 1, ec 6.5 W 011°-272° (261°) W (Obscured) 272°- 011° (99°) Framework structure
Hen and Chicken Islands								
3714	Coppermine Island. E end (M)	35 53.18 174 46.84		Fl W 5s	145	9	White metal tower 3	fl 1, ec 4 Obscured on certain bearings by Hen and Chickens Group. Owing to its elevation the light is liable to be obscured by fog and mist.
3715	Taranga Island. W side (M)	35 57.53 174 41.87		Fl W 10s	119	9	White □ Metal tower 3	fl 1, ec 9 W (Obscured) 184°- 209° (25°) W 209°-227.5° (18.5°) W (Obscured) 227.5°- 324° (96.5°) W 324°-184° (220°) Column tower.
Whangārei Harbour								
3716	Marsden Point Dir Lt 320° 35'.	35 50.34 174 29.97		Dir Al WRG	21	10	Orange ▽ Metal tower	G 314.4°-319.4° (5°) Al WG 319.4°-320.1° (0.7°) W 320.1°-321.1° (1°) Al WR 321.1°-321.8° (0.7°) R 321.8°-326.8° (5°) Framework. R lights on chimney 540m WSW. Conspicuous flare on chimney 0.6M SW.
	Dir Lt			By day		W7 R5 G5		G 318.9°-319.4° (0.5°) R 321.8°-322.3° (0.5°)
3716.4	Refinery Wharf. T- head. SE End	35 50.22 174 30.05		2 F R(ver)	23	4	Metal tower	Aluminium framework
3716.42	Refinery Wharf. T- head. NW end	35 50.13 174 29.87		2 F R(ver)	23	4	Metal tower	Aluminium framework
3716.6	Harbour Board Wharf. Head. E end	35 50.08 174 29.44		2 F R(ver)	5	4	Beacon	Wharf whaling
3716.62	Harbour Board Wharf. Head. W end	35 50.06 174 29.35		2 F R(ver)	5	4	Beacon	Wharf whaling
3716.625	Northport Wharf. E end	35 50.00 174 29.37		3 F R(ver)	5	4	Beacon	
3716.63	Northport Wharf. W end	35 49.90 174 29.01		3 F R(ver)	5	4	Beacon	

North Island

Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
3716.64	Marsden Cove Marina. Port 5	35 49.86 174 28.48		FI R 2s	1	1	Red □ Red pole	
3716.641	Starboard 5	35 49.86 174 28.44		FI G 2s	1	1	Green △ Green pole	
3716.642	Port 1	35 50.03 174 28.26		FI R 2s	1	1	Red □ Red pole	
3716.643	Starboard 1	35 50.01 174 28.23		FI G 2s	1	1	Green △ Green pole	
3716.65	Snake Bank	35 49.69 174 29.09		FI G 4s	5	3	Green △ Green pile beacon	
3716.66	Marsden Bay Beacon No 1	35 49.77 174 28.92		FI(2+1)R 6s	5	2	Red □ Red, green and red horizontal stripes, pile beacon	Ra refl
3716.67		35 49.76 174 28.73		Q Y	5	5	Yellow X Yellow pile beacon	Ra refl
3716.699	Sinclair Point. Ldg Lts 287°. Front	35 49.76 174 28.81		FI W 2.5s	5	5	Yellow and white stripes (direction unknown), pile beacon	
3716.7	Sinclair Point Rear Leading Light. Rear	35 49.54 174 27.92		F R	8	6	Orange □ Yellow pile beacon	R 200°-340° (140°)
3716.8	Passage Islet	35 49.82 174 29.81		FI W 3s	6	5	White concrete tower	fl 0.3, ec 2.7 W 278°-133° (215°)
Shell Cut Reach								
3717.4	Shell Cut Reach East Ldg Lts 115° 21'. Front	35 49.16 174 28.32		F G	5	6	Concrete pile beacon	G 035°-195° (160°)
3717.41	Lort Point. Rear	35 49.85 174 30.15		F R	18	6	Metal tower	R 035°-195° (160°) R (Obscured) 218°- 035° (177°)
3717.43	Lort Point	35 49.85 174 30.29		FI(2)W 5s	1	1	Black ● Black, red and black horizontal stripes, pile beacon	fl 0.2, ec 1.2, fl 0.2, ec 3.4
3717.45	Passage Island	35 49.73 174 29.78		FI(2)W 5s	2	1	Black ● Black, red and black horizontal stripes, pile beacon	fl 0.2, ec 1.2, fl 0.2, ec 3.4
3717.47	Taurikura	35 49.75 174 31.30		FI(2)W 5s	2	1	Black ● Black, red and black horizontal stripes, pile beacon	fl 0.2, ec 1.2, fl 0.2, ec 3.4
3717.5	Shell Cut Reach West Ldg Lts 295° 21'. Front	35 47.49 174 24.00		F R	5	6	Concrete pile beacon	
3717.51	Shell Cut Reach West Rear	35 46.90 174 22.50		F G	19	9	Metal pile beacon	Neon □ Tower on pile
Shoal Bay								
3718.751	Shoal Bay S Cardinal	35 48.98 174 29.56		Q(6) + LFI W 15s	4	1	Black ∇ Yellow and black horizontal stripes, wooden pile beacon	
3718.755	Shoal Bay W Cardinal	35 47.91 174 28.18		Q(9)W 15s	4	1	Black X Yellow, black and yellow horizontal stripes, wooden pile beacon	
3718.757	Shoal Bay E Cardinal	35 47.96 174 27.09		Q(3)W 10s	4	1	Black ◇ Black, yellow and black horizontal stripes, wooden pile beacon	
3718.759	Whangārei Heads	35 49.00 174 29.85		FI G 5s	4	1	Beacon	G (Obscured) 013°- 066° (53°) G 066°-246° (180°) G (Obscured) 246°- 318° (72°)

North Island								
Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
Parua Bay								
3718.76	Reserve Point	35 47.57 174 27.40	Q G		3	1	Green pile beacon	
3718.77	The Nook	35 47.31 174 27.71	Q R		3	2	Red  Red pile beacon 3	
3718.78	Martin Point	35 47.00 174 27.49	Q R		3	2	Red  Red pile beacon 3	
3718.79	Breakwater	35 46.49 174 27.10	Q R		2	1	Red beacon	
Tamaterau Beach								
3718.8	Tamaterau	35 47.83 174 24.99	FI(3)G 10s		5	4	Green  Green pile beacon	
3718.9	One Tree Point. Ldg Lts 131° 21'. Front	35 48.63 174 26.03	F R		6	6	Pile beacon	R 050°-210° (160°)
3718.91	One Tree Point Leading Rear Light	35 49.32 174 26.99	F G		18	9	Metal tower	G 050°-210° (160°) Neon 
3719	Stevens Point Dir Lt 311° 21'.	35 46.46 174 23.02	Dir F WRG		13	W13 R12 G12	Orange  Orange metal tower 13	F G 309.6°-311.1° (1.5°) F W 311.1°-311.6° (0.5°) F R 311.6°-313.1° (1.5°) Framework
3719.2	No.T1	35 47.53 174 24.57	Q G		5	1	Green  Green pile beacon	
3719.4	T6	35 47.30 174 24.14	FI R 2.5s		5	3	Red  Red pile beacon	<i>f/l 0.3, ec 2.2</i>
3719.8	No.T5	35 46.95 174 23.76	FI G 3s		5	3	Green  Green pile beacon	
Wellington Reach								
3720	Ross	35 46.73 174 23.28	FI(2)R 6s		6	5	Red  Red pile beacon	
3720.4	No.W2	35 46.55 174 22.77	Q R		5	4	Red  Red pile beacon	
3720.6	No.W3	35 46.47 174 22.64	Q G		5	1	Green  Green pile beacon	
3720.7	No.W5	35 46.50 174 22.44	FI G 3s		5	4	Green  Green pile beacon	
3720.8	Wellington Rock	35 46.59 174 22.41	Iso R 2s		5	4	Red  Red pile beacon 5	
Channel to Portland								
3721	Portland Entrance. Ldg Lts 209° 55'. Front	35 47.27 174 21.78	FI R 2.5s		5	2	Red concrete pile beacon	<i>f/l 0.3, ec 2.2</i>
3721.01	Portland Entrance. Rear	35 47.39 174 21.69	Q W		7	2	Red concrete pile beacon	W 205°-220° (15°)
3721.1	P2	35 46.84 174 22.13	Q R		3	2	Red  Red pile beacon	
3721.15	Limestone Island	35 46.95 174 21.97	Q G 1.2s		4	2	Green  Green pile beacon 4	
3721.2	Limestone Island. SE side. P1	35 47.18 174 21.76	FI G 5s		4	3	Green metal pile beacon 3	Disused wharf. Column on square base.
3721.3	P3	35 47.44 174 21.24	Q G			2	Green  Green concrete pile beacon	
3721.4	SE Side. P4	35 47.32 174 21.64	Q R		3	2	Red  Red pile beacon	
3721.6	P6	35 47.48 174 21.28	Q R		5	2	Red  Red pile beacon	
Portland								
3722	Ldg Lts 240°. Front	35 48.06 174 19.99	Q R		17	3	White wooden pole 3	<i>f/l 0.4, ec 0.6</i> R 150°-330° (180°) R (Obscured) 330°- 150° (180°)
3722.1	Ldg Lts 240°. Rear	35 48.13 174 19.83	F G		41	2	Wooden pole	G 150°-330° (180°) On demand G (Obscured) 330°- 150° (180°) On demand Occas

North Island

Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
3722.2	Portland Bulk Cement Wharf, NW side. P5	35 47.81 174 20.97		Q G	5	1	Green □ Green pile beacon	
3722.3	Portland Bulk Cement Wharf, E side. P8	35 47.98 174 20.95		Q R	2	2	Red □ Red wooden pile beacon	
3722.4	Coal Berth Wharf Head	35 48.07 174 20.84		LFI G 5s	4	3	Tower	fl 2, ec 3
3722.45	Cement Berth	35 48.17 174 20.84		2 F G(vert)			Beacon	
3722.46	Cement Berth	35 48.14 174 20.84		2 F G(vert)			Beacon	
3722.49	Portland Turning Basin	35 48.09 174 20.96		Q R 1.2s	4	2	Red □ Red pile beacon	
3722.5	P10 Ldg Lts Front	35 48.19 174 20.92		Q R	3	3	Red □ Red metal pile beacon	fl 0.4, ec 0.6
3722.513	No.P7 Ldg Lts Rear	35 48.47 174 20.94		Q G	3	3	Green △ Green concrete pile beacon	fl 0.4, ec 0.6
3722.515	No.P9	35 48.82 174 21.06		FI G 1.5s	3	2	Green △ Green wooden pile beacon	
3722.52	No.P13	35 49.41 174 20.78					Green △ Green concrete pile beacon	
Channel to Whangārei								
3722.7	Wellington Reach W7	35 46.57 174 22.07		Q G5		3	Green △ Green pile beacon	
3722.8	North Cardinal Beacon	35 46.66 174 22.12		Q W5		3	Black ⚓ Black and yellow horizontal stripes, pile beacon	
3723	No.K3	35 46.59 174 21.59		Q G5		2	Green △ Green pile beacon	
3723.4	No.K5	35 46.50 174 21.40		Q G5		2	Green △ Green pile beacon	
3723.8	No.K7	35 46.35 174 21.26		Q G5		2	Green △ Green pile beacon	
3724	No.K8	35 46.38 174 21.17		Q R5		2	Red □ Red pile beacon	
3724.4	No.K9	35 46.18 174 21.20		Q G5		1	Green △ Green pile beacon	
3724.8	No.K11	35 45.99 174 21.17		Q G5		1	Green △ Green pile beacon	
3725.7	No.K16	35 45.69 174 21.00		Q R5		2	Red □ Red pile beacon	
Port Whangārei								
3725.8	Port Whangārei Wharf South End	35 45.48 174 21.02		2 F R(vert)	2	2	Beacon	Wharf coping
3725.82	Port Whangārei Wharf North End	35 45.41 174 21.00		2 F R(vert)	2	2	Beacon	Wharf coping
3725.9	No.K17	35 45.43 174 21.08		Q G	5	2	Green △ Green pile beacon	
3726	No.K18	35 45.58 174 20.92		Q R	5	2	Red □ Red pile beacon	
3726.4	No.K19	35 45.24 174 21.05		Q G	5	1	Green △ Green pile beacon	
3728	No.K20	35 45.25 174 20.99		FI R 3s	5	2	Red □ Red pile beacon	
3728.4	Slipway	35 44.83 174 20.92		Q R	4	2	Red pile beacon	Seaward end of apron. Dolphin.
3728.6	No.K27	35 44.97 174 21.02		Q G	5	2	Green △ Green pile beacon	
3728.7	Fertiliser Wharf South End	35 45.08 174 20.94		2 F R(vert)	2	2	Beacon	Bulk Cargo Jetty. In whaling
3728.72	Fertiliser Wharf North End	35 45.00 174 20.93		2 F R(vert)	2	2	Beacon	Bulk Cargo Jetty. In whaling
3728.8	No.4 Berth South End	35 44.72 174 20.91		2 F R(vert)	2	2	Beacon	
3728.81	No.4 Berth North End	35 44.65 174 20.90		2 F R(vert)	2	2	Beacon	
Hātea River								
3729.6	No.H4	35 44.17 174 20.90		FI R 2s	2	2	Red □ Red wooden pile beacon	

North Island								
Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
3729.7	No.H3	35 44.14 174 20.92		FI G 2s	2	2	Green △ Green wooden pile beacon	
3729.8	No.H6	35 44.14 174 20.85		FI R 2s	3	2	Red □ Red wooden pile beacon	
3730	No.H8	35 44.12 174 20.79		FI R 2s	3	2	Red □ Red concrete pile beacon	
3730.1	No.H10	35 44.17 174 20.69		FI R 2s	3	2	Red □ Red wooden pile beacon	
3730.15	No.H12	35 44.24 174 20.61		FI R 2s	4	2	Red □ Red metal pile beacon	
3730.61	Pohe bridge starboard pontoon	35 44.14 174 20.13		2 F G(ver)	3	2	Pile beacon	
3730.62	Pohe bridge port pontoon	35 44.06 174 20.10		2 F R(ver)	3	2	Pile beacon	
Mokohinau Islands								
3734	Burgess Island (Pokohinu Island) (M) Reserve light	35 54.37 175 06.90		FI W 10s	122	19	White masonry tower 14	fl 0.1, ec 9.9
						10		
Mangawhai Harbour								
3735	Sentinel Rock	36 04.94 174 36.17		FI W 5s	16	4	Pile beacon 2	fl 0.5, ec 4.5 column
Great Barrier Island (Aotea Island)								
3736	Motuhaku Island. Summit (M)	36 09.86 175 17.45		FI W 15s	119	9	White metal column 4	fl 1, ec 14 Obscured by islands on certain bearings
3736.1	Old Man Rock	36 11.56 175 20.58		FI(2)W 5s	2	2	Black ● Black, red and black horizontal stripes, concrete, metal pile beacon 2	
3736.2	Tryphena Point (M)	36 19.17 175 28.79		FI(3)W 6s	26	4	White metal column 3	(fl 0.5, ec 1) x 2, fl 0.5, ec 2.5
3736.6	Cape Rodney (M)	36 16.68 174 49.27		FI(4)W 20s	53	8	White metal tower 4	(fl 0.5, ec 1.5) x 3, fl 0.5, ec 13.5 W (Obscured) 103.5°- 127.5° (24°) W 127.5°-358° (230.5°) W (Obscured) 358°- 038.5° (40.5°)
Ōmaha Bay								
3737	Panetiki Island (The Outpost)	36 17.41 174 49.15		FI G 5s	18	3	White pile beacon 7	fl 0.3, ec 4.7 G 193.5°-093.5° (260°) Column beacon
3737.4	Whangateau Harbour. Entrance. Ti Point	36 19.24 174 47.00		Q G	4	2	Green △ Black metal pole 4	Steel pole
Hauraki Gulf / Tīkapa Moana								
3738	Flat Rock (E of Kawau Is) (M)	36 26.75 174 55.50		FI W 7s	13	8	White concrete tower 8	fl 1, ec 6
3738.2	Kawati Point (M)	36 23.51 174 50.35		Iso WR 6s	34	W8 R6	White metal tower 4	AIS AtoN, MMSI 995126025 W (Partially obscured) 080.5°- 083.5° (3°) W 083.5°-096.2° (12.7°) R 096.2°-134.5° (38.3°) W 134.5°-221.7° (87.2°) R 221.7°-241° (19.3°) W 241°-271.9° (30.9°) R 271.9°-295° (23.1°)
3738.3	Maori Rock (M)	36 22.95 174 51.45		FI G 4s	6	2	Green metal pole 6	fl 0.5, ec 3.5 Steel pipe.
3738.4	Pembles Island (Tangaroa)	36 24.32 174 49.33		FI W 5s	12	1	White pole 2	fl 1, ec 4 W (Partially obscured) 142.5°- 244.5° (102°) W 244.5°-142.5° (258°)
3738.5	North Cove W Cardinal	36 24.69 174 49.19		Q(9)W 15s	3	1	Black X Yellow, black and yellow horizontal stripes, pile beacon 2	Column beacon

North Island

Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
3738.6	Martello Rock (Ruakoura) (M)	36 25.88 174 48.45		Fl(3)WR 15s	8	W8 R6	White metal pile beacon 4	<i>fl 0.5, ec 1.5</i> x 2, <i>fl 0.5, ec 10.5</i> W 018.7°-103.7° (85°) R 103.7°-171° (67.3°) W 171°-201° (30°) R 201°-342.3° (141.3°) W 342.3°-349.2° (6.9°) R 349.2°-018.7° (29.5°) Column.
3738.64	Mullet Point	36 26.15 174 46.80		VQ W	3	2	Black Δ Black and yellow horizontal stripes, metal pile beacon 2	
3738.68	Half Tide Rock	36 23.82 174 45.34		VQ(3)W 5s	3	2	Black $\diamond$ Black, yellow and black horizontal stripes, metal pile beacon 2	
3738.7	Matakana River. E entrance point	36 23.82 174 44.55		Fl G 3s	4	2	White pole	
3738.71	Matakana River. W entrance	36 23.89 174 44.51		Fl R 3s	3	2	Red $\square$ Red wooden pile beacon	
3738.73	Matakana River (entrance)	36 23.56 174 44.14		Fl R 2s	3	1	Red $\square$ Red wooden pile beacon 3	
3739	Motuketekete (M)	36 28.19 174 48.69		Fl WR 10s	34	W8 R5	White metal column 3	<i>fl 1, ec 9</i> W (Obscured) 009.5°- 140.3° (130.8°) W 147.7°-191.5° (43.8°) R 191.5°-221.1° (29.6°) W 221.1°-008.8° (147.7°)
3739.5	Te Haupa Island	36 30.87 174 44.83		VQ(6) + LFI W 15s	3	2	Black ∇ Yellow and black horizontal stripes, pile beacon	
3740	Tiritiri Matangi Island. SE part. (M)	36 36.33 174 53.85		Fl W 15s	91	18	White metal tower 20	<i>fl 0.5, ec 14.5</i> Obscured within 4M by North West end of island Round tower.
3741	Whangaparaoa Peninsula Huaroa Point Light (M)	36 35.59 174 50.28		Fl WR 5s	37	W8 R5	White metal column 4	<i>fl 1, ec 4</i> R 091°-133.5° (42.5°) Except where obscured by land W 133.5°-345° (211.5°) Except where obscured by land
3741.5	Gulf Harbour Marina	36 37.51 174 47.17		Fl WR 3s	5	W5 R3	Metal mast 4	<i>fl 0.6, ec 2.4</i> R 025.1°-053° (27.9°) R 302°-326.8° (24.8°) W 326.8°-025.1° (58.3°)
3741.51	Gulf Harbour Marina Outer Ldg Lts 040°. Front	36 37.44 174 47.34		Q W			White Δ Pole	
3741.52	Gulf Harbour Marina Outer Ldg Lts Rear	36 37.42 174 47.37		Fl W 3s			White ∇ Metal pole 5	
3741.6	East Breakwater Head Light	36 37.59 174 47.22		Oc G 5s	3	2	Metal mast 2	<i>ec 2, fl 3</i>
3741.65	West Breakwater Head Light	36 37.55 174 47.19		Oc R 5s	3	2	Metal mast 2	<i>ec 2, fl 3</i>
3741.71	No.1	36 37.65 174 47.14		Q G	3	2	Green Δ Green wooden pile beacon	<i>fl 0.3, ec 0.7</i>
3741.72	No.2	36 37.64 174 47.13		Q R	3	2	Red $\square$ Red wooden pile beacon	<i>fl 0.3, ec 0.7</i>
3741.81	Gulf Harbour Marina Inner Ldg Lts 025°. Front	36 37.11 174 47.41		Q W			Pole	
3741.82	Gulf Harbour Marina Inner Ldg Lts Rear	36 37.11 174 47.41		Q W			Pole	
3741.9	Weiti River Entrance	36 38.91 174 44.23		Q G	4	3	Green wooden pile beacon	<i>fl 0.3, ec 0.7</i>
3741.91	Long Bay Marine Reserve NW Limit Light	36 38.94 174 43.65		Fl(5)Y 20s	5	1	Pole	

North Island								
Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
3741.92	Long Bay Marine Reserve NE Limit Light	36 39.09 174 44.62		Q R	2	1	Red □ Red pole	
3741.93	Long Bay Marine Reserve SW Limit Light	36 41.78 174 45.71		Fl(5)Y 20s	5	1	Pole	
3741.94	Tipau Point Light	36 42.65 174 45.80		Q(2)G 5s	2	1	Green △ Green wooden pile beacon	fl 0.4, ec 0.6, fl 0.4, ec 3.6
3742	The Noises. Maria Island (Ruapuke Island) (M)	36 42.53 175 00.34		Fl(3)WR 15s	39	W7 R4	White metal tower 8	(fl 0.5, ec 1.5) x 2, fl 0.5, ec 10.5 R 058°-231.8° (173.8°) W 231.8°-279.2° (47.4°) R 279.2°-289.5° (10.3°) W 289.5°-058° (128.5°)
3743	Wairau River Entrance Dir Lt 270° 30'.	36 45.85 174 45.95		Dir F WRG	4	1	Column	F G 265.8°-270.2° (4.4°) F W 270.2°-270.7° (0.5°) F R 270.7°-275.2° (4.5°)
3743.2	Rahopara Point	36 45.65 174 46.33		Fl G 5s	3	2	Green △ Green metal pole	
Auckland - Waitematā Harbour								
3744	Rangitoto Beacon	36 46.92 174 49.34		Fl R 12s	21	7	Red and white horizontal stripes, concrete tower	fl 1.5, ec 10.5
3744.05	Rangitoto Wharf	36 48.56 174 51.73		Fl W 5s	4	1	Grey metal pole 4	Steel pole
3744.1	Rangitoto Saltworks	36 47.58 174 49.44		Q(3)R 8s	2	1	Red □ Red pole	(fl 0.5, ec 1) x 2, fl 0.5, ec 4.5
3745	Saint Leonards Approach Dir Lt 216°.	36 47.92 174 47.29		Dir F WRG	23	R21 G21 W21 R17 G17	Metal column	F G 213.5°-214.5° (1°) Al GW 214.5°-215.5° (1°) Alternating green light range 17.0M F W 215.5°-216.5° (1°) Al RW 216.5°-217.5° (1°) Alternating red light range 17.0M F R 217.5°-218.5° (1°)
By day						4		
3746	Rangitoto Channel Ldg Lts 142° 09'. Front	36 49.45 174 50.50		Fl(2)W 4s	10	14	White and red horizontal stripes, concrete pile beacon	fl 0.4, ec 1, fl 0.4, ec 2.2
By day						4		
3746.1	Rangitoto Channel Rear Dir Lt	36 50.64 174 51.65		Dir F WRG	8	W12 R11 G11	Red □ White pile beacon	F G 141°-141.5° (0.5°) F W 141.5°-142.8° (1.3°) F R 142.8°-143.3° (0.5°)
3748	Bean Rock	36 50.00 174 49.87		Fl(3)WR 8s	15	W14 R11	White metal tower	(fl 1, ec 1) x 2, fl 1, ec 3 R 050°-070° (20°) W 070°-086° (16°) R 086°-156° (70°) W 156°-164° (8°) R 164°-244° (80°) W 244°-260° (16°) R 260°-284° (24°) Framework tower. FR on One Tree Hill 4.7M SW bl 5, si 25
Siren 30s								
3756	Orakei Wharf	36 50.62 174 48.94		Oc R 6s	8	3	Tower	ec 2, fl 4
3758	Orakei Yacht Anchorage - Wave Break E Part E End	36 50.67 174 48.88		VQ(4)G 7s	4	2	Pile beacon	(fl 0.3, ec 0.3) x 3, fl 0.3, ec 4.9
3758.2	Wave Break E Part W end	36 50.74 174 48.53		VQ(4)R 7s	4	2	Pile beacon	(fl 0.3, ec 0.3) x 3, fl 0.3, ec 4.9
3758.4	Wave Break W Part E end	36 50.75 174 48.48		VQ(4)G 7s	4	2	Pile beacon	(fl 0.3, ec 0.3) x 3, fl 0.3, ec 4.9
3758.5	Orakei Marina. Mair Light	36 50.90 174 48.45		Iso WR 2s	7	2	White and red horizontal stripes, fibreglass tower 5	
3758.55	Orakei Marina No.1	36 50.91 174 48.40		Fl G	4	2	Green △ Green wooden pile beacon 2	
3758.6	Wave Break West Part West End	36 50.86 174 47.93		VQ(4)R 7s	4	2	Pile beacon	(fl 0.3, ec 0.3) x 3, fl 0.3, ec 4.9
3759	Hobson Point	36 51.05 174 48.25		Fl R 5s	3	2	Red □ Red wooden pile beacon 3	

North Island

Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
Devonport								
3764	Devonport Beach Lts in line 009°. Front	36 50.04 174 47.83	F G				White △ White pole	Marks WEST cables
3764.1	Devonport Beach Rear	36 49.96 174 47.84	F R				White △ White pole	Marks WEST cables, 177m from front
3765	Devonport Beach Lts in line 009°. Front	36 50.05 174 47.94	F G				White △ White pole	Marks EAST cables
3765.1	Devonport Beach Rear	36 49.91 174 47.96	F R				White △ White pole	Marks EAST cables, 275 m from front
3766.5	Bell South Cardinal Mark	36 49.99 174 47.66	VQ(6) + LFI W 10s		3	2	Black ∇ Yellow and black horizontal stripes, pile beacon 2	
3767	Calliope Dock Training Jetty Head	36 49.92 174 47.28	F R		3		Pole	
3768	Calliope S Wharf, SE corner	36 49.93 174 47.18	2 F R(vert)		11		Pole	2 m apart
3768.2	Calliope S Wharf, SW corner	36 49.89 174 46.97	2 F G(vert)		11		Pole	2 m apart
3769		36 49.81 174 46.98	3 F GWR(vert)		6		Flagstaff 3	
3770	Bayswater Wharf Approach Channel. S end	36 49.67 174 46.01	FI R 3s		2		Red □ Red metal pile beacon 6	<i>fl 0.3, ec 2.7</i>
3770.01	Bayswater Marina 1	36 49.67 174 46.05	FI G 3s		5	1	Green △ Green pole	
3770.03	Bayswater Marina 2	36 49.53 174 46.02	FI(2)R 5s		5	1	Red □ Red pole	
3770.05	Bayswater Marina 3	36 49.52 174 46.06	FI(2)G 4s		5	1	Green △ Green pole	
3770.07	Bayswater Marina 4	36 49.45 174 46.03	FI(2)R 4s		5	1	Red □ Red pole	
3770.09	Bayswater Marina 5	36 49.38 174 46.06	FI G 4s		5	1	Green △ Green pole	
3770.11	Bayswater Marina 6	36 49.39 174 46.03	FI(2)R 3s		5	1	Red □ Red pole	
3770.13	Bayswater Marina Entrance	36 49.34 174 46.00	Q G		5	1	Green metal pole	Green top. On breakwater
3770.15	Bayswater Marina Entrance	36 49.36 174 45.99	Q R		5	1	Red metal pole	Red top. On breakwater.
Mechanics Bay								
3771	Mechanics Bay. SAR Centre. Breakwater Head	36 50.76 174 47.34	Oc R 6s		5	3	Wooden pile beacon	<i>ec 2, fl 4</i>
3772	Mechanics Bay. SAR Centre. Breakwater. Elbow	36 50.75 174 47.32	VQ(2+1)G 6s		5	3	Wooden pile beacon	<i>fl 0.3, ec 0.4, fl 0.3, ec 1.2, fl 0.3, ec 3.5</i>
3773	Compass Dolphin (Remains)	36 50.62 174 47.51	FI(2)W 4s		5	3	Black ● Black, red and black horizontal stripes, wooden pile beacon	
3774	Commercial Harbour, Fergusson Wharf, Northern Dolphin	36 50.39 174 46.98	3 F YR(vert)		5	2	Metal pole	R YR 197°-343° (146°) LED
3797.1	OVH06	36 50.45 174 45.84	F G		5	1	Green △ Green metal, painted pole 3	G (Obscured) 054°- 164° (110°) G 164°-054° (250°)
3797.2	OVH07	36 50.39 174 45.77	F R		5		Grey pole 3	Pole also supports a 5 knot speed sign
3797.3	OVH05	36 50.45 174 45.74	F R		2	1	Red painted, metal pole 1	Black pile
3797.4	Viaduct Harbour. W breakwater	36 50.42 174 45.72	F G		5		Pole	
3797.6	WW01	36 50.36 174 45.53	F G		5	3	Green △ Green painted, metal pole 3	

North Island								
Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
3797.7	WW02	36 50.34 174 45.58	F R		5	3	Red □ Red metal, painted pole 3	
3798	Ldg Lts 229° 45'. Front	36 50.44 174 45.44	F Bu		8	2	Yellow △, on building	LED
3798.1	Ldg Lts Rear	36 50.46 174 45.41	F Bu		13	2	Yellow □, on building	LED
Westhaven Boat Harbour								
3800	Westhaven Boat Harbour E Entrance. E Side	36 50.20 174 45.45	Oc R 6s		3	5	Red □ Red pole	
3818	Westhaven Boat Harbour E Entrance. W Side	36 50.17 174 45.24	Fl G 5s		3	5	White concrete column	fl 0.7, ec 4.3 5FW lights on bulk cement jetty 0.2M S
3818.5	S-TP01	36 50.26 174 45.29	Fl R 5s		7	1	Red □ Red metal, painted pole 7	fl 0.5, ec 4.5 On top of seawardmost monopile structure
3819	Westhaven Boat Harbour off mole end	36 50.27 174 45.17	Oc G 6s		3	6	Green △ Wooden pile beacon	ec 2, fl 4
3829	Harbour Bridge	36 49.77 174 44.79	4 F YGR(vert)		49		Pole	One set on E and one set on W sides of centre of bridge. Aero Q R on highest point of centre of bridge, and 5 F R along top of bridge On highest point of centre of bridge bl 2, si 6 120 m SSW
				Aero Q R				
				Horn 8s				
3831	Point Chevalier Reef Light	36 49.86 174 42.34	Q(3)R 6s				Red □ Red pole	
3832	Kauri Pt Armament Depot Light	36 49.43 174 41.84	F G		3	2	White tower 3	On metal pile
Upper Waitematā Harbour								
3833	Whau River No.1	36 50.00 174 41.96	Q G		3	2	Green △ Green wooden pile beacon 3	
3834	No.2	36 50.42 174 41.46	Q R		5	3	Red □ Red wooden pile beacon	
3834.5	No.4	36 50.83 174 40.57	Q R		3	2	Red □ Red wooden pile beacon 3	
3835	No.5	36 50.71 174 41.21	Q G 1.2s		3	2	Green △ White and black horizontal stripes, wooden pile beacon 3	fl 0.3, ec 0.9
3835.5	No.7	36 50.74 174 41.15	Q G		3	2	Green △ Green wooden pile beacon 3	
3836	No.9	36 50.94 174 39.99	Oc G		5	3	Green △ Green wooden pile beacon	
3837.1	Whau River No.6. Pollen Island Marine Reserve NW Limit	36 51.09 174 39.82	Q R		2	1	Red □ Red pole	
3837.2	Pollen Island Marine Reserve NE Limit	36 51.10 174 40.28	Fl(5)Y 20s		2	1	Yellow pole	
3837.3	Pollen Island Marine Reserve SE Limit	36 51.70 174 40.91	Fl(5)Y 20s		2	1	Yellow pole	
3838	No.2	36 48.97 174 41.08	F R		2	3	Red □ Red wooden pole	
3838.02	No.1	36 48.90 174 40.68	Q G		3	2	Green △ Green wooden pile beacon 3	
3838.04	No.3	36 48.85 174 40.25	Q G		3	2	Green △ Green wooden pile beacon 3	
3838.06	No.4	36 49.01 174 40.68	Q R		3	2	Red □ Red wooden pile beacon 3	
3838.08	No.5	36 48.71 174 39.93	Q G		3		Green △ Green wooden pile beacon 3	

North Island

Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
3838.1	No.6	36 48.96 174 40.20	F R		2	2	Red □ Red wooden pile beacon	
3838.12	No.7	36 48.56 174 39.68	Q G		3	2	Green △ Green wooden pile beacon 3	
3838.14	No.8	36 48.77 174 39.87	Q R		3	2	Red □ Red wooden pile beacon 3	
3838.15	No.9	36 48.45 174 39.50	F G		2	2	Green △ Green wooden pile beacon	
3838.18	No.10	36 48.60 174 39.64	Q R		3	2	Red □ Red wooden pile beacon 3	
3838.2	No.12	36 48.49 174 39.49	F R		2	2	Red □ Red wooden pile beacon	
3838.3	No.11	36 48.42 174 39.24	F G		2	2	Green △ Green wooden pile beacon	
3838.31	No.13	36 48.42 174 39.15	Q G		3	2	Green △ Green wooden pile beacon 3	
3838.35	No.14A	36 48.46 174 39.14	FI R 3s		2	2	Red □ Red wooden pile beacon	
3838.4	No.15	36 48.45 174 39.05	F G		2	2	Green △ Green wooden pile beacon	
3838.5	No.16	36 48.48 174 39.07	Q R		3	2	Red □ Red wooden pile beacon 3	
3839	No.17	36 48.54 174 38.96	F G		3	2	Green △ Green pole	
3840	No.18	36 48.54 174 38.98	F R		3	2	Red □ Red pole	
3841.8		36 47.44 174 40.55	Iso R 4s		3	2	Red □ Black pile beacon 3	fl 2, ec 2
3842	Ranger Rock	36 47.41 174 40.62	Q(3)W 10s		4	5	Black ⬮ Black, yellow and black horizontal stripes, pole	Marks position of rock off Birkdale Wharf and outer end of power cable
3842.2	Beach Haven Wharf	36 47.41 174 40.69	F W				Pole	
3843	Greenhithe Bridge	36 47.07 174 40.16	F R				Red □ Red pole	
3843.2		36 47.07 174 40.21	F G				Green △ Green pole	
3844	National Broadcast Station	36 50.66 174 37.86	Aero F R		121	21	Mast	
3844	National Broadcast Station	36 50.94 174 37.78	Aero F R		152	21	Mast	
3845	Motuihe Island Wharf. Head (M)	36 48.38 174 56.09	Q W		6		Grey metal mast 3	
3845.1	North Reef	36 47.74 174 56.25	FI R 3s		5	1	Red □ Red pile beacon	fl 0.5, ec 2.5
3845.2	Motuihe Island East Cardinal	36 48.53 174 57.68	Q(3)W 5s		4	1	Black ⬮ Black, yellow and black horizontal stripes, wooden pile beacon	
3845.25	Motutapu Island	36 47.77 174 54.95	VQ(6) + LFI W 15s		5	2	Black ⬮ Yellow and black horizontal stripes, lattice beacon	
3845.3	Motutapu Island. E Point (M)	36 44.42 174 56.08	FI G 2s		7	1	White column 2	fl 0.5, ec 1.5
Waiheke Island								
3845.4	Matiatia Bay Approach Directional Light Dir Lt 077° 10'.	36 46.80 174 59.55	Dir Oc WRG 6s		20	3	White metal pole	ec 2, fl 4 Oc G 074.6°-076.6° (2°) Oc W 076.6°-077.7° (1.1°) Oc R 077.7°-079.7° (2°)

North Island								
Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
3846	Putiki Bay. Kennedy Point (M)	36 48.78 175 01.29		Fl WR 10s	25	W7 R5	White metal column 3	<i>fl 1, ec 9</i> R 076.8°-102.5° (25.7°) Obscured by Park Point beyond 93° R 226°-301.5° (75.5°) W 301.5°-076.8° (135.3°)
3846.05		36 48.62 175 01.61		Fl R 4s	4	2		
3846.1		36 48.41 175 02.54		Fl R 3s	4	2	Red □ Red wooden pile beacon 3	
3846.5	Musick Point	36 50.57 174 54.04		Oc R 6s	7	3	Red □ Red metal pile beacon	
3847	Browns Island (Motukorea)	36 49.44 174 53.93		Q W	6	4	Black ⚓ Black and yellow horizontal stripes, metal pole 6	
3847.5	Iliomama Rock	36 48.50 174 53.19		Q WR	2	W5 R3	Black and white horizontal stripes, metal pile beacon	R 062°-249.5° (187.5°) W 249.5°-062° (172.5°) Ra refl
3847.8	Motukorea Channel	36 49.91 174 52.04		LFI W 10s	4	2	Red O Red and white vertical stripes, wooden pile beacon	<i>fl 2, ec 8</i>
3848	West Tāmaki Head	36 50.53 174 52.62		Mo(N)WR 6.5s	5	W7 R5	Red and white horizontal stripes, pile beacon	<i>fl 1, ec 0.5, fl 0.3, ec 4.7</i> W 103.7°-323.7° (220°) R 323.7°-103.7° (140°)
3848.5	E Tamaki Head.	36 50.70 174 53.67		Q R	4	2	Red □ Red wooden pile beacon	
3848.6		36 50.62 174 53.75		Q G	4	2	Green △ Green wooden pile beacon 4	
3848.7		36 51.05 174 53.01		Fl G 3s	3	2	Green △ Green pole 3	
3848.8		36 51.01 174 53.63		Fl R 3s	3	2	Red □ Red pole 3	
Tāmaki River								
3849	No. 3	36 52.10 174 54.02		Oc G 6s	3	3	Green △ Green wooden pile beacon	<i>ec 2, fl 4</i>
3849.05	No. 2	36 51.42 174 53.60		Q R	2	2	Red □ Red pile beacon	
3849.1	No. 1A	36 51.77 174 53.75		Fl G 2s	3	2	Green △ Green pole 3	
3849.2	Half Moon Bay Marina. E Breakwater Head	36 52.69 174 53.98		Fl(2)R 6s	3		Pole	
3849.25	Half Moon Bay Marina. W Breakwater Head	36 52.71 174 53.96		F G			Pole	
3849.3	Bucklands Beach Yacht Club Marina. E Breakwater. Head	36 52.72 174 53.89		Oc R 6s	3	5	Pole	<i>ec 2, fl 4</i>
3849.5	No. 11	36 52.73 174 53.47		Q G	3	3	Green △ Green wooden pile beacon	<i>fl 0.3, ec 0.7</i>
3849.55	No. 4	36 52.85 174 52.99		Q R	3	3	Red □ Red wooden pile beacon	<i>fl 0.3, ec 0.7</i>
3849.6	No. 13	36 52.95 174 52.52		Fl G 3s	4	2	Green △ Green pole	
3849.62	No. 15	36 53.75 174 52.53		Q G	4	2	Green △ Green pole	
3849.65	No. 12	36 54.16 174 52.44		Q R	5	1	Red □ Red pole	
3849.67	No. 16	36 54.32 174 51.80		Fl R 2s	5	1	Red □ Red pole	
3849.7	Panmure Bridge. NW Pier	36 54.48 174 51.49		2 F G(vert)			Pole	On Pier at bridge level
3849.72	Panmure Bridge. SE Pier	36 54.50 174 51.51		2 F R(vert)			Pole	On Pier at bridge level

North Island

Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
3849.75	No. 24	36 54.93 174 51.45		FI R 2s	5		Red □ Red pole	
3849.8	Pakuranga Bridge. W Pier	36 54.70 174 51.41		F G			Pole	
3849.82	Pakuranga Bridge. E Pier	36 54.71 174 51.46		F R			Pole	
3849.84	Pakuranga Bridge. Centre	36 54.71 174 51.43		1 F RG(vert)			Pole	Centre of bridge span. FG over FR
3849.98		36 53.59 174 57.52		FI G 5s	4	2	Green △ Green wooden pile beacon	
Tāmaki Strait								
3850.2	Dennis Rock	36 52.43 174 58.39		Q(9)W 15s	5	2	Black X Yellow, black and yellow horizontal stripes, pile beacon 4	
3850.5	Maraetai Boat Ramp N Breakwater. Head	36 52.61 175 02.50		Q G	2	3	Green metal pole	
3850.55	Maraetai Boat Ramp S Breakwater. Head	36 52.62 175 02.49		Q R	2	3	Red metal pole	
Waiheke Channel								
3850.6	Passage Rock (M)	36 51.42 175 07.85		FI(2)W 10s	14	8	White metal tower 1	<i>fl 0.5, ec 1, fl 0.5, ec 8</i>
3850.8	Spray Rock	36 45.40 175 08.06		FI(2)W 5s	4	2	Black ● Black, red and black horizontal stripes, pole 4	<i>fl 0.5, ec 1, fl 0.5, ec 3</i>
3851.5	Ruthe Passage	36 49.40 175 11.99		FI W 5s	57	7	Grey metal mast	<i>fl 1, ec 4</i>
3851.6		36 49.70 175 12.08		Q R	8	3	Red □ Red pile beacon	
Firth of Thames								
3852	Sandspit Passage Sandspit E end. (M)	36 54.02 175 10.96		FI WR 2s	6	W7 R4	White metal column 5	<i>fl 0.5, ec 1.5</i> W 091.3°-124° (32.7°) R 124°-139° (15°) R (Obscured) 139°- 277° (138°) R 277°-287.8° (10.8°) W 287.8°-303.3° (15.5°) R 303.3°-000° (56.7°) Column on wooden piles.
3852.3	Kawakawa Bay Breakwater	36 56.21 175 10.64		FI W 5s	2	4	Wooden pole	
3853	Wharekawa Quarry. N end of channel	37 03.64 175 18.01		Q G	6	3	Pole 3	Post on concrete pier
3854	Wharekawa Quarry. S end of channel	37 03.71 175 17.96		Q R	8	3	Pole 4	On shipwreck
3855	Kaiaua Boat Ramp	37 06.65 175 18.13		F W	3	2	Grey metal pole 3	
3856	Piako River Outer entrance	37 10.13 175 29.69		FI WR 3s	3	W5 R3	Red pile beacon	<i>fl 0.3, ec 2.7</i> R 002.8°-138.4° (135.6°) W 138.4°-153.8° (15.4°) R 153.8°-346.6° (192.8°) W 346.6°-002.8° (16.2°)
Thames								
3860	Sewer Outfall - outer end	37 08.27 175 31.39		FI R 15s	4	3	White beacon 4	F R on war memorial 1 M ENE Square structure on piles
3861	Kaueranga Channel. N side	37 08.39 175 31.80		FI R 5s			Red pile beacon	Channel liable to change
3862	Kaueranga Channel. N side No.6	37 08.71 175 32.00		Q R	4	3	Red beacon	
3864	Kaueranga Channel. E side No.8	37 08.75 175 32.20		Q R	4	3	Red beacon	
3866	Shortland Wharf. Head Ldg Lts 079° 45'. Front	37 08.75 175 32.61		F R	6	3	White mast vertical stripes △ 4	Neon □
3866.1	Shortland Wharf. Head Ldg Lts Rear	37 08.75 175 32.61		F G	8	3	White mast vertical stripes ▽ 7	Neon □
3868	Waihou River Outer channel. N side	37 09.18 175 30.74		FI R 5s	5	3	Red pile beacon	<i>fl 0.6, ec 4.4</i>

North Island								
Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
3878	Cow Islet. Summit (M)	36 48.32 175 24.11		LFI W 8s	33	9	Concrete tower 3	<i>fl 2, ec 6</i> Square.
3879	Te Kouma. Head. S end (M)	36 49.46 175 25.41		FI(2)W 10s	39	5	Metal pile beacon 4	<i>fl 0.5, ec 2, fl 0.5, ec 7</i> Column.
3879.5	Sugarloaf Ramp Point	36 48.25 175 28.36		FI W 20s	12	3	Metal pole 7	
3879.7	Te Kouma Boat Ramp	36 48.27 175 28.40		F Y	4	1	Wooden pile beacon 4	
3879.8	Whangarahi Stream	36 46.00 175 29.00		FI(3)G 20s	8	2	Green △ Green metal pole 8	
3880	Coromandel. Wharf Head	36 45.78 175 28.97		F R	8	2	Metal pole 6	
3880.5	Little Passage	36 46.20 175 27.39		FI(3)G 10s	8	2	Green △ Green metal pole 8	
3881	Jetty	36 48.59 175 28.08		Q(4)W 10s	8	1	Metal pole 6	Occas
3882	Channel Island (M)	36 25.30 175 19.89		FI(2)W 12s	79	9	White metal tower 4	<i>fl 1, ec 2, fl 1, ec 8</i> AIS AtoN, MMSI 995126024
3886	Cuvier Island (Repanga Island) E end (M)	36 26.39 175 47.17		FI W 15s	119	19	White metal tower 15	<i>fl 0.1, ec 14.9</i> W (Obscured) 086°- 129° (43°) Obscured within 8 M. Obscured off Cape Colville when bearing more than 089°. W 129°-086° (317°)
	Reserve light					10		
3888	Port Charles (M)	36 30.70 175 29.47		FI(4)W 20s	155	9	Metal column 4	<i>(fl 0.5, ec 1.5) x 3, fl 0.5, ec 13.5</i>
3890	Old Man Rock (M)	36 42.60 175 50.80		FI W 2s	64	8	Concrete column	<i>fl 0.5, ec 1.5</i> Pedestal
3892	Ohinau Island. Summit (M)	36 43.63 175 52.63		FI W 5s	105	9	White metal tower 4	<i>fl 1, ec 4</i> Aluminium
Mercury Bay								
3893	Whitianga Entrance Whakapenui Point	36 49.61 175 42.84		FI W 3s	30	7	White mast 5	<i>fl 0.3, ec 2.7</i> W (Partially obscured) 060°- 301.4° (241.4°) partially obscured by Motukorure Island.
3894	Tairua Harbour - Royal Billy Point Jetty	37 00.34 175 51.68		F R	8		Beacon	On pontoon
3896	Slipper Island (Whakahau)	37 02.90 175 57.21		FI(2)W 15s	103	9	White metal tower 4	<i>fl 1, ec 2, fl 1, ec 11</i> W (Obscured) 041°- 044° (3°) W 044°-056° (12°) W (Obscured) 056°- 092° (36°) W 092°-125° (33°) W (Obscured) 125°- 148.5° (23.5°) W 148.5°-041° (252.5°)
Whangamatā Harbour								
3897	Whangamata Harbour Entrance Ldg Lts 288° 17'. Front	37 12.18 175 52.67		F R	10	4	Grey concrete pole	Neon □
3897.1	Whangamata Harbour Entrance Leading Lights. Rear	37 12.18 175 52.66		F R	12	4	Grey concrete pole	Neon □
3897.2	Whangamata Harbour Outer	37 12.25 175 52.98		Q G	3	2	Green △ Green beacon	
3897.3	Whangamata Harbour Inner	37 12.12 175 52.84		Q G	3	1	Green △ Green beacon	
3897.4	Whangamata Harbour Wharf. Head	37 11.98 175 52.72		3 F RW	5		Beacon	Vertically disposed lights

North Island

Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
3898	Mayor Island (Tuhua)	37 18.59 176 15.49		Fl(3)WR 15s	30	W7 R4	White metal column 4	(fl 0.5, ec 1) x 2, fl 0.5, ec 11.5 W 236°-248.5° (12.5°) R 248.5°-274.5° (26°) W 274.5°-094.5° (180°)
Tauranga Harbour								
3898.197	BTN	37 27.42 175 58.38		Fl(2+1)R 3s			Red, green and red horizontal stripes, pile beacon	
3898.198	BT6	37 27.59 175 58.46		Q R 3s			Red pile beacon	fl 0.3, ec 2.7
3898.199	BT2	37 27.84 175 58.52		Q R 3s			Red pile beacon	fl 0.3, ec 2.7
3898.2	Bowentown Beacon	37 28.34 175 58.72		Q(3)W 10s	3	5	Black $\diamond$ Black, yellow and black horizontal stripes, pile beacon 3	
3898.217	MW1	37 29.70 175 58.42		Fl G 3s	4	2	Green metal pile beacon 4	fl 0.3, ec 2.7 Steel beacon
3898.218	MW.	37 29.67 175 58.40		Fl(2+1)G 3s	3	3	Green $\triangle$ Green, red and green horizontal stripes, pile beacon 3	
3898.231	BK	37 27.93 175 58.56		Fl(2+1)G 6s	2	1	Green $\triangle$ Green, red and green horizontal stripes, pile beacon 2	
3898.232	BK2	37 28.00 175 58.52		Fl R 3s	3		Red $\square$ Red pole 3	fl 0.3, ec 2.7
3898.234	BK4	37 27.92 175 58.40		Fl R 3s			Red $\square$ Red pile beacon	fl 0.3, ec 2.7
3898.236	BK8	37 27.88 175 58.05		Fl R 3s			Red $\square$ Red pile beacon	fl 0.3, ec 2.7
3898.237	BK10	37 28.06 175 57.82		Fl R 3s			Red $\square$ Red pile beacon	fl 0.3, ec 2.7
3898.238	BK12	37 28.24 175 57.72		Fl R 3s			Red $\square$ Red pile beacon	fl 0.3, ec 2.7
3898.239	BK14	37 28.43 175 57.62		Fl R 3s			Red $\square$ Red pile beacon	fl 0.3, ec 2.7
3898.24	TP	37 28.49 175 57.48		Fl(2+1)G 6s	2	1	Green $\triangle$ Green, red and green horizontal stripes, pile beacon 2	
3898.241	BK16	37 28.74 175 57.44		Fl R 3s			Red $\square$ Red pile beacon	fl 0.3, ec 2.7
3898.243	BK20	37 29.02 175 57.37		Fl R 3s			Red $\square$ Red pile beacon	fl 0.3, ec 2.7
3898.245	BK24	37 29.31 175 57.60		Fl R 3s			Red $\square$ Red pile beacon	fl 0.3, ec 2.7
3898.247	BK28	37 29.57 175 57.87		Fl R 3s			Red $\square$ Red pile beacon	fl 0.3, ec 2.7
3898.248	BK35	37 29.72 175 58.25		Q G 3s			Green pile beacon	fl 0.3, ec 2.7
3898.25	TP2	37 28.55 175 57.14		Fl R 3s	2	1	Red $\square$ Red pile beacon 2	
3898.251	TP4	37 28.65 175 56.94		Fl R 3s	2	1	Red $\square$ Red pile beacon	
3898.5	MW RGR	37 31.44 175 58.96		Fl(2+1)G 3s			Green $\triangle$ Green, red and green horizontal stripes, pile beacon	
3898.6	Uretara Beacon	37 32.25 175 57.40		Q W			Black $\triangle$ Black and yellow horizontal stripes, pile beacon	

North Island								
Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
3899	The Mount	37 37.65 176 10.38		Fl W 15s	80	21	White beacon concrete 1	W 132°-311.5° (179.5°) Square structure
3899.05	'A' Beacon	37 36.07 176 10.71		VQ(3)W 5s	14	6	Black  Black, yellow and black horizontal stripes, pile beacon	Ra refl AIS AtoN, MMSI 995126086
3899.1	North Rock	37 37.41 176 10.50		Fl WR 3s	11	W3 R2	Red metal column 5	<i>fl 0.3, ec 2.7</i> W 003°-273° (270°) R 273°-003° (90°) Concrete base
3899.2	North West Rock	37 37.75 176 09.99		Fl W 2s	7	5	Metal column	<i>fl 0.3, ec 1.7</i>
3899.4	No.1 Reach. and Cutter Channel. Outbound. Ldg Lts Front	37 38.06 176 09.46		F G	14		White  , black vertical stripes Beacon 13	Neon 
	Dir Lt 297° 15'.			Dir Al WRG	15			F G (Intensified) 291.5°-292° (0.5°) Al WG (Intensified) 292°-297° (5°) Alternating white phase increasing with bearing. F W (Intensified) 297°-297.5° (0.5°) Al WR (Intensified) 297.5°- 302.5° (5°) Alternating red phase increasing with bearing. Intens by day on request to Port of Tauranga. F R (Intensified) 302.5°- 304.5° (2°) R (Intensified) 304.5°-306.5° (2°) Intens by day on request to Port of Tauranga
				Iso R 3s	15			
3899.41	No.1 Reach. Rear	37 38.15 176 09.40		F G	17		White  , black vertical stripes Beacon	Neon  . 178m from front
	Dir Lt 209°.			Dir F WRG	12	6		Al WG 207.25°-208.13° (0.88°) Alternating green light range 4.0M F W 208.13°-209.88° (1.75°) DIRECTIONAL LIGHT. The directional approach light is operated on request. Vessels are to contact Port of Tauranga. Al WR 209.88°-210.75° (0.87°) Alternating red light range 4.0M Occas
3899.5	No.1 Reach Dredged Channel. Eastern boundary limit - Lts in Line Front	37 38.05 176 09.43		F R	8		White  , black vertical stripes Beacon	Neon 
3899.51	No.1 Reach Dredged Channel. Rear	37 38.11 176 09.37		F R	14		White  , black vertical stripes Beacon	Neon  136m from front
3899.7	No.2 Reach. Ldg Lts 180° 10'. Front	37 38.87 176 09.82		Iso G 2s	11	6	White  White concrete pile beacon	
	Dir Lt 180°.			Dir Q WRG	4	8		Q G 177.5°-179.7° (2.2°) Q W 179.7°-180.2° (0.5°) Q R 180.2°-187.5° (7.3°)
3899.8	No.2 Reach. Rear Dir Lt	37 39.27 176 09.81		Dir F WRG	5		Orange  Metal, concrete pile beacon 15	F G 175.5°-176.5° (1°) Q G 176.5°-178.5° (2°) F G 178.5°-179.5° (1°) F W 179.5°-180.5° (1°) F R 180.5°-181.5° (1°) Q R 181.5°-183.5° (2°) F R 183.5°-185.5° (2°) Tripod
3900	No.4, Stony Point	37 38.21 176 10.12		Q(2)R 3s	6	4	Red  Red pile beacon	<i>fl 0.3, ec 0.7, fl 0.3, ec 1.7</i>

North Island

Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
3900.4	P1	37 38.27 176 10.22		VQ(9)W 10s			Black X Yellow, black and yellow horizontal stripes, pile beacon	
3902	P3	37 38.24 176 10.37		FI G 3s			Green △ Green pile beacon	
3902.4	P5	37 38.31 176 10.58		Q G			Green △ Green pile beacon	
3903	P7	37 38.43 176 10.68		Q(6) + LFI W 15s			Black ∇ Yellow and black horizontal stripes, pile beacon	
3904	Salisbury Avenue Jetty. Head	37 38.43 176 10.86		F W F W F R	9 9 8	 2 2	Mast	W (Obscured) 133°- 358° (225°) W 358°-133° (135°) white vertically disposed R 358°-133° (135°) red vertically disposed
3904.1	Tug Berth. North Jetty. Head	37 38.46 176 10.86		2 F Y(vert)			Beacon	
3904.29	Cutter Channel	37 38.66 176 10.94		F W	35		Orange and white stripes (direction unknown), tower □ 35	Neon □
3904.3	Cutter Channel. Old rear lead	37 38.70 176 11.06		F G	39		Tower ∇ 39	Neon ∇ lattice tower
3904.34	No.6	37 38.36 176 10.42		Iso R 2s			Red □ Red pile beacon	
3904.5	Mount Maunganui Wharf. North End	37 38.48 176 10.88		2 F G(vert)	7	5	Beacon	
3904.8	No.11	37 38.79 176 10.70		Iso G 2s			Green △ Green pile beacon	
3905	No.13	37 38.91 176 10.75		Iso G 2s			Green △ Green pile beacon	
3905.1	Mount Maunganui Wharf. RoRo Berth	37 38.97 176 10.97		2 F R(vert)			Beacon	
3905.2	No.15	37 39.04 176 10.74		Iso G 2s			Green △ Green pile beacon	
3905.3	No.17	37 39.31 176 10.60		Iso G 2s			Green △ Green pile beacon	
3907	Mount Maunganui Wharf. South End	37 39.58 176 10.87		2 F Y(vert)	10	2	Column	Y 008°-188° (180°) Height of the second light is 8 m
3908.1	No.8	37 39.75 176 10.84		Iso R 2s			Red □ Red pile beacon	
3908.4	Town Reach	37 39.96 176 10.59		FI Y 5s			Yellow X Yellow pile beacon	
3909	Sulphur Point Wharf. North End	37 39.47 176 10.53		2 F R(vert)			Beacon	
3909.1	Sulphur Point Wharf. South End	37 39.90 176 10.47		3 F GWR(vert)			Beacon	
3911	Tanker Berth. North End	37 39.81 176 10.83		2 F WY(vert)			Beacon	
3911.1	Tanker Berth. South End	37 39.94 176 10.80		2 F WG(vert)			Beacon	
3913	No.10	37 40.13 176 10.60		Q R			Red □ Red pile beacon	
3913.5	No.12	37 40.26 176 10.54		Q R			Red □ Red pile beacon	
3914	Tauranga Bridge Marina, North Breakwater Head	37 40.25 176 10.57		2 F R(vert)	4	2	Pole	
3915	Tauranga Bridge Marina, South Breakwater Head	37 40.25 176 10.60		Q G	3	2	Pole	
3919	Hunters Creek	37 38.44 176 08.07		FI(2+1)G 6s	7	5	Green △ Green, red and green horizontal stripes, concrete pile beacon	fl 0.3, ec 0.7, fl 0.3, ec 1.7, fl 0.3, ec 2.7
3919.01	HC1	37 38.44 176 08.18		FI G 3s	2	1	Green pile beacon 2	

North Island								
Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
3919.02	HC2	37 38.33 176 07.89		FI R 3s	2	1	Red pile beacon 2	
3919.03	HC3	37 38.34 176 08.07		FI G 3s	2	1	Green pile beacon 2	
3919.035	HC3A	37 38.32 176 07.95		FI G 3s	2	1	Green △ Green pile beacon 2	
3919.04	HC5	37 38.21 176 07.82		FI G 3s	2	1	Green △ Green pile beacon 2	
3919.05	HC7	37 38.14 176 07.72		FI G 3s	2	1	Green pile beacon 2	
3919.2	WC10	37 38.67 176 08.24		Q R			Red pile beacon	<i>fl 0.3, ec 0.7</i>
3919.3	WC12	37 38.70 176 07.62		Q R			Red pile beacon	<i>fl 0.3, ec 0.7</i>
3919.303	WC14	37 38.84 176 06.90		Q R	3	2	Red □ Red pile beacon 3	
3919.305	WC16	37 38.89 176 06.37		FI R 3s	2	1	Red □ Red pile beacon 2	<i>fl 0.3, ec 2.7</i>
3919.306	WC18	37 38.98 176 05.93		FI R 3s	2	2	Red □ Red pile beacon 2	<i>fl 0.3, ec 2.7</i>
3919.307	WC18B	37 39.14 176 05.57		FI R 3s	2	2	Red □ Red pile beacon 2	<i>fl 1, ec 2</i>
3919.308	WC18(C)	37 39.28 176 05.17		FI R 3s	2	2	Red pile beacon	
3919.31	WC11	37 39.09 176 05.08		FI G 3s	2	2	Green △ Green pile beacon	
3919.311	WC13	37 39.14 176 04.63		Q G	2	2	Green △ Green pile beacon	
3919.312	WC15	37 39.18 176 04.21		FI G 3s	2	2	Green △ Green pile beacon	
3919.313	WC15(B)	37 39.12 176 03.89		Q G	2	2	Green △ Green pile beacon	
3919.314	WC17	37 39.10 176 03.29		FI G 3s	2	2	Green pile beacon	
3919.315	WC21	37 38.97 176 03.15		FI G 3s	2	2	Green △ Green pile beacon	
3919.316	WC20	37 39.28 176 03.58		FI R 3s			Red □ Red pile beacon	<i>fl 0.3, ec 2.7</i>
3919.318	WC23	37 38.78 176 03.07		Q G	2	2	Green △ Green pile beacon	
3919.32	WC22	37 37.71 176 03.83		FI R 3s		1	Red □ Red pile beacon	<i>fl 0.3, ec 2.7</i>
3919.321	WC24	37 37.56 176 03.66		FI R 3s	2	1	Red □ Red pile beacon 2	<i>fl 0.3, ec 2.7</i>
3919.322	Omokoroa 'OP'	37 38.00 176 03.32		FI G 3s	2	1	Green pile beacon	
3919.323	WC25	37 38.41 176 03.13		Q G			Green △ Green pile beacon	
3919.325	Rangiwaia 'A'	37 38.40 176 06.23		FI(2+1)R 10s		2	Red □ Red, green and red horizontal stripes, pile beacon	
3919.327	Rangiwaia 'B'	37 38.26 176 06.04		FI R 3s	2	1	Red □ Red pile beacon 2	<i>fl 0.3, ec 2.7</i>
3919.333	TE3	37 39.34 176 03.45		FI G 3s	2	1	Green pile beacon	
3919.338	TE15	37 39.47 176 02.93		FI G 3s	2	1	Green pile beacon	
3919.36	Motuhua	37 37.92 176 04.46		FI G 3s	2	1	Green △ Green pile beacon	
3919.38	OP20	37 37.41 176 04.40		FI R 3s			Red pile beacon 2	<i>fl 0.3, ec 2.7</i>

North Island

Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
3919.4	Western 'A'	37 38.23 176 05.99		Q R			Red pile beacon	<i>fl 0.3, ec 0.7</i>
3919.41	Western A2	37 38.12 176 05.51		Q R 3s	2	2	Red □ Red pile beacon 2	<i>fl 0.3, ec 2.7</i>
3919.5	Western 'B'	37 37.86 176 05.25		Fl(2+1)G 6s			Green △ Green, red and green horizontal stripes, pile beacon	
3919.6	Western 'C'	37 37.99 176 04.85		Q G			Green △ Green pile beacon	
3919.7	Western 'G'	37 39.14 176 03.40		Fl(2+1)G 6s			Green △ Green, red and green horizontal stripes, pile beacon	
3919.8	Omokoroa 'D'	37 37.50 176 03.38		Q R			Red □ Red pile beacon	
3919.85	Western 'E'	37 37.27 176 03.18		Fl R 3s	2.5	1	Red □ Red pile beacon	
3919.9	Western F	37 36.85 176 02.89		Q G			Green △ Green pile beacon	
3920.2	Otumoetai 'A'	37 39.38 176 10.13		Q G			Green △ Green pile beacon	<i>fl 0.3, ec 0.7</i> G (Obscured) 118°- 249.5° (131.5°) G 249.5°-118° (228.5°)
3920.21	Marina Fuel Jetty	37 39.57 176 09.94		3 F R(vert)	5	2	Beacon	1 metre apart
3920.22	Marina North Breakwater Head	37 39.54 176 09.92		Fl W 1.5s	1		Beacon	<i>fl 0.3, ec 1.2</i> On platform
3920.3	Martha Beacon Waikareao Estuary	37 39.54 176 09.83		Q R			Red □ Red pile beacon	<i>fl 0.3, ec 0.7</i>
3920.35	Otumoetai 'C'	37 39.56 176 09.80		Fl(2+1)R 6s			Red □ Red, green and red horizontal stripes, pile beacon	<i>fl 0.3, ec 0.7, fl 0.3, ec 1.7, fl 0.3, ec 2.7</i>
3920.351	Waikareao Estuary. WK1	37 39.73 176 09.84		Q G	2	1	Green pile beacon 2	
3920.352	WK2	37 39.83 176 09.91		Fl R 3s	2	1	Red □ Red pole 2	<i>fl 0.3, ec 2.7</i>
3920.353	WK3	37 39.85 176 09.88		Fl G 3s	2	1	Green pile beacon 2	<i>fl 0.3, ec 2.7</i>
3920.354	WK4	37 39.97 176 09.96		Fl R 3s	2	1	Red pile beacon 2	<i>fl 0.3, ec 2.7</i>
3920.355	WK5	37 39.96 176 09.91		Fl G 3s	2	1	Green pile beacon 2	<i>fl 0.3, ec 2.7</i>
3920.356	WK7	37 40.05 176 09.90		Fl G 3s	2	1	Green pile beacon 2	<i>fl 0.3, ec 2.7</i>
3920.357	WK9	37 40.17 176 09.89		Fl G 3s	2	1	Green △ Green pile beacon 2	<i>fl 0.3, ec 2.7</i>
3920.4	Otumoetai Channel. Otumoetai 'B'	37 39.31 176 09.48		Q G			Green △ Green pile beacon	G (Obscured) 111°- 260° (149°) G 260°-111° (211°)
3920.5	Otumoetai 'D'	37 39.22 176 09.05		Q G	3	2	Green △ Green pile beacon	
3920.6	Otumoetai West Cardinal	37 39.07 176 08.81		Q(9)W 15s	3	2	Black X Yellow, black and yellow horizontal stripes, pile beacon 4	<i>(fl 0.3, ec 0.7) x 8, fl 0.3, ec 6.7</i>
Bay of Plenty Region								
3922	Mōtītī Island	37 36.43 176 25.13		Fl(2)W 10s	63	8	White metal column 4	<i>fl 0.5, ec 1, fl 0.5, ec 8</i>
3924	Whakatāne Airport Light	37 55.58 176 55.29		Aero Fl W 3.7s	14	15		
3925	Whakatāne River Entrance. Ldg Lts 171° 08'. Front	37 56.58 177 00.70		F R	5	5	White △ White beacon	Neon O
3925.1	Whakatāne River Entrance. Rear	37 56.62 177 00.70		F R	14	5	White △ White beacon	Neon O

North Island								
Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
3925.5	Ldg Lts 201° 10'. Front	37 56.79 177 00.53	F G		6	5	Green pole	Neon □
3925.51	Ldg Lts Rear	37 56.88 177 00.49	F G		10	5	Green pole	Neon □
3925.55	No. 2 beacon	37 56.42 177 00.68	Q R		3	3	Red □ Red beacon 3	
3926	N end, E groyne	37 56.52 177 00.68	Q R		2	1	Red beacon	Spar
3929	Cape Runaway (M)	37 32.32 177 59.10	Fl W 5s		57	9	White fibreglass tower 3	fl 1, ec 4
3930	Matakaoa Point (M)	37 33.39 178 18.90	Fl(4)W 20s		20	8	White metal tower 4	(fl 0.5, ec 1.5) x 3, fl 0.5, ec 13.5 W 105°-303° (198°) Square.
East Coast								
3932	East Cape (M)	37 41.34 178 32.89	Fl W 10s		155	19	White metal tower 14	fl 0.1, ec 9.9 W (Obscured) 111°- 140° (29°) W 140°-143° (3°) W (Obscured) 143°- 153° (10°) W (Partially obscured) 153°- 026° (233°) Partially obscured by East Island (Whangaokeno Island) Round.
3950	Gable End Foreland Light (M)	38 31.49 178 17.38	Fl W 15s		210	19	White metal tower 4	fl 0.1, ec 14.9
Tūranganui-a-Kiwa / Poverty Bay								
3954	Tuaheni Point (M)	38 42.06 178 03.94	LFI W 8s		128	10	White metal column 4	fl 2, ec 6 Column.
3958	Gisborne Harbour Waikanae Beach Ldg Lts 330°.	38 40.49 177 59.26	F WRG F RG		11 9	9	White pile beacon 11	G 325°-329° (4°) W 329°-331° (2°) R 331°-335° (4°) AIS AtoN, MMSI 995121038. G 315°-329° (14°) R 331°-358° (27°)
3962	South Breakwater Head	38 40.68 178 01.11	Iso G 3s		4	4	Green metal tower 4	fl 0.3, ec 2.7 G (Obscured) 236°- 349° (113°) G 349°-236° (247°)
3962.15	South end Butlers Wall	38 40.57 178 01.18	Iso R 3s		6	4	Red beacon 4	Tripod tubular structure
3966	BUM 8 Ldg Lts 054° 31'. Front	38 40.38 178 01.59	F Bu		5	19	Orange △ Black metal pile beacon 8.5	
3966.1	BUM 9 Ldg Lts Rear	38 40.28 178 01.76	F Bu		11	19	Orange ▽ Black and orange vertical stripes metal tower 11	
3967		38 39.07 177 57.61	Aero Fl Y 1.5s		21	5	Tower	Occas
3967.4		38 40.36 177 56.78	Aero F R				Tower	Occas
3969	Kahutara Point (M)	39 06.83 177 59.76	Fl(3)W 20s		188	9	White tower 3	(fl 1, ec 1) x 2, fl 1, ec 15 W (Partially obscured) 028°- 031° (3°) May be obscured by Portland Island. W 031°-028° (357°) Round.
3970	Portland Island. S end (M)	39 18.22 177 52.04	Fl W 15s		97	9	White metal tower 4	fl 1, ec 14
Napier Harbour								
3980.5		39 26.21 176 52.03	Aero Oc R 1.5s		8		Beacon	Obstruction Occas

North Island

Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
3981	Westshore	39 27.47 176 52.31		FI WRG 10s	15	W16 R13 G13	White metal tower 13	<i>fl 0.3, ec 9.7</i> W 228°-248° (20°) R 248°-272° (24°) G 272°-278.3° (6.3°) R 281.6°-287.6° (6°) F G 278.25°-279.5° (1.25°) F W 279.5°-280.5° (1°) F R 280.5°-281.75° (1.25°)
	South Pania Channel Dir Lt 280°.			Dir F WRG		14	White metal tower 13	
				<i>By day</i>		4		
3981.2	Tareha Street Dir Lt	39 28.80 176 53.23		Dir F WRG	14	14	Grey concrete pole 14	F G 218°-219° (1°) F W 219°-220.5° (1.5°) F R 220.5°-221.5° (1°)
				<i>By day</i>		4		
3981.5	East Pier Dir Lt	39 28.66 176 53.75		Dir Oc WRG 10s	10	11	Blue tower 10	<i>ec 2, fl 8</i> Oc G 202.1°-204.4° (2.3°) Oc W 204.4°-205.6° (1.2°) Oc R 205.6°-209.6° (4°) AIS AtoN, MMSI 995121067
				<i>By day</i> Iso R 4s		3 6		
3981.6	Western Entrance	39 28.69 176 53.66		FI(5)G 20s	4	4	Green wooden pile beacon 4	AIS AtoN, MMSI 995121068
3981.7	Inner Harbour Dir Lt	39 29.13 176 53.56		Dir F WRG	6	7	Yellow ◇ Yellow metal tower 4	F G 186.8°-191.5° (4.7°) F W 191.5°-191.9° (0.4°) F R 191.9°-196.6° (4.7°)
				<i>By day</i>		1		
3982.5	Approach Dir Lt 183°.	39 28.67 176 54.53		Dir F WRG	7	11	White tower 4	Iso G 179°-180° (1°) Oc G 180°-181° (1°) F G 181°-182° (1°) F W 182°-184° (2°) F R 184°-186° (2°) Oc R 186°-188° (2°) Iso R 188°-189° (1°)
				Iso RG				
				Oc RG				
3982.72	Green Lead Ldg Lts 171° 48'. Front	39 28.48 176 54.69		F G	20	9	Green △ Yellow pile beacon 20	Strip lights
3982.721	Rear Green Lead	39 28.60 176 54.72		F G	25	9	Green ▽ Grey 30	Strip lights
3982.9	Ldg Lts 158° 02'. Front	39 28.50 176 54.94		F Bu	34	1	Tower, floodlit	Neon
3982.91	Ldg Lts Rear	39 28.63 176 55.01		F Bu	34	1	Tower, floodlit	Neon
3983	Breakwater Harbour Ldg Lts 168°. Front	39 28.46 176 54.80		F R	22	9	Red △ Grey pole 31	Strip lights
3983.1	Breakwater Harbour Leading Lights Rear	39 28.63 176 54.85		F R	25	9	Red ▽ Yellow pole 25	Strip lights
3983.15	Inner Directional Light Dir Lt	39 28.43 176 55.33		Dir F WRG	28	11	White Tower, floodlit	F G 108°-110° (2°) F W 111°-113° (2°) F R 114°-116° (2°) G 107°-108° (1°) W 110°-111° (1°) W 113°-114° (1°) R 116°-117° (1°) Strip Light
				Oc WRG	28	11		Strip Light
				F Bu	25	9		
3983.151	Ldg Lts Rear	39 28.44 176 55.39		F Bu	26	9	White	Strip Light
3983.2	Breakwater	39 28.17 176 55.20		VQ(2)W 5s	12	5	White mast 9	<i>fl 0.3, ec 0.3, fl 0.3, ec 4.1</i>
3983.25	Tower Ldg Lts Rear	39 28.53 176 55.31		F Bu	34	1	Tower, floodlit	Neon
3983.3	Mole Head Ldg Lts Front	39 28.24 176 54.93		Oc R 3s	9	4	White metal tower 7	<i>ec 0.5, fl 2.5</i>
Inner Harbour								
3990	Lts in line 245° 49'. Front	39 35.24 176 56.24		F R	7	10	Orange △ Pile beacon	Neon □
3990.1	Rear	39 35.27 176 56.15		F R	10	10	Orange △ White pole	Neon □

North Island								
Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
3991	Clifton Ldg Lts 212° 16'. Front	39 38.41 177 00.41	F W		5	3	Red △ Concrete pole 5	
3991.1	Ldg Lts Rear	39 38.42 177 00.40	F W		8	3	Red ▽ Concrete pole 8	
3992	Cape Kidnappers / Te Kauwae-a-Māui (M)	39 38.71 177 05.47	Fl(2)W 15s		112	8	White metal tower 4	fl 1, ec 2, fl 1, ec 11
3993	Blackhead Point (M)	40 13.03 176 47.22	Fl(2)W 10s		41	9	White metal tower 4	fl 1, ec 1, fl 1, ec 7
3994	Castlepoint (M)	40 54.02 176 13.88	Fl(3)W 30s		52	19	White metal tower 23	fl 0.2, ec 2, fl 0.3, ec 2, fl 0.2, ec 25.3 W 209°-029° (180°)
3998	Reserve light Honeycomb (M)	41 20.62 175 49.65	Fl(3)W 30s LFI W 10s		57	10	White metal tower 4	fl 2, ec 8
4000	Cape Palliser (Matakitakiakupe) (M)	41 36.72 175 17.40	Fl(2)W 20s		78	26	White and red horizontal stripes, metal tower 18	Concrete base.
	Reserve light		Fl(2)W 20s			10		
Wellington Harbour / Port Nicholson								
4004	Baring Head/Ōrua-pouanui (M)	41 24.50 174 52.27	Oc W 15s		87	14	White concrete tower 12	ec 6, fl 9 W (Obscured) 169°- 192° (23°) W (Obscured) 296°- 301° (5°) W 301°-169° (228°)
4006	Pencarrow Head	41 21.56 174 50.87	Fl(3)WR 12s		18	W12 R10	White concrete tower 17	(fl 1, ec 2) x 2, fl 1, ec 5 W 000.5°-081° (80.5°) R 081°-176.5° (95.5°) W 176.5°-187.5° (11°)
4007	Lyll Bay	41 20.40 174 47.46	Aero Oc R				Tower	
4007.4		41 20.41 174 48.74	Aero Oc R				Tower	
4010	Main Entrance. Ldg Lts 016° 24'. Front	41 19.06 174 51.35	Q W		7	21	White tower 4	Black metal pile structure
	Reserve light		W			19		Standby light
	Reserve light		W			16		Emergency light
4010.1	Hope Shoal. Ldg Lts Rear	41 17.79 174 51.85	Iso WRG 4s		17	W22 R8 G11	Orange and yellow horizontal stripes, metal pile beacon	W (Intensified) 014°-019° (5°) W 019°-123° (104°) W (Intensified) 123°-124° (1°) G (Intensified) 124°-133° (9°) G 133°-183° (50°) W 183°-218° (35°) R 218°-357° (139°) W 357°-014° (17°) Stripes on seaward side of cylinder W (Intensified) 014°-019° (5°) Intensified on request
			By day Iso W 4s			4		
4010.2	Hinds Point. Ldg Lts 168°. Rear	41 20.13 174 51.65	Iso W 2s		9.3	10	White tower 6	W 165°-170° (5°)
4011	Steeple Rock	41 19.46 174 50.74	Iso WR 6s		7	W9 R8	Red and white horizontal stripes, tower	W 133°-190° (57°) R 190°-015° (185°)
4012	Falcon Shoals	41 18.26 174 51.02	Fl R 3s		6	3	Red and white horizontal stripes, pile beacon	
4013	Seatoun Wharf	41 19.12 174 49.82	F R		6		Pole 3	Neon
4014	Matiu/Somes Island, S side	41 15.58 174 51.82	LFI W 10s		29	7	White tower	fl 4, ec 6 W 314°-107° (153°)
4018	Point Halswell	41 17.04 174 49.57	Fl W 3s		8	15	Black and white squared, concrete tower 6	fl 0.3, ec 2.7 W (Obscured) 024°- 070° (46°) W 070°-294° (224°) W (Obscured) 294°- 337° (43°)
4019.6	Evans Bay	41 18.61 174 48.43	Q G		3	5	Black pile beacon	
4020	Burnham Wharf. Head	41 18.61 174 48.72	2 F G(vert)		9		Pole	Top light 9m, Bottom light 7m
4021	Miramar Wharf. Head	41 18.80 174 48.65	2 F R(vert)		9		Pole	Top light 9m, Bottom light 7m
4021.4	Off Breakwater head	41 18.70 174 48.03	Q G		3	2	Pile beacon	

North Island

Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
4021.5	N pier	41 18.68 174 47.96	F R				Metal mast	Neon □
4021.6	Middle pier	41 18.72 174 47.96	F R				Metal mast	Neon □
4021.7	S Pier	41 18.75 174 47.94	F R				Metal mast	Neon □
4022	Dir Lt 184° 30'.	41 19.00 174 48.41	Dir Iso WRG 4s		8	4	Grey pole 5	Iso G 180°-182° (2°) Iso W 182°-187° (5°) Iso R 187°-189° (2°) on request to Centreport Occas
Lambton Harbour								
4024	Point Jerningham	41 17.06 174 48.21	Q R		6	5	White pile beacon 4	Red Lts on radio mast .8M SSW
4030	Boat Harbour. E side	41 17.40 174 47.26	Q R		3	3	Orange metal mast 2	fl 0.1, ec 0.9
4032	Chaffers Marina	41 17.31 174 46.98	Fl R 5s			3	Wooden pile beacon	fl 1, ec 4
4032.1		41 17.36 174 46.99	Fl G 5s		3	3	Wooden pile beacon	fl 1, ec 4
4035	Queens Wharf. Head S end. Inner	41 17.14 174 46.80	F R				Pole	SW corner on wharf
4036	Queens Wharf Head S end. Outer	41 17.14 174 46.82	F R				Pole	SE corner of wharf
4043	Kings Wharf	41 16.94 174 47.07	Iso G 3s		6	4	Pile beacon	
4045	Thorndon Container Terminal. Off SE end	41 16.89 174 47.42	Oc G 3s		6	4	Pile beacon	ec 1, fl 2 Ra refl
4052	Rail Road Ferry Terminal. No. 1	41 15.96 174 47.23	F R		3		Pole	
4052.2	No. 2	41 15.98 174 47.28	F R		3	3	Pole	
4053	Berthing light	41 15.97 174 47.27	Q R		10	3	White metal mast 6	fl 0.1, ec 0.9
4054	Port Nicholson. Days Bay Wharf. Head	41 16.84 174 54.30	2 F R(hor) 2 F GW(vert)		6 7	1	Pole	White light has a HEIGHT of 6m
4055	Seaview Wharf. Head S end	41 15.54 174 53.93	2 F G(vert)					
4056.2	Seaview Marina Sector Light	41 15.16 174 54.18	F WRG		4	1	Grey metal pole	G 130°-135° (5°) W 135°-138° (3°) R 138°-143° (5°)
4057	Seaview Marina	41 15.00 174 54.04	Fl W 5s		5	4	Wooden mast 4	fl 0.3, ec 4.7
4057.2		41 15.06 174 54.07	Q(2)R 5s				Wooden pile beacon 2	
4057.4		41 15.09 174 54.07	Q(2)G 5s		2		Wooden pile beacon 2	
4057.5	S Breakwater head	41 15.10 174 54.06	Q(2)G 5s		5	2	Wooden mast 4	fl 0.4, ec 0.6, fl 0.4, ec 3.6
4057.6	N Breakwater Head	41 15.08 174 54.12	Q(2)R 5s		5	2	Wooden mast 4	fl 0.4, ec 0.6, fl 0.4, ec 3.6 R (Faint) 071.7°-078.8° (7.1°) R 078.8°-294.6° (215.8°) R (Faint) 294.6°-326.4° (31.8°) R (Obscured) 326.4°- 071.7° (105.3°)
4058	Petone Wharf. Head	41 13.81 174 52.19	2 F R(vert)		9	4	Pole	Bottom light HEIGHT 7m
Cook Strait								
4061	Island Bay. Ldg Lts 012° 18'. Front	41 20.65 174 46.27	F R				Pole	Occas
4061.1	Island Bay. Rear	41 20.63 174 46.28	F R				Pole	Occas
4062.1	Tongue Point (M)	41 20.38 174 39.62	Fl WR 4s		44	W9 R6	White metal tower 4	fl 0.8, ec 3.2 W 012°-139.3° (127.3°) R 297.4°-012° (74.6°)
4063	Oteranga. S Limit	41 19.08 174 38.12	Fl(3)WR 20s		90	W7 R4	White △ White and orange vertical stripes, beacon	(fl 1.5, ec 0.5) x 2, fl 1.5, ec 14.5 R 058°-148° (90°) W 328°-058° (90°) More than one beacon

North Island								
Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
4063.4	Oteranga. N Limit	41 17.70 174 37.10		LFI WR 20s	25	W8 R5	White △ White and orange vertical stripes, beacon	<i>fl 5, ec 15</i> R 017°-107° (90°) W 107°-197° (90°) More than one beacon
4066.2	Ohau Point (M)	41 14.35 174 38.72		FI(2)W 15s	104	8	White metal tower 4	<i>fl 1, ec 2, fl 1, ec 11</i> W (Obscured) 033°- 094° (61°) W 094°-318° (224°) Visibility 94° to shore
Te Awarua-o-Porirua Harbour								
4066.3	Tawhitikuri / Goat Point. Mana. Dir Lt 100° 06'.	41 05.33 174 52.00		Dir Oc WRG 2.5s			White △ Column	<i>ec 0.8, fl 1.7</i> Oc G 092.4°-099° (6.6°) Oc W 099°-101.1° (2.1°) Oc R 101.1°-131.6° (30.5°)
4066.4	Paremata Dir Lt 171° 24'.	41 06.40 174 51.93		Dir Oc WRG 2.5s			Column	<i>ec 0.8, fl 1.7</i> Oc G 170.1°-171.2° (1.1°) Oc W 171.2°-171.8° (0.6°) Oc R 171.8°-173° (1.2°)
4066.5		41 05.96 174 51.82		FI(4)G 6s	4	1	Green △ Green pile beacon 4	
4066.6	Mana Marina. N breakwater. Head	41 06.07 174 51.96		FI R 3s	4	1	Grey metal pole 3	<i>fl 0.5, ec 2.5</i>
4066.7	S breakwater. Head	41 06.08 174 51.96		FI G 3s	4	1	Grey metal pole 3	<i>fl 0.5, ec 2.5</i>
4066.8		41 05.71 174 51.77		FI G 2s	4	1	Green △ Green pile beacon 4	
4067	Paraparaumu	40 54.09 174 59.51		Aero FI W 3.5s	24	15	Tower	Shown sunset to 2200 Occas
4068	Waikanae	40 51.85 175 01.12		Iso G 6s	6	5	Beacon	G 060°-216° (156°)
Whanganui Port								
4072	Whanganui Airport	39 57.58 175 01.53		Aero FI W 4s	39	15		Occas
4076	Centre	39 56.77 174 59.12		FI R 2s	9	4	Red and white □, squared Mast 7	<i>fl 0.5, ec 1.5</i>
4078	North Head, Bar. Ldg Lts 059°. Front	39 56.70 174 59.41		F R	16		Black X White pile beacon	Neon □ Moved as necessary to mark channel over the bar. Traffic signals.
4078.1	North Head, Bar. Rear	39 56.67 174 59.47		F R	23		White and black border stripe O White and black vertical stripes, pile beacon	Neon □ Triangular
4081	Wharves	39 56.72 174 59.39		2 F WR(vert)	2	1	Pile beacon	On wharf pile
4082	Te Anau hulk	39 56.76 174 59.55		Q G	6	2	Beacon	On fo'c'sle head of hulk
4084	Patea River. Entrance E side	39 46.27 174 29.48		FI W 3s	41	7	White column 5	<i>fl 0.3, ec 2.7</i> W (Obscured) 110.5°- 133° (22.5°) W (Obscured) 299°- 310.5° (11.5°) W 310.5°-110.5° (160°)
4084.5	Kupe Platform	39 51.06 174 07.20		Aero Mo(U)WR 15s Horn (U) 30s	24	10	Production platform	Shown on each corner of the platform. Morse
4084.6	Maari Wellhead Platform	39 59.15 173 17.63		Mo(U)W 15s Horn (U) 30s	27	10		<i>(fl 0.65, ec 0.25) x 2, fl 1.5, ec 11.7</i> At SE & NW corners of platform. <i>(bl 0.75, si 1) x 2, bl 2.5, si 24</i> Morse
4084.75	FPSO Raroa	39 58.36 173 17.86		Mo(U)W 15s Mo(U)R 15s Horn (U) 30s		10 10	FPSO 20	<i>(fl 0.65, ec 0.25) x 2, fl 1.5, ec 11.7</i> Shown on forward mast <i>(fl 0.65, ec 0.25) x 2, fl 1.5, ec 11.7</i> Shown on the port & starboard bridge wings <i>(bl 0.75, si 1) x 2, bl 2.5, si 24</i> Morse

North Island

Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
4085	Oaonui - Prohibited Anchorage Area. S Limit	39 25.61 173 49.25		Iso WR 6s	37	W12 R10	Black and white stripes (direction unknown), metal 11	R 062°-137° (75°) W 347°-062° (75°)
4086	Oaonui - Prohibited Anchorage Area. N Limit	39 22.09 173 46.88		F WR	29	W12 R10	Black and white stripes (direction unknown), metal 11	W 057°-132° (75°) R 342°-057° (75°)
4087	Gas Production Platform Maui A	39 33.28 173 26.95		Aero Mo(U)WR 15s Horn (U) 30s	27	10	Production platform	(fl 0.4, ec 0.5) x 2, fl 1.2, ec 12 (bl 0.7, si 1) x 2, bl 2.5, si 24.1 Morse. ec 1, fl 1, ec 1, fl 3 R 226.5°-256.5° (30°) On NE side. ec 4, fl 6 R 038°-060° (22°) On SW side.
	Pipeline marker light.			Oc(2)R 6s	49	11		
	Pipeline marker light.			Oc R 10s	21	5		
4087.5	Maui B	39 38.72 173 19.01		Aero Mo(U)WR 15s Horn (U) 30s	18	15	Production platform	(fl 1, ec 1) x 2, fl 3, ec 8 At N & S corner (bl 0.7, si 1) x 2, bl 2.5, si 24.1 Morse R 208.5°-252° (43.5°) On NE side.
	Pipeline marker light.			Fl(3)R 10s	19	5		
4087.8	FPSO Umuroa	39 25.66 173 14.21		Mo(U)W 15s	43	10	FPSO	(fl 1, ec 1) x 2, fl 3, ec 8 Shown on main mast and turret at bows (fl 1, ec 1) x 2, fl 3, ec 8 Shown on main mast and turret at bows Shown on flare tower and funnel (bl 0.7, si 1) x 2, bl 2.5, si 24.1 Morse
				Mo(U)W 15s	40	10		
				F R	39	2		
				Horn (U) 30s				
4088	Cape Egmont (M)	39 16.50 173 45.21		Fl W 8s	33	19	White metal tower 20	fl 0.5, ec 7.5 W (Obscured) 200°- 210° (10°) W (Obscured) 342°- 352° (10°) W 352°-200° (208°)
4089	Puniho (M)	39 11.58 173 47.51		Fl(3)W 10s	8	9	White metal tower 4	(fl 0.5, ec 1.5) x 2, fl 0.5, ec 5.5
Port Taranaki								
4091	Airport (New Plymouth)	39 00.55 174 10.84		Aero Fl W 3.7s	42	15	Tower 15	fl 0.2, ec 3.5 Occas
4092	Breakwater. Head	39 03.04 174 02.53		Fl G 2s	13	10	Green metal mast 6	fl 0.4, ec 1.6
4092.8	Lee Breakwater. Head	39 03.30 174 02.68		Q(4)R 6s	13	5	Red metal mast 9	(fl 0.5, ec 0.5) x 3, fl 0.5, ec 2.5
4093	Port Taranaki Ldg Lts 197° 16'. Front	39 03.65 174 02.51		VQ R	9	R12 R5	Orange O Orange lattice beacon	R strip light 1m long Pyramid beacon.
4093.1	Port Taranaki Leading Rear	39 03.72 174 02.48		VQ R	20	R12 R5	Orange O Orange lattice beacon	R strip light 1m long Pyramid beacon. 135m from front
4093.2	Otaikakaho Reef North Cardinal Mark	39 03.46 174 02.40		Q W	3	5	Black Δ Black and yellow horizontal stripes, pile beacon 2	
4093.3	Turning Basin Centre	39 03.14 174 02.29		Fl Y 5s	4	1	White pole 1	Y 280°-063° (143°)
4094	Moturoa Wharf Light. Ldg Lts 242° 47'. Front	39 03.41 174 01.90		VQ W	8	4	Orange Δ Orange pole 4	Lts in Line, with rear light, to indicate channel limit.
4094.1	Moturoa Wharf Rear	39 03.43 174 01.84		VQ W	20	4	Orange metal tower 7	88 from front
4094.5	Blyde Wharf light. Ldg Lts 247° 31'. Front	39 03.44 174 01.98		VQ G	15	3	Orange Δ Green pole 9	Lts in Line, with rear light, to indicate channel limit.
4094.51	Blyde Wharf Rear	39 03.45 174 01.94		VQ G	20	3	Orange Δ 12	62m from front
4095	Breakwater Berth Ldg Lts 285° 06'. Front	39 03.28 174 02.08		VQ R	18	3	Red metal pole 12	Mast
4095.1	Breakwater Berth Rear	39 03.26 174 02.00		VQ R	24	3	Red metal pole 18	Mast. 115m from front
4095.2	Port Taranaki Marina	39 03.42 174 02.83		Q R	4		Grey pile beacon 4	Steel

North Island								
Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
4095.5	Waitara River. Entrance - Directional Light Dir Lt	38 59.86 174 14.17		Dir F WRG	13	W8 R6 G6		F R 146.9°-151.3° (4.4°) F W 151.3°-152.1° (0.8°) F G 152.1°-156.4° (4.3°) Shed. Caution: Vessels should not attempt to enter without recent local knowledge.
4095.8	Pohokura B	38 54.70 174 16.30		Horn (U) 30s	24	10	Production platform	(bl 0.7, si 1) x 2, bl 2.5, si 24.1 Morse
				3 Mo(U)R 15s	24	4		(fl 1, ec 1) x 2, fl 3, ec 8
4097	Prohibited Anchorage Area. S Limit. Lts in line 077° 36'. Front	38 10.71 174 42.43		F R	4	3	White and red stripes (direction unknown), beacon	Neon □ Rectangular
4097.5	Prohibited Anchorage Area. S Limit. Rear	38 10.70 174 42.50		F R	10	3	White and red stripes (direction unknown), beacon	Neon □ Rectangular
4098	Prohibited Anchorage Area. N Limit. Lts in line 090°. Front	38 10.00 174 42.13		F R	4	3	White, red and white vertical stripes, beacon 3.9	Neon □ Rectangular beacon
4098.5	Prohibited Anchorage Area. N Limit. Rear	38 10.00 174 42.16		F R	7	3	White, red and white vertical stripes, beacon 3.9	Neon □. Rectangular beacon
4099	<i>Taharoa Offshore Terminal</i>	38 10.59 174 39.91		Fl W 5s		6	SPM Orange buoy	fl 1, ec 4 Ra refl AIS AtoN, MMSI 995121026
Kāwhia Harbour								
4101		38 05.63 174 47.57		Q W	7	5	White ◇ White and yellow horizontal stripes, pole	fl 0.2, ec 0.8 Dangerous to use in line with K4101.1 for crossing the bar. Vessels should not attempt to enter without recent local knowledge.
4101.1		38 05.75 174 47.81		Iso W 4s	11	5	White ◇ White and yellow horizontal stripes, beacon	See K4101 Dangerous to use in line with K4101 for crossing the bar. Vessels should not attempt to enter without recent local knowledge.
Whāingaroa Harbour								
4104	Putoetoe Point. Ldg Lts 089° 18'. Front	37 48.05 174 51.76		F R	7	12	Orange and white border stripe △ Beacon	Caution: Vessels should not attempt to enter without recent local knowledge.
						7		
4104.1	Putoetoe Point. Middle.	37 48.04 174 52.04		F R	13	12	Orange and white border stripe △ Beacon	
4104.2	Putoetoe Point. Ldg Lts Rear Dir Lt	37 48.04 174 52.39		Dir F WRG	26	W22 R20 G20	Orange and white border stripe ◇ Beacon	Alignment of white sector may be altered to indicate deepest water.
						8		
4104.3		37 47.94 174 51.96		F R	3	1	Red □ Red wooden pole	
Manukau Harbour								
4107	Ninepin Rock	37 03.02 174 30.19		Fl(4)W 30s	29	14	1	(fl 0.1, ec 4.9) x 3, fl 0.1, ec 14.9 Ra refl Pedestal
4108	Manukau Heads	37 03.07 174 32.72		Oc W 6s	234	12	White wooden	ec 2, fl 4 W 028°-130° (102°) W (Obscured) 130°- 238° (108°)
4109	Papakura Channel No.2 Dir Lt	37 01.48 174 40.07		Dir Fl WR	4	7	Red □ Red metal pile beacon	W 077.5°-079° (1.5°) White phase increasing with bearing. F W 079°-081° (2°) WR 081°-082.5° (1.5°) Red phase increasing with bearing. Tripod
				Q R	6	3		fl 0.3, ec 0.7
4110	1	37 02.37 174 40.80		Q G	4	3	Green △ Green metal pile beacon	fl 0.3, ec 0.7
4110.01	Grahams Beacon	37 03.40 174 40.85		Fl R 2s	3	2	Red □ Red wooden pile beacon	

North Island

Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
4110.03	Kauritutahi	37 05.01 174 39.94		FI R 8s	3	2	Red □ Red wooden pile beacon	
4110.05	Matakawau Point Light	37 06.36 174 40.12		FI G 2s	12	2	Wooden pole 4	
4110.06	Kellys Landing	37 07.25 174 40.70		FI R 6s	3	2	Red □ Red wooden pile beacon	
4110.07	Tokaroa Point Light	37 08.44 174 40.90		FI G 4s	3	2	Metal pole 3	
4110.085	Waiau Pa	37 09.04 174 42.25		FI R 6s	4	2	Red wooden pile beacon 4	
4110.1	4	37 01.91 174 42.15		FI R 2s	5	3	Red □ Red metal pile beacon	fl 0.5, ec 1.5
4110.2	6	37 01.96 174 43.52		FI R 4s	4	3	Red □ Red metal pile beacon	fl 1, ec 3
4110.3	8	37 02.14 174 45.20		FI R 2s	4	3	Red □ Red metal pile beacon	fl 0.5, ec 1.5
4110.33	1A	37 02.47 174 45.58		FI G 2s	3	3	Green △ Green wooden pile beacon	
4110.38	8A	37 01.81 174 46.67		FI R 6s	3	3	Red □ Red wooden pile beacon	
4110.4	No.3	37 02.16 174 46.71		FI G 6s	4	3	Green △ Green metal pile beacon	fl 0.5, ec 5.5
4110.45	3A	37 02.09 174 47.48		FI(2)G 5s	3	3	Green △ Green wooden pile beacon	
4110.5	5	37 02.12 174 47.93		Q G	4	3	Green △ Green metal pile beacon	fl 0.3, ec 0.7
4110.6	10	37 01.89 174 47.96		Q R	4	3	Red □ Red metal pile beacon	fl 0.3, ec 0.7
4110.7	7	37 02.24 174 49.03		Q G	3	3	Green △ Green metal pile beacon	fl 0.3, ec 0.7
4110.8	9	37 02.38 174 49.53		FI G 4s	4	3	Green △ Green metal pile beacon	fl 1, ec 3
4110.9	Te Pua Point	37 03.29 174 51.78		FI R 4s	5	2	Red wooden pile beacon 5	
4110.95	Weymouth	37 03.16 174 51.32		FI R 2s	4	2	Red wooden pile beacon 4	
4111	LPG Terminal North West End Light	37 02.18 174 49.67		Q W	2	1	Beacon	
4111.1	LPG Terminal South East End Light	37 02.21 174 49.70		Q W	2	1	Beacon	
4111.2	LPG Terminal North West Dolphin	37 02.18 174 49.65		Q W	3	1		
4111.3	LPG Terminal South East Dolphin	37 02.21 174 49.72		Q W	3	1		
4111.4	Pipe Terminal Platform Light	37 02.19 174 49.68		Q W	2	1	Pole	
4111.5	Service Platform South West Side Light	37 02.19 174 49.67		2 F R(vert)	7	1	Pole 5	Height of second light is 5m
4111.6	Service Platform North West Corner Light	37 02.19 174 49.66		Q W	2	1	Pole	
4112	Airport Prohibited Anchorage Area South West Corner Light	37 01.39 174 45.22		Q Y	2	4	Pole	
4112.4		37 00.32 174 48.65		F W			Beacon	
4113	Auckland International Airport Light	37 00.38 174 47.35		Aero FI W 4s	38		Tower	Occas
4113.3	McLaughlins Mount Light	37 00.81 174 50.76		Aero Oc R 2s	77		Tower	
4115	Lawry Point	36 59.44 174 37.01		FI W 5s	6	5	Red and white horizontal stripes, metal pile beacon	fl 1, ec 1, fl 1, ec 2 Column
Wairōpā Channel								
4116.15	Alpha	37 00.82 174 36.58		FI R 3s	2	2	Red □ Red metal pile beacon 2	
4116.2	Wairopa Channel No.3	37 00.68 174 36.71		FI(3)G 6s			Green △ Green metal pile beacon	

North Island								
Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
4116.25	Wairopa Channel No.5	37 00.43 174 36.74		Q(4)G 6s	2	2	Green △ Green metal pile beacon 2	
4116.3	Wairopa Channel No.7	37 00.08 174 36.92		FI G 3s			Green △ Green metal pile beacon	
4116.31	Wairopa Channel No.9	36 59.63 174 37.72		Oc G 3s	2	2	Green △ Green metal pile beacon 2	
4116.32	Wairopa Channel No.11	36 58.97 174 38.38		FI(2)G 4s	2	2	Green △ Green metal pile beacon 2	
4116.33	Wairopa Channel No.2	36 58.16 174 38.97		FI(2)R 5s	2	2	Red □ Red metal pile beacon 2	
4116.34	Wairopa Channel No.13	36 57.49 174 40.06		FI(3)G 6s			Green △ Green metal pile beacon	
4116.35	Wairopa Channel No.4	36 57.38 174 39.92		FI(3)R 6s	2	2	Red □ Red metal pile beacon	
4116.36	Wairopa Channel No.15	36 57.29 174 40.37		Q(4)G 3s			Green △ Green metal pile beacon	
4116.37	Wairopa Channel No.6	36 57.21 174 40.36		Q(4)R 6s	2	2	Red □ Red metal pile beacon 2	
4116.38	Wairopa Channel No.15A	36 57.29 174 41.08		FI G 3s	2	2	Green △ Green metal pile beacon 2	
4116.4	Wairopa Channel No.8	36 57.21 174 41.08		FI R 3s			Red □ Red metal pile beacon	
4116.45	Wairopa Channel No.17	36 57.24 174 41.38		FI(2)G 5s	2	2	Green △ Green metal pile beacon 2	
4116.5	Wairopa Channel No.10	36 57.16 174 41.32		FI(2)R 5s			Red □ Red metal pile beacon	
4116.6	Wairopa Channel No.10A	36 56.91 174 41.66		FI(3)R 6s	2	2	Red □ Red metal pile beacon 2	
4116.65	Wairopa Channel No.12	36 56.65 174 41.97		Q(4)R 6s	2	2	Red □ Red metal pile beacon 2	
4116.7	Wairopa Channel No.19	36 56.71 174 42.06		Q(4)G 6s	2	2	Green △ Green metal pile beacon 2	
4116.75	Wairopa Channel No.21	36 56.51 174 42.40		Oc G 6s	2	2	Green △ Green metal pile beacon 2	
4116.76	Wairopa Channel No.14	36 56.45 174 42.38		Oc R 6s	2	2	Red □ Red metal pile beacon 2	
4116.77	Wairopa Channel No.23	36 56.46 174 42.74		FI G 5s	2	2	Green △ Green metal pile beacon 2	
4116.78	Wairopa Channel No.16	36 56.40 174 43.04		FI R 6s	2	2	Red □ Red metal pile beacon 2	
4116.79	Wairopa Channel No.25	36 56.51 174 43.67		Q(4)G 6s	2	2	Green △ Green metal pile beacon 2	
4116.8	Wairopa Channel No.18	36 56.44 174 43.67		FI(4)R 6s			Red □ Red metal pile beacon	
4117	Wairopa Channel No.27	36 56.28 174 44.23		Q G	2	1	Green △ Green wooden pile beacon	
4117.1	Wairopa Channel No.29	36 56.20 174 44.63		FI G 4s	2	1	Green △ Green wooden pile beacon	fl 1.5, ec 2.5
4117.2	Wairopa Channel No.31	36 56.16 174 45.12		Q G	2	1	Green △ Green wooden pile beacon	
4117.3	Wairopa Channel No.33	36 56.09 174 45.70		Oc G 6s	2		Green △ Green pile beacon	

North Island

Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
4117.4	Wairopa Channel No.20	36 56.02 174 45.69		Oc R 6s	2	2	Red □ Red wooden pile beacon	ec 2, fl 4
4117.45	Wairopa Channel No.35	36 56.02 174 45.93		Q G	2		Green △ Green pile beacon	
4117.5	Wairopa Channel No.20A	36 55.97 174 46.02		Q R	2	2	Red □ Red metal pile beacon	
4117.6	Wairopa Channel No.37	36 56.02 174 46.18		FI G 4s	2	1	Green △ Green wooden pile beacon	fl 1.5, ec 2.5
4117.7	Wairopa Channel No.39	36 56.09 174 46.49		Q G	2	1	Green △ Green wooden pile beacon	
4117.8	Wairopa Channel No.22	36 56.04 174 46.50		Q R	2	1	Red □ Red wooden pile beacon	
4117.9	Wairopa Channel No.24	36 56.05 174 46.72		FI R 4s	2	1	Red □ Red wooden pile beacon	fl 1.5, ec 2.5
4118	Wairopa Channel Reef Beacon	36 56.11 174 46.77		FI G 4s	4	2	Green △ Green wooden pile beacon	
4119	Wairopa Channel Onehunga. Wharf. W end	36 55.99 174 46.96		F R	5	3		Shed A
4119.5	Wairopa Channel Silt deflector, Head	36 55.99 174 46.87		Q R	2		Red □ Red pile beacon	
4122	Piha (M)	36 58.22 174 28.06		FI W 15s	266	20	White concrete tower	fl 0.1, ec 14.9
	Kaipara Harbour						5	
4130	Pouto Point	36 21.75 174 10.87		FI W 5s	6	6	White tower	fl 0.3, ec 4.7
4132	South Head	36 25.72 174 14.14		FI W 7.5s	41	8	White tower	fl 0.5, ec 7 Round
4133		36 29.16 174 19.43		Iso G 5s	2	5	Green △ Green wooden pole	fl 2.5, ec 2.5
4134	Kaipara River Shelly Beach E side of channel	36 31.01 174 22.68		FI WR 10s	6	W4 R2	Red concrete pile beacon	fl 0.5, ec 9.5 R 082°-123° (41°) W 123°-082° (319°) round concrete base
4135		36 35.97 174 23.07		FI G 6s	2	2	Green △ Green wooden pole	fl 1.5, ec 4.5
4136	Helensville	36 36.81 174 24.19		FI G 4s	4	2	Grey metal pile beacon	fl 0.3, ec 3.7 Column
4137	Kaipara River Entrance	36 37.10 174 25.13		Q(3)G 8s	3	2	White wooden pile beacon	
4137.5	Mussel Rock	36 15.68 174 15.05		Q R	3	2	Red □ Red metal pole	
4138	Wairoa River, Middle Channel, M1	36 14.24 174 06.84		Q G	3	2	Green △ Green metal pole	
4140	Sail Point. Summit	36 11.69 174 03.62		FI W 3s	10	6	White metal tower	fl 0.3, ec 2.7 Round
	Hokianga Harbour							
4151	Ferry Landing	35 23.17 173 31.63		FI R 3s	3	1	White and grey horizontal stripes, concrete pile beacon	
4152	Takataka Rock Light	35 22.58 173 32.39		Q(3)W 10s	2	2	Black, yellow and black horizontal stripes, concrete pile beacon	(fl 0.2, ec 1) x 2, fl 0.2, ec 7.4 Column
4153	Tauroa Point (M)	35 11.07 173 03.46		FI(2)W 10s	65	9	White fibreglass tower	fl 1, ec 1.5, fl 1, ec 6.5

This page has been intentionally left blank

South Island

Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
4180	Cape Farewell. Pillar Point. (M)	40 30.17 172 42.83		Fl W 5s	166	9	White metal tower 4	<i>fl 1, ec 4</i>
Golden Bay / Mohua								
4182	Farewell Spit. Bush End Point (M)	40 32.70 173 00.54		Fl WR 15s	30	W19 R15	White and orange metal tower 27	<i>fl 0.1, ec 14.9</i> W (Obscured) 089.5°- 117° (27.5°) W 117°-297° (180°) R 297°-336.8° (39.8°) W 336.8°-089.5° (112.7°) framework, orange top.
Port Tarakohe								
4198	Main Ldg Lts 138° 50'. Front	40 49.47 172 53.87		F Bu	8	7	White △ Wooden mast	Neon □
4198.1	Main Leading Lights. Rear	40 49.48 172 53.88		F Bu	10	7	Wooden mast	Neon □
4199	East outer mole. Head	40 49.23 172 53.64		Fl R 5s	6	3	Metal tower 2	<i>fl 1, ec 4</i> R 201°-245° (44°) Obscured until about 2.6 M from harbour entrance Round
4199.1	West outer mole. Head	40 49.27 172 53.58		Fl G 5s	6	4	Metal tower 2	<i>fl 1, ec 4</i> Round
4201	East inner mole. Head	40 49.32 172 53.72		Oc R 3s	4	3	Metal tower 2	<i>ec 1, fl 2</i> Round
4201.1	West inner mole. Head	40 49.34 172 53.68		Oc G 3s	4	3	Metal tower 2	<i>ec 1, fl 2</i> Round
Tasman Bay / Te Tai-o-Aorere								
4204	Separation Point (M)	40 46.92 172 59.89		Fl W 8s	18	8	White metal tower 3	<i>fl 0.5, ec 7.5</i> W 099°-328° (229°)
4206	Pitt Head (M)	40 56.91 173 04.02		Fl(2)WR 15s	23	W7 R4	Orange □, white vertical stripes Beacon 3	<i>fl 1, ec 2, fl 1, ec 11</i> R 063°-191° (128°) W 191°-337° (146°) R 337°-348° (11°)
Motueka								
4212	Channel North Side	41 08.19 173 01.78		Q G 1.2s	3	2	Green wooden pile beacon	<i>fl 0.3, ec 0.9</i> Caution: Vessels should not attempt to enter without recent local knowledge.
4213	Training wall. Channel South Side	41 08.25 173 01.82		Q R 1.2s	2	2	Pile beacon	<i>fl 0.3, ec 0.9</i>
4214	Channel North Side	41 08.23 173 01.66		Iso G 4s	3	2	Green wooden pile beacon	<i>fl 2, ec 2</i>
Māpua								
4220.16	Māpua Port Pile	41 15.00 173 06.74		Fl R 2s	3	2	Red □ Red pile beacon	Pile with ladder and band of red retroreflective tape
Port Nelson								
4222	Schnapper	41 12.19 173 19.41		Fl(4)WR 20s	13	W15 R8	Metal column 11	<i>(fl 0.06, ec 3.24) x 3, fl 0.06, ec 10.04</i> R 031°-047° (16°) W 047°-225° (178°) Ra refl Steel
4224	Port Nelson Landfall Light	41 15.34 173 16.80		Fl(2)WR 12s	22	W20 R17	Metal lattice beacon 18	<i>fl 0.2, ec 2.8, fl 0.2, ec 8.8</i> R 067°-095° (28°) W 095°-216° (121°) Steel pylon, Fl R on Radio masts 2.2 and 3.0 M SW.
4225	Haulashore Island. Dir Lt 164° 45'. Front	41 16.14 173 15.36		Dir F WRG	8	W14 R11 G11	White △ White pile beacon	F G 157.2°-162.2° (5°) Al WG 162.2°-164° (1.8°) White phase increasing with bearing. Light range green 11 F W 164°-165.5° (1.5°) Al WR 165.5°-167.2° (1.7°) Red phase increasing with bearing. Light range red 11 F R 167.2°-177.2° (10°) More than one beacon.
4225.1	Rear	41 16.45 173 15.48		F Bu	27	10	White ▽ White beacon	Bu 130°-174° (44°) Neon □ Bu (Partially obscured) 174°-188° (14°) Neon □ Bu 188°-200° (12°) Neon □

South Island								
Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
4225.6	Fairway Beacon	41 13.99 173 14.16		Q W	13	9	Black  Black and yellow horizontal stripes, pile beacon	<i>fl 0.2, ec 0.8</i>
4225.8	Approach Beacon	41 15.44 173 15.18		Oc R 4s	8	5	Red  Red pile beacon	<i>ec 1, fl 3</i>
4226	S mole. Off head	41 15.77 173 15.30		Iso G 2s	3	7	Green metal pile beacon	
4227	Entrance. Ldg Lts 135° 25'. Front	41 15.99 173 15.71		F G	6		White  White beacon	Neon 
4227.1	Entrance. Rear	41 16.11 173 15.86		F G	9		White  White beacon	G 122°-148° (26°) Neon 
4227.4	Boulder Bank W end No.1	41 15.73 173 15.45		Q R	3	5	Red pile beacon	
4227.5	No.2	41 15.79 173 15.55		Iso R 2s	2		Red pile beacon	
4227.6	No.3	41 15.82 173 15.65		Iso R 2s	2		Red pile beacon	
4227.7	No.4	41 15.81 173 15.74		Iso R 2s	2		Red pile beacon	
4228	Haulashore Island N End. Ldg Lts 270°. Front	41 15.87 173 15.47		F W	3		White  White beacon	
4228.1	Haulashore Island N End. Rear	41 15.87 173 15.40		F W	4	3	White  White beacon	
4230	Brunt Quay. NW Corner	41 15.59 173 16.27		Iso G 2s			Green metal pole	
4230.15		41 15.74 173 16.11		Iso G 2s	6	3	Green beacon	
4230.2		41 15.80 173 16.04		Iso G 2s			Green pole	
4231	NW side of channel. No.5	41 15.75 173 15.85		Iso R 2s	7	2	Red wooden pile beacon	
4231.02	No.6	41 15.65 173 15.96		Iso R 2s	7	2	Red wooden pile beacon	
4231.04	No.7	41 15.54 173 16.08		Iso R 2s	7	2	Red wooden pile beacon	
4231.06	No.8	41 15.46 173 16.17		Iso R 2s	7	2	Red wooden pile beacon	
4231.08	No.9	41 15.38 173 16.27		Iso R 2s	7	2	Red wooden pile beacon	
4231.1	No.10	41 15.37 173 16.40		Mo(A)W 8s	7	2	Red O Red and white vertical stripes, pile beacon	<i>fl 0.8, ec 1.2, fl 2.4, ec 3.6</i>
Boat Harbour Channel								
4231.2	No.12	41 15.26 173 16.53		Iso R 2s	7	2	Red wooden pile beacon	
4231.23	No.14	41 15.25 173 16.68		Iso R 2s	7	2	Red wooden pile beacon	
4231.24	No.15	41 15.29 173 16.68		Iso G 2s	7	2	Green wooden pile beacon	
4231.26	No.16	41 15.28 173 16.76		Iso R 2s	7	2	Red wooden pile beacon	
4231.27	No.17	41 15.34 173 16.85		Iso G 2s	7	2	Green wooden pile beacon	
4231.28	No.18	41 15.42 173 16.88		Fl R 6s	7	2	Red wooden pile beacon	
4231.33	No.20	41 15.51 173 16.87		Iso R 2s	7	2	Red wooden pile beacon	
4231.5	No.23	41 15.44 173 16.90		Iso G 2s	7	2	Green wooden pile beacon	
Tasman Bay / Te Tai-o-Aorere								
4233	Croisilles Harbour	41 04.62 173 39.92		Fl WR 5s	14	W5 R4	White pole 1	W 124°-139° (15°) R 139°-124° (345°) on rock
4234	Okuri Point (M)	40 58.60 173 45.72		Fl WR 4s	34	W8 R5	White metal tower 3	<i>fl 0.8, ec 3.2</i> R 160°-210° (50°) Except where obscured by land. W 210°-160° (310°)
4236	Stephens Island (Takapourewa). N end (M)	40 39.92 174 00.02		Fl W 6s	183	18	White metal tower 15	<i>fl 0.1, ec 5.9</i> W 054°-350° (296°) W (Obscured) 350°- 054° (64°)
	Reserve light			Fl W 6s		10		

South Island

Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
4237	Anatakupu Island (M)	40 53.80 173 52.16		FI W 3s	31	4	Fibreglass column 2	<i>fl 1, ec 2</i>
4237.4	Kapowai Bay. South end	40 54.23 173 50.47		FI R 3s	4	1	White tower	<i>fl 0.3, ec 2.7</i> Square tower
Te Aumiti / French Pass								
4238	Channel Point (M)	40 55.44 173 50.10		F WR	3	W10 R7	White	R (Obscured) 034°- 053° (19°) Obscured in Waikawa Bay by Two Island Point. W 053°-148° (95°) R 148°-238° (90°) House.
4240	Reef (M)	40 55.42 173 50.01		FI W 1.5s	5	4	White beacon 5	<i>fl 0.5, ec 1</i>
4241	Elmslie Bay. Wharf. Head	40 55.59 173 50.64		FI G 3s	3	1		Cargo Shed
Chetwode Islands								
4242	Ninepin Rock (M)	40 54.88 174 03.26		FI W 4s	17	8	White metal tower 3	<i>fl 0.8, ec 3.2</i>
4242.05	Oke Rock	40 55.55 174 01.62		FI G 10s	6	3	Green △ Green pile beacon 7	<i>fl 1, ec 9</i> Ra refl
Pelorus Sound / Te Hoiere								
4242.1	Maud Island (Te Hoiere). NE Point	41 00.97 173 54.44		FI W 15s	24	10	White pole 2	W 088°-031° (303°) White post
4242.15	Dart Rock	41 02.66 173 49.05		FI(2)W 20s	3	5	Black ● Black, red and black horizontal stripes, pole	<i>fl 0.5, ec 1, fl 0.5, ec 18</i> White post
4242.17	Flax Point Light	41 05.55 173 46.99		FI W 10s	9	2	White pole 2	<i>fl 0.5, ec 9.5</i>
4242.2	Tawero Point Orchard Light	41 03.68 173 57.01		FI W 5s	9	5	White pole 2	W 099°-320° (221°)
4242.3	Tawero Point South Light	41 03.94 173 56.85		FI W 10s	11	5	White pole 2	W 217°-052° (195°)
4242.4	Turn Point North Light	41 08.28 173 52.22		FI(2)W 15s	6	5	White pole 2	W 040°-233° (193°)
4242.5	Turn Point South Light	41 08.56 173 52.05		FI W 10s	7	5	White pole 2	<i>fl 0.5, ec 9.5</i> W 357°-190° (193°)
4242.6	One Tree Point North Light	41 11.40 173 51.89		FI W 10s	7	5	White pole 2	W 178°-008° (190°)
4242.7	One Tree Point South Light	41 11.75 173 51.84		FI G 10s	6	3	White pole 2	G 187°-022° (195°)
4242.9	Black Point Light	41 14.41 173 51.04		FI W 5s	2	5	White pole 2	<i>fl 0.5, ec 4.5</i>
Havelock Harbour								
4243	No.1	41 14.83 173 50.78		FI G 2s	2	3	Wooden pile beacon	<i>fl 0.5, ec 1.5</i>
4243.1	No.3	41 15.19 173 50.35		FI G 3s	2	3	Green pile beacon	<i>fl 0.5, ec 2.5</i>
4243.15	No.5	41 15.36 173 49.93		FI G 4s		3	Green wooden pile beacon	<i>fl 0.5, ec 3.5</i>
4243.17	No.7	41 15.51 173 49.13		FI G 5s	2	3	Green pile beacon	<i>fl 0.5, ec 4.5</i>
4243.2	No.2	41 15.58 173 48.68		FI R 2s	2	3	Red pile beacon	<i>fl 0.5, ec 1.5</i>
4243.27	No.4	41 15.60 173 47.81		FI(2)R 4s		3	Pile beacon	<i>fl 0.5, ec 1, fl 0.5, ec 2</i>
4243.3	Shag Point	41 15.54 173 47.80		FI W 3s	2	3	White pile beacon	<i>fl 0.5, ec 2.5</i>
4243.35	Ldg Lts 104°. Front	41 15.81 173 47.43		F Bu	3	2	White △ White wooden pole	
4243.36	Ldg Lts 104°. Rear	41 15.83 173 47.53		F Bu	5	2	White ▽ White wooden pole	
4243.4	No.9	41 15.76 173 47.29		FI(2)G 4s	3	3	Green pile beacon	
4243.44	No.6	41 15.74 173 47.00		FI(2)R 5s		3	Red pole	
4243.48	No.11	41 15.72 173 46.73		FI(2)G 5s		3	Green pole	
4243.5	No.8	41 15.77 173 46.73		FI(2)R 6s	2	3	Red pile beacon	<i>fl 0.5, ec 5.5</i>

South Island								
Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
4243.504	No.10	41 15.79 173 46.61		FI R 3s	1	3	Red wooden pile beacon	
4243.506	No.12	41 15.92 173 46.46		FI R 3s	2	3	Red wooden pile beacon	
4243.508	No.14	41 15.95 173 46.37		FI R 3s	1	3	Red wooden pile beacon	
4243.51	Cullen Point	41 15.98 173 46.34		FI R 3s	3	3	White pole 2	<i>fl 0.3, ec 2.7</i>
4243.517	No.13	41 15.95 173 46.27		FI G 3s		3	Green pile beacon	
4243.6	No.15	41 16.11 173 46.28		FI G 3s	4	3	Green wooden pile beacon	<i>fl 0.5, ec 2.5</i>
4243.601	No.17	41 16.19 173 46.27		FI G 3s	2	3	Green wooden pile beacon	
4243.603	No.19	41 16.27 173 46.25		FI G 3s	2	3	Green wooden pile beacon	
4243.605	No.21	41 16.36 173 46.24		FI G 3s	2	3	Green wooden pile beacon	
4243.609	No.23	41 16.43 173 46.23		FI G 3s	2	3	Green wooden pile beacon	
4243.61	Johnson Light	41 16.43 173 46.27		FI R 3s		3	Pole 3	<i>fl 0.5, ec 2.5</i>
Cook Strait								
4244	Cape Jackson Light (M)	40 59.67 174 18.82		FI(3)W 20s	87	9	White metal tower 4	<i>(fl 1, ec 1) x 2, fl 1, ec 15</i> W 050°-003° (313°) May be obscured by cliffs within 50metres of the light.
4244.5	Cape Jackson Rock	40 59.39 174 19.13		FI W 4s	15	3	Grey concrete tower 15	<i>fl 0.4, ec 3.6</i> White tower on concrete base
4246	The Brothers (M)	41 06.20 174 26.50		FI W 10s	79	19	White wooden tower 12	<i>fl 0.1, ec 9.9</i>
	Reserve light			FI W 10s FI R 10s	70	10		<i>fl 1.5, ec 8.5 R 164.5°-169.5° (5°)</i> Visible over Cook Rock, but obscured within 0.8M.
				FI R 10s	74	10		<i>fl 1.5, ec 8.5 R 008°-014° (6°)</i> Visible over awash rocks.
Queen Charlotte Sound / Tōtaranui								
4248	Motuara Island. S end	41 05.95 174 16.58		FI(2)W 10s	28	8	White metal tower 5	<i>fl 0.4, ec 1.6, fl 0.4, ec 7.6</i> Framework tower
4248.5	Scott Point	41 08.54 174 13.21		FI(2)G 5s	3	4	Green △ White pile beacon	G (Obscured) 110°- 210° (100°) G 210°-110° (260°)
4249	Edgecombe Point	41 09.26 174 12.04		FI W 10s	3	5	White wooden pile beacon 3	<i>fl 0.5, ec 9.5</i>
4249.5	Farnham Point	41 10.35 174 12.03		LFI WRG 10s	6	10	White metal tower	<i>fl 2, ec 8</i> G 218.4°-220.5° (2.1°) W 220.5°-223.7° (3.2°) R 223.7°-225.8° (2.1°)
4250	Kurakura Point	41 10.97 174 12.16		FI(3)W 15s	28	10	White metal column 3	<i>(fl 0.8, ec 1.2) x 2, fl 0.8, ec 10.2</i> Red top
4251	Snake Point	41 12.19 174 10.16		Q(6) + LFI W 15s	3	1	Black ∇ Yellow and black horizontal stripes, concrete pile beacon 4	
4252	Dieffenbach Point	41 13.90 174 08.78		FI W 3s	15	6	White wooden tower 3	<i>fl 0.3, ec 2.7</i>
4253	Luke Rock Lateral	41 13.18 174 08.32		FI G 5s	3	5	Green △ Green concrete pile beacon	<i>fl 0.3, ec 4.7</i> Column
4253.5	Allports Island	41 14.35 174 03.44		Q(5)W 10s	3	5	White pole 2	<i>(fl 0.3, ec 0.7) x 4, fl 0.3, ec 5.7</i>
4254	The Snout	41 15.03 174 02.92		FI(3)W 10s	14	7	White metal pole 2	<i>fl 0.5, ec 1, fl 0.5, ec 8</i>
4254.3	Waikawa Marina Northern End	41 15.57 174 02.54		Oc(2)G 6s	6	2		<i>ec 3, fl 1, ec 1, fl 1</i>
4254.5	Waikawa Bay Marina. S Breakwater	41 15.89 174 02.37		Oc WRG 3s	5	8	White metal pole 4	<i>ec 0.5, fl 2.5</i> G 213.2°-218° (4.8°) W 218°-228.2° (10.2°) R 228.2°-233.2° (5°)

South Island

Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
4254.6	Waikawa Bay Marina. N Breakwater	41 15.85 174 02.38		Fl G 3s	3	2	White metal pole 3	<i>fl 0.5, ec 2.5</i>
4255	Picton Point	41 15.26 174 02.19		Fl R 2.5s	3	2	White pole 3	<i>fl 0.5, ec 2</i>
4255.1	Houhou Light	41 15.23 173 58.44		Fl G 5s	2	2	Green △ Green and white horizontal stripes, pile beacon	Pillar
Picton Harbour								
4256	Mabel Island. S Point	41 16.16 174 00.89		Fl W 2s	4	4	White concrete pile beacon 4	<i>fl 0.3, ec 1.7</i> W (Obscured) 112.8°- 182.2° (69.4°) W 182.2°-112.8° (290.6°)
4256.2	Picton Harbour Approaches	41 16.60 174 00.53		Fl G 3s	2	1	White pile beacon	<i>fl 0.3, ec 2.7</i>
4256.7	Shelly Beach	41 16.91 174 00.71		Fl R 3s	3	5	White metal pile beacon	<i>fl 0.3, ec 2.7</i>
4256.85	Shelly Beach Breakwater	41 17.22 174 00.53		Fl R 6s	5	2	White metal pole 3	<i>fl 0.5, ec 5.5</i>
				Q Bu	5			On separate pole supporting marina sign Occas
4256.9	Picton Floating Breakwater	41 17.26 174 00.50		Fl G 4s	2	5	White metal pole 2	<i>fl 0.5, ec 3.5</i>
4257	Waitohi Wharf. Head	41 16.95 174 00.38		F R	23	6	Metal tower	Framework flood-lighting tower
				W	23			Warning light is exhibited when large vessels are manoeuvring at Picton Wharves. Occas
				Q Bu	23	5		
4257.8	Light. 176° 05'. Ldg Lts Front	41 17.30 174 00.49		F G	4	2	Concrete pole 3	
4257.81	Leading Light. Rear	41 17.31 174 00.48		F G	6	2	Concrete pole 4	
4258	Ferry Terminal No.1 Wharf. Head	41 17.05 174 00.40		F G	8		Mast 4	
4258.2	Ferry Terminal No.1 Wharf. Root	41 17.11 174 00.33		F G	10			On ferry terminal
4259	Ferry Terminal No.2 Wharf. Head	41 17.00 174 00.39		F R	6		Grey mast 3	
4259.2	Ferry Terminal No.2 Wharf. Root	41 17.07 174 00.30		F R	10		Blue mast 6	
4260	Wedge Point	41 15.50 174 00.67		Mo(A)W 8s	8	5	White pile beacon 2	<i>fl 0.2, ec 1.4, fl 3, ec 3.4</i>
4260.2	Shakespeare Bay. Inner	41 16.33 174 00.24		Q(4)R 6s	2	3	White pile beacon 2	<i>(fl 0.4, ec 0.6) x 3, fl 0.4, ec 2.6</i>
4260.3	Shakespeare Bay. No.3	41 16.31 173 59.87		LFI G 5s	2	3	White pile beacon 1	
4260.4	Shakespeare Bay. Outer	41 15.96 174 00.28		Q(5)G 10s	2	3	White pile beacon 2	<i>(fl 0.3, ec 0.7) x 4, fl 0.3, ec 5.7</i>
Tory Channel / Kura Te Au								
4262	West Head	41 12.80 174 18.88		Mo(N)WR 10s	47	8	White tower 4	<i>fl 1, ec 1, fl 0.5, ec 7.5</i> R 009.1°-052.2° (43.1°) W (Obscured) 052.2°- 090.2° (38°) W 090.2°-247.5° (157.3°) R 247.5°-270.9° (23.4°) W 270.9°-009.1° (98.2°)
4264	Arapaoa Island. Ldg Lts 311° 45'. Front	41 12.16 174 18.30		Q W	7	11	White △ White and orange vertical stripes, tower 6	
4264.1	Arapaoa Island. Rear	41 12.10 174 18.22		Iso W 2s	27	11	White △ White and orange vertical stripes, tower 6	
4264.5	Wheki Rock	41 12.44 174 18.31		Fl G 3s	2	2	Green pile beacon	<i>fl 0.3, ec 2.7</i>

South Island								
Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
4265	East Head Dir Lt	41 12.62 174 19.41		Dir F WRG	35	3	White wooden pole 1	F G 083.1°-087° (3.9°) AI WG 087°-090.7° (3.7°) F W 090.7°-095.1° (4.4°) AI WR 095.1°-098.8° (3.7°) F R 098.8°-103° (4.2°) R light on mast 2.3 M NE
4266	Scraggy Point	41 12.90 174 18.32		FI(2)W 10s	19	5	White metal pile beacon 2	<i>fl 0.5, ec 2, fl 0.5, ec 7</i>
4266.1	Motukina Point	41 14.63 174 15.29		FI R 5s	14	4	White pole 2	<i>fl 0.5, ec 4.5</i>
4267	Te Uira-Karapa Point. W	41 14.22 174 15.04		FI W 5s	8	6	White metal pole 3	<i>fl 0.4, ec 4.6</i>
4267.1	Te Uira-Karapa Point. E	41 14.19 174 15.24		FI G 3s	18	4	White wooden pole 2	An old light tower (3 m) is situated close W
4267.4	Arrowsmith Point	41 14.61 174 12.05		FI(4)W 15s	4	5	White pole	<i>(fl 0.5, ec 1) x 3, fl 0.5, ec 10</i> W (Obscured) 048°- 081.1° (33.1°) W 081.1°-270.4° (189.3°) W (Obscured) 270.4°- 318.5° (48.1°)
4268	Ruaomoko Point. E	41 14.61 174 10.00		FI(3)W 10s	22	5	White pile beacon 2	<i>(fl 0.5, ec 1) x 2, fl 0.5, ec 6.5</i>
4268.2	Ruaomoko Point. W	41 14.51 174 09.66		Q W	7.5	5	White pile beacon 2	
4268.21	Otamango Point	41 15.06 174 09.51		FI R 3s	6	4	White pole 2	<i>fl 0.3, ec 2.7</i>
Cook Strait								
4268.3	Fighting Bay. N limit	41 18.41 174 14.09		FI(4)WR 20s	189	W7 R4	White △ White and orange vertical stripes, beacon	<i>(fl 1, ec 0.5) x 3, fl 1, ec 14.5</i> W 221°-263° (42°) R 263°-310° (47°)
4268.4	Fighting Bay. S Limit	41 20.14 174 10.45		LFI(2)WR 20s	117	W7 R5	White △ White and orange vertical stripes, beacon	<i>fl 2, ec 0.5, fl 2, ec 15.5</i> R 271°-301° (30°) W 301°-051° (110°)
4269	Robertson Point	41 21.08 174 07.11		FI W 5s	16	5	White concrete pile beacon 2	<i>fl 0.5, ec 4.5</i> Column
4272	Blenheim (Aerodrome)	41 30.80 173 52.20		Aero FI AI WG 3.7s				
4273		41 32.56 173 48.00		Aero Oc R				
4274	Cape Campbell (M)	41 43.65 174 16.52		FI W 15s	47	19	White and black horizontal stripes, metal tower 22	<i>fl 0.5, ec 14.5</i> Obscured by land when bearing more than 010 degrees.
Kaikōura Peninsula								
4275	Point Kean (M)	42 25.45 173 42.94		FI(2)W 15s	41	9	Yellow metal tower 4	<i>fl 1, ec 2, fl 1, ec 11</i>
4276	North Wharf. Ldg Lts 221° 35'. Front	42 24.77 173 42.17		F G	6		Orange metal pole 4	
4276.1	North Wharf. Rear	42 24.81 173 42.12		F G	7		Orange metal pole 4	
4277	Kaikōura South Breakwater Head	42 25.56 173 40.85		Iso G 2s	6	6	Black and white horizontal stripes, metal pole 3	
4279	Point Gibson (M)	42 52.97 173 18.98		FI W 10s	76	10	Red and white horizontal stripes, metal tower 3	<i>fl 1, ec 9</i> W 202°-027° (185°)
4282	Motunau River. Entrance. Ldg Lts Front	43 03.02 173 04.60		F R	6	3	Mast	Caution: Vessels should not attempt to enter without local knowledge.
4282.1	Motunau River. Entrance. Rear.	43 03.00 173 04.57		F R	12	3	Mast	
Lyttelton Harbour / Whakaraupō								
4286	Godley Head	43 35.22 172 48.43		LFI(3)W 26s	127	17	Grey metal column 4	<i>(fl 2, ec 4) x 2, fl 2, ec 12</i> W 180°-330° (150°)
4287	No.3	43 35.62 172 49.27		FI G 5s	6	4	Green △ Green Buoyant beacon 6	<i>fl 1, ec 4</i> AIS AtoN, MMSI 995121042
4287.2	No.5	43 36.04 172 48.19		FI G 2.5s		4	Green △ Green Buoyant beacon 6	<i>fl 1, ec 1.5</i> AIS AtoN, MMSI 995121043

South Island

Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
4287.4	No 8	43 36.30 172 47.87		FI R 2.5s		4	Red  Red Buoyant beacon 6	<i>fl 1, ec 1.5</i> AIS AtoN, MMSI 995121044
4287.5	No.9	43 36.24 172 47.40		FI G 2.5s		4	Green  Green Buoyant beacon 6	<i>fl 1, ec 1.5</i> AIS AtoN, MMSI 995121045
4287.7	No.11	43 36.42 172 45.97		FI G 5s		4	Green  Green Buoyant beacon 6	<i>fl 1, ec 4</i> AIS AtoN, MMSI 995121046
4287.8	No.12	43 36.49 172 46.35		FI R 5s		4	Red  Red Buoyant beacon 6	<i>fl 1, ec 4</i> AIS AtoN, MMSI 995121047
4287.9	No.13	43 36.56 172 44.75		FI G 5s		4	Green  Green Buoyant beacon 6	<i>fl 1, ec 4</i> AIS AtoN, MMSI 995121048
4289.5	North Stake Front Stbd No.31	43 36.80 172 42.82		F G	6	5	Green  Green pile beacon 6	Piled Beacon with Platform
4289.6	North Stake Rear Stbd No.33	43 36.89 172 42.06		F G	6	5	Green  Green pile beacon 6	Piled Beacon with Platform
4290	Centre Stakes Lead No.35 Ldg Lts Front	43 36.85 172 42.83		Q W	8	6	Orange  White pile beacon 8	<i>fl 0.5, ec 0.5</i> Piled Beacon with Platform
	Dir Lt 260° 39'.			Dir F WRG		10		F G 259.25°-260.35° (1.1°) Light oscillates at the margins of the white sector. F W 260.35°-260.95° (0.6°) F R 260.95°-262.05° (1.1°) Light oscillates at the margins of the white sector.
	Dir Lt			By day		W4.8 R3 G3		F G 259.25°-260.35° (1.1°) Light oscillates at the margins of the white sector. F W 260.35°-260.95° (0.6°) F R 260.95°-262.05° (1.1°) Light oscillates at the margins of the white sector.
4290.05	South Stakes Front Port No.36	43 36.90 172 42.84		F R	6	5	Red  Red pile beacon 6	Piled Beacon with Platform
4290.06	South Stakes Rear Port No.38	43 36.99 172 42.09		F R	6	5	Red  Red pile beacon 6	Piled Beacon with Platform
4290.1	Centre Stakes Rear Lead No.37	43 36.94 172 42.08		Iso W 4s	18	7	Orange  White pile beacon 18	<i>fl 2, ec 2</i> Piled Beacon with Platform
4291	Parson Rock Beacon	43 36.81 172 45.13		FI(2)R 10s	7	4	Red  Red pile beacon	<i>fl 0.5, ec 1, fl 0.5, ec 8</i>
4293	Sticking Point	43 36.62 172 44.01		FI(2)G 5s	8	5	White pile beacon	
4295	North Turn Off Lead No.21 Ldg Lts Front	43 36.55 172 42.89		F R	10	9	Orange  White tower 10	R 293.53°-311.53° (18°) Tubular Tower with Platform
				By day		1		R 293.53°-311.53° (18°)
4295.1	North Turn Off Rear Lead No.23	43 36.55 172 42.88		F R	10	9	Orange  White tower 14	R 293.53°-311.53° (18°) Tubular Tower with Platform
				By day		1		R 293.53°-311.53° (18°)
4296	Centre Turn Off Lead No.22 Ldg Lts Front	43 36.60 172 42.78		F Bu	10	9	Orange  White tower 10	Bu 293.53°-311.53° (18°) Tubular Tower with Platform
				By day		1		Bu 293.53°-311.53° (18°)
4296.1	Centre Turn Off Rear Lead No.24	43 36.59 172 42.77		F Bu	14	9	Orange  White tower 14	Bu 293.53°-311.53° (18°) Tubular Tower with Platform
				By day		1		Bu 293.53°-311.53° (18°)
4299	West Mole Port Beacon No.30	43 36.51 172 42.96		Q R		3	Black and white stripes (direction unknown), lattice beacon	<i>fl 0.3, ec 0.7</i>

South Island								
Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
4300	East Mole Stbd Beacon No.29	43 36.55 172 43.06		Q G	6	3	Green △ Green pile beacon	<i>fl 0.3, ec 0.7</i> Piled Beacon with Platform
4301	South Turn Off Lead No.26 Ldg Lts Front	43 36.63 172 42.66		F R	10	9	Orange △ White tower 10	R 293.53°-311.53° (18°) Tubular Tower with Platform
				<i>By day</i>		1		R 293.53°-311.53° (18°)
4301.1	South Turn Off Rear Lead No.28	43 36.63 172 42.65		F R	14	9	Orange ▽ White tower 14	R 293.53°-311.53° (18°) Tubular Tower with Platform
				<i>By day</i>		1		R 293.53°-311.53° (18°)
4303	Purau Bay Front Lead No.40	43 36.81 172 46.44		Q W	8	6	Orange □ White tower 8	<i>fl 0.5, ec 0.5</i> Piled Beacon with Platform
	Dir Lt			Dir F WRG		10		F G 238.81°-241.06° (2.25°) Light oscillates at the margins of the white sector. F W 241.06°-241.56° (0.5°) F R 241.56°-243.81° (2.25°) Light oscillates at the margins of the white sector.
	Dir Lt			<i>By day</i>		W4.8 R3 G3		F G 238.81°-241.06° (2.25°) Light oscillates at the margins of the white sector. F W 241.06°-241.56° (0.5°) F R 241.56°-243.81° (2.25°) Light oscillates at the margins of the white sector.
4303.1	Purau Bay Rear Lead No.42	43 37.13 172 45.64		Iso W 4s	18	7	Orange □ White pile beacon 18	<i>fl 2, ec 2</i> Piled Beacon with Platform
4310	Steep Head (M)	43 44.71 173 07.67		Fl W 5s	156	19	White metal tower 4	<i>fl 1, ec 4</i> W (Obscured) 001°- 025.75° (24.75°) W (Obscured) 093.27°- 161° (67.73°) W 161°-001° (200°) Owing to its elevation the light is liable to be obscured by fog and mist.
Akaroa Harbour								
4314	Akaroa Head (M)	43 53.40 172 58.73		Fl W 10s	68	19	White fibreglass tower 3	<i>fl 0.5, ec 9.5</i> W (Obscured) 071°- 089° (18°) Obscured from seaward by Timutimu Head when bearing more than 071 degrees. W 089°-116° (27°) W (Obscured) 116°- 150° (34°) W (Partially obscured) 209°- 262° (53°) W 262°-071° (169°) power pole
4315	Akaroa Harbour Ldg Lts 330° 36'. Front	43 49.11 172 54.21		F G	10	7	Grey wooden pole 7	
4315.1	Akaroa Harbour Rear Leading Light	43 48.41 172 53.66		F G	83	7	Brown wooden pole 7	
4316	Green Point	43 48.91 172 56.79		Fl G 5s	4	2	White wooden pole 5	On W end of reef
4318	Childrens Bay Ldg Lts 058° 36'. Front	43 48.11 172 58.04		F G	7	5	Red O, yellow squared Pole	Neon □ On street light
4318.1	Childrens Bay Leading Rear Light	43 48.09 172 58.08		F G	10	5	Red O, yellow squared Pole	Neon □ On street light
Timaru Harbour								
4324	Airport	44 17.90 171 13.47		Aero Fl W 3.7s	31	15		<i>fl 0.2, ec 3.5</i> Location beacon
4328	Timaru Harbour Ldg Lts 267° 35'. Front	44 23.09 171 15.53		F G	16	5	Orange △ White concrete pole	Neon □

South Island

Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
4328.1	Benvenue Cliff Middle Light Dir Lt	44 23.11 171 14.78		Dir Al WRG	25	W21 R17 G17	Orange △ beacon 4	F G 265°-266.5° (1.5°) Al WG 266.5°-267.2° (0.7°) White phase increasing with bearing. Alternating green light range 17M. F W 267.2°-268° (0.8°) Al WR 268°-268.7° (0.7°) Red phase increasing with bearing. Alternating red light range 17M. F R 268.7°-270.2° (1.5°) Neon □ Neon □
				F G By day	25	10 5		
4328.2	Timaru Harbour Rear Light	44 23.12 171 14.62		F G	30	7	Orange △ beacon 4	Neon □
4329	Eastern Extension Mole. Spur Breakwater Head Light	44 23.16 171 16.01		Fl R 5s	17	11	Tower	fl 1, ec 4 F R lights on radio mast 2.5 M N.
4329.4	Outer North Mole Head Light	44 23.19 171 15.72		Fl G 10s	10	6	White wooden mast 8	
4330	East Mole Head Light. Light in Line, with rear light, to mark limits of channel. Ldg Lts Front	44 23.37 171 15.62		F R	7	2	Metal beacon 4	R 003°-244° (241°) Neon □ R (Obscured) 244°- 347° (103°) Neon □ Box
4330.1	No. 2 Wharf Root Rear Light	44 23.59 171 15.29		F R	20	2	Metal pole	Neon □ Box
4331	War Memorial	44 23.86 171 15.15		F W	44	14	Mast	
				By day		10		
4332	Inner North Mole Head Light	44 23.28 171 15.60		Fl G 2s	6	5	White lattice beacon	fl 0.3, ec 1.7 Electric lights in railway yard are visible from seaward especially when approaching from south. Inclined 45 degrees from vertical
4340	Tuhawaiki Point (M)	44 26.58 171 15.64		LFI W 10s	29	9	White metal tower 9	fl 2, ec 8
Oamaru Harbour								
4348	Breakwater. Head	45 06.34 170 58.83		Fl R 5s	8	5	Lattice beacon	fl 0.3, ec 4.7
4350	Holmes Wharf. Head	45 06.36 170 58.68		F G	4	2	Mast	Lamp Post
4358	Moeraki. Ldg Lts 216° 31'. Front	45 21.68 170 50.94		Q W	11	6	Mast 4	
4358.1	Moeraki. Leading Lights. Rear	45 21.89 170 50.71		Iso W 4s	51	6	Mast 4	
4360	Katiki Point (M)	45 23.70 170 52.05		Iso W 12s	56	14	White wooden tower 8	W (Obscured) 018°- 029° (11°) W 181°-018° (197°)
4362	Heyward Point	45 45.37 170 41.53		Fl WR 5s	25	W9 R7	White tower 4	fl 0.7, ec 4.3 W 043°-259° (216°) R 259°-306.5° (47.5°) R (Obscured) 306.5°- 339° (32.5°)
Otago Harbour								
4363	Fairway Beacon	45 45.07 170 43.62		Fl(2)R 5s	9	5	Red □ Red pile beacon	fl 0.5, ec 1, fl 0.5, ec 3 Pivoted at base. AIS AtoN, MMSI 995121033
4364	Taiaroa Head	45 46.42 170 43.73		LFI(2)W 18s	60	18	White masonry tower 12	fl 2, ec 4, fl 2, ec 10 W (Obscured) 023°- 158° (135°) W 158°-300° (142°) W (Obscured) 300°- 307° (7°) Disused Signal Station Fl R(occas) light on mast 7.5M WSW
4365	North Mole	45 46.24 170 43.16		Fl(3)W 5s	11	5	Black ⬇ Black, yellow and black horizontal stripes, metal pile beacon	Ra refl AIS AtoN, MMSI 995121034

South Island								
Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
4366	Approach Channel Dir Lt 186° 09'.	45 47.90 170 43.11		Dir F WRG	19	W21 R17 G17	Red △ White tower 5	F G 183.65°-185.1° (1.45°) An overspill of white light is visible at night to eastward and westward of the fixed red and green sectors. Vessels should ensure they have crossed the red and green sectors before turning on to the leading line. Range 5M when sighted outside the main Directional Light Sectors. Al WG 185.1°-185.45° (0.35°) Alternating green light range 17.0M. White phase increasing with bearing F W 185.45°-186.85° (1.4°) Al WR 186.85°-187.2° (0.35°) Alternating red light range 17.0M. Red phase increasing with bearing F R 187.2°-188.65° (1.45°)
				By day		4		
4366.1	Cross Channel Leads Te Umukuri (Wellers Rock) Ldg Lts 103° 15'. Front	45 47.91 170 42.91		F Bu	15	3	White △ White pile beacon 15	
4366.2	Cross Channel Leads Te Umukuri (Wellers Rock) Ldg Lts Rear	45 47.92 170 42.99		F Bu	15	3	White ▽ White pile beacon 15	
	Lower Harbour							
4366.9	No. 1	45 46.50 170 43.21		Fl G 3s	3	2	Green △ Green pile beacon	
4367	No. 1A	45 46.81 170 43.14		Fl(2)G 5s	3	3	Green △ Green pile beacon	Ra refl
4367.1	Harington Point	45 47.00 170 43.38		F Y	3	4	Red metal pile beacon 3	Y 177°-182° (5°)
				Oc R 10s	3	2		ec 1, fl 9
4367.12	Spit Tide Gauge Pile	45 47.15 170 43.12		Oc G 4s	3	3	Green △ Green metal pile beacon	
4367.2	No. 2	45 47.27 170 43.39		Fl R 3s	3	3	Red □ Red pile beacon	Ra refl
4367.3	No. 3	45 47.36 170 43.09		Fl(2)G 4s	3	3	Green △ Green pile beacon	Ra refl
4367.4	No. 4. Groyne. Head	45 47.44 170 43.31		Fl(2)R 4s	3	3	Red □ Red pile beacon	Ra refl Tripod
4367.5	No. 5	45 47.50 170 42.95		Fl(3)G 6s	3	3	Green △ Green pile beacon	(fl 0.5, ec 1) x 2, fl 0.5, ec 2.5 Ra refl AIS AtoN, MMSI 995121035
4367.6	No. 6. Groyne. Head	45 47.61 170 43.11		Fl(3)R 6s	3	3	Red □ Red pile beacon	Ra refl
4367.7	No. 7	45 47.60 170 42.76		Fl G 3s	3	3	Green △ Green pile beacon	Ra refl Neon □ AIS AtoN, MMSI 995121036
4367.8	No. 8. Groyne. Head	45 47.72 170 42.87		Fl R 3s	3	3	Red □ Red pile beacon	Ra refl Tripod
4367.9	No. 9	45 47.67 170 42.46		Oc G 4s	5	3	Green △ Green pile beacon	ec 1, fl 3 Ra refl AIS AtoN, MMSI 995121037
4368	No. 10. Groyne. Elbow	45 47.80 170 42.48		Oc R 10s	3	2	Red □ Red pile beacon	ec 1, fl 9 Ra refl
4368.2	No. 11	45 47.65 170 41.81		Fl G 2.5s	3	1	Green △ Green pile beacon	Ra refl
4368.3	No. 12	45 47.79 170 41.76		Fl R 2.5s	3	1	Red □ Red pile beacon	Ra refl
4368.4	No. 13	45 47.48 170 40.81		Fl(2)G 5s	3	3	Green △ Green pile beacon	Ra refl
4368.45	No. 13A Ldg Lts 283° 15'. Front	45 47.46 170 40.21		F G	3	3	Green △ Green pile beacon	Ra refl Neon □
4368.46	Ldg Lts Rear	45 47.36 170 39.57		Q W	5	5	White △ White pile beacon	fl 0.5, ec 0.5 Tripod

South Island

Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
4368.5	No. 14	45 47.63 170 40.75		Fl(2)R 4s	3	3	Red □ Red pile beacon	Ra refl
4368.6	No. 15	45 47.55 170 39.83		Fl G 3s	3	3	Green △ Green pile beacon	Ra refl
4368.7	No. 16	45 47.61 170 40.25		Fl(3)R 6s	3	3	Red □ Red pile beacon	Ra refl
4368.72	No. 16A	45 47.69 170 39.92		Fl R 3s	3	3	Red □ Red pile beacon	Ra refl
4368.8	No. 17 - Off Pulling Point	45 47.75 170 39.39		F G	3	3	Green △ Green pile beacon	Ra refl Neon □ Tripod
4368.9	No. 18	45 47.89 170 39.47		Fl(2)R 5s	3	3	Red □ Red pile beacon	Ra refl
4368.95	No. 18A	45 47.99 170 39.04		Oc R 4s	3	3	Red □ Red pile beacon	Ra refl
4369	No. 19 - Off Acheron Head	45 47.89 170 38.74		F G	3	3	Green △ Green pile beacon	Ra refl Neon □ Tripod
4369.1	No. 19A	45 47.90 170 38.47		Fl(3)G 6s	3	3	Green △ Green pile beacon	Ra refl
4369.2	No. 20	45 48.04 170 38.50		Fl(3)R 6s	3	3	Red □ Red pile beacon	Ra refl
4369.22	No. 20A	45 48.11 170 38.30		Fl R 3s	3	3	Red □ Red pile beacon	Ra refl Tripod
4369.5	No. 21	45 47.93 170 38.33		Fl G 3s	3	3	Green △ Green pile beacon	Ra refl
4369.52	No. 21A	45 48.00 170 38.14		F G	3	3	Green △ Green pile beacon	Ra refl Neon □
4369.6	No. 22	45 48.20 170 38.14		Fl(2)R 4s	3	3	Red □ Red pile beacon	Ra refl
4369.7	No. 23 Ldg Lts 012° 30'. Front	45 48.08 170 38.00		Oc G 4s	3	3	Green △ Green pile beacon	ec 1, fl 3 Ra refl
4369.71	Deborah Bay Ldg Lts Rear	45 47.81 170 38.08		Q W	3	3	Black and white horizontal stripes, pile beacon	fl 0.5, ec 0.5
4369.8	No. 24	45 48.30 170 38.01		Fl R 3s	4	3	Red □ Red pile beacon	Ra refl
4369.82	No. 24A	45 48.48 170 37.95		Fl(2)R 4s	4	3	Red □ Red pile beacon	Ra refl
4369.83	No. 25 - Off Rocky Point	45 48.27 170 37.79		F G	3	6	Green △ Green pile beacon 3	Ra refl Neon □ Tripod
	Dir Lt			By day		2		F R 345°-350° (5°) F Y 350°-355° (5°)
4369.84		45 48.49 170 37.59		Fl(2)G 5s	2	2	Green pile beacon 2	fl 0.5, ec 0.5, fl 0.5, ec 3.5
4369.85	Boiler Point	45 48.49 170 37.62		Fl R 3s	3	2	Red pile beacon 3	
4369.86	Multi Purpose Berth. N end	45 48.51 170 37.70		Fl G	5		Beacon	
4370	No. 26	45 48.63 170 38.01		Fl R 3s	3	1	Red □ Red pile beacon	Ra refl
Port Chalmers								
4370.2	No. 27	45 48.49 170 37.70		Oc G 10s	3	1	Green pile beacon	ec 2.5, fl 7.5
4370.25	Container Terminal Wharf. NE end	45 48.73 170 37.59		4 F W(hor)			Beacon	
4370.26	Ldg Lts 191° 30'. Front	45 48.87 170 37.72		F Bu	15	2	White pole 15	
4370.261	Ldg Lts Rear	45 48.94 170 37.70		F Bu	15	2	White pole 15	
4370.27	Beach Street Wharf. E end	45 48.83 170 37.75		F G			Beacon	Neon □
4370.3	No. 28	45 48.81 170 37.99		Fl(2)R 4s	3	3	Red □ Red pile beacon	Ra refl
4370.74	No. 29	45 48.99 170 37.80		F G	3	3	Green △ Green pile beacon	Neon □
4370.9	No. 30	45 49.06 170 37.98		Fl R 3s	3	1	Red □ Red pile beacon	Ra refl

South Island								
Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
4371		45 49.16 170 37.75		VQ(3)W 5s	3	1	Black $\diamond$ Black, yellow and black horizontal stripes, pile beacon 3	Wharf - SE corner
4371.5		45 49.20 170 37.61		VQ(6) + LFI W 15s	3	1	Black ∇ Yellow and black horizontal stripes, pile beacon 3	Ra refl Wharf - off SW corner
4372	No. 32 Ldg Lts 028° 20'. Front	45 49.24 170 37.92		Q(2)R 4s	3	1	Red $\square$ Red and white horizontal stripes, pile beacon	Ra refl
4372.1	Ldg Lts Rear	45 49.16 170 37.98		Q R	3	1	Red pile beacon	
4372.2	Halfway Islands Passage Ldg Lts 044° 43'. Front	45 49.38 170 37.94		FI(2)Y 4s	3	1	White $\triangle$ Black pile beacon	
4372.21	Halfway Islands Passage Ldg Lts Rear	45 49.30 170 38.05		Q Y	3	1	White ∇ Black pile beacon	
Upper Harbour								
4372.4	No. 2A Ldg Lts 208° 20'. Front	45 49.82 170 37.47		FI(2)R 4s	3	1	Red pile beacon	Double pile
4372.5	Ldg Lts Rear	45 49.86 170 37.44		Q R	3	1	White pile beacon	100m from front.
4373	Goat Island No. 1	45 49.56 170 37.62		Q G	3	1	Pile beacon	
4373.2	No. 2 Quarantine Island/Kamau Taurua	45 49.61 170 37.69		Q R	3	2	Pile beacon	
4373.25	No. 33	45 49.44 170 37.71		FI(3)G 6s	3	3	Green $\triangle$ Green wooden pile beacon 3	(fl 0.5, ec 0.5) x 2, fl 0.5, ec 3.5
4373.3	No. 3	45 49.71 170 37.23		FI G 3s	3	1	Green $\triangle$ Green pile beacon	
4373.4	No. 4	45 49.81 170 37.25		FI R 3s	3	1	Red $\square$ Red pile beacon	
4373.44	No. 5	45 49.74 170 36.87		FI G 3s	3	1	Green $\triangle$ Green pile beacon	
4373.6	No. 6	45 49.83 170 36.88		FI R 3s	3	1	Red $\square$ Red pile beacon	
4373.7	No. 7	45 49.77 170 36.51		FI G 3s	3	1	Green $\triangle$ Green pile beacon	
4373.8	No. 8	45 49.86 170 36.54		FI R 3s	3	1	Red $\square$ Red pile beacon	
4373.9	No. 8A	45 49.90 170 36.32		FI R 3s	3	1	Red $\square$ Red pile beacon	
4374	Kilgours Point. No. 9	45 49.88 170 36.15		FI G 3s	3	1	Green $\triangle$ Green pile beacon	
Victoria Channel								
4374.1	No. 11	45 50.00 170 35.82		FI G 3s	3	1	Green $\triangle$ Green pile beacon	
4374.12	No. 12	45 50.06 170 35.87		FI R 3s	3	1	Red $\square$ Red pile beacon	F R lights on radio masts 3.1 M SSW
4374.125	No. 13	45 50.04 170 35.72		FI G 3s	3	1	Green $\triangle$ Green pile beacon	
4374.13	No. 15	45 50.07 170 35.62		FI G 3s	3	1	Green $\triangle$ Green pile beacon	
4374.14	No. 16	45 50.14 170 35.66		FI R 3s	3	1	Red $\square$ Red pile beacon	
4374.16	No. 17	45 50.12 170 35.52		FI G 3s	3	1	Green $\triangle$ Green pile beacon	
4374.18	No. 18	45 50.20 170 35.54		FI R 3s	3	1	Red $\square$ Red pile beacon	
4374.2	No. 19	45 50.17 170 35.44		FI G 3s	3	1	Green $\triangle$ Green pile beacon	
4374.22	No. 20	45 50.29 170 35.45		FI R 3s	3	1	Red $\square$ Red pile beacon	
4374.24	No. 21	45 50.25 170 35.36		FI G 3s	3	1	Green $\triangle$ Green pile beacon	

South Island

Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
4374.26	No. 22	45 50.40 170 35.37		FI R 3s	3	1	Red □ Red pile beacon	
4374.28	No. 23	45 50.38 170 35.28		FI G 3s	3	1	Green △ Green pile beacon	
4374.29	No. 24	45 50.49 170 35.32		FI R 3s	3	1	Red □ Red pile beacon	
4374.3	No. 25	45 50.47 170 35.23		FI G 3s	3	1	Green △ Green pile beacon	
4374.31	No. 26	45 50.67 170 35.24		FI R 3s	3	1	Red □ Red pile beacon	Double pile
4374.32	No. 27	45 50.65 170 35.16		FI G 3s	3	1	Green △ Green pile beacon	Double pile
4374.33	No. 28	45 50.83 170 35.15		FI R 3s	3	1	Red □ Red pile beacon	
4374.34	No. 29	45 50.80 170 35.08		FI G 3s	3	1	Green △ Green pile beacon	
4374.36	No. 30	45 51.01 170 35.03		FI R 3s	3	1	Red □ Red pile beacon	
4374.38	No. 31	45 50.98 170 34.96		FI G 3s	3	1	Green △ Green pile beacon	
4374.39	No. 32	45 51.16 170 34.91		FI R 3s	3	1	Red □ Red pile beacon	
4374.395	No. 33	45 51.13 170 34.83		FI G 3s	3	1	Green △ Green pile beacon	
4374.4	No. 34	45 51.28 170 34.81		FI R 3s	3	1	Red □ Red pile beacon	
4374.42	No. 35	45 51.25 170 34.74		FI G 3s	3	1	Green △ Green pile beacon	
4374.43	No. 36	45 51.41 170 34.70		FI R 3s	3	1	Red □ Red pile beacon	
4374.44	No. 37	45 51.38 170 34.63		FI G 3s	3	1	Green △ Green pile beacon	
4374.45	Beacon at Burkes	45 51.36 170 34.58		FI Y	2		Yellow X Yellow pile beacon	
4374.46	No. 38	45 51.53 170 34.59		FI R 3s	3	1	Red □ Red pile beacon	
4374.47	No. 39	45 51.49 170 34.52		FI G 3s	3	1	Green △ Green pile beacon	
4374.48	No. 40	45 51.70 170 34.43		FI R 3s	3	1	Red □ Red and white horizontal stripes, pile beacon	Marks telegraph cable
4374.5	No. 41	45 51.66 170 34.34		FI G 3s	3	1	Green △ Green and white horizontal stripes, pile beacon	Marks telegraph cable
4374.52	No. 42	45 51.85 170 34.21		FI R 3s	3	1	Red □ Red pile beacon	Double pile
4374.54	No. 43	45 51.80 170 34.13		FI G 3s	3	1	Green △ Green pile beacon	Double pile
4374.55	No. 44	45 51.95 170 33.99		FI R 3s	3	1	Red □ Red pile beacon	
4374.56	No. 45	45 51.89 170 33.94		FI G 3s	3	1	Green △ Green pile beacon	
4374.58	No. 46	45 52.03 170 33.78		FI R 3s	3	1	Red □ Red pile beacon	
4374.6	No. 47	45 51.97 170 33.74		FI G 3s	3	1	Green △ Green pile beacon	
4374.61	No. 48	45 52.08 170 33.63		FI R 3s	3	1	Red □ Red pile beacon	
4374.615	No. 49	45 52.02 170 33.60		FI G 3s	3	1	Green △ Green pile beacon	
4374.62	No. 50	45 52.11 170 33.50		FI R 3s	3	1	Red □ Red pile beacon	
4374.64	No. 51	45 52.06 170 33.45		FI G 3s	3	1	Green △ Green pile beacon	
4374.65	No. 52	45 52.16 170 33.33		FI R 3s	3	1	Red □ Red pile beacon	
4374.655	No. 53	45 52.11 170 33.29		FI G 3s	3	1	Green △ Green pile beacon	

South Island								
Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
4374.66	No. 54	45 52.21 170 33.12		FI R 3s	3	1	Red □ Red pile beacon	
4374.68	No. 55	45 52.16 170 33.07		FI G 3s	3	1	Green △ Green pile beacon	Double pile
4374.7	No. 56	45 52.26 170 32.88		FI R 3s	3	1	Red □ Red pile beacon	
4374.72	No. 57	45 52.19 170 32.84		FI G 3s	3	1	Green △ Green pile beacon	
4374.725	Ravensbourne Wharf. E end	45 52.22 170 32.69		F G	3	1	Beacon	Neon □
4374.73	Centre	45 52.24 170 32.63		2 F G(vert)	3	1	Beacon	
4374.735	W end	45 52.25 170 32.57		F G	3	1	Beacon	Neon □
4374.74	No. 58	45 52.35 170 32.43		FI R 3s	3	1	Red □ Red pile beacon	
4374.76	No. 59	45 52.29 170 32.41		FI G 3s	3	1	Green △ Green pile beacon	
4374.77	No. 60	45 52.40 170 32.21		FI R 3s	3	1	Red □ Red pile beacon	
4374.78	No. 61	45 52.35 170 32.19		FI G 3s	3	1	Green △ Green pile beacon	
4374.8	No. 62	45 52.45 170 31.98		FI R 3s	3	1	Red □ Red pile beacon	
4374.82	No. 63	45 52.40 170 31.96		FI G 3s	3	1	Green △ Green pile beacon	
4374.83	No. 64	45 52.50 170 31.76		FI R 3s	3	1	Red □ Red pile beacon	
4374.84	No. 66	45 52.54 170 31.58		FI R 3s	3	1	Red □ Red pile beacon	
4374.86	No. 67	45 52.47 170 31.65		FI G 3s	3	1	Green △ Green pile beacon	
4374.88	No. 68	45 52.58 170 31.41		FI R 3s	3	1	Red □ Red pile beacon	
4374.9	LPG Wharf - E	45 52.45 170 31.54		F G	2	1		Neon □ On E dolphin
4374.91	Leith Wharf. Head	45 52.43 170 31.43		F G	3	1	Beacon	Neon □ E end, side of pumphouse
4374.96	Oil Jetty. Head	45 52.47 170 31.28		2 F G(vert)	9		Beacon 5	
Dunedin								
4374.98	No. 70	45 52.61 170 31.27		FI R 3s	3	1	Red □ Red pile beacon	Temporarily removed.
4375	No. 72	45 52.65 170 31.15		FI R 3s	3	1	Red □ Red pile beacon	
4375.02	No. 74	45 52.74 170 30.97		FI R 3s	3	1	Red □ Red pile beacon	
4375.1	No. 76	45 52.85 170 30.76		FI R 3s	3	1	Red □ Red pile beacon	
4375.2	Rattray Street Wharf. E end	45 52.72 170 30.79		2 F G(vert)	17	1	Beacon	Shed
4375.5	Birch Street Wharf. E end	45 52.84 170 30.66		F G			Beacon	
4376	Cape Saunders S end (M)	45 52.83 170 43.70		LFI W 10s	58	10	White metal tower 4	fl 2, ec 8 W (Obscured) 064°- 072° (8°) W (Obscured) 181.5°- 254° (72.5°) W 254°-064° (170°)
4380	Nugget Point. E end (M)	46 26.90 169 49.08		LFI(2)W 12s	75	14	White masonry tower 9	fl 2, ec 2, fl 2, ec 6
4381	Tautuku Peninsula (M)	46 36.70 169 26.28		FI(3)W 15s	32	8	White metal tower 4	(fl 0.5, ec 1.5) x 2, fl 0.5, ec 10.5
4382	Slope Point (M)	46 40.44 169 00.07		FI W 5s	33	8	White metal tower 3	fl 1, ec 4 W 268°-098° (190°) Round.
4384	Waipapa Point (M)	46 39.59 168 50.84		FI(5)W 20s	21	9	White wooden tower 13	(fl 1, ec 1) x 4, fl 1, ec 11
4387	Bushy Point (M)	46 36.38 168 31.07		FI(2)W 15s	7	8	White tower 4	fl 1, ec 2, fl 1, ec 11

South Island

Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
Stewart Island / Rakiura								
4388	Ackers Point (M)	46 53.74 168 09.81		Fl(3)WR 10s	20	W7 R4	White metal tower 5	(fl 0.5, ec 1.5) x 2, fl 0.5, ec 5.5 W (Partially obscured) 020°-106° (86°) partially obscured by land W 106°-251.7° (145.7°) R 251.7°-257° (5.3°) W 257°-020° (123°)
4389	Halfmoon Bay	46 53.83 168 08.14		Fl R 5s	2	5	Red □ Red metal pile beacon	
4394	Dog Island (M)	46 39.11 168 24.63		Fl W 10s	46	19	White and black horizontal stripes, masonry tower 37	fl 0.1, ec 9.9 Round.
	Reserve light					10		
Bluff Harbour								
4397	Bluff Harbour Entrance	46 37.47 168 20.55		Fl WR 3s	19	W11 R8	White △ White wooden tower 6	fl 1, ec 2 R 253°-342° (89°) W 342°-070° (88°)
4398	Stirling Point	46 36.72 168 21.60		F R	11	6	Beacon 7	On old signal station roof
4400	No. 1 Reach. Ldg Lts 031°. Front	46 36.20 168 22.40		F G	6	10	White metal lattice beacon 4	Neon □ Pyramid tower
				By day		2		Neon □
4400.1	No. 1 Reach. Rear	46 35.69 168 22.85		F G	12	12	White metal lattice beacon 12	Neon □ Pyramid tower
				By day		3		Neon □
4402	No. 2 Reach. Ldg Lts 351°. Front	46 36.03 168 21.65		F R	6	4	White tower	Neon □ Triangular structure
4402.1	No. 2 Reach. Rear	46 35.92 168 21.63		F R	8	4	White beacon	Neon □ Triangular structure
4404	Inner Davey Ldg Lts 133° 25'. Front	46 36.34 168 21.87		Q W	3	5	White lattice beacon	fl 0.3, ec 0.7 structure on black dolphin
4404.1	Rear. Outer Davey Beacon	46 36.43 168 22.01		Iso W 2s	6	5	White lattice beacon	structure on black dolphin
4405	No. 3 Reach. Ldg Lts 313° 25'. Front	46 35.52 168 20.61		Iso G 2s	7	5	White tower	fl 0.5, ec 1.5 on pile beacon
4405.1	No. 3 Reach. Rear	46 35.39 168 20.41		Fl W 1.5s	12	5	White metal tower	fl 0.5, ec 1 W 223.5°-043.5° (180°)
4406	No. 1	46 36.18 168 21.71		Fl G 3s	3	2	Green △ Green pile beacon	fl 0.5, ec 2.5
4407	Channel Rocks Beacon	46 36.15 168 21.51		Fl R 2s	7	3	Red pile beacon	fl 0.7, ec 1.3
4408	No. 2	46 36.04 168 21.49		Fl(2)G 3s	5	2	Green pile beacon	fl 0.3, ec 0.7, fl 0.3, ec 1.7
4410	Argyle Beacon	46 36.06 168 21.36		Q(2)R 5s	5	3	Red □ Red pile beacon	fl 0.3, ec 0.7, fl 0.3, ec 3.7
4411	Tidal Beacon	46 35.95 168 21.19		Q R	6	2	Red pile beacon	fl 0.3, ec 0.7
4413	No. 3	46 35.85 168 21.20		Fl(3)G 6s	6	3	Green pile beacon	(fl 0.5, ec 1) x 2, fl 0.5, ec 2.5
4415	No. 4	46 35.67 168 21.19		Q G	3	2	Green pile beacon	fl 0.3, ec 0.7
4424	Ldg Lts 279° 01'. Front	46 35.52 168 19.93		F G	10		White ▽ White beacon	Neon □
4424.1	Ldg Lts Rear	46 35.52 168 19.91		F G	11		White ▽ White beacon	Neon □
4427	Flat Hill Wind Farm	46 35.06 168 17.06		Aero Fl R			Metal windmotor 44	More than one
Riverton / Aparima								
4432	Howells Point/Taramea	46 23.05 168 01.82		Fl WR 5s	28	W9 R6	White column 4	fl 1, ec 4 R 009.5°-098° (88.5°) W 185°-298° (113°) R 298°-317° (19°) W 317°-009.5° (52.5°)
4433	Jacobs River Estuary No. 1 Reach Lights Ldg Lts 307° 12'. Front	46 21.33 168 01.53		F G	5	2	White △ White beacon 3	Neon □
4433.1	Jacobs River Estuary No. 1 Reach Lights Rear	46 21.33 168 01.53		F R	5	2	White ▽ White beacon 3	Neon □

South Island								
Int. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
4434	Jacobs River Estuary No. 2 Reach Ldg Lts 249° 26'. Front	46 21.62 168 01.31	F R		3	2	White △ White and red horizontal stripes, beacon 3	Neon □
4434.1	Jacobs River Estuary No. 2 Reach Leading Lights Rear	46 21.62 168 01.31	F G		3	2	Red ▽ White and red horizontal stripes, beacon 3	Neon □
4435	The Pearl	46 21.48 168 01.09	Q R		3	2	Grey beacon 3	
Foveaux Strait								
4438	Raratoka Island (Centre Island) S end (M)	46 27.59 167 50.65	FI WR 15s		81	W19 R15	White wooden tower 12	<i>fl 0.1, ec 14.9</i> R 114°-141° (27°) R 191°-299° (108°) W 299°-114° (175°)
	Reserve light Reserve light					10 7		Standby light
4440	Long Point (M)	46 15.35 167 06.44	FI(4)W 15s		23	12	Metal tower 4	<i>(fl 1, ec 1) x 3, fl 1, ec 8</i> Aluminium.
4442	Puysegur Point (M)	46 09.37 166 36.57	FI W 12s		45	19	White metal tower 5	<i>fl 0.1, ec 11.9</i>
	Reserve light					10		
4444	Cape Providence (M)	45 59.92 166 27.10	FI W 5s		60	9	White fibreglass tower 4	<i>fl 1, ec 4</i>
Fiordland								
4446	Five Fingers Point (M)	45 43.81 166 27.61	FI(3)W 20s		166	9	Metal tower 9	<i>(fl 1, ec 1) x 2, fl 1, ec 15</i> Framework.
4452	Secretary Island. SW Point (M)	45 13.48 166 52.41	FI(2)W 15s		52	9	Metal 2	<i>fl 1, ec 2, fl 1, ec 11</i> W 007°-207° (200°) W (Obscured) 207°- 216° (9°) W (Obscured) 333°- 007° (34°) Aluminium pedestal.
Milford Sound / Piopiotahi								
4464	Saint Anne Point (M)	44 34.38 167 46.87	FI W 5s		27	8	White tower 6	<i>fl 1, ec 4</i> W (Obscured) 054°- 071° (17°) W 071°-316° (245°) W (Obscured) 316°- 343° (27°)
4464.5	Harrison Cove. Underwater Observatory	44 37.70 167 54.26	Q R				Beacon	
4465	Deep Water Basin (M)	44 40.69 167 54.83	Q(2)W 5s		2	5	Grey metal pile beacon 3	<i>fl 0.3, ec 0.7, fl 0.3, ec 3.7</i>
4465.2	No.6	44 40.66 167 54.86	FI R 4s		2	1	Red □ Red pile beacon 6	<i>fl 0.3, ec 3.7</i>
4465.5	Fresh Water Basin. Breakwater Head	44 40.07 167 55.52	2 F G(vert)		5	1	White metal pole 3	1m apart
Jackson Bay / Okahu								
4466	Jackson Head (M)	43 57.61 168 37.34	Q(2)W 15s		155	9	White metal tower 4	<i>fl 0.5, ec 0.5, fl 0.5, ec 13.5</i> W (Obscured) 063°- 091° (28°) W 091°-063° (332°)
4468	Heretaniwha Point (M)	43 35.33 169 33.36	Q(3)W 10s		77	9	White fibreglass tower	<i>(fl 0.5, ec 0.5) x 2, fl 0.5, ec 7.5</i>
Greymouth Harbour								
4470	South Breakwater	42 26.40 171 11.43	LFI W 10s		17	9	White wooden pole	<i>fl 3.5, ec 6.5</i> W 016°-196° (180°) F R lights on radio mast 20 M SSW. W (Partially obscured) 196°- 238° (42°) F R lights on radio mast 20 M SSW. 47 m from head
4472	South Breakwater	42 26.40 171 11.41	F G		11	3	White concrete column	32 m from head
4473	North Breakwater. Head.	42 26.32 171 11.50	F R		11	3	White concrete column	

South Island

nt. K No.	Location - Name	Lat Long	S E	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
5	Main Ldg Lts 128° 06'. Front	42 26.77 171 12.13	F GR		14		Yellow △, black diamond on each side. Tower 14	Neon □. Fixed red Neon □ on each side,(in line with rear light each side indicates limits of channel.) Channel liable to change. Richmond Quay.
5.1	Main Leading Rear Light	42 26.82 171 12.22	F G		19		White △ Tower 19	Neon □ conspicuous from south west.
6	Tidal Wall	42 26.50 171 11.75	Q R		5	3	Metal pile beacon 3	27 m from head
8	Main Wharf. Head	42 26.72 171 12.02	Fl(2+1)G 6s		5	1	Green and red horizontal stripes, wooden pile beacon 2	fl 0.3, ec 0.4, fl 0.3, ec 1.2, fl 0.3, ec 3.5
Westport and Buller River								
6	Cape Foulwind (M)	41 44.95 171 27.93	Fl W 12s		70	9	White concrete tower 9	fl 1.2, ec 10.8
0	Western Breakwater	41 43.80 171 35.25	Fl W 5s		20	6	Red and white horizontal stripes, tower	fl 1, ec 4 Square
1	Western Breakwater Head Light	41 43.66 171 35.22	Fl G 2s		9	5	Green and white horizontal stripes, tower 5	fl 0.5, ec 1.5 Round. Green band at top.
2	Eastern Breakwater Head Light	41 43.64 171 35.36	Fl R 2s		9	5	Red and white horizontal stripes, tower 5	fl 0.5, ec 1.5 Round. Red band at top.
4	Outer Ldg Lts 165° 35'. Front	41 44.21 171 35.49	F G		10		Yellow □, yellow fluorescent reflective panels. Red X, metal pile beacon 6	Neon □ Steel column with yellow fluorescent reflective panels. Channel liable to change.
4.1	Outer Leading Rear Light	41 44.38 171 35.55	F G		15		Orange □, orange fluorescent reflective rectangular panels Red ◇, Red and white vertical stripes lattice beacon 11	Neon □. 360m from front. Rectangular
6	Inner Ldg Lts 169° 42'. Front	41 44.84 171 35.57	Q R		4		Red and white horizontal stripes, beacon	
6.1	Inner Leading Rear Light	41 44.95 171 35.60	LFl R 5s		7		Red and white horizontal stripes, beacon 2	fl 2, ec 3
6.5	East Limit Transit Beacon	41 44.23 171 35.50	F R		11		Black and white horizontal stripes, pole	Neon □
6.6	Broad East Pole	41 44.23 171 35.50	F Bu		11		Black and white horizontal stripes, pole	Neon □
7	Horse Box	41 44.26 171 35.38	Q(3)G 5s		6		Black and white horizontal stripes, metal tower 6	fl 0.5, ec 4.5 Tripod
9	Crane Wharf Head	41 44.72 171 35.67	F R		5	1	Beacon	R 105°-160° (55°)
6	Kahurangi Point (M)	40 46.57 172 13.06	Fl(2)W 15s		46	9	White metal tower 18	fl 1, ec 2, fl 1, ec 11

This page has been intentionally left blank

Chatham Island

Int. K No.	Location - Name	Lat Long	S W	Characteristics	Elevation metres	Range miles	Structure Height in metres	Remarks
(1)	(2)	(3)		(4)	(5)	(6)	(7)	(8)
4541	Point Durham (M)	44 00.63 176 40.51		Fl W 10s	38	9	Metal tower 4	<i>fl 1, ec 9</i> W (Obscured) 006.6°- 008.3° (1.7°) W 008.3°-227° (218.7°) W (Obscured) 227°- 237° (10°) W (Obscured) 330.2°- 350.6° (20.4°) W 350.6°-006.6° (16°) Aluminium.
4543	Point Weeding	43 56.60 176 34.31		Fl W 5s	60	7	Metal pile beacon 3	<i>fl 0.5, ec 4.5</i> Lights also shown at Point Hanson Jetty 0.55M E. Column
4544	Hospital Road Sector light - Waitangi	43 57.20 176 33.51		F WRG	15	8	Brown wooden pole 2	G 163°-183° (20°) W 183°-195° (12°) R 195°-215° (20°)
4544.5	Waitangi Wharf Lead Ldg Lts 259° 40'. Front	43 56.78 176 33.60		F Y	8	10	Yellow △ White concrete pole 8	
4544.51	Waitangi Wharf Lead Ldg Lts Rear	43 56.79 176 33.70		F Y	14	10	Yellow ▽ Brown wooden, concrete pole 14	
4544.6	Waitangi Wharf Breakwater Trunk	43 56.72 176 33.58		Fl W 5s	6	3	Brown wooden pole 2	<i>fl 2, ec 3</i> W 212°-303° (91°) W (Obscured) 303°- 212° (269°)
4545	Point Somes (M)	43 50.36 176 52.58		Fl(4)W 15s	39	9	Metal tower 4	<i>(fl 0.5, ec 1.5) x 3, fl 0.5, ec 8.5</i> Aluminium.
4547	Kaingaroa (Pukerakei) (M)	43 44.13 176 14.43		Fl(3)W 20s	60	9	Metal tower 4	<i>(fl 1, ec 1) x 2, fl 1, ec 15</i> Aluminium.
4547.4	Kaingaroa Ldg Lts 170° 06'. Front	43 44.19 176 15.40		Q G	20		White △ White and orange vertical stripes, beacon 4	
4547.41	Kaingaroa Leading Light Rear	43 44.22 176 15.39		Iso G 3s	24		White ▽ White and orange vertical stripes, pile beacon 4	
4547.7	Owenga. Ldg Lts 142° 10'. Front	44 01.51 176 21.93		Q G	12		White △ Lattice beacon 2	
4547.71	Owenga. Rear	44 01.53 176 21.91		Iso G 4s	17		White ▽ Lattice beacon 4	
4549	Cape Fournier (M)	44 03.11 176 19.89		Fl(2)W 15s	122	9	Metal tower 4	<i>fl 1, ec 2, fl 1, ec 11</i> Aluminium.

This page has been intentionally left blank

Annual New Zealand Notices To Mariners

1	New Zealand Charting and Notices to Mariners	200
2	Maritime Rules Part 25 and Chart Retailers	206
3	Official Messages to New Zealand Registered Merchant Ships	207
3A	Safety of British Merchant Ships in Periods of Peace, Tension or Conflict.....	208
4	Search and Rescue Information and Procedures.....	212
4A	Modernised Australian Ship Tracking and Reporting System (MASTREP)	223
4B	The AMVER Organisation (Pacific Ocean)	224
4C	Radio Distress Calling	225
5	Firing Practice, Exercise and Submarine Safe Bottoming Areas.....	228
6	Former Mine Danger Areas; Swept Routes and Instructions Regarding Explosives Picked Up at Sea	236
7	Under-Keel Clearance.....	237
8	Information Concerning Submarines	238
9	Maritime Safety Information.....	242
10	Shipping Routes Around the New Zealand Coast	248
11	Tsunami Warning System.....	255
12	New Zealand Maritime Boundaries.....	258
13	Submarine Cables and Pipelines	261
14	Ammunition Dumping in the Waters Around New Zealand.....	265
15	Seismic and Other Surveys	266
16	Oil Rigs and Gas Production Platforms.....	267
16A	Non-interference Zones around Petroleum and Mineral Exploration and Production Activities.....	269
17	Positions of Navigational Lights on Ships of the Royal New Zealand Navy	270
18	Satellite Derived Positions.....	271
19	Rocket Launch Hazard Areas and Warnings.....	272

Former *Annual New Zealand Notice to Mariners, No. 1*, published 1 July 2024 is cancelled. Additions and amendments to the former notice are indicated by sidelines.

Authority: Toitū Te Whenua Land Information New Zealand

General Information

1. In accordance with agreements between New Zealand, Australia (AUS) and the British Admiralty (BA) for reducing duplication in charting activities, New Zealand has a defined Charting Area (NZ AREA) the extent of which is shown at the end of this Notice.
2. New Zealand Notices to Mariners (NTMs), are published by Toitū Te Whenua Land Information New Zealand (Toitū Te Whenua LINZ), the New Zealand Hydrographic Authority. There are two main types of NTMs: Annual Notices and fortnightly Notices;
 - (a) Annual NTMs (ANTMs) are numbered 1–19 and are published in July as part of the New Zealand Nautical Almanac (NZ 204). They provide important safety critical information for mariners and are updated by fortnightly NTMs.
 - (b) Fortnightly NTMs are numbered sequentially following on from the highest numbered ANTM annually and are the authority for correcting New Zealand nautical charts and publications. For more details on the content of this service see the NTM section on the Toitū Te Whenua LINZ website www.linz.govt.nz/products-services/maritime-safety.
3. Fortnightly NTMs can be obtained electronically from Toitū Te Whenua LINZ;
 - (a) Via www.linz.govt.nz/products-services/maritime-safety/notices-mariners where current and previous notices can be viewed and downloaded in PDF format; or
 - (b) By subscribing to the NTMs email distribution service via www.charts.linz.govt.nz/notices-mariners/subscribe
4. Mariners are requested to notify Toitū Te Whenua LINZ immediately when new or suspected dangers to navigation are discovered or of any shortcomings in charts and publications:

Toitū Te Whenua Land Information New Zealand
New Zealand Hydrographic Authority
Level 7, 155 The Terrace
PO Box 5501
Wellington 6145
New Zealand

Free phone (NZ): 0800 665 463
Phone: +64 4 460 0110
Email: ntm@linz.govt.nz

A reporting form (Hydrographic Note) can be found at the back of the New Zealand Nautical Almanac (NZ 204) and each fortnightly NTM edition. This form is also available online at www.linz.govt.nz/products-services/maritime-safety/safety-sea/report-hazard-navigation-hydrographic-note for download or it can be completed and submitted via the website.

5. Changes to or defects in aids to navigation should be reported via the nearest coast radio station to:

24-hour Emergency Phone (NZ): 0508 472 269
Phone (INT): +64 4 577 8030
Fax: +64 4 577 8038
Email: rccnz@maritimenz.govt.nz
Inmarsat-C (POR): 451 200 067

International Chart Series

6. The New Zealand Hydrographic Authority publishes International Charts within the NZ Area which provides the mariner with worldwide coverage to a uniform specification. As part of this series New Zealand has 26 charts covering its adjacent oceans and seas.

This chart series is available for reprinting by Member States of the International Hydrographic Organization (IHO), with a minimum of modification. Each chart has an international number with the prefix INT, but may also bear a national number allocated by the producer or printer nation to facilitate identification in the national series.

International charts are maintained by NTMs and IHO Member States have undertaken to repeat notices affecting their international charts. Mariners can therefore correct charts from the NTMs of the producer or printer nation concerned.

7. Selected Nautical Publications

Publisher	Title	Obtainable from
Toitū Te Whenua Land Information New Zealand (Toitū Te Whenua LINZ) www.linz.govt.nz	Charts of New Zealand and adjacent waters	Chart retailers
	<i>New Zealand Tidal Stream Atlas (NZ 206)</i>	Chart retailers
	<i>New Zealand Chart Catalogue</i>	Toitū Te Whenua LINZ website
	<i>New Zealand Nautical Almanac (NZ 204) (including Annual New Zealand Notices to Mariners)</i>	Chart retailers Book retailers Selected content available from Toitū Te Whenua LINZ website
	<i>New Zealand Notices to Mariners</i> , fortnightly edition (for correcting charts and publications)	Toitū Te Whenua LINZ website Maritime New Zealand Maritime Safety Inspectors Chart retailers
UK Hydrographic Office www.admiralty.co.uk	<i>ADMIRALTY Sailing Directions, New Zealand Pilot (NP51)</i> , Edition 19, 2015	Admiralty Chart agent UKHO website
	<i>The Mariner's Handbook (NP100)</i> , Edition 12, 2021	
	<i>How to Keep Your ADMIRALTY Charts Up-To-Date (NP294)</i> , Edition 10, 2017	
	<i>Symbols And Abbreviations Used on ADMIRALTY Charts. Chart NP5011 (INT 1)</i> , Edition 8, 2021	
	<i>Guide to ENC Symbols used in ECDIS (NP5012)</i> , Edition 2, 2015	
Maritime New Zealand (MNZ) www.maritimenz.govt.nz	<i>New Zealand's System of Buoys and Beacons – Revision 2008</i>	Maritime New Zealand MNZ website
	<i>Distress Beacons Save Lives – Revision 2013</i>	
	<i>Radio Handbook – Your Guide to Marine Communication – 2016</i>	
Coastguard Tautiaki Moana www.coastguard.nz	<i>Safety in Small Craft</i> , Revised Edition 2021	Boat Books Some chart retailers and chandleries
	<i>Rules of the Road at Sea</i> , 10th Edition, 2018	

Charts and Publications

8. Should you have difficulty in obtaining any charts or publications contact:

Toitū Te Whenua Land Information New Zealand
New Zealand Hydrographic Authority
Level 7, 155 The Terrace
PO Box 5501
Wellington 6145
New Zealand
Free phone (NZ): 0800 665 463
Phone: +64 4 460 0110
Email: hydro@linz.govt.nz

Maritime New Zealand
PO Box 25620
Wellington 6146
New Zealand
Free phone (NZ): 0508 22 55 22
Phone: +64 4 473 0111
Fax: +64 4 494 1263
Email: enquiries@maritimenz.govt.nz

Legal Status – Use of Charts and Publications

9. For compliance with New Zealand legal requirements for nautical charts and publications please refer to *Maritime Rules Part 25*, available from www.maritimenz.govt.nz/rules/all-rules/

10. When used in an IMO compliant ECDIS, New Zealand ENC's will allow vessels navigating in New Zealand to meet the strict chart carriage requirements of the *International Convention for Safety of Life at Sea, 1974*, (SOLAS), Chapter V (IMO) and *Maritime Rules Part 25: Nautical Charts and Publications* (MNZ).

Official Paper Charts

11. Toitū Te Whenua LINZ produces official nautical charts to aid safe navigation in New Zealand waters and certain areas of Antarctica and the South West Pacific. Using charts safely involves keeping them up-to-date using NTMs.
12. Official nautical charts are available for purchase from approved chart retailers. Contact details for all chart retailers are available from www.linz.govt.nz/products-services/charts/where-find-charts.

A full list of all Permanent, Temporary and Preliminary notices affecting any given chart can be found using the *New Zealand Chart Catalogue* online database, see paragraph 13 below.

New Zealand Chart Catalogue

13. The online *New Zealand Chart Catalogue* allows mariners to search for all New Zealand ENC's or paper charts by region or chart name/number. The *Chart Catalogue* spatial view is located at www.charts.linz.govt.nz/charts/spatial-viewer. The *Chart Catalogue* list views are located at www.charts.linz.govt.nz/charts.

Official Electronic Navigational Charts (ENCs)

Mariners are strongly advised to read the latest version of the IHO publication S-66 – *Facts about Electronic Charts and Carriage Requirements*, which can be downloaded from www.iho.int.

14. ENC's are specifically designed for use in ECDIS onboard ships. As the New Zealand Hydrographic Authority, Toitū Te Whenua LINZ is responsible for creating and maintaining the official set of ENC's for the New Zealand area of charting responsibility (NZ Area). The NZ Area includes the South West Pacific, New Zealand home waters and the Ross Sea region in Antarctica – see the Area of New Zealand Charting and Coverage of Notices to Mariners map at the end of this notice.
15. The ENC readme.txt file located within the ENC exchange set contains **Important Safety Related Information**. This file should be consulted to ensure that all related issues are taken into consideration.

16. NZ ENC within the NZ Area are available free-of-charge to mariners by subscribing to the Toitū Te Whenua LINZ NZ ENC Service www.encservice.linz.govt.nz/.
NZ ENCs are also available from chart retailers through the International Centre for ENCs (IC-ENC) www.ic-enc.org and PRIMAR global distribution network www.primar.org. For more information see www.linz.govt.nz/products-services/charts.
The release of all new Toitū Te Whenua LINZ ENCs is promulgated through the fortnightly editions of *New Zealand Notices to Mariners* (NTMs). ENC updates are issued for NTMs where appropriate.
17. New Zealand ENCs are official electronic charts produced in accordance with the *IHO Transfer Standard for Digital Hydrographic Data, S-57*, Edition 3.1 and protected using the international data security scheme as defined in the *IHO Data Protection Scheme, S-63*, Edition 1.2.0. They are authorised for use in International Maritime Organization (IMO) compliant ECDIS and can also be used in compatible ECS.
18. Toitū Te Whenua LINZ ENCs currently available are listed at www.linz.govt.nz/products-services/charts/nz-chart-catalogue and the IHO website: www.iho.int.

Chart Images – TIFF Images of Paper Charts

19. Toitū Te Whenua LINZ provides electronic images of New Zealand's official paper charts in high resolution TIFF format.

Note: Toitū Te Whenua LINZ raster chart images available from www.linz.govt.nz are not geo-referenced, not to be used for navigation and are not corrected for NTMs.

20. Toitū Te Whenua LINZ's raster chart images are available at no cost for users to download via the online *Chart Catalogue*, see paragraph 11 above.

Note: Data viewed or downloaded from the website is not equivalent to or a replacement for the Official Charts, Notices to Mariners, Tide Table, Light List and Nautical Almanac as specified in MNZ's *Maritime Rules Part 25: Nautical Charts and Publications* (pursuant to Section 36 of the *Maritime Transport Act 1994*).

Reliance on Charts and Associated Publications

21. While every effort is made to ensure the accuracy of the information on New Zealand charts and other publications, it should be appreciated that it may not always be complete and up to date. The mariner must be the final judge of the reliance to be placed on the information given, bearing in mind their particular circumstances, the need of safe and prudent navigation, local pilotage guidance and the judicious use of available navigational aids.

The Use of Charts and Associated Publications

22. Charts should be used with prudence: there are areas where the source data are old, incomplete or of poor quality. Mariners should use the largest scale appropriate for their particular purpose; apart from being the most detailed, the larger scales are usually corrected first. When extensive new information (such as a new hydrographic survey) is received, some months may elapse before it can be fully incorporated in published charts. On small scale charts of ocean areas where hydrographic information is, in many cases, still sparse, charted shoals may be in error as regards position, least depth and extent. Undiscovered dangers may exist, particularly away from well-established routes.

Further Guidance

23. The Admiralty publication, *The Mariner's Handbook* (NP100) gives a fuller explanation of the limitations of charts. All users should study it in their own interest.

New Zealand's Area of Charting Responsibility




NZ ENC Service

Official NZ Electronic Navigational Charts

Why do I need NZ ENCs?

NZ ENCs are official electronic navigational charts published and authorised by the New Zealand Hydrographic Authority. They contain up-to-date information necessary for safe navigation in NZ waters, South West Pacific and Ross Dependency, Antarctica.



Benefits of using NZ ENCs:

- Updated weekly with the latest information
- Contain more information than a paper chart
- Meet Safety of Life at Sea (SOLAS) requirements

NZ ENCs allow your navigation system to:

- Select displays to show only what you need
- Trigger alarms and warnings based on your vessel's draft and preferred look-ahead requirements
- Query object for more information

Who can use NZ ENCs?

- ✓ SOLAS vessels
- ✓ State registered commercial vessels
- ✓ Recreational boaties

Free of charge for mariners

www.encservice.linz.govt.nz



Te Kāwanatanga o Aotearoa
New Zealand Government

Former *Annual New Zealand Notice to Mariners, No. 2*, published 1 July 2024 is cancelled. Additions and amendments to the former notice are indicated by sidelines.

Authorities: Toitū Te Whenua Land Information New Zealand, Maritime New Zealand

Introduction

1. Maritime New Zealand's *Maritime Rules Part 25: Nautical Charts and Publications*, ensures that New Zealand continues to meet its obligations under Chapter V Regulation 27 (Nautical charts and nautical publications) and Regulation 21 (International Code of Signals and IAMSAR Manual) of the International Maritime Organization's *International Convention for the Safety of Life at Sea, 1974*, (SOLAS).

Application

2. *Part 25* sets out the requirements for the carriage of charts and nautical publications on ships. It applies, with certain specified exceptions, to commercial vessels of 12 metres or more in length overall that operate within enclosed water limits and all commercial vessels operating outside the enclosed water limits.

Part 25 does not apply to:

- (a) The purchase of any charts for recreational use; and
- (b) Overseas retailers of New Zealand charts.

Paper Chart Purchase

3. *Part 25* affects the purchase of charts; Rule 25.7(2A) states:

- (2A) If a paper nautical chart is published by Toitū Te Whenua Land Information New Zealand and purchased in New Zealand, that chart will only meet the requirements of this Part if that chart:
- (a) is certified by Toitū Te Whenua Land Information New Zealand as correct up to the date of supply to a chart retailer and is either:
 - (i) certified by a correcting Chart retailer as correct up to the time of purchase; or
 - (ii) purchased from a chart retailer before the publication of corrections in the Notice to Mariners that follows the certification by Toitū Te Whenua Land Information New Zealand; and
 - (b) is maintained in a fully correct condition.

Part 25 can be viewed at www.maritimenz.govt.nz.

Correcting Chart Retailers

4. The following is a list of Correcting Chart Retailers, approved by Toitū Te Whenua LINZ to undertake paper chart corrections and sell charts in compliance with *Part 25*.

Boat Books Ltd.*
22 Westhaven Drive
Westhaven
Auckland 1010
Phone: +64 9 358 5691
Email: crew@boatbooks.co.nz
Website: www.boatbooks.co.nz

* Agents for Australian charts

Steve's Marine Supplies Ltd.
18 Cross Road
Sulphur Point
Tauranga 3110
Phone: +64 7 578 9593
Email: info@stevesmarine.co.nz
Website: www.stevesmarine.co.nz

Compliance

5. The purchase of paper charts in compliance with *Part 25* must be from:
 - (a) A chart retailer who has approval from Toitū Te Whenua LINZ to undertake chart corrections; or
 - (b) Any Toitū Te Whenua LINZ chart retailer who purchases the chart from the Toitū Te Whenua LINZ contracted Map and Chart Centre and supplies it to the customer before the publication of the next fortnightly edition of *New Zealand Notices to Mariners* (NTMs). The chart must be received by the customer while the NTM edition, for which the Toitū Te Whenua LINZ contracted Map and Chart Centre updated the chart, is still current.

Further Information

6. For further information see www.linz.govt.nz.

Former *Annual New Zealand Notice to Mariners, No. 3*, published 1 July 2024 is cancelled. This is a repetition of the former notice.

Authority: New Zealand Defence Force (Headquarters Joint Force New Zealand)

General

1. Mariners are informed that the following series of messages will be instituted when so ordered by the Royal New Zealand Navy (RNZN): General Messages "ZLMS" Series.
2. "ZLMS" messages addressed to all New Zealand registered merchant ships will be lettered consecutively, commencing with "A", in order that masters can check that all such messages have been received.
3. Once the lettered series has been started it is most important that all such messages are received, and masters should take the necessary steps to obtain at the first opportunity any that are missing.

Communications

4. The "ZLMS" series of messages will be used to bring into force the particular organisation laid down in *Annual New Zealand Notice to Mariners, No. 3A*, or those instructions issued by the Admiralty which are relevant to New Zealand registered shipping.
5. Collective callsign to which general messages will be addressed is as follows:
"ZLMS" – All New Zealand – registered merchant ships.
6. With the advent of the Global Maritime Distress and Safety System (GMDSS), most shipping companies utilise systems such as Inmarsat A, B, C or M or private HF systems such as Globe Wireless. While closer to the coast or in port, GSM (Global System for Mobile communications) telephones are in regular use.
7. The RNZN will utilise the GMDSS to alert merchant ships to an area of risk by issuing Navigational Warnings or may use any of the following to issue Special Notices to Merchant Ships:
 - (a) Via Inmarsat-C over SafetyNET (EGC). This will be the primary means of communication.
 - (b) Via Naval, Police or Customs Officers or harbour authorities for merchant ships in harbour if shut down on SafetyNET.
 - (c) Via ship owners' / charterers' own communication channels.
 - (d) Via radio and television.
8. When appropriate New Zealand registered ships will be instructed to comply with *ADMIRALTY Notices to Mariners, No. 3* and subsequent amendments contained in Part VI of each weekly edition of *ADMIRALTY Notices to Mariners*.
9. This does not relieve the master of the responsibility of maintaining a listening watch for safety information broadcast and official radio broadcasts.
10. It is the responsibility of masters to acquaint themselves with the contents of the *ADMIRALTY Notices to Mariners No. 3* (contained herein as *Annual New Zealand Notice to Mariners, No. 3A*) and subsequent amendments.

Former *Annual New Zealand Notice to Mariners, No. 4A*, published 1 July 2024 is cancelled. This is a repetition of the former notice.

Authority: United Kingdom Hydrographic Office

The material in this notice has been reproduced from *ADMIRALTY Notices to Mariners, Annual Notice 3/24*. Reproduced with the permission of the United Kingdom Hydrographic Office.

1. General

- 1.1 This notice describes the organisation by which the Royal Navy (RN) communicates with merchant vessels in periods of peace, tension and conflict. Such messages will normally relate to the safety and security of ships.
- 1.2 Participation in the procedures outlined in this Annual Notice is encouraged. Detailed reporting will be in accordance with Annex A.

2. UK Military / Civil Shipping Relations

- 2.1 Through the Shipping Defence Advisory Committee (SDAC), the UK Ministry of Defence and its partners across Government (specifically the Foreign, Commonwealth and Development Office (FCDO) and the Department for Transport (DfT)) maintains regular and frequent dialogue with the UK Shipping Industry, particularly the UK Chamber of Shipping, individual companies and other groups. Within Government, the Joint Maritime Security Centre (JMSC) provides a cross-Government forum for sharing maritime security information.
- 2.2 The RN Maritime Trade Operations (MTO) organisation provides the operational liaison and interaction between military commanders and the merchant shipping community.
- 2.3 The RN's Maritime Trade Information Centre (MTIC), based in Portsmouth UK provides the hub for the worldwide provision of information pertinent to merchant vessels primarily focused on the Indian Ocean High Risk Area through the administration of the United Kingdom Maritime Trade Operations (UKMTO) Voluntary Reporting Area (VRA). Further details on the UKMTO VRA are provided in Best Management Practice (BMP) and UK Hydrographic Office (UKHO) Maritime Security Charts (MSCs) Q6099 and Q6111 (see links at paras 3.4 and 5.2 respectively). UKMTO also supports maritime safety and security activity in the English Channel, wider UK EEZ, Gulf of Guinea (see para 2.4) and Mediterranean, (See UKHO MSC Q6110).
- 2.4 The Maritime Domain Awareness Trade-Gulf of Guinea (MDAT-GOG) is a UK/ French navy partnership providing a virtual reporting mechanism supporting the interregional architecture defined by the Yaoundé code of conduct. The MDAT-GOG supports delivery of a coherent maritime situational awareness picture in the Central and Western Africa maritime space, to inform and support industry and regional responding authorities, contributing to the safety of the mariner. Further details on the MDAT-GOG VRA are provided in Best Management Practice – West Africa (BMP WA) and UKHO Maritime Security Chart, Q6114. (See link at paras 3.4 and 5.2 respectively).

3. Current Operations

- 3.1 RN MTO directly contributes to freedom of navigation, manoeuvre and trade. The RN maintains a Recognised Maritime Picture (RMP) of military and merchant vessels, that affords military commanders an understanding of all vessels passing through an operational area. This understanding allows military authorities to advise and assist merchant vessels when it is considered appropriate or necessary.
- 3.2 In response to the combined threats of piracy, terrorism and regional instability within the UKMTO VRA, the RN has deployed a team of UKMTO personnel to Dubai to provide direct face-to-face engagement with masters and regional ship operators. The MTIC administers the UKMTO VRA on behalf of Industry, providing maritime safety and security related information to maritime trade and responding authorities to support informed decision making.
- 3.3 In addition to UK national activity, the RN operates with NATO and other coalition partners. For all NATO activity the NATO Shipping Centre (NSC), based in Northwood, is normally focal point for liaison with merchant shipping. In the Gulf of Aden, the Maritime Security Centre (Horn of Africa) (MSC-HOA) administers the Group Transit Scheme through the Internationally Recognised Transit Corridor (IRTC) and delivers protection of World Food Programme vessels on behalf of EUNAVFOR. Contact details for both these organisations are provided at Annex B. Mariners should be aware that in response to the highlighted risk in these waters the Maritime Security Transit Corridor (MSTC) is established and incorporates the IRTC, the TSS in the Strait of Bab el Mende and West and South of Hanish Al Kubra. UKHO Maritime Security Charts Q6099, Q6111 and The Mariner's Handbook (NP100) contain further information.

- 3.4 BMP and BMP WA can be downloaded for free from the publishers at www.witherbyseamanship.com. These publications provide Industry advice and best practice recommendations to masters and operators to protect vessels against attack from a range of maritime security threats within the respective regions. Vessels are encouraged to implement the procedures recommended in BMP and BMP WA when operating within the VRA, and to participate in voluntary reporting schemes and dialogue with military authorities in the area through UKMTO and MDAT-GOG respectively.
- 3.5 Industry endorsed Global Counter Piracy Guidance (GCPG) for Companies, Masters and Seafarers is available in soft copy and can be downloaded for free from the publishers www.witherbyseamanship.com. GCPG has been produced to aid shipping companies, masters and mariners to prepare against piracy as well as other maritime security threats.
- 3.6 Guidance to UK Flagged Shipping on Measures to Counter Piracy, Armed Robbery and Other Acts of Violence Against Merchant Shipping has been published by DfT and is available for free from their website: <https://www.gov.uk/government/publications/guidance-to-uk-flagged-shipping-on-measures-to-counter-piracy-armed-robbery-and-other-acts-of-violence-against-merchant-shipping>.
- 3.7 The International Maritime Bureau Piracy Reporting Centre (IMB PRC) publishes general advice to masters on their website. See Annex B for contact details.
- 3.8 The World-Wide Navigation Warning Service (WWNWS) may be requested to alert vessels to an area of risk through the promulgation of a Navigation Warning through appropriate NAVAREA Coordinators.

4. Passage Reporting

- 4.1 During periods of tension or conflict vessels within a defined area of operations may be asked to pass information voluntarily using the passage report format at Annex A. This will facilitate informed decision making and planning by regional and military authorities. In return, reporting vessels may receive advice on the security within the area.
- 4.2 Initiation of the voluntary passage report procedure will be by promulgation of a Special Notice Navigation Warning, containing text similar to that below:

Special notice to merchant vessels – A risk to merchant vessels exists in [area]. Vessels within or intending to enter this area should contact their owners or national shipping authorities. Merchant vessels are encouraged to submit a report in accordance with ADMIRALTY Annual Notice to Mariners 3 Annex A to [contact details of military authority] when passing [lat/long] and subsequent daily position report requirements as required.

Note: The text of the Special Notice to merchant vessels message issued by the UK will be amended to reflect the prevailing circumstances.

5. Additional Services

- 5.1 UKMTO provides the primary liaison between military authorities and merchant vessels. This dialogue is supported by the UKHO range of Maritime Security Charts (the Q series of charts) and Security Related Information to Mariners (SRIMs) which provides further details of increased risk, Exclusion Zones, Voluntary Reporting Schemes and other pertinent safety and security advice.
- 5.2 Further details, including the UKHO range of Maritime Security Charts is available to order or download at the following website: www.admiralty.co.uk/maritime-safety-information/security-related-information-to-mariners

Annex A to UK Annual Notices to Mariners No. 3

Merchant Vessel Voluntary Reporting Scheme

During periods of tension or conflict vessels within a defined area of operations may be asked to pass information voluntarily using the passage reports below. This will facilitate informed decision making and planning by regional and military authorities. In return, reporting vessels may receive information on maritime safety and security within the region.

6. Passage Report Format (Format Alpha)

When sending a Passage Report to UK, NATO or other military authorities, the content and format is as follows, unless requested otherwise.

6.1 The initial report should contain the following:

1. Ship name
2. Flag
3. IMO number
4. Satellite Telephone Number
5. Time and position
6. Course
7. Passage speed
8. Freeboard and Draft
9. Cargo
10. Destination and ETA
11. Name and Contact Details of Company Security Officer
12. Nationality and number of Master and Crew
13. Armed/unarmed security team embarked.

6.2 Subsequent report, vessels are requested to report daily at 0800 UTC:

1. Ship name
2. Callsign and IMO number
3. Time of report in UTC (normally 0800)
4. Ship position
5. Course and speed
6. Any other important information
7. ETA point A/B IRTC if applicable.

6.3 All timings are requested in UTC and the preferred method of communication will be included in the Special Notice Navigation Warning at para 4.2.

6.4 All information provided is treated in strictest commercial confidence.

Annex B To UK Annual Notices to Mariners No. 3

Contact Details for Military Operations

UKMTO:

Tel: +44 (0) 2392 222060 or 00 971 50 552 3215
 e-mail: watchkeepers@ukmto.org

MDAT-GOG:

Tel: +33 298228888
 e-mail: watchkeepers@mdat-gog.org
 MDAT-GoG Website: <https://gog-mdat.org/home>

NSC:

Tel: +44 (0) 1923 956 574
 Fax: +44 (0) 1923 956 575
 e-mail: info@shipping.nato.int
 NSC Website: www.shipping.nato.int

MSC – HOA:

Tel: +33 (0) 298 220 220 or +33 (0) 298 220 170
 Fax: +33 (0) 298 220 171
 e-mail: postmaster@mschoa.org
 MSCHOA Website: www.mschoa.org

IMB PRC:

Tel: +603 2031 0014 (24 Hours Anti-Piracy Helpline)
 +603 2078 5763
 Fax: +603 2078 5769
 e-mail: piracy@icc-ccs.org / imbkl@icc-ccs.org
 IMB PRC Website: www.icc-ccs.org

Former *Annual New Zealand Notice to Mariners, No. 4*, published 1 July 2024 is cancelled. Additions and amendments to the former notice are indicated by sidelines.

Authorities: Civil Aviation Authority, Maritime New Zealand, New Zealand Defence Force (Headquarters Joint Force New Zealand)

New Zealand Search and Rescue Sector (NZSAR)

1. The New Zealand Search and Rescue (NZSAR) sector provides assistance to ships and aircraft missing or in distress in the New Zealand Search and Rescue Region (NZSRR). The organisation is based on the utilisation of civilian and military facilities which are coordinated and controlled through the Rescue Coordination Centre New Zealand (RCCNZ).

Note: Towage or salvage operations are not the function of RCCNZ.

Search and Rescue Coordinating Authorities

2. There are only two Coordinating Authorities for Search and Rescue Operations (SAROPs) in the NZSRR; the New Zealand Police for Category I (CAT I) SAROPs and RCCNZ for Category II (CAT II) SAROPs. Both organisations cooperate closely to ensure the response to a search and rescue (SAR) incident is coordinated by the appropriate Coordinating Authority.

Rescue Coordination Centre New Zealand (RCCNZ)

3. RCCNZ is situated in the Avalon Studios, 41 Percy Cameron Street, Lower Hutt and is responsible for initiating, coordinating, and concluding CAT II search and rescue operations within the NZSRR. The RCCNZ Search and Rescue Officer is responsible for coordinating representatives of civilian and military organisations considered necessary in order to cover the requirements for any SAR operation.

	Telephone	Fax	Others
RCCNZ 24-Hour Emergency	NZ: 0508 472 269 Int: +64 4 577 8030	NZ: 04 577 8038 Int: +64 4 577 8038	Inmarsat-C (POR): 451 200 067 Email: rccnz@maritimenz.govt.nz
Administration	NZ: 04 577 8034 Int: +64 4 577 8034	NZ: 04 577 8041 Int: +64 4 577 8041	
Taupo Maritime Radio (ZLM)	+64 4 550 5280		Inmarsat-C (POR): 451 200 067 Email: maritime@kordia.co.nz

SAROPS are classified as follows:

CAT I	A SAROP coordinated at the local level; including land operations, subterranean operations, river, lake and inland waterway operations and close-to-shore marine operations. Notes 1. The nature of 'close-to-shore' will vary according to the availability of local resources and the need to task national assets. Typically such operations will be within New Zealand Territorial Waters (12 nautical miles). 2. Category I SAROPs typically require the use of local personnel and resources and can be carried out efficiently and effectively at the local level.
CAT II	A SAROP coordinated at the national level; including operations associated with missing aircraft or aircraft in distress and off-shore marine operations within the New Zealand Search and Rescue Region. Note 1. Category II SAROPs typically require the use of national or international resources and may involve coordination with other States.

Close To Shore Rescues

4. The New Zealand Police and RCCNZ are assisted by local organised groups throughout New Zealand to provide voluntary, advisory, and operational assistance to the NZSAR.

New Zealand Search and Rescue Region

5. A diagram of the NZSRR which extends to 90° South, is shown below.


The NZSRR is described by a closed polygon as follows:

Vertex	Latitude	Longitude
1	25° 00'S	163° 00'E
2	25° 00'S	180° 00'E
3	15° 33'S	175° 41'W
4	05° 00'S	171° 00'W
5	05° 00'S	157° 00'W
6	30° 00'S	157° 00'W
7	30° 00'S	131° 00'W
8	90° 00'S	131° 00'W
9	25° 00'S	163° 00'E



New Zealand
Search and Rescue Region and Exclusive Economic Zone

UNCLASSIFIED



UNCLASSIFIED

Maritime boundaries sourced from Geospatial Intelligence New Zealand Maritime Boundaries Database, 2018.
Copyright 1998–2014 by Global GIS Data Services, LLC (GGDS). Country boundaries sourced from Collins Bartholomew World Explorer Database 2017, © Collins Bartholomew Ltd.

© Crown Copyright 2018 | 1 of 1 | 29 Mar 2018 | GNZ-18-5915-001-U

Image reproduced with the permission of Maritime New Zealand

Obligation to Render Assistance

6. Masters of vessels in a distress area should endeavour to give the utmost assistance to persons in distress at sea, and cooperate fully in any SAR operation which is being directed from RCCNZ.

Section 32 of the *Maritime Transport Act 1994* provides that the master or person in charge of a ship shall, so far as they can do so without serious danger to their own ship, her crew and passengers (if any), render assistance to every person who is found at sea in danger of being lost; an offence is committed by anyone who fails to comply with Section 32. Similar provisions are included in the International Maritime Organization's *International Convention for the Safety of Life at Sea, 1974*, (SOLAS).

Merchant Ship Position Reports

7. New Zealand does not operate a merchant shipping reporting system. New Zealand-owned ships are invited to comply with the International Maritime Organization recommendations which request all ships to participate in other member government merchant shipping reporting systems wherever they exist.

For more information, see *Annual New Zealand Notices to Mariners, No. 4A and No. 4B*.

Guarding of Distress Frequencies

8. The radio watch on the international distress frequencies, which certain ships are required to keep when at sea, is also a vital factor in the coordination of rescue of people in distress at sea. This coordination will not be possible if ships are unable to alert each other, or to be alerted from shore for distress action. Every ship fitted with suitable radio equipment should make its contribution to safety by guarding those distress frequencies applicable for as long as practicable, whether or not required to do so by regulation.

EPIRBs (Emergency Position Indicating Radio Beacons)

9. Modern EPIRBs operating on a frequency of 406 MHz, with a low power homing transmitter on 121.5 MHz, can be located very accurately by the COSPAS-SARSAT/MEOSAR satellite system. The 406 MHz EPIRB has the capability of transmitting unique data containing details such as country of origin, the identity of the vessel and position information derived from either the EPIRB's on-board GPS or the vessel's navigation equipment. This information is transmitted to the ground stations via MEOSAR satellites and then to RCCs via a Mission Control Centre.

A MEOLUT Local User Terminal has been installed along with two GEOLUTs in New Zealand providing coverage of the New Zealand Search and Rescue Region.

Ships are reminded that EPIRBs must be registered and any accidental activation of an EPIRB must be immediately reported, preferably through Taupo Maritime Radio. This is purely to establish whether a vessel is in distress, and no costs or prosecution will result from reporting an accidental activation.

Aircraft Used for Search and Rescue Operations

10. Civilian or Royal New Zealand Air Force aircraft may be used for SAR operations. Search aircraft may be equipped with search radar and VHF/UHF Direction Finding (D/F) and homing capability.

Communications between search aircraft and merchant ships will normally be effected on the following frequencies:

156.8 MHz (Channel 16)	FM Voice	International Distress, Safety and Calling Frequency
2182 kHz	AM Voice	International Distress, Safety and Calling Frequency
3023 kHz	USB Voice	Scene of Search
5680 kHz	USB Voice	Scene of Search

Additionally, communications may be established using a signalling lamp or on the following frequencies:

123.1 MHz	AM Voice	Scene of Search VHF
282.8 MHz	AM Voice	Scene of Search UHF
121.5 MHz	AM Voice	International Aeronautical Emergency (VHF) (this frequency should only be used as a last resort)
243.0 MHz	AM Voice	International Aeronautical Emergency (UHF) (this frequency should only be used as a last resort)

Sea Rescue by Helicopter Procedures to Assist with Location by Helicopter

11. When a distress message is received from a ship in distress, or a medical evacuation is required, the rescue authorities may dispatch a helicopter to assist. Once the helicopter is airborne, the speed with which it locates the ship and the effectiveness of its work depends to a large extent on the cooperation of the ship concerned.

From the air, especially if there is a lot of shipping in the area, it is very difficult for the helicopter pilot to identify the particular ship concerned, unless that ship uses a distinctive distress signal which can clearly be seen.

Especially useful for helicopters are:

- (a) By day: orange smoke floats, or orange squares with V or circle, Aldis lamp or heliograph.
- (b) By night: Aldis lamp, night flares.
 - i) It is essential that the ship's position be given as accurately as possible.
 - ii) As many aircraft are equipped with GPS, latitude and longitude may be used.
 - iii) Bearings should be described as true or magnetic, and must be given **from** a fixed object, such as a headland or lighthouse.
 - iv) The description of the vessel and local weather conditions should be included if time allows.
 - vi) Because of operational limitations, helicopters should not be delayed at the rescue scene. On large vessels a clear stretch of deck should be made available as a pick-up area if possible, and marked with a large letter "H" in white.

For all vessels, the following preparations need to be completed to ensure a safe transfer is made:

12. Note: These procedures may be modified on instructions from the pilot if communications exist.
- (a) Lower all masts, derricks, and radio aerials to provide a clear area for the helicopter to conduct the hoist.
 - (b) Keep all unnecessary personnel out of the way while the helicopter is conducting hoist operations.
 - (c) Under no circumstances must the hoist cable be attached to the vessel, sudden movements could cause the helicopter to crash if this is done.
 - (d) Tie down or stow all loose gear which may be blown by the rotor wash, which can be up to 45 knots downwards. This includes hats, fishing gear, beverage cans, and paper. Nothing must be blown into the rotors, or become entangled with the hoist wire.
 - (e) Allow the helicopter's rescue equipment to touch the vessel's deck before handling it. This will allow any static electricity charge present to dissipate. However this should be clear of any flammable mixture spillage or venting area to preclude a possible fire or explosion from an electrostatic discharge.
 - (f) Ensure the person being hoisted is wearing a lifejacket, if at all possible. If it is a patient, they should be made as comfortable as possible, and if conscious, informed of the procedure of rescue.
 - (g) When the helicopter arrives, change course to place the wind thirty degrees on the port bow, or as directed by the pilot and continue at standard speed.

- (h) At night, floodlights are useful to illuminate the vessel, but they must be facing down.
- (i) By day, the vessel should indicate the apparent wind by flag, smoke, or other means, as long as it does not impair the pilot's visibility.
- (j) Personnel on the ship, and survivors leaving the helicopter when it has landed ashore, must obey the instructions of the pilot or crew. Approach and leave the helicopter only from forward, in clear view of the pilot, and stay well clear of the after part of the helicopter, in particular the tail rotor and engine exhausts.

Specifications for Helicopters Involved in SAR in New Zealand

13. Civilian Emergency Medical Service (EMS) helicopters are typically the main aviation resource used for medical evacuations from vessels. Typically all are fitted with marine VHF. Mariners should be aware that the ranges of operation and capabilities will vary, influenced by factors such as weather and visibility.

The main type of military helicopter used for SAR duties in New Zealand is the RNZAF NH90. Expect the NH90 to be deployed from Ohakea within two hours' notice to move (NTM).

This helicopter is routinely configured to transport/rescue up to 12 persons at a time at short range (100 NM).

The aircraft transits at 120 nautical miles per hour in fair weather conditions. This equates to transit times into area of operations (AO) of approx.;

- One hour if the search area is within the radius bound by Hamilton–Nelson.
- Allow up to two hours within the radius bound by Auckland–Greymouth–Christchurch.
- Allow up to four hours for Northland and Southland.

NH90 over-water SAR to vessels is dependent on a number of factors, including time of day, weather conditions, the number of persons, and the nature of the rescue and vessel. It is recommended that liaison commences with unit executives as soon as possible once it is believed that NH90 support will be required for over-water SAR.

Preparations may take longer than the stated two hours' NTM due to the potential to have to fit auxiliary fuel tanks.

The Seasprite is also sometimes used, and can rescue up to four persons. The Seasprite does not have a standard callout requirement and therefore would be utilised on an as required and as available basis.

The Seasprite is a maritime helicopter and therefore is fitted with equipment that allows over-water SAR operations at night. Additionally, the Seasprite is equipped with maritime search equipment including radar and forward looking infrared camera.

The Seasprite typically has a 80-100 NM radius of action (ROA), transits speed of 90 knots ground speed and has an endurance of about 2.5hrs (three pax on board).

NH90 and Seasprite helicopters are fitted with marine VHF, UHF and HF equipment. The HF equipment affords messages to be passed via shore.

Medical Evacuation (MEDEVAC) Checklist

- | | |
|---|---|
| 14. (a) Craft with medical emergency – name, callsign | (i) Medication available |
| (b) Position – lat/long or bearing/distance | (j) Radio frequencies in use, monitored, or scheduled |
| (c) Date/time of position | (k) Craft description |
| (d) Craft's course and speed | (l) Local agent and telephone/fax numbers |
| (e) Patient's name, nationality, age, sex, race | (m) Last port of call, destination, ETA |
| (f) Patient can/cannot speak English | (n) On-scene weather and sea state |
| (g) Patient's symptoms | (o) Assistance required |
| (h) Medication given | (p) Other pertinent information |

Use of Ships in Assisting to Locate Aircraft in Distress: Masters' Responsibilities

15. Aircraft which ditch cannot be assumed to stay afloat for long, but it should always be assumed that there will be survivors. Masters of ships within reasonable distance of an aircraft in distress should proceed with the greatest possible speed to its assistance.

If a ship receives a distress message direct from an aircraft or liferaft, a D/F bearing should be taken and passed to a maritime radio station and other vessels in the area, together with the callsign of the aircraft, time taken, and position of the ship.

Means by Which a Ship may Receive Distress Signals

16. Ships may receive distress signals in the following ways:

- (a) By Radio Telephony (R/T) on the appropriate international distress frequency; or
- (b) DSC, Radar, EGC broadcasts over Recognized Mobile Satellite Service Providers (RMSS – E.g Inmarsat and Iridium) and AIS.
- (c) By visual signals.

Radio Telephony (R/T) Distress Signals

17. Can be received from:

- (a) A distressed aircraft still in flight—see Appendix A of this Notice;
- (b) Survivors after the casualty has occurred, by a hand-operated emergency radio transmitter – see Appendix B of this Notice;
- (c) An international GMDSS distress frequency;
- (d) A maritime or aviation radio station; or
- (e) A distress relay from another vessel or aircraft.

References:

- For communications between aircraft stations and stations of the maritime mobile service, the provisions of Article 41 of the International Telecommunications Union's *Radio Regulations (Geneva 2012)* are obligatory.
- For International Regulations on Distress, Urgency, and Safety Signals, see *ADMIRALTY List of Radio Signals, Volume 1*, NP281, (Parts 1 and 2).

Visual Distress Signals

18. Can be received from:

- (a) A distressed aircraft:

Apart from obvious signs, an aircraft may indicate that it is in distress by firing rockets or shells throwing red lights fired one at a time or at short intervals or by firing a parachute flare showing a red light. Navigation markers dropped by aircraft at sea, emitting white or yellow smoke or flame and smoke, should not be mistaken for distress signals. Low flying is not in itself an indication of distress. Aircraft in distress which are forced to alight on the sea are instructed to do so ahead and in the lee of a ship.

- (b) An aircraft with an urgent message concerning safety:

An aircraft having an urgent need to notify information relating to its own safety or that of another aircraft or ship, or the safety of any person on board or within sight may use one of the following signals:

- i) A succession of green pyrotechnic signals; or
- ii) A succession of green flashes with signal apparatus.

- (c) A search aircraft:

When it is necessary for an aircraft to direct a ship to an aircraft or ship in distress, the aircraft will do so by transmitting precise instructions by any means at its disposal. If not by radio or signal lamp, the instructions will be given by carrying out the following manoeuvres:

- i) Circling the ship at least once;
- ii) Crossing the projected course of the ship close ahead at low altitude; and either rocking the wings, opening and closing the throttle, or changing propeller pitch*; or
- iii) Heading in the direction in which the ship is to be directed. If carried, smoke markers may be laid in the direction to proceed.

* Important Note: Due to high noise levels on board ships, the sound of changes in throttle settings and propeller pitch may be less effective than rocking the aircraft, and are regarded as alternative means of attracting attention. Green flares and/or white smoke markers may also be released by NZDF aircraft in the vicinity of vessels to indicate that assistance is required, and that the aircraft wishes to establish communications.

(d) Survivors in the sea:

Survivors in a liferaft or other flotation device may use any of the following signals:

- i) Pyrotechnic signals emitting one or more red stars;
- ii) Flashing a heliograph;
- iii) Flashing SOS or other distinctive signal by hand torch or other signalling lamp;
- iv) Blowing of whistles;
- v) Fluorescent dye marker giving an extensive bright green colour to the sea around the survivors;
- vi) A liferaft may also be located by yellow kite or balloon being flown to support the aerial for the emergency radio transmitter;
- vii) EPIRB; or
- viii) Hand held marine VHF transceiver.

When Assistance is No Longer Required

19. The following aircraft manoeuvres shall mean that the assistance of the ship to which the signal is directed is no longer required:

Crossing the wake of the ship close astern at a low altitude, and:

- (a) Rocking the wings; or
 - (b) Opening and closing the throttle; or
 - (c) Changing the propeller pitch.
20. Ships should acknowledge receipt of signals from aircraft by hoisting the answering pennant (red and white vertical stripes), by flashing a succession of "T"s by signal light in morse code, or by making a change of heading to follow aircraft. Ships should immediately set watch on radio distress frequencies. If a ship is unable to comply, it should indicate this by hoisting the flag "N" (blue and white checkered squares), or by flashing a succession of "N"s in morse code.

Use of Aircraft in Assisting to Locate Shipping in Distress: Importance of a Distinctive Distress Signal

21. From the air, especially if there is a lot of shipping in the area, it is very difficult for a pilot to identify the particular ship in distress, unless that ship uses a distinctive distress signal which can clearly be seen. Especially useful are orange smoke floats and/or an orange fluorescent sheet with letter V or circle, during the day, or an Aldis lamp during the day or night. In bright sunlight, a heliograph may also be used. The display of these signals will save valuable time in locating the casualty, and may mean the difference between success and failure.

Providing Ship's Position

22. It is essential that the ship's position be given as accurately as possible. Bearings should be described as true or magnetic, and must be given **from** a fixed object, such as a headland or lighthouse. The description of the vessel and local weather conditions should be included if time allows.

Night Search Technique (see diagram below)


23. This technique takes advantage of the greater visibility of pyrotechnics at night. The aircraft will fly through the search area at between 3000 and 5000 feet and use track spacing of 5 – 20 miles. A green flare will be fired approximately every five-ten minutes and on turning.

When a green flare is sighted, it is most important that the following actions are taken:

- (a) Wait for the glare of the green flare to die out;
- (b) Fire one red flare;
- (c) Fire another red flare after about one minute to enable the aircraft to line up on your bearing; and
- (d) Fire a third flare when the aircraft is overhead or appears to be going badly off course.

Important Notes:

- Each lifeboat or liferaft should carry at least three red flares.
- If all else fails, use any means at your disposal to attract attention.
- The aircraft will probably drop a marine marker to mark your position **Do Not Touch The Marker** – to do so could result in severe burns or major damage to a liferaft.
- The aircraft may also drop a sonobuoy to act as an electronic marker. Ships may talk to aircraft by recovering the sonobuoy hydrophone hung approximately 30 metres below the sonobuoy and speaking into it in a normal voice. The sonobuoy cannot receive transmission from the aircraft. A written message may also be attached to the buoy or dropped from the aircraft in a small package.

Night Search Technique

Action to be Taken When an Aircraft is Forced to Ditch

24. The captain of a distressed aircraft will be materially assisted in locating a ship if the latter:

- (a) Transmits homing bearings to the aircraft or (if so requested) transmits signal enabling the aircraft to take its own bearings; and
- (b) By day makes black smoke; or
- (c) By night directs a searchlight vertically.

Ditching an aircraft is difficult and usually dangerous. A ship which knows that an aircraft intends to ditch should, if practicable, try to provide a lee of calm water. This may be achieved by any means at the master's discretion, such as steering on a circular course through 360°.

An aircraft will usually ditch on the starboard side of a ship and heading into the wind, although, when seas are running high, it may attempt to land along the trough of the seas. In the absence of communication, the former should be assumed.

At night the ship should floodlight the ditching area as much as possible, without dazzling the pilot, who could lose control at a critical moment. If flame floats are available, six should be laid at 200 metre intervals in line astern to indicate the suggested alighting area.

Ditching Reports from Ships to Aircraft

25. Ditching reports when requested by aircraft should be transmitted in plain language and should comprise the following in the order indicated:

- (a) Unless previously established, position of the ship in lat/long at the time the observation was taken;
- (b) Corrected barometric pressure;
- (c) Surface wind direction in degrees magnetic;
- (d) Surface wind speed in knots;
- (e) Swell length, height, and direction.

Use one of the following terms:

Swell Length	
Term	Criteria
Short	0 – 100 metres
Average	100 – 200 metres
Long	over 200 metres

Swell Height	
Term	Criteria
Low	0 – 2 metres
Moderate	2 – 4 metres
Heavy	over 4 metres

- (f) State of sea, specified by one of the terms from the table below, selected according to the average wave height as obtained from the larger well-formed waves of the wave system being observed;

Beaufort Force	Wind speed (Knots)	Sea State	Mean Wave Height (Metres)	Probable Maximum Wave Height (Metres)*
0-1	<4	Calm	<0.2	0.3
2-3	4-10	Smooth	0.5	1.0
4	11-16	Slight	1.0	1.5
5	17-21	Moderate	2.0	2.5
6	22-27	Rough	3.0	4.0
7	28-33	Very Rough	4.0	5.5
8	34-40	High	5.5	7.5
9-10	41-55	Very High	8.0	12.5
11-12	>55	Phenomenal	13.0	>16

* The extreme height may be greater

- (g) Visibility (miles or metres);
- (h) Amount and height above sea level of base of low cloud (both main layer and any scattered cloud below);
- (i) Present weather;
- (j) Remarks.

Action to be Taken When Aircraft Survivors are Rescued

26. A survivor from any aircraft casualty at sea who is rescued by a ship may be able to give information which will assist in the rescue of other survivors. Masters should ask the following questions and communicate the answers, together with the position of the rescuing vessel and the time the survivor was rescued, to a maritime radio station:
- (a) Did you bale out, or was the aircraft ditched? What was the type and identification of the aircraft, and date and time of the accident?
 - (b) If you baled out, at what altitude?
 - (c) How many others did you see leave the aircraft by parachute?
 - (d) How many ditched with the aircraft?
 - (e) How many did you see leave the aircraft after ditching?
 - (f) How many survivors did you see in the water?
 - (g) What flotation gear did they have?
 - (h) What was the total number of persons aboard the aircraft before the accident?
 - (i) What caused the emergency?

Appendix A

Form of Distress Call and Message Transmitted by an Aircraft in Distress:

Aircraft will make distress calls on the air-to-ground frequency in use at the time, but may also make them on maritime R/T calling frequencies.

Aircraft rarely use W/T, but when used for distress will follow maritime procedures.

Distress Communication – **switch to full power** first:

Mayday (preferably spoken three times) followed by as many as possible of the following elements:

- (a) Identification of the aircraft;
- (b) Nature of distress;
- (c) Intention of person in command; and
- (d) Present position, altitude, and heading.

Note: The point of ditching could be appreciably different from "present position" depending on the altitude, heading and speed.

Appendix B**Form of Distress Signals from an Aircraft Liferaft:**

Survival equipment normally includes either one or a combination of the following radio or visual facilities:

- (a) A 406 MHz Emergency Position Indicating Radio Beacon (EPIRB). The 406 MHz frequency is monitored by the COSPAS-SARSAT/EPIRB satellite system alone.
 - (i) EPIRBs which are buoyant, water resistant, portable devices, normally activated by immersion in water and are capable of being operated away from the aircraft by unskilled persons. By international agreement, this type is mandatory equipment for aircraft on extended over-water flights.
 - (ii) Emergency Locator Transmitters (ELTs): there are two main types:
 - Those attached to the aircraft structure and are either automatically ejected or permanently mounted. Both of these are automatically activated.
 - An automatic portable type, which is normally fixed inside the aircraft but can be removed by survivors for use away from the aircraft.
 - (iii) Personal Locator Beacons (PLBs), which are designed to be carried by survivors and not intended to be fixed to the aircraft. Location of the beacon position is by satellite and/or by aircraft using Direction Finding (D/F) equipment.
- (b) Light signalling by means of a lamp and hand key, or handheld reflecting mirror.

Former *Annual New Zealand Notice to Mariners, No. 4A*, published 1 July 2024 is cancelled. This is a repetition of the former notice.

Authority: Australian Maritime Safety Authority (AMSA)

Ships' Position Reports – Australian Search and Rescue Region

1. The Australian government operates the Modernised Australian Ship Tracking and Reporting System (MASTREP) for vessels within its Search and Rescue (SAR) area. Additional vessel tracking systems are in force around Australia, in ports and through environmentally sensitive areas such as the Great Barrier Reef Marine Park.
2. MASTREP is a mandatory reporting system for the following vessels:
 - (a) foreign vessels from the arrival at its first port in Australia until its departure from its final port in Australia; and
 - (b) all regulated Australian vessels whilst in the MASTREP area.
3. MASTREP uses Position Reports, which must be transmitted by the vessel's Automatic Identification System in accordance with the International Maritime Organization's *International Convention for the Safety of Life at Sea, 1974*, (SOLAS). The objective of MASTREP is to contribute to safety of life at sea by providing additional information relating to a vessel's passage.
4. MASTREP is an automated system that ensures search and rescue authorities can obtain AIS information on a vessel's location. This enables nearby vessels to be identified, contacted and advised if another vessel requires assistance.
5. There are no requirements to send Sailing Plans, Deviation Reports or Final Reports. No positive SAR watch is maintained under this system.
6. Participation in MASTREP does not remove the continued obligation of mandatory reporting to REEFVTS when transiting through the Great Barrier Reef and the Torres Strait.
7. In addition to MASTREP, vessels are encouraged to participate in the AMVER system – see *Annual New Zealand Notice to Mariners, No. 4B*.
8. Details of these reporting systems can be obtained from the Ship Reporting Systems section in the *ADMIRALTY List of Radio Signals*, Volume 6, Part 4, NP286(4).

For further information, see:

- (a) AMSA's website: www.amsa.gov.au
- (b) Australian Hydrographic Services, *Seafarers Handbook for Australian Waters* (AHP20) 5th Edition.

Former *Annual New Zealand Notice to Mariners, No. 4B*, published 1 July 2024 is cancelled. This is a repetition of the former notice.

Authority: Maritime New Zealand

Purpose and Details of Organisation

1. The Automated Mutual Assistance Vessel Rescue System (AMVER), operated by the United States Coastguard, is an international maritime mutual assistance organisation which provides important aid to the development and coordination of Search and Rescue (SAR) efforts in the AMVER reporting area. New Zealand is a participant in the AMVER system. New Zealand merchant vessels are encouraged to send movement reports and periodic position reports to the AMVER centre on Governors Island in Lower New York harbour, via selected coast radio stations. Information from these reports is entered onto computer which supplies dead reckoning positions of the vessels. Appropriate information concerning the predicted location and SAR characteristics of each vessel known to be within an area of interest is made available on request to recognised SAR agencies of any nation, or person in distress, for use during an emergency. Predicted locations are disclosed only for reasons concerning maritime safety. AMVER SURPICS (surface pictures) are used in conjunction with ships' position information obtained from sources such as VTS, AIS or Distress Alert messages received via GMDSS Communication terminals.

SURPICS can only be as accurate as the information fed into the AMVER system, and accuracy can only be achieved by ships' masters ensuring that their reports are correct and are kept up-to-date, particularly in respect of diversions or revised estimation times of arrival at ports.

AMVER Message Types and Format

2. Any vessel of any nation departing on an offshore passage of 24 hours duration or greater is encouraged to become a participant in the AMVER system by sending appropriate AMVER messages in four types of format described in the *US Coastguard AMVER User Manual* which is available from <https://www.amver.com/Forms/Manual>. The messages may be transmitted at any convenient time as long as the information is accurate and the data corresponds to the time specified. The information may be estimated for a short time in the future, for the present or for a short time past.

Address of AMVER Message

3. If a ship already has an inexpensive means of sending email to an internet address, this is a preferred method. Email may be sent via satellite or via HF radio, depending on the ship's equipment and arrangements with communication providers ashore. Ships must be equipped with a personal computer, an interface between the computer and the ship's communication equipment, and the appropriate software.
AMVER can be contacted via amvermsg@amver.org or amvermsg@amver.com.
4. All AMVER messages should be addressed to the participating AMVER Coast Radio Station to which the message is sent, 'AMVER (name of station)'. For example, AMVER Taupo. Messages sent to any Canadian station should be addressed to AMVER Halifax or AMVER Vancouver.

AMVER messages are considered to comply with the USA regulations requiring notification to the Coastguard captain 24 hours before arrival at a US port.

For further information, see: www.amver.com.

Former *Annual New Zealand Notice to Mariners*, No. 4C, published 1 July 2024 is cancelled. Additions and amendments to the former notice are indicated by sidelines.

Authority: Maritime New Zealand

Radio Distress Calling

Use Only

If in grave or imminent danger

- Switch radio to Full Power
- Use Ch 16 VHF or 2182, 4125, 6215, 8291, 12290, 16420 SSB
- Mayday Mayday Mayday
- This is (name of vessel) – Spoken three times
- (Callsign) – Spoken once
- Mayday (name of vessel and callsign)
- Vessel's position in degrees and minutes of latitude and longitude, or bearing and distance relative from a known geographical feature.
- Nature of distress and the kind of assistance required.
- Number of persons on board.
- Any other information which may assist rescuers – description of vessel, liferaft, EPIRB.
- Over
- Allow a short period for shore station to reply. If no answer, activate your EPIRB and repeat the distress call working through all the distress frequencies.
- If contact is made with shore station, inform station if you have activated your EPIRB.

Do not turn off EPIRB until told to do so by rescue authority.

You can use any means to communicate distress simultaneously.

Digital Selective Calling (DSC)

1. This is an automatic calling system which makes the initial contact between two stations, groups of stations or stations in a selected area. The caller composes a short message which is transmitted directly to the receiving station(s). It is the core part of the Global Maritime Distress Safety System (GMDSS).

New Zealand DSC Coverage

2. The system, based at Taupo Maritime Radio, has a coverage area for the GMDSS oceanic area designations* A3 and A4 in the New Zealand monitored sea area NAVAREA XIV.
3. DSC is not used on the maritime VHF or MF frequency bands and does not cover the GMDSS in-shore area designations* of A1 and A2.

* Definitions of GMDSS Sea Areas:

- A1 – Sea area A1 means an area within the radiotelephone coverage of at least one very high frequency (VHF) coast station in which continuous DSC alerting is available, as may be defined by a Contracting Government. **(VHF DSC alerting not available to shore stations in New Zealand).**
- A2 – Sea area A2 means an area, excluding sea area A1, within the radiotelephone coverage of at least one medium frequency (MF) coast station in which continuous DSC alerting is available, as may be defined by a Contracting Government. **(MF DSC alerting not available to shore stations in New Zealand).**
- A3 – Sea area A3 means an area, excluding sea areas A1 and A2, within the coverage of a recognized mobile satellite service supported by the ship earth station carried on board, in which continuous alerting is available.
- A4 – Sea area A4 means an area outside of sea areas A1, A2 and A3.

DSC Operation

4. When the DSC equipment receives a call it raises an alarm. Embedded within the alert signal is an indication of how subsequent communications should be made, either radiotelephony or radio telex.

If the caller is in distress, the ship's Identifier Number (MMSI), position and nature of distress are included in the DSC message. For distress and urgency alerts, the alarm sounds continuously until the received information has been read by the operator.

DSC Distress alerts received by Taupo Maritime Radio are immediately passed to the Rescue Coordination Centre New Zealand (RCCNZ).

5. DSC uses the HF maritime radio frequencies in the 4, 6, 8, 12 and 16 MHz bands.

DSC Distress Procedures

To be used by all HF DSC-equipped vessels operating in the NAVAREA XIV sea areas A3 and A4 if time permits.

6. By a Ship Transmitting a DSC Distress Alert:

- (a) If time permits, consult the optimum frequency/range diagrams for communicating with Taupo Maritime Radio which are published quarterly in the *New Zealand Notices to Mariners*. As a general rule the DSC distress channel in the 8 MHz maritime band (8414.5 kHz) may in many cases be an appropriate first choice.
- (b) DSC distress alerts may be sent on a number of HF bands by transmitting the distress call either as:
 - (i) Five consecutive calls on one frequency (single frequency call attempt), and waiting a few minutes for receiving acknowledgement by a coast station; or
 - (ii) Up to six consecutive calls dispersed over a maximum of six distress frequencies (one at MF and five at HF). Note that Taupo Maritime Radio does not monitor the MF DSC distress frequency. Stations transmitting multi-frequency call attempts should be able to receive acknowledgements continuously on all frequencies except for the transmit frequency in use.
- (c) After the vessel has received a DSC acknowledgement of their distress alert, transmit a Mayday call on the associated HF radio telephony band. For example, if 8414.5 kHz had been used for the DSC distress alert, then 8291 kHz would be used for the Mayday message.
- (d) Normally a DSC acknowledgement should be received from a coast station (Note: a coast station MMSI always begins with "00", for example Taupo Maritime Radio – 005120010).

7. By a Ship Receiving a DSC Distress Alert:

- (a) View the details of the distress alert (ship's position, MMSI number etc.).
- (b) **Do not acknowledge.** Switch to the associated HF band, and listen to the Mayday call and message, which should follow.
- (c) Wait for at least three minutes for an acknowledgement of the Mayday message from a coast station using the selected HF band.
- (d) If, after three minutes, no acknowledgement from a coast station is received, transmit a DSC Mayday Relay alert to a suitable shore station if using DSC and inform any Rescue Coordination Centre that a Mayday message has been received and give the details. This relay message can be sent by any means, on any suitable GMDSS distress and safety frequency.

The following frequencies have been assigned to Taupo Maritime Radio (ZLM) for Distress, Urgency and Safety use for DSC and voice:

Bands	DSC	Voice
HF4	4207.5	4125
HF6	6312.0	6215
HF8	8414.5	8291
HF12	12577	12290
HF16	16804.5	16420

The following voice Working Frequencies have been allocated to ZLM:

Band	Frequency						
MF2	2207						
HF4	4146	4149					
HF6	6224	6227	6230				
HF8	8297	8294					
HF12	12356	12353	12359	12362	12365		
HF16	16531	16528	16534	16537	16540	16543	16546
HF22	22159	22165	22171	22177			

Former *Annual New Zealand Notice to Mariners, No. 5*, published 1 July 2024 is cancelled. This is a repetition of the former notice.

Authority: New Zealand Defence Force (Headquarters Joint Force New Zealand), Civil Aviation Authority

Use of Towed Submerged Arrays in Firing Practice and Exercise Areas

- Warships operating within firing practice and exercise areas may stream towed bodies outside of notified firing and exercise periods. The length and depth of towed arrays may impact the manoeuvrability of a warship, and its ability to manoeuvre in accordance with the requirements of the International Maritime Organization's *International Regulations for the Prevention of Collisions at Sea 1972* (IRPCS) (as adopted by Maritime New Zealand's *Maritime Rules Part 22*). All warships towing submerged arrays will monitor safety relative to other vessels and if necessary display the prescribed lights and/or shapes indicating any special condition that may affect manoeuvrability, as prescribed in the IRPCS. Vessels operating in vicinity of warships within the promulgated firing practice and exercise areas are to:
 - Operate with particular caution, noting the possibility that towed submerged arrays may be deployed; and
 - Vessels engaged in fishing are to do so with particular caution, and are to keep the vessel and any deployed gear at a safe distance.
- Firing and bombing practices and defence exercises take place intermittently in a number of areas off the coast of New Zealand.
- In view of the responsibilities of range authorities to avoid accidents, limits of practice areas are not shown on New Zealand and British Admiralty charts, and descriptions of areas do not appear in the *ADMIRALTY Sailing Directions, New Zealand Pilot* (NP51). Diagrams of danger areas are included at the end of this notice. However, such range beacons, lights, and marker buoys which may be of assistance to the mariner, or targets which might be a danger to navigation, will be shown on charts and, when appropriate, mentioned in NP51.
- The principal types of practices carried out are:

Type	Description	Remarks
(a) Air-to-Ground; or (b) Air-to-Sea	(i) Bombing practice from aircraft at ground targets; or (ii) Aircraft firing at towed or stationary targets on sea or land.	Warning signals are usually shown. Firing takes place to seaward of land targets. All marine craft operating as range safety craft or targets will display, for identification purposes, while in the vicinity of the danger area by day, a large red flag at the masthead.
(c) Sea- or Ground-to-Air	Anti-aircraft firing from shore batteries or ships from AA guns or machine guns at a target towed by aircraft as in (a)(ii) above, or at balloons.	Ships show a red flag by day; a night signal is not shown.
(d) Air-to-Air	Aircraft fire at a large white or red sleeve or flag (which may be illuminated by a bright white light) towed by another aircraft moving on a steady course.	
(e) Ground-to-Sea; or (f) Sea-to-Sea; or (g) Sea-to-Ground	Firing from shore batteries or ships at fixed or floating targets.	
(h) Rocket or Guided Weapons Firing	May be (a), (b), (c), (d), (e) or (g) above.	All such firings under Clear (Air and Sea) Range procedure. Devices are <u>generally</u> incorporated whereby the missiles may be destroyed should their flights be erratic. Ships show a red flag by day; a night signal is not shown.

Notification of Practices

Warnings will not be issued in respect of exercise areas D130 and M306 as these areas are considered to be in continual use. These areas are described in the following pages.

5. For the information of ships at sea, warnings of practices will be notified by:
- (a) The broadcast of VHF and R/T (Radio-Telephony) messages which will be promulgated during evening and morning transmission times before any practice takes place. For times and frequencies of these transmissions, see *Annual New Zealand Notice to Mariners, No. 9*;
 - (b) *New Zealand Notices to Mariners* (NTMs), if practices are to be of long duration, i.e. seven days or more;
 - (c) Additional warnings of Army live-shell practices only will be notified by advertisement in a newspaper or newspapers within the port concerned not less than twenty-four hours before a practice begins and by the New Zealand Maritime Radio regional station for the port concerned not less than twelve hours before any practice;
 - (d) In addition to 4(a) for all firings in the New Zealand area, whether in prescribed areas or not, firing warnings are to be passed on R/T 2182 kHz and VHF Channel 16, five minutes prior to the commencement of live firing, every 30 minutes thereafter, and immediately on completion of firings. The nature of the broadcast will be "...I am about to commence gunnery practice....." or "...I have completed gunnery practice..."

Form of Warning

6. In order to promulgate the danger areas, warnings are transmitted:
- (a) Via SafetyNet on Inmarsat-C ECG (Coastal Area Z); and
 - (b) As an R/T transmission to the relevant coastal area(s) affected by such warnings as Coastal Navigation Warnings (see *Annual New Zealand Notice to Mariners, No. 9*, paragraphs 7 – 9).

Note: Warnings may be promulgated in NTMs, see paragraph 5(b) above.

Warning Signals – Visual

7. These consist of a large red flag by day and a fixed red light at night. The absence of any such signal cannot, however, be accepted as evidence that a practice area does not exist. Warning signals are shown from half an hour before practice commences until it ceases.
- Ships and aircraft carrying out night exercises may illuminate with white, green, or red flares.

Caution

8. The range authorities are responsible for ensuring that there should be no risk of damage from falling shell splinters or bullets to any vessel that may be in a practice area. If a vessel is in an area where practice is in progress, the vessel should maintain its course and speed, but, if prevented from doing so by the exigencies of navigation, the vessel should endeavour to clear the area at the earliest possible moment. Practices will not normally take place while a vessel is in a danger area, but the areas must be cleared as soon as possible after the warning has been shown.

Clear Range Procedure

9. The following limits are used by RNZAF crews engaged in dropping live weapons:
- (a) The dropping area is to be at least 30 nautical miles (15 miles*) from the nearest land, outside the 100-metre line and at least 20 nautical miles (10 miles*) from all shipping;
 - (b) The visibility is to be greater than five nautical miles and all attacks are to be made from below the cloud base. The target is to be visible at the time of the drop;
 - (c) The area through which and into which any weapons will pass or fall is to be clear of all air and sea traffic.

*Limits used for practice weapons.

Ordnance Brought to the Surface

10. Fishermen operating in the vicinity of firing practice and exercise areas may occasionally bring unexploded missiles or portions of them to the surface in their nets or trawls. These objects may be dangerous and should be treated with great caution and jettisoned immediately (fixing the position, if possible).

No attempt should be made to tamper with them or bring them back for inspection by naval authorities –
For more information, see *Annual New Zealand Notice to Mariners, No. 6*.

Danger Areas (D) and Military Operating Areas (MOA)

11. Full details of permanent and temporary special use airspace areas are listed in the New Zealand Air Navigation Register available through the New Zealand Civil Aviation Authority www.aip.net.nz

Military Operating Area (MOA) – area where military operations, including firings, may take place.

Danger Area (D) – area where dangers may be present, e.g. firings.

Selected Military Operating Areas (MOA)

12. Note:

- (a) Inland ranges and those affecting aircraft only are not included in this notice;
 (b) These areas are shown on the plans at the end of this notice; and
 (c) All coordinates are given in terms of WGS84 datum, (expressed in degrees, minutes and seconds).

No.	Area	Activity
M102	Bay of Islands, Northland All that area bounded by great circle lines from 34° 30' 00"S., 174° 50' 00"E. to 35° 00' 00"S., 174° 50' 00"E. to 35° 00' 00"S., 174° 15' 00"E. to 34° 30' 00"S., 174° 15' 00"E. and to 34° 30' 00"S., 174° 50' 00"E.	Naval firing and air bombing
M103	South Head, Northland Area bounded by a circle radius 3 NM centred on the point 36° 28' 39.1"S., 174° 09' 38.4"E.	Air firing and bombing
M106	Kaipara, Northland All that area bounded by a great circle from 36° 21' 02.8"S., 174° 18' 07.8"E. to 36° 32' 37.4"S., 174° 20' 50.2"E. thence Anti-clockwise along the arc of a circle of 20 NM radius centred on 36° 47' 12.5"S., 174° 37' 52.4"E. to 36° 36' 53.0"S., 174° 16' 33.8"E. thence Along great circle lines to 36° 38' 00.0"S., 174° 09' 00.0"E. to 36° 33' 00.0"S., 173° 58' 00.0"E. to 36° 20' 05.9"S., 174° 01' 00.4"E. to 36° 18' 38.9"S., 174° 09' 46.2"E. and to 36° 21' 02.8"S., 174° 18' 07.8"E.	Military aircraft manoeuvres, naval and air firing, and bombing
M204	Cuvier Island (Repanga Island), Bay of Plenty All that area bounded by great circle lines from 35° 50' 00"S., 176° 25' 00"E. to 36° 20' 00"S., 176° 25' 00"E. to 36° 20' 00"S., 175° 50' 00"E. to 35° 50' 00"S., 175° 50' 00"E. and to 35° 50' 00"S., 176° 25' 00"E.	Naval firing and air bombing
M205	Bay of Plenty A All that area bounded by great circle lines from 35° 20' 00"S., 177° 17' 30"E. to 36° 20' 00"S., 177° 17' 30"E. to 36° 20' 00"S., 176° 25' 00"E. to 35° 50' 00"S., 176° 25' 00"E. to 35° 50' 00"S., 175° 50' 00"E. to 35° 20' 00"S., 176° 25' 00"E. and to 35° 20' 00"S., 177° 17' 30"E.	Naval firing and air bombing
M206	Bay of Plenty B All that area bounded by great circle lines from 35° 20' 00"S., 178° 10' 00"E. to 36° 20' 00"S., 178° 10' 00"E. to 36° 20' 00"S., 177° 17' 30"E. to 35° 20' 00"S., 177° 17' 30"E. and to 35° 20' 00"S., 178° 10' 00"E.	Naval firing and air bombing

(Continued)

Selected Military Operating Areas (MOA), *Continued*

No.	Area	Activity
M207	Bay of Plenty C All that area bounded by great circle lines from 36° 20' 00"S., 177° 17' 30"E. to 37° 20' 00"S., 177° 17' 30"E. to 37° 20' 20"S., 176° 25' 00"E. to 36° 20' 00"S., 176° 25' 00"E. and to 36° 20' 00"S., 177° 17' 30"E.	Naval firing and air bombing
M208	Bay of Plenty D All that area bounded by great circle lines from 36° 20' 00"S., 178° 10' 00"E. to 37° 20' 00"S., 178° 10' 00"E. to 37° 20' 00"S., 177° 17' 30"E. to 36° 20' 00"S., 177° 17' 30"E. and to 36° 20' 00"S., 178° 10' 00"E.	Naval firing and air bombing
M302	Taranaki Bight All that area bounded by the arc of a circle of 18 NM radius centred on 40° 12' 34.6"S., 175° 23' 31.1"E. Anti-clockwise from 40° 05' 47.7"S., 175° 01' 46.2"E. to 40° 19' 34.8"S., 175° 01' 51.2"E. Thence along a great circle line to 40° 35' 39.6"S., 174° 11' 00.9"E. thence Clockwise along the arc of a circle of 60 NM radius centred on 40° 12' 34.6"S., 175° 23' 31.1"E. to 39° 49' 42.4"S., 174° 11' 18.3"E. thence Along a great circle line to 40° 05' 47.7"S., 175° 01' 46.2"E.	Various Permanently activated during daylight hours
M306	Raumai, Manawatu All that area bounded by a circle of 4 NM radius centred on 40° 12' 16.0"S., 175° 13' 29.4"E.	Air bombing and air-to-surface firing Permanently activated
M504	Wairarapa Coast All that area bounded by great circle lines from 40° 25' 46.9"S., 178° 02' 11.0"E. to 41° 02' 03.9"S., 177° 18' 50.1"E. to 40° 42' 44.5"S., 176° 50' 27.5"E. to 40° 06' 17.7"S., 177° 33' 51.5"E. and to 40° 25' 46.9"S., 178° 02' 11.0"E.	Air gunnery, surface-to-air and surface-to-surface firings, ships and submarine exercises

Selected Maritime Danger Areas (D)

13. Note:

- (a) Inland ranges and those affecting aircraft only are not included in this notice;
 (b) These areas are shown on the plans at the end of this notice; and
 (c) All coordinates are given in terms of WGS84 datum, (expressed in degrees, minutes and seconds)

No.	Area	Activity
D125	Tiritiri Matangi Island, Hauraki Gulf / Tikapa Moana All that area bounded by great circle lines from 36° 31' 31.8"S., 174° 54' 56.9"E. to 36° 35' 30.0"S., 174° 54' 56.9"E. to 36° 35' 30.0"S., 174° 52' 40.4"E. to 36° 36' 36.3"S., 174° 52' 40.4"E. to 36° 36' 17.5"S., 174° 50' 20.0"E. to 36° 35' 42.0"S., 174° 49' 00.0"E. to 36° 31' 31.8"S., 174° 49' 00.0"E. and to 36° 31' 31.8"S., 174° 54' 56.9"E.	Surface-to-air and surface firing
D130	Whangaparāoa, Hauraki Gulf / Tikapa Moana All that area bounded by great circle lines from 36° 33' 50.2"S., 174° 52' 40.4"E. to 36° 36' 36.3"S., 174° 52' 40.4"E. to 36° 36' 17.5"S., 174° 50' 20.0"E. to 36° 35' 42.0"S., 174° 49' 00.0"E. to 36° 33' 50.2"S., 174° 49' 00.0"E. and to 36° 33' 50.2"S., 174° 52' 40.4"E.	Small arms firing and explosives Permanently activated


Designated Safe Submarine Bottoming Areas

14. All coordinates are given in terms of WGS84 datum (expressed in degrees, minutes and seconds).

No.	Area	Limits
S1	Hauraki Gulf / Tikapa Moana	All that area bounded by great circle lines from 36° 27' 54"S., 175° 05' 00"E. to 36° 29' 54"S., 175° 05' 00"E. to 36° 29' 54"S., 175° 02' 30"E. to 36° 27' 54"S., 175° 02' 30"E. and to 36° 27' 54"S., 175° 05' 00"E.
S2	Te Hauturu-o-Toi / Little Barrier Island	All that area bounded by great circle lines from 36° 01' 18"S., 175° 03' 15"E. to 36° 02' 51"S., 175° 06' 30"E. to 36° 04' 54"S., 175° 05' 00"E. to 36° 03' 18"S., 175° 01' 42"E. and to 36° 01' 18"S., 175° 03' 15"E.
S3	Great Barrier Island (Aotea Island)	All that area bounded by great circle lines from 36° 26' 18"S., 175° 42' 06"E. to 36° 29' 24"S., 175° 42' 06"E. to 36° 29' 24"S., 175° 38' 30"E. to 36° 26' 18"S., 175° 38' 30"E. and to 36° 26' 18"S., 175° 42' 06"E.
S4	Bay of Plenty	All that area bounded by great circle lines from 37° 47' 54"S., 177° 20' 00"E. to 37° 51' 54"S., 177° 20' 00"E. to 37° 51' 54"S., 177° 12' 00"E. to 37° 47' 54"S., 177° 12' 00"E. and to 37° 47' 54"S., 177° 20' 00"E.
S5	Hawke Bay	All that area bounded by great circle lines from 39° 18' 54"S., 177° 18' 36"E. to 39° 21' 54"S., 177° 18' 36"E. to 39° 21' 54"S., 177° 15' 00"E. to 39° 18' 54"S., 177° 15' 00"E. and to 39° 18' 54"S., 177° 18' 36"E.


Map 1

Military Operating Areas: North Island, New Zealand




Map 2

Military Operating Areas: North Island, New Zealand – Auckland Area



Map 3

Military Operating Areas: North Island, New Zealand – Kapiti Island – Whanganui



Former *Annual New Zealand Notice to Mariners*, No. 6, published 1 July 2024 is cancelled. This is a repetition of the former notice.

Authority: New Zealand Defence Force (Headquarters Joint Force New Zealand)

1. Minefields were laid in many parts of the world during World War II. Many of these minefields have been swept, others have had routes swept through them. These routes are mostly marked by buoys and have been used safely by shipping for many years. Due to the lapse in time, navigation through these minefields, whether they have been swept or not, is now considered no more dangerous from mines than from any other of the usual hazards to navigation. But in the unswept areas a real danger still exists with regard to anchoring, fishing or any form of submarine or seabed activity. Furthermore, uncharted wrecks and shoals may lie in these areas, some of which are not covered by modern surveys.

Former mine danger areas are mentioned in appropriate volumes of *ADMIRALTY Sailing Directions*, with full details in an appendix. Even in swept waters and routes there is a remote risk that mines may still remain, having failed to respond to orthodox sweeping methods. Mariners are therefore advised only to anchor in port approaches and established anchorages. In an emergency it is better to anchor in a swept route rather than in unswept waters.

2. Although unlikely, there remains a remote possibility of drifting mines being sighted in New Zealand waters. All drifting mines should be reported immediately to the naval authorities via a coast radio station. The time of sighting and position of the mine is important in the reporting information so that an appropriate warning to other shipping can be broadcast. A drifting mine is best left for the naval experts to deal with. Rifle fire could pierce the casing and sink the mine without causing it to explode. It could then, if it is near the coast, get washed up on a beach or end up in a trawl in a lethal state.
3. Mines, torpedoes, depth charges, bombs and other explosive missiles are sometimes picked up in trawls, often in waters comparatively distant from New Zealand. Explosive weapons are dangerous even if they have been in the water for many years, and the following guidance is given with them:
 - (a) A suspected explosive weapon should not be landed on deck if it has been observed while the trawl is still outboard. The trawl should be lowered and where possible towed clear of regular fishing grounds, if possible to a depth of between 20 and 30 metres before cutting away the net as necessary.
The position and depth of water where the mine was cut away should be passed to the naval authorities via the coast radio station or direct to Headquarters Joint Forces New Zealand 0800 HQJFNZ (0800 475 369) or +64 4 529 6333.
 - (b) In the event of the weapon not being detected until the contents of the trawl have been discharged on deck, the master of the fishing vessel must decide whether to rid the ship of the weapon by passing it over the side or to make for the nearest port informing the HQJFNZ and New Zealand Police via the coast radio station without delay. This decision will depend on the circumstances, but should be guided by the following points:
 - (i) Great care should be taken to avoid bumping the weapon.
 - (ii) If retained onboard it should be stowed on deck, away from heat and vibration, firmly chocked and lashed to prevent movement.
 - (iii) It should be kept covered up and damped down. This is important because any explosive which may have become exposed to the atmosphere is liable to become very sensitive to shock if allowed to dry out.
 - (iv) The weapon should be kept onboard for as short a time as possible.
 - (v) If within two or three hours' steaming of the coastline the safest measure will generally be to run towards the nearest port and lie a safe distance offshore to await the arrival of a bomb disposal unit. Under no circumstances should the vessel bring the mine or weapon into harbour.

(c) **Under No Circumstances** should attempts be made to clean the weapon for identification purposes, open it or tamper with it in any way.

- (d) A ship with an explosive weapon onboard, or in her gear, should warn other ships in the vicinity giving her position and, if applicable, intended position of jettison.

4. Re-moored mines which have drifted in from deeper water trailing a length of cable, are likely to become dangerous should the cable foul some obstruction on the bottom. In this case the mine may not appear on the surface at all states of the tide. Such mines should be reported in the same way as drifting mines.

5. **Under No Circumstances** should an attempt be made to recover a mine and bring it to port, and rewards formerly paid to mariners for such recovery have been discontinued.

For further information refer to the Admiralty publication *The Mariner's Handbook* (NP100).

Former *Annual New Zealand Notice to Mariners, No. 7*, published 1 July 2024 is cancelled. This is a repetition of the former notice.

Authority: Toitū Te Whenua Land Information New Zealand

Cautionary Notes Charts and Tide Predictions

1. It is increasingly common for mariners to navigate in shallow water with a bare minimum depth below the keel (under-keel clearance). This minimum depth below the keel is usually assessed from the charted depths and predicted tide levels. Given this the mariner should note the following:
 - (a) Due to the technical limitations of hydrographic surveys and the uncertainties in tidal reductions for surveys, nautical charts can seldom be absolutely reliable in their representation of depth. Other limitations of hydrographic surveys are discussed at length in the Admiralty publication *The Mariner's Handbook* (NP100).
 - (b) The mariner should be aware that any chart, regardless of age of survey, may not show all seabed obstructions or shoalest depths.
 - (c) Depths can change quickly in areas where the seabed is highly dynamic. These critical areas are surveyed more frequently but significant changes can occur between surveys. In all cases the mariner should contact the local authority for the latest survey and depth information.
 - (d) Water levels, and therefore the least depth over seabed obstructions, are affected by meteorological conditions, i.e. barometric pressure, wind, swell, and both positive and negative storm surges. These are described in the Tidal Section, *New Zealand Nautical Almanac* (NZ 204) and in the *ADMIRALTY Tide Tables* (NP204). As a result, actual water levels may vary appreciably from predicted values.
 - (e) Where an expected least depth or an under-keel clearance is determined using only tidal predictions and charted depths the uncertainty in the survey and tidal predictions may be compounded.

Waves Caused by Meteorological Conditions

2. Mariners are warned that in addition to local swell waves, certain meteorological conditions may generate swell waves which can significantly reduce a vessel's under-keel clearance in the approaches to some New Zealand ports. These swell waves may be generated from any or all of the following:
 - (a) Long period swell waves with amplitudes up to 0.5 metre and periods up to 20 minutes;
 - (b) Infra-gravity waves (waves generated by the interaction between swell waves) with amplitudes up to 1.5 metres and a period of several minutes;
 - (c) Rissaga (meteorological tsunami) generated by fast moving atmospheric pressure systems.

The generation of such swell waves is particularly likely when a deep depression situated to the east of New Zealand is moving quickly towards the south-east. Ports on the east coast of New Zealand which are exposed to swell from south through to east are particularly susceptible to swell effects.

Mariners should navigate large vessels with caution under swell conditions. The prudent mariner will allow for navigational uncertainties by preserving adequate clearance, both horizontally and vertically.

New Zealand locations where long period swell, infra-gravity waves and rissaga may be experienced:

- Approaches to Port Taranaki
- Approaches to Whangārei Harbour
- Approaches to Gisborne
- Approaches to Napier
- Approaches to Wellington
- Approaches to Lyttelton
- Approaches to Timaru
- Approaches to Otago Harbour
- Foveaux Strait

Dynamic Under-Keel Clearance Systems

3. Dynamic Under-Keel Clearance (DUKC) systems generate predictive information regarding a particular vessel's under-keel clearance in the expected weather, tidal and sea conditions. The pilot provides this information from the DUKC system to the ship's master.

DUKC systems are in operation at the following New Zealand ports:

- Port Taranaki
- Marsden Point
- Napier
- Lyttelton
- Wellington

Former *Annual New Zealand Notice to Mariners, No. 8*, published 1 July 2024 is cancelled. This is a repetition of the former notice.

Authority: New Zealand Defence Force (Headquarters Joint Force New Zealand)

Warning Signals

1. Mariners are warned that considerable hazard to life may result from the disregard of the following signals which denote the presence of submarines:
 - (a) Visual signals. Warships fly the International Code Group "NE2" to denote that submarines which may be submerged, are in the vicinity. Vessels are cautioned to steer so as to give a wide berth to any vessel flying this signal. If from any cause it is necessary to approach her, a good look-out must be kept for submarines whose presence may be indicated only by their periscopes or snort masts showing above the water.
 - (b) Pyrotechnics and smoke candles. The following signals are used by submerged submarines:

Signal	Signification
White smoke candle (with flame)..... Yellow smoke candles Yellow and green pyro flares.	Indicates position in response to request from ship or aircraft, or as required.
Red pyro flares..... (may be accompanied by smoke candles repeated as often as possible).	Keep clear I am carrying out emergency surfacing procedure. Do not stop propellers. Clear the immediate area, but stand by to render assistance.

Note: If the red pyro flare signal is sighted and the submarine does not surface within 5 minutes, it should be assumed that the submarine is in distress and has sunk. An immediate attempt should be made to fix the position in which the signal was sighted, after which action in accordance with paragraphs 13 – 19 below should be taken.

2. It must not be inferred from the above that submarines exercise only when in company with escorting vessels. Submarines operate in areas other than promulgated Submarine Exercise Areas.
3. The note *Submarine Exercise Area* on certain charts should not be read to mean that submarines do not exercise outside such areas. Under normal circumstances the majority of submarine exercise activity will be limited to promulgated Military Operating Areas (MOA). However this does not preclude exercises or operations in other areas. In such cases, participating units will make or display appropriate warning signals. Under certain circumstances warnings that submarines are exercising in specified areas may be broadcast by a coast radio station or promulgated in printed navigational warnings.

For more information regarding Submarine Exercise Areas in New Zealand, see *Annual New Zealand Notice to Mariners, No. 5*.

Navigation Lights

4. Submarines have their masthead and side lights placed well forward and very low over the water in proportion to the length and tonnage of these vessels. In particular:
 - (a) Some submarines can show a forward masthead light only in calm confined waters;
 - (b) In other submarines the forward masthead light may be lower than the sidelights;
 - (c) The main masthead light may be well forward of the mid-point of the submarine's length;
 - (d) Some submarines, despite their length, may show only one masthead light.
5. Stern lights are placed very low indeed, and may at times be partially obscured by spray and wash. In some cases the stern lights will be well forward of the after part of the submarine, and thus will not give a true indication of the submarine's length. They are invariably lower than the side lights.
6. The after light of submarines at anchor is mounted on the upper rudder which is some distance astern of the hull's surface waterline. Care must be taken to avoid confusion with two separate vessels of less than 50 metres in length.
7. The overall arrangement of submarine lights is therefore unusual and may well give the impression of markedly smaller and shorter vessels than what they are. Their vulnerability to collision when proceeding on the surface dictates particular caution when approaching them. Nearly all submarines are fitted with an amber quick-flashing light situated above or abaft the main steaming light. This additional light is for use as an aid to identification in narrow waters and areas of dense traffic. Australian submarines will normally burn this identification light under the above conditions, and when entering or leaving harbour at night.

8. Royal Australian Navy (RAN) Collins class submarines exhibit a very quick flashing yellow identification light (120 flashes per minute) VQ.Y. This identification light should not be confused with an air cushion vessel operating in a non-displacement mode which displays the same light.

Sunken Submarine

9. A bottomed submarine which is unable to surface will try to indicate her position by firing candles which give off yellow or white smoke. This will be done either on the approach of surface vessels or at regular intervals. As far as possible yellow candles will be used by day.

Note: It should be remembered that it may be impossible for a submarine to fire her smoke candles. Correspondingly a partially flooded submarine may have only a certain number of her smoke candles available, and searching ships should therefore not expect many to appear.

10. Since oil slicks or debris may be the only indication of the presence or whereabouts of the sunken submarine, it is vitally important that surface ships refrain from discharging anything which might appear to have come from a submarine while they are in the submarine probability area. Searching ships and aircraft can waste many valuable hours investigating these false contacts.
11. Some submarine pyrotechnics can be fitted with message carriers. If a message has been attached, the pyrotechnic will be fitted with a dye marker, which gives off a yellowish-green dye on the surface. Such a pyrotechnic should be recovered as soon as it has finished burning.
12. RAN Collins class submarines are fitted with the purpose Submarine Launched EPIRB (SERB). A description of the SERB is given at paragraph 20 below.
13. The sighting of any beacon answering the attached description should at once be reported by the quickest available means to the Rescue Coordination Centre New Zealand, the Royal New Zealand Navy or New Zealand Police. However, if vessels are unable to establish communications without leaving the vicinity of the submarine, it should be borne in mind that the primary consideration should be for vessels to remain standing by to rescue survivors, and not leave the scene of the accident. Every effort should be made to include in the report the serial number of the beacon; this number is affixed on top of the SERB (see paragraph 20 below).
14. At any time after a submarine accident, survivors may start attempting to escape. Current policy dictates that survivors will wait before escaping until:
 - (a) Rescue vessels are known to be standing by; or
 - (b) Conditions inside the submarine deteriorate to such an extent that an attempt to escape must be made.

In this situation, personnel will be wearing a red/orange escape suit enclosed in a red/orange single person life raft or, if escape was conducted immediately (Rush Escape), survivors will be wearing orange coloured Submarine Escape Jerkins (SEJ). SEJs provide no thermal insulation qualities. Survivors wearing SEJs would present the same visual aspect as personnel wearing a large life jacket.
15. It should be noted that, in certain circumstances, the situation described in paragraph 14(b) above may not arise through lack of air supply until several days after the accident. However, if the submarine is badly damaged, survivors may have to make an escape attempt immediately. Any ship finding a SERB should therefore not leave the position, but stand by well clear ready to pick up survivors. The latter will ascend nearly vertically, and it is plainly important that plenty of sea room is given to enable them to do so in safety. On arrival on the surface, they may be exhausted or ill. Therefore, if circumstances are favourable, the presence of a boat already lowered is very desirable. Some survivors may require a recompression chamber, and it will therefore be the aim of the naval authorities to get such a chamber to the scene as soon as possible.
16. In order that those trapped in the submarine will be made aware that help is at hand, Navy vessels drop small charges into the sea. These can be heard from inside the submarine. There is no objection to the use of small charges for this purpose; but it is vital that they are not dropped too close. This is because crew in the process of making ascents are particularly vulnerable to underwater explosions, and may easily receive fatal injuries. A distance of a quarter of a mile is considered to be safe. If no small charges are available, the running of an echo sounder or the banging of the outer skin of the ship's hull with a hammer from a position below the water-line is likely to be heard in the submarine. Such banging and/or sounding should therefore be carried out at frequent intervals.
17. Submarines may at any time release pyrotechnic floats, which on reaching the surface burn with flame and/or smoke thus, serving to mark the position of the wreck. They are likely to acknowledge sound signals by this means.
18. To sum up, the aims of a submarine rescue operation are:
 - (a) To fix the exact position of the submarine;
 - (b) To get a ship standing by to pick up survivors if practicable with boats already lowered;
 - (c) To get medical assistance to survivors picked up;

- (d) To get a diver's decompression chamber to the scene in case this is required by those seriously ill after being exposed to great pressure;
 - (e) To inform the trapped crew that help is at hand; and
 - (f) To notify appropriate authorities.
19. There is a large Navy organisation designed to fulfil these aims which is always kept at instant readiness for action. It is clear, however, that any ship may at any time find evidence of a submarine disaster, and if she takes prompt and correct action, as described above, she may be in a position to play a vital part.

Submarine Emergency Radio Beacon (SERB)

20. This beacon is made of aluminium, coloured orange and is cylindrical in shape, with two whip aerials. The beacon is fitted with an automatic transmitting unit (battery life of 48 hours) operating on the following frequencies:
- 406.025 MHz COSPAS-SARSAT/EPIRB;
 - 243 MHz Military Air Guard; and
 - 121.5 MHz Civil Air Guard.

SERBs carried in RAN Collins class submarines can be released from inside the submarine from each Escape Compartment via a Submerged Signal Ejector, and are not tethered to the submarine in any way. Additionally, if pre-programmed by the crew of the disabled submarine, the EPIRB signal can carry a coded message indicating the following information:

- (a) Local time of release;
- (b) Number of survivors;
- (c) Time till escape must start in hours;
- (d) Depth (if less than 180 metres) or an indication that rescue is required;
- (e) Internal pressure;
- (f) Medical status of survivors;
- (g) Presence of hostile forces; and
- (h) Estimated Lat/Long.

Submarine Launched Expendable Communications Buoy (ECB)

21. This buoy is used for tactical communications between submarines and warships/aircraft. It can, however, be fired in an emergency default mode. In this case it will transmit a SABRE tone on 243 MHz Military Air Guard.
22. General descriptions of Submarine Emergency Radio Beacons (SERB), Expendable Communications Buoys (ECB), smoke candles fired from submarines, sonobuoys, and aircraft floats, smoke and flame markers are as follows:
- (a) White Smoke Candles. These are fired from submarines to indicate their position. They burn for up to 15 minutes emitting white smoke and flame, and thus can be seen day or night; they can easily be confused with the smoke and flame of aircraft marine markers and floats.
 - (b) Yellow Smoke Candles. These are fired from submarines to indicate their position. They burn for about five minutes emitting yellow smoke. They can be seen more easily than the white smoke candles in rough weather, but cannot be seen at night.
 - (c) Sonobuoys. These are dropped from aircraft to detect submarines and may be encountered anywhere at sea. Other countries have similar sonobuoys but their colour and dimensions are not known.
 - (d) The Expendable Communications Buoy (ECB) provides a one way line-of-sight communication between the disabled submarine and surface units. The ECB is a programmable tactical buoy which acts as an alert beacon for submarines in distress. When used in the Alert mode, the buoy transmits a tone on 243 MHz.

The ECB is pre-programmed for distress and does not require programming prior to launch. When the ECB arrives at the surface, it deploys an aerial and flotation collar and commences to transmit.

The following statistics are relevant:

Transmitting Cycle	Range	Battery Life
3 Minutes Transmit – 1 Minute	70 NM – Aircraft 18 NM – Shore 15 NM – Ship	4 Hours +

23. The above may frequently be encountered in areas where warships and aircraft exercise, whether or not submarines are present, and should not be confused with submarine emergency buoys and beacons. In case of doubt, the object should be approached to confirm visually whether or not it is a submarine emergency buoy or beacon before reporting it.
24. The following is a list of candle smoke and markers currently used by New Zealand and Australia:
- (a) Submarine Bubble Decoy Mk N2.
 - (b) Schermuly Icarus Band Radar flare.
 - (c) Marker Man Overboard, Smoke and Light Mk N3 and Series 2.
 - (d) Marker Location Marine Mk 25.
 - (e) Float Signal Submerged Mk N4.
 - (f) Float Signal Submerged (Grenade) Mk N3.
 - (g) Candle Smoke Yellow Mk N7.
 - (h) Candle Smoke White Mk N6.
 - (i) Candle Smoke White Mk 4N.
 - (j) Submarine Launched Flare D4A.

Department of Defence (Navy). (AH 99/50)

25. It should be noted that the Royal Australian Navy no longer uses the frequency 243 MHz and no longer carries ECB on its submarines.

Copyright Commonwealth of Australia 2007 – Used with the Permission of the
Australian Hydrographic Service and amended by the New Zealand Defence Force

Former *Annual New Zealand Notice to Mariners, No. 9*, published 1 July 2024 is cancelled. This is a repetition of the former notice.

Authority: Maritime New Zealand

Introduction

1. Maritime Safety Information (MSI) is defined as navigational and meteorological warnings, meteorological forecasts, and other urgent safety-related messages. This information is of vital importance to all vessels at sea.

Note that communications related to search and rescue operations such as distress alerts, coordination of operations, local communications and positioning signals are **never** MSI. Search and Rescue operations may, however, involve the broadcasting of MSI in the navigational warning category, described in 3(f) below.

Navigational warnings are designed to give the mariner information relating to dangers and aids to navigation and are primarily to assist mariners in navigation up to the entrance of ports. Information of a less essential nature, and matters within a harbour entrance, which may form the subject of a Notice to Mariners or local harbour warnings, will not normally be broadcast by coast radio stations. Such information is available from harbour authorities, and all vessels are advised to contact the harbour radiotelephone station before entering the port.

Navigational warnings are broadcast for as long as the information is valid and shall remain in force until cancelled by the originating authority.

Types of Warnings

2. There are three types of navigational warnings:
 - (a) **Long Range Navigational Warnings** – these warnings are part of the NAVAREA system (NAVAREA XIV for New Zealand) of long range navigational warnings concerned with information which ocean-going mariners require for their safe navigation. This includes, in particular, new navigational hazards and failures to important aids to navigation as well as information which may require changes to planned navigational routes.
 - (b) **Coastal Navigational Warnings** – these warnings provide information which are relevant to safe navigation within areas seaward of the fairway buoy or pilot station, and should not be restricted to main shipping routes.
 - (c) **Local Navigational Warnings** – these warnings are broadcast to supplement Coastal Navigational Warnings by giving detailed information within inshore waters and often within the limits of a harbour or port authority. These warnings are broadcast via the local harbour VHF radio and are often made available by the ports and harbours on their websites.
3. Types of MSI (*Joint IHO/IMO/WMO Manual on Maritime Safety Information*, IHO Publication S-53, section 4.2.3.):
 - (a) Casualties to lights, fog signals, buoys and other aids to navigation affecting main shipping lanes;
 - (b) The presence of dangerous wrecks in or near main shipping lanes and, if relevant, their marking;
 - (c) Establishment of major new aids to navigation or significant changes to existing ones when such establishment or change might be misleading to shipping;
 - (d) The presence of large unwieldy tows in congested waters;
 - (e) Drifting hazards (including derelict ships, ice, mines, containers, other large items over 6 metres in length etc.);
 - (f) Areas where search and rescue (SAR) and anti-pollution operations are being carried out (for avoidance of such areas);
 - (g) The presence of newly discovered rocks, shoals, reefs and wrecks likely to constitute a danger to shipping and, if relevant, their marking;
 - (h) Unexpected alteration or suspension of established routes;
 - (i) Cable or pipe laying activities, seismic surveys, the towing of large submerged objects for research or exploration purposes, the employment of manned or unmanned submersibles, or other underwater operations constituting potential dangers in or near shipping lanes;
 - (j) The establishment of research or scientific instruments in or near shipping lanes;
 - (k) The establishment of offshore structures in or near shipping lanes;
 - (l) Significant malfunctioning of radio-navigation services and shore-based maritime safety information radio or satellite services;
 - (m) Information concerning events which might affect the safety of shipping, sometimes over wide areas, e.g. naval exercises, missile firings, space missions, nuclear tests, ordnance dumping zones, etc.;
 - (n) Operating anomalies identified within Electronic Chart Display Information Systems (ECDIS) including Electronic Navigational Charts (ENC) issues;

- (o) Acts of piracy and armed robbery against ships;
- (p) Tsunamis and other natural phenomena, such as abnormal changes to sea level;
- (q) World Health Organization (WHO) health advisory information; and
- (r) Security-related requirements (in accordance with the requirements of the *International Ship and Port Facility Security Code* only).

Long Range Navigational Warnings (NAVAREA XIV – Southwest Pacific)

Area Coordinator

4. Under the World Wide Navigational Warnings Service (WWNWS), New Zealand is the area coordinator for NAVAREA XIV—see Maps 2 and 3 at the end of this notice for extents. Warnings are prefixed NAVAREA XIV and numbered consecutively on an annual basis.

Maritime New Zealand is the NAVAREA XIV Coordinator, the authority charged with collecting and issuing long range navigational warnings.

NAVAREA XIV Coordinator

Phone: +64 4 577 8030 (24 hours)

Fax: +64 4 577 8038 (office hours)

Email: rccnz@maritimenz.govt.nz

Reprints of NAVAREA Warnings

5. NAVAREA XIV warnings are broadcast via Taupo Maritime Radio ZLM R/T (Radio Telephony) and on Enhanced Group Calling (EGC) via the Inmarsat SafetyNET Service through the Pacific Ocean Region (POR) and Atlantic Ocean Region West (AOR-W) satellites and the Iridium SafetyCast Service. Warnings are broadcast on receipt and repeated at scheduled broadcasts 0900 and 2100 UTC until cancelled.

NAVAREA XIV warnings in force are available from the Maritime New Zealand website:

www.maritimenz.govt.nz/navarea

An 'in-force' bulletin of current NAVAREA XIV Warnings will be broadcast each Monday at 0900 UTC via Inmarsat and Iridium EGC.

When there are no NAVAREA XIV Warnings to be disseminated at the scheduled broadcast time, a message will be issued advising of this.

6. NAVAREA XIV R/T Broadcasts by Taupo Maritime Radio (ZLM)

Radio Station	Callsign	Frequency kHz		Time (UTC)
		Calling	Working	
Taupo Maritime Radio	ZLM	6215 12290	6224 12356	0303, 0903, 1503, 2103
		8291 16420	8297 16531	0333, 1003, 1533, 2203

Coastal Navigational Warnings

National Authority

7. Maritime New Zealand is the national authority charged with collating and issuing Coastal Navigation Warnings for New Zealand. They are broadcast to the New Zealand Coastal Warning Area Z. See Maps 1 and 2 illustrating New Zealand Coastal Forecast Areas and the New Zealand Coastal Warning Area respectively. Warnings are prefixed Coastal Navigation Warning and numbered consecutively on an annual basis.

National Coordinator

Phone: +64 4 577 8030 (24 hours)

Fax: +64 4 577 8038

Email: RCCNZ@maritimenz.govt.nz

Coastal Navigational Warnings are broadcast via VHF radio and Taupo Maritime Radio ZLM R/T as per the schedule shown below, and on Enhanced Group Calling (EGC) via the Inmarsat SafetyNET Service and the Iridium SafetyCast Service. Warnings are broadcast on receipt and repeated at scheduled broadcasts 0900 and 2100 UTC until cancelled.

Coastal Navigational Warnings are also available from the Maritime New Zealand website www.maritimenz.govt.nz/navarea

The list of current New Zealand Coastal Navigational Warnings is included in the NAVAREA XIV 'in-force' bulletin that are broadcast each Monday at 0900 UTC via Inmarsat and Iridium EGC.

When there are no Coastal Navigational Warnings to be disseminated at the scheduled broadcast time, a message will be issued advising of this.

Many warnings are of a temporary nature, but others may remain in force for several weeks and may be superseded by NTMs.

Coastal Navigational Warnings will not contain meteorological information such as forecasts of gales, storms, cyclones or tropical revolving storms. Meteorological information is broadcast at scheduled times.

8. Coastal R/T Broadcasts by Taupo Maritime Radio

Note: the times shown below are the time of commencement of the transmissions.

Maritime Safety Information (MSI) is transmitted by **Taupo Maritime Radio (ZLM)** on receipt of the message from Maritime New Zealand at the end of the next silence period after receipt and at:

0133, 0533, 1333 and 1733 New Zealand Standard Time (NZST) or New Zealand Daylight Time (NZDT).

An initial call will be made on the calling frequencies 2182, 4125 and 6215 kHz. Warnings will then be broadcast on the working frequencies 2207, 4146 and 6224 kHz.

Masters are recommended to arrange, whenever possible, for a radio operator or an officer to listen at the scheduled time before sailing at which this information is broadcast, in case any dangers affecting their routes are notified.

A warning will be repeated on request by a ship to **ZLM**. Operators should, however, make every effort to obtain these warnings at the scheduled hours of transmission. Normally warnings will be broadcast at routine times and for as long as may be deemed necessary.

Vessels fitted with R/T are requested not to make routine transmissions 2182, 4125 or 6215 kHz during the periods referred to in the schedule of R/T broadcasts.

9. Coastal VHF Broadcasts by Taupo Maritime Radio (ZLM)

Maritime Safety Information (MSI) is transmitted by Maritime Radio VHF stations located around the New Zealand coast at these times:

New Zealand Coastal Areas	0133	0533	0733	*1033	1333	1733	2133	NZST or NZDT
Chatham Islands	0603	1403	1803	2203	Chatham Islands time (45 minutes ahead of NZST or NZDT)			

Broadcasts will include navigational and meteorological warnings, the situation and forecast for all New Zealand sea areas, and Coastal Reports for Shipping. The *1033 broadcast will include all warnings in force and the coastal reports as at 0900 NZST or NZDT (i.e. no situation or forecast information).

Transmissions will be made simultaneously, but separately, for the North and South Islands on the working channels following a broadcast announcement call on VHF Channel 16.

Vessels must then ensure they select the **appropriate working channel** based on their location at the time — see paragraph 5 of *Annual New Zealand Notice to Mariners, No. 10*. Coastal Navigational Warnings will be broadcast on all stations with the area of interest indicated by the sea area as a prefix.

Map 1

New Zealand Coastal Forecast Areas

Note: Forecast areas extend to approximately 100 km (60 nautical miles) offshore




Image reproduced with the permission of the United Kingdom Hydrographic Office

Map 2

Figure SN-14




Image reproduced with the permission of the United Kingdom Hydrographic Office

MAP 3

World-Wide Navigational Warning Service – Navareas




Image reproduced with the permission of the IHO Secretariat on behalf of the IHO

Former *Annual New Zealand Notice to Mariners, No. 10*, published 1 July 2024 is cancelled. Additions and amendments to the former notice are indicated by sidelines.

Authority: Maritime New Zealand

General Provisions

Safe Navigation

Passage Planning

1. There is an obligation on the master or skipper of a vessel, prior to proceeding to sea, to ensure that the intended voyage is planned.

Development of a passage plan, and close and continuous monitoring of the vessel's progress and position during the execution of such a plan, are of essential importance for safety of life at sea, safety and efficiency of navigation and protection of the marine environment. It is recommended that shipowners' standing instructions to their masters specifically state that safety of the ship and crew, the prevention of pollution and prevention of damage to the marine environment must always take precedence over commercial considerations.

The *New Zealand Maritime Transport Act 1994*, Part 3, Section 19 Duties of Master states that the master shall be responsible for the safe operation of the ship, safety of cargo and safety and wellbeing of crew/passengers on voyage. He/she shall have the final authority to control the ship while in command.

The *Bridge Procedures Guide* issued by the International Chamber of Shipping provides recommendations on the conduct and execution of passage planning. It is recommended that navigators follow the guidance contained therein and use the bridge equipment checklists contained in the Appendices to this document.

Master's Responsibility, Duty and Professional Judgement

2. The voluntary code (summarised at paragraph 6 below) does not replace the obligations of the master to use judgement and discretion in light of the many factors which contribute to a safe passage, including:
 - (a) The condition and manoeuvrability of the ship;
 - (b) The taking into account of relevant ship's routing systems such as the IMO approved ships routing measures;
 - (c) The anticipation of known navigational hazards;
 - (d) Ensuring sufficient sea room for the safe passage of the ship;
 - (e) The prevailing and expected weather conditions;
 - (f) Experience; and
 - (g) The safety and security of the ship and crew.

In law, and under the safety management system established by the shipowner, the master has final authority for, and is free to exercise their professional judgement in, matters of safe navigation and protection of the marine environment.

Reporting Arrangements and Summoning Assistance

3. It is recommended that shipowners' standing instructions to their masters:
 - (a) Emphasise the need for immediate reporting to Maritime New Zealand (MNZ), through any coastal radio station or by calling Taupo Maritime Radio, of all situations which affect the safety of the ship or its navigation, or might lead to pollution.
 - (b) Confirm the master's position as set out in the International Maritime Organization's *International Convention on Salvage 1989*, Article 6(2):

The master shall have the authority to conclude contracts for salvage operations on behalf of the owner of the vessel. The master or the owner of the vessel shall have the authority to conclude such contracts on behalf of the owner of the property on board the vessel.
 - (c) Note that masters are required to comply with MNZ's *Marine Protection Rules Part 103* which requires ships carrying oil or other harmful liquid substances in bulk, to give at least 12 hours notice of arrival to the harbourmaster in that port, and to give notification of the types of cargo carried and its distribution on board.

Operational transfers must be notified at least 3 hours but not more than 4 days before starting.
 - (d) Encourage them to report vessels breaching the voluntary code to MNZ.

4. Communications

VHF

Maritime Radio VHF coverage



Note: gaps in coverage may exist within the areas shown, due to terrain 'shadows' (which can occur under cliffs close to the shore or in bays and fiords) and occasional system maintenance.

Channel 16 is monitored 24/7. Working channels monitored on request.

HF/MF

Station Callsign	Voice Calling	Voice Working	DSC Calling
Taupo Maritime Radio ZLM	2182	2207	no MF DSC
(frequencies in kHz)	4125	4146	4207.5
	6215	6224	6312.0
	8291	8297	8414.5
	12290	12356	12577.0
	16420	16531	16804.5

Maritime Operations Centre (24 hours)

Phone: +64 4 550 5280 or 0800 Maritime (0800 627 484)

Inmarsat C: 582-451-200-067 **Answer Back** MRNZ X

Email: maritime@kordia.co.nz

Rescue Coordination Centre New Zealand (24 hours)

Phone: +64 4 577 8030

Email: rccnz@maritimenz.govt.nz

A Voluntary Code for Ships Carrying Oil or Other Harmful Liquid Substances in Bulk**Summary**

5. This voluntary code has been introduced to prevent or reduce the risk of pollution or other damage to the marine environment caused by ships carrying oil or other harmful liquid substances in bulk.

If there is an oil pollution incident, the measures contained in this voluntary code will also allow more time to respond to such an incident, whilst causing least disruption to existing shipping routes.

The code stresses the importance of:

- Safe navigation – at paragraph 1 above;
- The shipmaster's duty to exercise discretion in particular circumstances – at paragraph 2 above;
- Prompt reporting to Maritime New Zealand when experiencing any difficulties, which could lead to pollution or other damage to the marine environment, and summoning of salvage assistance without delay – at paragraphs 4 and 5 above;
- Observing regional routeing schemes – at paragraphs 8 and 9 below.

Scope

6. This voluntary code applies to ships carrying oil or other harmful liquid substances in bulk as defined in Annexes I and II of MARPOL 73/78 (*International Convention for the Prevention of Pollution From Ships, 1973*).

Its adoption by other vessels is welcomed.

The Areas To Be Avoided – at paragraphs 10 and 11 below – apply to all vessels of the sizes specified.

Recommended Routes Around the New Zealand Coast**General**

7. **Ships are to keep at least 5 nautical miles off the land, any charted danger, or any outlying islands, until reaching a position where alteration is required to make port.** Mariners travelling anticlockwise around New Zealand, ie with the North or South Islands on the port side, should consider keeping a further distance off, for example by 7.5 nautical miles in the vicinity of headlands such as North and East Capes to better manage potential shipping encounters. A greater distance off may be necessary in adverse on-shore weather, or if it is known that the ship has any mechanical deficiency that might impair the motive power or manoeuvrability.

Note: All geographical positions are in terms of the WGS84 datum.

8. Recommended Approaches to New Zealand Ports

Whangārei	From the North	Pass to the east of the Poor Knights Islands Mandatory Area to be Avoided (refer chart NZ 521), thence midway through Parry Channel and thence to the Pilot Station.
	From the South	Proceed through Colville and Jellicoe Channels keeping at least 3 nautical miles off the land and thence to the Pilot Station.

Auckland	From the North	Enter Hauraki Gulf / Tikapa Moana through Jellicoe Channel keeping at least 3 nautical miles off land, thence at least 3 nautical miles off Flat Rock, then pass through a point midway between Shearer Rock and The Noises (at least 3 miles off Shearer Rock) before proceeding westwards to intercept the sector light at St Leonards Beach and thence to the Pilot Station.
	From the East	Enter Hauraki Gulf / Tikapa Moana through Colville Channel keeping to the north of Channel Islands and thence to the Pilot Station.

Transiting between Auckland and Whangārei

Vessels in transit between the pilot stations at Auckland and Whangārei, either north or southbound, should maintain a minimum distance of 3 nautical miles from Shearer Rock, Flat Rock and Cape Rodney and pass midway between Paepae-o-Tū / Bream Tail and Taranga Island.

Tauranga	From the North	Keep at least 4 nautical miles off Mayor Island (Tūhua) and thence to the Pilot Station.
	From the East	Keep at least 5 nautical miles to the north of Volkner Rocks, thence 3 nautical miles to the north of Astrolabe Reef (which breaks in all swell conditions and in fair weather appears like a boat) and thence to the Pilot Station.
	Eastbound	From the Pilot Station set course to pass 3 nautical miles to the north of Astrolabe Reef passing abeam of Brewis Shoal (distance 3.38 nautical miles), thence keeping at least 5 nautical miles north of Volkner Rocks.

Gisborne	From the North	Proceed to the east of Ariel Bank keeping 5 nautical miles off the charted dangers to the south-east of the bank, thence to a position 3.4 nautical miles due east of Young Nicks Head / Te Kuri and thence to the Pilot Station.
	Alternatively	Pass midway between Ariel Bank and Monowai Rocks, thence at least 4 nautical miles off Tuaheni Point and thence to the Pilot Station.
	From the South	Keep at least 5 nautical miles off Kahutara Point (Table Cape) and thence to the Pilot Station.

Napier	From the North and South	Keep at least 5 nautical miles off any charted danger and thence to the Pilot Station.
---------------	--------------------------	--

Wellington	From the East	Keep at least 5 nautical miles off Cape Palliser / Mātakitaki-a-Kupe and 4 nautical miles off Turakirae Head before proceeding to the designated Pilot Boarding Ground. Vessels are to keep well clear of the wave rider buoys (1 nautical mile northwest of Baring Head / Ōrua-pouanui) and Arabella Rock (0.6 nautical miles northwest of Baring Head / Ōrua-pouanui).
	From the West	Pass midway between The Brothers and Fishermans Rock, thence at least 4 nautical miles off Cape Terawhiti, thence at least 4 nautical miles off Karori Rock. This should be greater in southerly conditions. When abeam Sinclair Head / Te Rimurapa, vessels requiring a pilot should proceed to the designated Pilot Boarding Ground once directed by their pilot. Until that time they should remain at least 3 nautical miles south of the Pilot Boarding Ground to remain clear of other traffic. Vessels not requiring a pilot may adjust course to join the leads no closer than 1.5 nautical miles off the entrance (may be greater in southerly weather). Such vessels should beware of departing vessels.

Departing vessels — All departing vessels should note that:

1. Vessels in-bound for pilotage are likely to be under instructions from a local pilot and will be approaching the designated boarding areas of either ALPHA, BRAVO or CHARLIE; and
2. Vessels heading east are initially to head southward west of the line of the leads or as directed by their pilot and avoid conflict with vessels manoeuvring to pick up their pilot and traffic coming from the west by complying with the ColRegs. Such vessels should maintain this course until clear of harbour limits and in a position to intersect the coastal course line between Baring Head / Ōrua-pouanui and Cape Palliser / Mātakitaki-a-Kupe.

All vessels should be aware of the Pilot Exempt RORO ferries that operate on a frequent basis between Wellington and the South Island. These vessels will join the leading line at least 1.5 nautical miles south of the charted position of Barrett Reef buoy.

Picton	Pass midway between Cook and Walker Rocks at the entrance to Queen Charlotte Sound / Tōtaranui and thence to the Pilot Station.
---------------	---

Nelson	Keep at least 5 nautical miles off Pitt Head and at least 5 nautical miles off Pepin Island and thence to the Pilot Station.
---------------	--

Lyttelton	From the North	Keep at least 5 nautical miles off the land until approaching the Pilot Station.
	From the South	Keep at least 5 nautical miles off Steep Head, thence at least 3 nautical miles off Long Lookout Point and thence to the Pilot Station.

Timaru	From the North	Keep at least 5 nautical miles off the land until reaching the Pilot Station.
	From the South	Keep at least 5 nautical miles off the land and at least 3 nautical miles off Tuhawaiki Point and thence to the Pilot Station.

Otago Harbour	From the North	Keep at least 5 nautical miles off the land until approaching the Pilot Station.
	From the South	Keep at least 4 nautical miles off Cape Saunders, thence at least 3 nautical miles east of Taiaroa Head and thence to the Pilot Station.

Bluff	From the East	Keep at least 3 nautical miles off Slope Point, at least 3 nautical miles off Waipapa Point, thence at least 1.5 nautical miles south of Dog Island and thence to the Pilot Station.
	From the West	Keep at least 5 nautical miles south of Raratoka Island (Centre Island) and thence to the Pilot Station.

**West Coast
Stewart Island/
Rakiura**

From the South

Keep at least 3 nautical miles off The Knobbies, at least 3 nautical miles off Rugged Islands and 3 nautical miles off Bishop and Clerks Island. From there run a course to the Pilot Station at Bluff.

**East Coast
Stewart Island/
Rakiura**

From the South

Keep 3 nautical miles off Breaksea Islands, thence at least 3 nautical miles off Wreck Reef, thence on to a position at least 2 nautical miles off Kanetoe Island, thence on to a position at least 2 nautical miles off Zero Rock. From Zero Rock plot a course to the Pilot Station at Bluff.

**New
Plymouth**

From the West

Keep at least 5 nautical miles off Cape Egmont, thence at least 5 nautical miles off the land, thence at least 3 nautical miles off Motumāhanga (Saddleback) and thence to the Pilot Station.

From the North

Keep at least 5 nautical miles off the land until approaching the Pilot Station.

Manukau

From any direction from seaward, proceed to the Outer Manukau Pilotage Limit.

Depths on the bar and entrance to the Manukau Harbour are subject to frequent change and it is dangerous to cross the bar and enter the harbour without recent local knowledge. It is not recommended that vessels enter or leave the harbour during the hours of darkness. No large vessels (those 500 gross tons or greater, or any vessel exceeding 40 metres length overall or greater) may cross the bar during hours of darkness.

Chatham Islands

An Area of Restricted Access has been established around the Chatham Islands. No large vessels (those 500 gross tons or greater, or 40 metres length overall or greater) shall enter into, or remain within, the Chatham Islands Area of Restricted Access without the prior approval of the Harbour master (a fee may be charged). This restriction includes passage between Chatham Island and Pitt Island (Rangiauria) by transiting large vessels.

It is recommended that any large vessel transiting the area remains 5 nautical miles clear to the north of Chatham Island or 5 nautical miles clear to the south of Pitt Island (Rangiauria).

IMO Approved Ships' Routeing Measures

9. New Zealand currently has three areas which have been adopted by the IMO in relation to ships' routeing measures. The IMO publication *Ships' Routeing* contains the following definitions:
 - (a) **Area to be avoided** – A routeing measure comprising an area with defined limits in which navigation is either particularly hazardous or it is exceptionally important to avoid casualties and which should be avoided by all ships, or certain classes of ship.
 - (b) **Precautionary area** – A routeing measure comprising an area within defined limits where ships must navigate with particular caution and within which the direction of traffic flow may be recommended.
10. (a) Poor Knights Island is a **mandatory area to be avoided** by all vessels greater than 45 metres length overall (with some exceptions).
- (b) Three Kings Island is an **area to be avoided** by all vessels of 500 gross tons or more.
- (c) An area off the West Coast of the North Island is a **precautionary area**.

Detail on each of these areas follows:

In the vicinity of the Poor Knights Islands

Reference Charts: NZ 51, NZ 52, NZ 521, NZ 512, NZ 5214, NZ 5216, NZ 5219

In order to avoid the risk of pollution and damage to the environment of this sensitive area, all vessels greater than 45 metres length overall (except as specified below) **shall avoid** the following area.

The area bounded by a line connecting the following geographical positions is designated as a **mandatory area to be avoided**, the westward boundary of which is delineated by Mean High Water Springs.

1. 35° 51'.30S., 174° 35'.50E.
2. 35° 34'.55S., 174° 49'.20E.
3. 35° 29'.60S., 174° 50'.80E.
4. 35° 24'.70S., 174° 50'.20E.
5. 35° 10'.20S., 174° 20'.10E.

Exceptions: The following exemptions are granted in respect of vessels entering the mandatory area to be avoided:

- All vessels of the Royal New Zealand Navy. The exemption granted in respect of the vessels of the Royal New Zealand Navy applies to "any warship, naval auxiliary, other vessels or aircraft owned by a state and used, for the time being, only on government non-commercial service".
- All fishing vessels engaged in fishing operations.
- Barges under tow, provided the cargo is not oil or other harmful liquid substances as defined in Annexes I and II of MARPOL 73/78.

In the region of the Manawatāwhi / Three Kings Islands

Reference Charts: NZ 41, NZ 4111

In order to avoid the risk of pollution and damage to the environment in the area around Manawatāwhi / Three Kings Islands (declared a Wildlife Sanctuary) ships of 500 gross tons or more should **avoid** the area bounded by a line connecting the following geographical positions:

1. 34° 06'.00S., 172° 00'.00E.
2. 34° 06'.00S., 172° 12'.50E.
3. 34° 13'.50S., 172° 12'.50E.
4. 34° 13'.50S., 172° 00'.00E.

Precautionary Area off the West Coast of the North Island of New Zealand

Reference Charts: NZ 43, NZ 45, NZ 48, NZ 443, NZ 4432, NZ 14600 (INT 600), NZ 14601 (INT 601).

The **precautionary area** is defined by a line connecting the following geographical positions, the landward extent of which is determined by Mean High Water Springs (MHWS).

1. The charted line of MHWS at approximately 38° 31'.00S., 174° 37'.80E.
2. 39° 18'.50S., 173° 05'.00E.
3. 39° 26'.00S., 173° 01'.00E.
4. 40° 03'.00S., 173° 04'.00E.
5. 40° 10'.00S., 173° 16'.00E.
6. The charted line of MHWS at approximately 39° 53'.50S., 174° 54'.50E.

Note: All ships should navigate with particular caution in order to reduce the risk of a maritime casualty and resulting marine pollution in the precautionary area.

Mariners are advised to refer to *Annual New Zealand Notice to Mariners, No. 16*.

Former *Annual New Zealand Notice to Mariners, No. 11*, published 1 July 2024 is cancelled. Additions and amendments to the former notice are indicated by sidelines.

Authority: National Emergency Management Agency, Harbourmasters

Important Note: The contents of this notice are to be brought to the attention of all ships' officers and crews.

Background

Tsunami is a series of waves resulting from undersea earthquakes, volcanic eruptions or landslides and those originating in any part of the Pacific may have serious effects upon shipping in New Zealand's waters.

The attention of mariners is drawn to the Tsunamis section, Chapter 5 of the Admiralty publication *The Mariner's Handbook* (NP100).

Should an earthquake be felt whilst a vessel is at her berth the vessel should immediately have her engines placed on standby, be secured for sea and only essential personnel given access to the gangways. A continuous listening watch should also be maintained on vessels' radios, refer to paragraph 3 below. These steps should be taken whilst awaiting further instructions.

Tsunami Warning System

These procedures have been formalised with Maritime New Zealand, National Emergency Management Agency (NEMA), New Zealand Police, shipowners, port authorities, regional councils and harbourmasters.


Inter-agency Communication

1. In the event of a potential threat of a tsunami approaching New Zealand, NEMA will advise:
 - (a) Each regional Civil Defence Emergency Management Group (CDEMG), and
 - (b) The Rescue Coordination Centre New Zealand (RCCNZ).

Note: For tsunami originating near New Zealand ('local source' tsunami) timely advice by NEMA may not be possible. The only 'warning' may be an earthquake felt on board a vessel in the harbour.

Each regional CDEMG via regional council and harbourmasters/port authorities will inform the mariner as quickly as possible. Port authorities would likely take their own precautions as per their Emergency Operating Procedures. RCCNZ via Maritime Radio will provide Coastal Navigational Warnings.

Diagram 11.1: Inter-agency Communication in a Tsunami event



For more information on navigational warnings, see *Annual New Zealand Notice to Mariners, No. 9*.

Instructions to Vessels Inshore – Local Navigational Warnings**2. Warning Types**

- (a) Verbal: Vessels will be advised verbally by the harbourmaster or port company.
- (b) Sound signal: The signal to be given to warn vessels in harbour to take action is a series of five prolonged blasts. In some ports this signal could be made by sirens (on instructions from the CDEMG).

Harbourmasters may take full control of all shipping operations in their area and masters are required to give their unreserved cooperation.

Table 11.2: Warning Type by Port

Verbal Signal				Sound Signal
Auckland	Greymouth	Onehunga	Tauranga	Kaingaroa Owenga Waitangi (Chatham Island)
Akaroa	Kaikōura	Opua	Timaru	
Bluff	Lyttelton	Picton	Westport	
Chatham Islands	Marsden Point	Port Chalmers	Wellington	
Dunedin	Napier	Port Taranaki	Whakatāne	
Gisborne	Nelson	Tarakohe Harbour	Whanganui	

Keeping Radio Watch following the Warning

3. On arrival in port, masters will be advised by the harbourmaster as to which frequency is to be guarded in the event of an alert. On hearing these warnings, masters are to set radio watches. These watches are to be maintained until the threat is declared over by the same authority that issued the original advice. All further instructions will be passed by radio.

Table 11.3: Frequencies to Guard by Port

Port	Callsign	VHF Channels Listening watch on 16 at all times, and
Akaroa	Akaroa Harbour Control	03, 12 (not 24 hours)
Auckland	Auckland Harbour Control	12, 16
Bay of Islands	Russell Radio	63
Bluff	Bluff Harbour Radio	14, 12
Dunedin	Otago Harbour Control	12, 14, 62
Gisborne	Gisborne Harbour Radio	12 (not 24 hours)
Greymouth	Greymouth Harbour Radio	14, 63 (not 24 hours)
Kaikōura	Kaikōura Harbour Control	16, 65 (not 24 hours)
Lyttelton	Lyttelton Harbour Radio	12
Marsden Point	Whangarei Harbour Radio	11
Napier	Napier Harbour Radio	12
Nelson	Nelson Harbour Radio	12
Onehunga	Auckland Harbour Control	12
Picton	Picton Harbour Radio	18
Port Chalmers	Otago Harbour Control	12, 14, 62
Port Taranaki	New Plymouth Harbour Radio	12, 61
Tauranga	Tauranga Port Radio	12
Timaru	Timaru Harbour Radio	9
Wellington	Wellington Harbour Radio	14
Westport	Westport Harbour Radio ZMH92	14
Whanganui	Whanganui Harbour Radio ZMH211	16 only

Ordering Vessels to Sea

4. In certain cases it may be necessary for the harbourmaster to order vessels to sea to avoid serious damage being caused to ships and harbour structures by strong wave action in their harbours.

Mariners are to advise harbourmasters whenever it is intended to carry out maintenance on engine, propulsion or steering, which will immobilise their vessels.

It should be appreciated that the time available for action after receiving the alert signal may be as long as 14 hours or as brief as minutes, depending on the origin of the tsunami.

Instructions to Vessels at Sea – Coastal Navigational Warnings

5. In the case of vessels at sea when a warning of an approaching tsunami is received, advice will be given by the existing navigational warning system.

These warnings may include instructions for ships' immediate movements. It should be noted that the risk of tsunami for vessels at sea is much less (in most cases none) than inshore or in harbour.

Request to all Vessels to Provide Assistance

6. Should a disaster occur ashore, all vessels in port or at sea in New Zealand waters may be called upon to provide assistance at the request of the authorities:

- (a) Providing temporary shelter and food for homeless civilians;
- (b) Providing rations, water, fuel, and power to local authorities;
- (c) Evacuating civilians to another port;
- (d) Providing radio communications;
- (e) Providing firefighting parties and first aid assistance ashore.

Harbourmasters will coordinate with masters what assistance each ship in port is able to provide. Ships at sea will be contacted by the normal communications system.

For further information see:

<https://www.civildefence.govt.nz>, Title search – National Tsunami Advisory and Warning Plan.

Former *Annual New Zealand Notice to Mariners, No. 12*, published 1 July 2024 is cancelled. This is a repetition of the former notice.

Authorities: Toitū Te Whenua Land Information New Zealand, Ministry for Primary Industries, Ministry of Foreign Affairs and Trade

Introduction

1. In accordance with international law as reflected in the *United Nations Convention on the Law of the Sea* of 1982 (UNCLOS), New Zealand legislation establishes, and regulates activities within, a territorial sea, contiguous zone, exclusive economic zone and continental shelf in the maritime area surrounding New Zealand. The principal legislation relating to these areas is the *Territorial Sea, Contiguous Zone and Exclusive Economic Zone Act 1977*, the *Continental Shelf Act 1964*, the *Fisheries Act 1996*, and the *Exclusive Economic Zone and Continental Shelf (Environmental Effects) Act 2012*. Other New Zealand legislation also has specific application in whole or in part to some of these maritime zones.
2. The **territorial sea** is the belt of sea adjacent to the coast out to a distance of 12 nautical miles from prescribed baselines over which New Zealand, as the coastal state, has the same rights of sovereignty that it exercises over its land territory subject to the right of innocent passage (and transit passage through any straits used for international navigation) of ships of other states. "Innocent passage" excludes fishing activities.
3. The **contiguous zone** is a zone of 12 nautical miles beyond the territorial sea in which New Zealand, as the coastal state, may take action to prevent or punish any infringement of its customs, fiscal, immigration or sanitary laws and regulations applicable within its land territory or territorial sea.
4. The **exclusive economic zone (EEZ)** is a zone extending from the outer limits of the territorial sea to a distance of 200 nautical miles from the baselines of the territorial sea in which New Zealand, as the coastal state, has sovereign rights over the living and non living resources of the sea and seabed and other states have certain freedoms, including the freedoms of navigation and overflight.
5. The **continental shelf** is the seabed and subsoil of the submarine areas that extend beyond the territorial sea of a coastal state throughout the natural prolongation of its land territory to the outer edge of the continental margin. In New Zealand's case the continental margin extends beyond the EEZ in many places and the outer limits have been established on the basis of the recommendations of the United Nations Commission on the Limits of the Continental Shelf. Under UNCLOS, New Zealand exercises sovereign rights over the continental shelf for the purpose of exploring it and exploiting its natural resources. The diagram at the end of this Notice depicts the boundaries of the above zones, including, where applicable, the delimitation of the boundaries of the EEZ and continental shelf with Australia under the treaty of 25 July 2004. The outer limits of the New Zealand Extended Continental Shelf (ECS) north of New Zealand are subject to the delimitation of boundaries with relevant countries.

Baseline of the Territorial Sea and EEZ

6. The baseline from which the breadth of the New Zealand Territorial Sea and EEZ is measured is the low water line around the coast of New Zealand and off-lying islands, and straight baselines across the natural entrance points of bays (not exceeding 24 nautical miles), estuaries and inlets to join points on the low water line.

Official Charts

7. The *Territorial Sea, Contiguous Zone and Exclusive Economic Zone Act 1977* provides that for the purpose of the Act the line of low water for any area depicted on charts published under the authority of Toitū Te Whenua Land Information New Zealand shall be sufficient evidence of the low water mark. The outer limits of the New Zealand Territorial Sea and EEZ are indicated on the small scale chart series. The outer limits of the Territorial Sea are also indicated on the coastal chart series.

Maritime Boundary Downloads

8. The New Zealand Maritime Boundaries described above are available in Shape file format from www.lin.govt.nz/guidance/marine-information/maritime-boundaries/maritime-boundary-downloads or from the Toitū Te Whenua LINZ Data Service at <https://data.lin.govt.nz>

Shapefiles are in terms of WGS84.

Where maritime boundaries or outer limits are downloaded, reproduced, derived or copied from Toitū Te Whenua LINZ material, the following acknowledgement note should be shown on any product or associated media:

Sourced from Toitū Te Whenua Land Information New Zealand data. Crown Copyright Reserved.

Policing the Zone

9. Aircraft of the Royal New Zealand Air Force and ships of the Royal New Zealand Navy are frequently engaged in surveillance activities in New Zealand's fisheries waters. The aircraft may illuminate or contact a vessel without notice. All commercial fishing vessels are required to set watch on HF SSB frequency 2182 kHz or VHF channel 16 when approached by a New Zealand Government ship or aircraft, and must reply when called.

Note: Other vessels can also assist in surveillance work by reporting suspected infringements of the Territorial Sea and EEZ. Refer to paragraph 12 below.

Infringements

Foreign-owned New Zealand Fishing Vessels

10. Infringements in the 12 nautical mile Territorial Sea include:
- (a) Trawling by any vessel over 46 metres;
 - (b) Fishing by any foreign-owned New Zealand fishing vessel; and
 - (c) Fishing in closed areas.

Note: Under certain conditions foreign vessels may be permitted to fish within the EEZ operating under a specific licence for a limited period.

New Zealand Fishing Vessels

11. Infringements in the 12 nautical mile Territorial Sea include:
- (a) Trawling by any vessel over 46 metres;
 - (b) Fishing in closed areas and seasons; and
 - (c) Fishing using restricted or illegal methods.

Reporting Suspected Infringements

12. Reports of suspected infringements should be made to the Ministry for Primary Industries' National Communications Centre, Wellington, without delay by telephone: 0800 4 POACHER (0800 4 76224) or email info@mpi.govt.nz.

As much of the following information as possible should be given:


- (a) Date and time of sighting;
- (b) Position of sighting (latitude and longitude to nearest second if possible);
- (c) Method of position fix;
- (d) Description of vessel including type, name, callsign and any registration numbers;
- (e) Direction and speed of vessel; and
- (f) Activity observed (i.e. fishing, steaming, etc).

If possible photographs should be taken and a written report made. Reporting vessels should not attempt to apprehend suspect vessels as they may be operating under a special licence.

To report any other suspicious or illegal activities, call 0800 4 POACHER (0800 4 76224) immediately.

For further information on regulations please contact your nearest Ministry for Primary Industries office, see: www.fisheries.govt.nz/contact-us/mpi-fisheries-offices.

New Zealand's Exclusive Economic Zone and Extended Continental Shelf Boundaries



Former *Annual New Zealand Notice to Mariners, No. 13*, published 1 July 2024 is cancelled. Additions and amendments to the former notice are indicated by sidelines.

Authorities: Toitū Te Whenua Land Information New Zealand, Maritime New Zealand, Spark, Transpower

Caution against Anchoring and Fishing in the Vicinity

1. Mariners are warned that every care should be taken to avoid anchoring or fishing in the vicinity of submarine cables or pipelines, even though there may be no specific prohibitions against doing so. Damaging an under-sea pipeline or cable would rate as a national disaster and very severe criminal penalties may apply. In addition the vessel which has fouled an underwater feature could be exposed to extreme explosion or electrocution risks.

Symbols used on Charts

2. Cables, cable protected areas, pipelines and pipeline protected areas are shown on charts in magenta using the appropriate symbol. Mariners should note the caution on charts which have these symbols.
3. Submarine cables are shown as wavy lines, submarine cable protected areas may be shown bounded by pecked lines or by dashed T-shaped lines interspersed with a short section of the wavy cable symbol.
4. Submarine pipelines are shown as a pecked line using a bulbous type symbol with an annotation such as *gas*, *chem*, *oil*. Disused pipelines will be shown with an interrupted pecked line.

Legislation

5. The relevant legislation:
 - (a) *Submarine Cables and Pipelines Protection Act 1996*;
 - (b) *Submarine Cables and Pipelines Protection Order 2006 Amendment (Pohokura Gas Field Development) Order 2010*;
 - (c) *Submarine Cables and Pipelines Protection (Tui Area Development) Order 2007*;
 - (d) *Submarine Cables and Pipelines Protection (Kupe Gas Project) Order 2008*;
 - (e) *Submarine Cables and Pipelines Protection (Maari Development) Order 2008*;
 - (f) *Submarine Cables and Pipelines Protection Order 2009*; and
 - (g) *Submarine Cables and Pipelines Protection Order 2009 Amendment (Area-7 Cook Strait) Order 2016*.
6. Further information on the legislation can be obtained from:

Ministry of Transport
PO Box 3175
Wellington 6140
New Zealand
Phone: +64 4 439 9000
www.transport.govt.nz/about-us/what-we-do/queries/protecting-new-zealands-undersea-cables

Transpower New Zealand
PO Box 1021
Wellington 6140
New Zealand
Freephone: 0800 THE GRID
(0800 843 4743)
Phone: +64 4 590 7000
(business hours)
www.transpower.co.nz

Maritime New Zealand
Level 11, 1 Grey Street
Wellington 6011
New Zealand
PO Box 25620
Wellington 6140
New Zealand
Phone: +64 4 494 1263
Email: enquiries@maritimenz.govt.nz
www.maritimenz.govt.nz/media/mrook5d4/submarine-cables-pipelines-guidance.pdf

Danger Involved in Cutting to Clear Anchors or Fishing Gear

7. In the event of fouling a submarine cable, the anchor and gear should be slipped and abandoned without attempting to cut the cable. High voltages are present in submarine cables other than power transmission cables and serious risk exists of loss of life or severe burns from electric shock if any attempt to cut the cable is made. No claim in respect of injury or damage sustained through such interference with a submarine cable will be entertained.
8. In the event of **fouling a pipeline**, the anchor or gear should be slipped and abandoned without attempting to get it clear. Any excessive force applied to the pipeline could result in a rupture; in the case of a gas pipeline the consequential release of gas at high pressure like an explosion could cause severe damage or loss of the vessel. There would be an accompanying severe and immediate fire hazard.

Claims as a Result of Loss of Gear

9. In order to afford greater protection to submarine cables and pipelines, and to avoid extensive repairs and disruption of communication or supplies, the attention of mariners, and particularly fishermen, is drawn to Section 8 of the *Submarine Cables and Pipelines Protection Act 1996*. This section entitles the owner of a ship from which an anchor, net, or any fishing gear has been sacrificed (to avoid damaging a submarine cable or pipeline), to be indemnified for any loss by the owner of the cable or pipeline, provided cautionary measures have been taken beforehand.
10. To establish a claim to such indemnification, the following actions must be carried out:
 - (a) A statement supported by the evidence of the crew, should, wherever possible, be drawn up immediately after the occurrence, and the master must, within 24 hours after return to, or next putting into port, make a declaration to the proper authorities. The latter shall communicate the information to the consular authorities of the country to which the owner of the cable belongs.
 - (b) The declaration must give the full particulars of the occurrence and should be made to a Maritime Safety Inspector.
 - (c) Vessels required to carry official log books should also enter details in the log.

Defence against Prosecution

11. It is a defence to any prosecution under Section 22 of the *Submarine Cables and Pipelines Protection Act 1996* to prove that the breakage or injury to a submarine cable or pipeline was caused by persons acting with the sole object of saving their life or their ships after having taken all the necessary precautions to avoid the damage.
12. It is also a defence under Section 12 of this act if anchoring in any protected or restricted area was necessary for the purpose of saving life or a ship in distress.

Protected Areas under the Act

Greater Auckland Area

13. A number of international submarine cables come ashore in the Auckland area. These cables supply international telecommunications for both New Zealand and Australia to the rest of the world.
See following page for specific information on submarines cables and the cable protection areas.

Cook Strait Submarine Cable Protection Zone (CPZ)

14. The CPZ protects vital submarine electricity and telecommunication links between the North and South Islands. There are severe restrictions on activities carried out within the CPZ under current legislation.
 - (a) See information at the end of this notice for specific information on the CPZ.
 - (b) Mariners are advised to consult the publication *Cook Strait Submarine Cable Protection Zone*, which is downloadable from www.transpower.co.nz/cook-strait-cpz-cable-protection-zone.
 - (c) Towage through the CPZ: Mariners engaged in towing through the CPZ must be aware of the depth of their towline. Towlines dragging across the exposed submarine cables are likely to cause damage and may result in the failure of a submarine cable.

Other Protected Areas

15. Other areas given protection under the First Schedule of the *Submarine Cables and Pipelines Protection Order 2009* are cable and pipeline installations off Oaonui, Great Barrier Island (Aotea Island), Hauraki Gulf / Tikapa Moana, Kawau Island, Taharoa, Whangaparāoa Peninsula, Hawke Bay and Maui A and Maui B. Mariners and fishermen are advised to consult the current charts of these areas for further information.

Important Note:

Mariners should be aware that, in order for tugs to keep towlines clear of submarine cables they may not be able to reduce speed or alter course when transiting cable protection zone/areas.

"catch fish...not cables"

There are a number of international submarine cables which come ashore in the Auckland area. These cables supply international communications for both New Zealand and Australia to the rest of the world.

New Zealand is a very isolated nation and as such is extremely reliant upon global communication via submarine cables. Here in New Zealand over 98% of all international communication is carried via submarine fibre optic cables. These cables are a key component of New Zealand's infrastructure and play a significant role in our everyday lives, the general economy and future growth of New Zealand.

These cables are laid in three submarine cable corridors in the greater Auckland area where anchoring and fishing is prohibited under the Submarine Cables & Pipelines Protection Act.

These areas are:

- **Muriwai Beach** out to the 12 mile territorial limit where both anchoring and fishing is prohibited.
- **Scott Point to Island Bay** in the upper Waitemata Harbour where anchoring is prohibited.
- **Takapuna Beach** this runs from Takapuna Beach in the south to just north of the Hen & Chicken Island (opposite Taiharuru Head) where anchoring and fishing is prohibited.

Note: These protected areas are monitored by sea and air patrols.



**Spark
New Zealand**

Symbols Relating To Submarine Cables




Figure 1.

These are some of the penalties

- A maximum fine of \$20,000 for a non-commercial vessel.
- A maximum fine of \$100,000 for a commercial vessel.
- A maximum fine of \$250,000 for damaging a submarine cable.

Additional to the fine for damage, the cable owners would inevitably pursue the recovery of costs associated with repairs, this could be \$100,000 plus per day; a typical repair can take up to two weeks.

Be Aware

These International submarine cables carry up to 10,000 volts to power the system repeaters along the cable.

For more detail refer to appropriate marine charts.

What should you do?

- If you are going into any of these areas, be sure to check your marine charts and/or GPS plotter so you know the exact locations of the prohibited zones. The relevant charts are NZ 53, NZ 5322, NZ 532, NZ 522, NZ 52, NZ 42 and NZ 43. The symbols used to mark the zones are detailed in Figure 1.
- If you suspect you have snagged your anchor or fishing gear on a submarine cable in one of these areas, don't try to free it. Note your position, abandon your gear, then call 0800 782 627.


What happens outside the prohibited areas?

These cables are covered by the Submarine Cables and Pipelines Protection Act regardless of whether they are inside or outside a prohibited area. Beyond the confines of the "anchoring and fishing prohibited" areas, the cables are clearly marked on the appropriate marine charts.

Considering possible positioning inaccuracies and repaired cable section deviations, fishermen are advised to keep a minimum distance of one nautical mile from either side of charted cables.

Note this number:


For any queries regarding submarine cables call: **0800 782 627**





COOK STRAIT CABLE PROTECTION ZONE

Transpower's submarine 350,000 volt power cables and fibre optic telecommunication cables, lie on the seabed within the Cook Strait Cable Protection Zone (CPZ). These cables are vital to New Zealand's electricity and communications systems, and to New Zealand's economy.



For a vessel of any size, **FISHING AND ANCHORING ARE ILLEGAL WITHIN THE CPZ.** Under the Submarine Cables and Pipelines Protection Act 1996, having any equipment that may be used for fishing or anchoring deployed over the side of a vessel in the CPZ, is considered to be a fishing or anchoring operation (whether or not such equipment is fully deployed).

What should you do?

If you are going to be in or near the CPZ, check your charts to ensure you know the exact location of the CPZ. The relevant charts include NZ 463, NZ 46, NZ 62, NZ 6212 and NZ615. **IF YOU SNAG YOUR ANCHOR OR FISHING EQUIPMENT ON A CABLE, DO NOT TRY TO FREE IT.** It is recommended that you record your position, abandon your gear and advise Transpower and the CPZ patrol vessel immediately.

Penalties

Penalties for illegal activity apply to both the owner and master of the vessel concerned. Maximum fines are (a) \$100,000 for fishing or anchoring in the CPZ, (commercial vessel) or \$20,000 (non-commercial vessel), and (b) \$250,000 for damaging a submarine cable (wilfully or negligently). The Court may also order forfeiture of the vessel or other property used to commit an offence. Transpower can also take legal action to recover repair costs, which may exceed \$40-\$65 million, possibly more.

Patrols

The CPZ is patrolled by both patrol vessel (VHF channel 16 and 0274 44 22 88) and helicopter.

Further information

For CPZ co-ordinates and minor exceptions to the prohibition against fishing in small and specific areas near shore, please refer to the Cook Strait Submarine Cable Protection Zone booklet which is downloadable from www.transpower.co.nz

Alternatively you can call us on

0800 THE GRID or 0800 843 4743

Catch fish... not cables

Disclaimer: The information on this page is not intended as legal advice and should not be taken as such.

Former *Annual New Zealand Notice to Mariners, No. 14*, published 1 July 2024 is cancelled. This is a repetition of the former notice.

Authority: New Zealand Defence Force (Headquarters Joint Force New Zealand)

1. Before the present regulations establishing five ammunition dumping areas in depths over 600 metres were brought into force in 1955, it was the practice to dump ammunition in any suitable area off the New Zealand coast adjacent to the loading point providing the depth was greater than 200 metres.
2. Ammunition has been found inside the 200 metre depth contour line, especially in the Hauraki Gulf / Tīkapa Moana area and in waters around the Hen and Chicken Islands (35° 55'S., 174° 45'E. approx). The area within 5 cables of the shores of the Hen and Chicken Islands is potentially dangerous.
3. The areas referred to in paragraph 1 above are defined as being within a radius of 5 nautical miles of the following positions:
 - (a) 34° 40'S., 174° 50'E.
 - (b) 36° 28'S., 176° 20'E.
 - (c) 41° 44'S., 175° 01'E.
 - (d) 43° 15'S., 174° 00'E.
 - (e) 46° 00'S., 171° 13'E.
4. A disused explosive dumping ground area exists in Hauraki Gulf / Tīkapa Moana between Tiritiri Matangi Island and The Noises in position 36° 38'S., 174° 57'E.
5. The areas are shown on the appropriate charts.

Former *Annual New Zealand Notice to Mariners, No. 15*, published 1 July 2024 is cancelled. This is a repetition of the former notice.

Authority: Maritime New Zealand

1. Seismic and other surveys are occasionally undertaken off the New Zealand coast in connection with hydrocarbon exploration. It is seldom practical to publish details of the areas of operation except in general terms and vessels carrying out surveys may be encountered without warning. Three types of surveys are practiced:
 - (a) **Seismic reflection surveys**
This is by far the most common form of operation. The survey vessel tows one or more multichannel receiver cables up to 12 km in length at a depth of a few metres, with the end marked by a tail buoy and radar reflector. The seismic energy source is usually an array of airguns mounted below large marker buoys and towed immediately behind the vessel. The cable and airgun arrays may have a lateral extent of a hundred metres or more. Survey speed is typically 4-5 knots.
 - (b) **Seismic refraction surveys**
 - (i) Single vessel operation: The seismic vessel tows a conventional source array (e.g. airguns) away from a stationary sonobuoy. The buoy contains an amplifier and radio transmitter which transmits the received signals to a shipboard recorder. In the rare case of long range (20 – 30 nautical miles) experiments, explosive charges may be used.
 - (ii) Two vessel operation: One vessel tows a conventional reflection acquisition system (generally a cable of 1.5 nautical miles in length) away from another vessel at a fixed location firing a source array.
 - (c) **Electromagnetic surveys**
Another type of survey uses controlled source electromagnetic technology. The survey vessel deploys receiver stations along the survey lines, and then traverses the lines at approximately 2 knots towing a cable several hundred metres long with a transmitter near the sea floor.
2. Survey vessels generally carry the signals described in Rules 23 (a), 24 (a) and 27 (b) and (c) of the *International Regulations for Preventing Collisions at Sea 1972*.
 - (a) They may also show the signals **PO** and **IR** (International Code):

***IR (India Romeo)**
'I am engaged in submarine work (underwater operations). Keep clear of me and go slow.'

* The use of this signal does not relieve any vessel from compliance with the *International Regulations for Preventing Collisions at Sea, 1972*.

PO (Papa Oscar)
'You should pass ahead of me (or vessel indicated)'.
 - (b) The shooting vessel may display signal B (International Code) or at night a single red light in addition.
3. Survey vessels are unable to manoeuvre freely and masters should therefore give them a wide berth of at least 5.5 km.
4. Refraction survey vessels occasionally keep radio silence if charges are fired by radio so as to avoid uncontrolled firings. Vessels being called by light by a survey vessel should therefore answer by the same means and not by radio or radiotelephone.
5. Further information can be found in Chapter 13 of the Admiralty publication, *The Mariner's Handbook* (NP100).

Former *Annual New Zealand Notice to Mariners, No. 16*, published 1 July 2024 is cancelled. This is a repetition of the former notice.

Authorities : Maritime New Zealand, Toitū Te Whenua Land Information New Zealand

Main Areas of Activity

1. Petroleum exploration rigs and gas and oil production platforms may be encountered off the New Zealand coast. At present, the main areas of activity are off the North Island's West Coast. This area is designated by the International Maritime Organisation (IMO) as a Precautionary Area.

Reference Charts: NZ 43, NZ 45, NZ 48, NZ 443, NZ 4432, NZ 14600 (INT 600), NZ 14601 (INT 601).

Precautionary Area

2. All ships should navigate with particular caution in order to reduce the risk of a maritime casualty and the resulting marine pollution. The Precautionary Area is defined by a line connecting the following geographical positions, the landward extent of which is determined by Mean High Water Springs (MHWS):
 - (a) The charted line of MHWS at approximately 38° 31'.00S., 174° 37'.80E.
 - (b) 39° 18'.50S., 173° 05'.00E.
 - (c) 39° 26'.00S., 173° 01'.00E.
 - (d) 40° 03'.00S., 173° 04'.00E.
 - (e) 40° 10'.00S., 173° 16'.00E.
 - (f) The charted line of MHWS at approximately 39° 53'.50S., 174° 54'.50E.

Navigational Hazards in Precautionary Area

3. The navigational hazards within the Precautionary Area comprise:
 - (a) Maui gas/condensate field westward of Cape Egmont: two manned platforms, with a subsea pipeline to shore;
 - (b) Pohokura gas field northward of Cape Egmont: unmanned production platform connected by subsea pipeline to onshore processing facilities;
 - (c) Maari oil field south-westward of Cape Egmont: normally unmanned oil production platform and manned Floating Production Storage and Offloading vessel (FPSO) serviced by offtake tankers;
 - (d) Tui oil field westward of Cape Egmont: subsea wells only (decommissioned in 2024); and
 - (e) Kupe gas/condensate field southwards of Cape Egmont: unmanned production platform with subsea pipeline to onshore processing facilities.

Legislation/Regulations

4. Each surface installation is protected by a 500 metre radius Safety Zone and a Protected Area for subsurface installations and pipelines. See *Annual New Zealand Notice to Mariners, No. 13*, paragraph 5 for relevant legislation.

For FPSOs, the baseline for the 500 metre Safety Zone is a circle described by the outer extent of movement around the mooring system (not including offtake tankers). Entry into these Safety Zones is prohibited to all except authorised vessels. A fine of up to NZ\$1,000 may be imposed for navigating within the Safety Zones.

The following regulations apply:

- (a) *Submarine Cables and Pipelines Protection Act 1996*;
- (b) *Submarine Cables and Pipelines Protection (Tui Area Development) Order 2007*;
- (c) *Continental Shelf (Maui A Safety Zone) Regulations 1975*;
- (d) *Continental Shelf (Maui B Safety Zone) Regulations 1991*;
- (e) *Continental Shelf (Pohokura Platform B Safety Zone) Regulations 2006*;
- (f) *Continental Shelf (Kupe Wellhead Platform Safety Zone) Regulations 2006*; and
- (g) *Continental Shelf (Maari Development Safety Zones) Regulations 2008*.

Keeping a Safe Margin of Distance

5. When navigating in the vicinity of production platforms and exploration rigs, an adequate safe margin of distance should be allowed. Where there is sufficient sea room, vessels should keep at least 5 nautical miles clear of these installations. Due allowance should always be given to prevailing weather conditions and the possibility of engine, steering or other mechanical failure.

Anchoring and Fishing in the Vicinity of the Permanent Installations is Prohibited

– For more information, see *New Zealand Notice to Mariners, No. 13*.

Importance of Keeping Charts Up-to-Date

6. The positions of the permanent oil and gas installations, submarine pipelines, together with the safety zones and prohibited anchoring and fishing areas, are shown on appropriate New Zealand charts. The positions of exploration rigs that change their location from time to time are promulgated in New Zealand Coastal Navigational Warnings and fortnightly editions of *New Zealand Notices to Mariners*. Mariners should ensure that their charts and navigational warning information is up-to-date at all times.

Former *Annual New Zealand Notice to Mariners, No. 16A*, published 1 July 2024 is cancelled. This is a repetition of the former notice.

Authority: Ministry of Business, Innovation and Employment

1. The Chief Executive of the Ministry of Business, Innovation and Employment can specify a non-interference zone around prospecting, exploration, or mining activities that are authorised under a permit granted under the *Crown Minerals Act 1991*.
2. It is an offence to enter a non-interference zone without reasonable excuse. A fine of up to \$10,000 may be imposed for doing so. Enforcement officers can:
 - (a) Arrest people entering, or attempting to enter, a zone;
 - (b) Prevent ships or people entering a zone;
 - (c) Stop and detain a ship in a zone; and
 - (d) Remove ships or people from a zone.
3. The zone is specified by a notice published in a fortnightly edition of *New Zealand Notices to Mariners*.
4. A notice will specify:
 - (a) The activity to which the non-interference zone relates;
 - (b) The locality of the activity;
 - (c) The area of the non-interference zone (which can be up to 500 metres from the outer edge of the structure or ship, or any attached equipment, to which the activities relates); and
 - (d) The time period for which the notice takes effect.
5. The non-interference zone can be applied within the territorial sea or the exclusive economic zone, or on or above the continental shelf.
6. The relevant sections of the *Crown Minerals Act 1991* are Sections 101A to 101C.
7. Under Section 101B(1) a person also commits an offence if the person intentionally damages or interferes with any structure or ship, or attached equipment, that is used in relation to offshore prospecting, exploration, or mining operations. A non-interference zone does not apply to this offence. An individual convicted of this offence is liable to imprisonment of up to 12 months or a fine of up to \$50,000; a company is liable for a fine of up to \$100,000.

Former *Annual New Zealand Notice to Mariners, No. 17*, published 1 July 2024 is cancelled. This is a repetition of the former notice.

Authority: Maritime New Zealand

Certain warships cannot comply fully with the requirements of the International Maritime Organization's *International Regulations for the Prevention of Collision at Sea 1972* (IRPCS) (as adopted by Maritime New Zealand's *Maritime Rules Part 22*) with regards to the number and positioning of lights. However, these warships comply as closely as possible in accordance with IRPCS Rules 1(c) and (e). Some vessels of 50 metres in length or over, due to their special construction, cannot be fitted with a second masthead light, or may have such lights placed in positions that differ from those normally associated with a ship of that size.

Former *Annual New Zealand Notice to Mariners, No. 18*, published 1 July 2024 is cancelled. This is a repetition of the former notice.

Authority: Toitū Te Whenua Land Information New Zealand

Please also refer to: Chapter 2 of the Admiralty publication *The Mariner's Handbook* (NP100).

The Global Positioning System (GPS) is one of a number of Global Navigation Satellite Systems (GNSS) that are either fully operational or are in the process of being developed. This notice is specific to the use of GPS. If another GNSS such as GLONASS, Galileo, QZSS or BeiDou is being used, the user should seek advice as to the significance of the issues detailed below relative to that system.

Status

1. The Global Positioning System (GPS) constellation is complete and available for civil use. GPS has a baseline constellation of 24 satellites, but up to 31 satellites may be operational at one time.
2. Mariners are advised to use GPS with the same caution they apply to other aids to navigation and to ensure that positions are checked by all available means.

Derived Positions and Charts

3. GPS is referenced to the World Geodetic System 1984 (WGS84) datum. This datum relates positions on the Earth's surface, or in space, to a mathematically defined figure, in this case the WGS84 spheroid (often referred to as an ellipsoid), which is used to approximate, or to model, the complex shape of the Earth. Its origin is the Earth's centre of mass and it provides positional reference throughout the world. WGS84 is referred to as a global, geocentric geodetic datum. The current New Zealand Geodetic Datum 2000 (NZGD2000) is an example of a geocentric datum that is closely aligned with WGS84.
4. Some local or regional geodetic datums, such as the obsolete New Zealand Geodetic Datum 1949 (NZGD49), use different, non-geocentric, spheroids which provide close approximation to the shape of the Earth over a selected area but become progressively less accurate beyond that region.

It is essential that the datum to which positions are referred is compatible with the datum used for the chart on which the position is to be plotted.

5. Charts referred to the WGS84 datum enable GPS positions derived in terms of WGS84 to be plotted directly. Note that the user must ensure that the GPS unit is set to display coordinates in terms of WGS84.

Chart Scale

6. Positions plotted on, or extracted from a chart will contain an element of imprecision related to the scale of the chart. Thus, for example, at a scale of 1:500,000, a chart user who is capable of plotting to a precision of 0.2 millimetres must appreciate that this represents approximately 100 metres on the ground. However the same plotting precision on a chart at scale 1: 25,000 represents about five metres on the ground.

Former *Annual New Zealand Notice to Mariners, No. 19*, published 1 July 2024 is cancelled. This is a repetition of the former notice.

Authority: Rocket Lab Limited

Introduction

1. Rocket launches to outer space are regularly conducted by Rocket Lab Limited (Rocket Lab) in the vicinity of the southern end of Māhia Peninsula.
2. In view of Rocket Lab's responsibilities to ensure public safety during launch operations, Launch Hazard Areas will be temporarily established for each launch in accordance with its trajectory.
3. Appropriate warnings will be issued through official government and civilian channels or by other methods as Rocket Lab may direct. Such warnings will specify the location, time, and duration of launch operations, and give specific details of the hazard areas. Other pertinent information may be included in the interest of safety.

Notification of Rocket Launches

4. www.rocketlabusa.com/missions/launch-safety provides up-to-date launch timings and Launch Hazard Area information, and details various means of contacting Rocket Lab Range Safety.
5. For the information of ships at sea, warnings of scheduled launches will be notified by:
 - (a) Continuous automated broadcast on VHF Channel 79 in the vicinity of Māhia Peninsula; and
 - (b) Napier Harbour Radio as part of scheduled hourly navigational warnings on VHF Channel 12.
6. To further promulgate the temporary hazard areas, warnings will be transmitted as NAVAREA XIV and New Zealand Coastal Navigation warnings (see *Annual New Zealand Notices to Mariners, No. 9*, paragraphs 4 – 9).
7. Rocket Lab Range Control can be contacted during launch operations on VHF Channel 07 when in VHF range of Māhia Peninsula.

Precautionary Rocket Launch Area

8. A Precautionary Rocket Launch Area, within which temporary Launch Hazard Areas (see paragraphs 11 – 15 below) will be established, is shown on nautical charts and at the end of this notice.
9. Vessels approaching the Precautionary Rocket Launch Area shall report to Rocket Lab Range Control on VHF Channel 07 during active Launch periods.
10. Note: All coordinates are given in terms of WGS84 datum, expressed in degrees, minutes and seconds.

Area	Limits
Precautionary Rocket Launch Area	All that area bounded by great circle lines from 39° 06' 10'' S., 178° 00' 05'' E. (Kahutara Point) to 38° 54' 00'' S., 178° 18' 00'' E. to 38° 54' 00'' S., 178° 42' 00'' E. to 39° 54' 00'' S., 178° 42' 00'' E. to 39° 54' 00'' S., 177° 24' 00'' E. to 39° 10' 12'' S., 177° 24' 00'' E. to 39° 09' 36'' S., 177° 49' 15'' E. (Long Point / Taramahiti Point) to 39° 06' 10'' S., 178° 00' 05'' E. (Kahutara Point)

Launch Hazard Areas

11. For each launch, a temporary Launch Hazard Area will be established within the Precautionary Rocket Launch Area to protect the public and marine operators from the hazardous activities in the vicinity of the launch site.
12. Due to the varying flight paths and times of each rocket launch, and local weather conditions, precise limits of temporary Launch Hazard Areas are not shown on nautical charts, and descriptions of these areas do not appear in this notice or *Admiralty Sailing Directions, New Zealand Pilot (NP51)*.
13. To ensure maritime safety, each Launch Hazard Area will be established as a reserved area in accordance with *Hawke's Bay Regional Council Navigation Safety Bylaw 2023 section 9*.
14. Temporary virtual Automatic Identification System (AIS) aids to navigation (AtoNs) shall be used in accordance with IALA regulations and recommendations to clearly identify the perimeter of the Temporary Launch Hazard Area; these virtual AIS AtoNs will supplement information promulgated via the methods listed in paragraph 15 below.


15. Details of Launch Hazard Areas will be notified by:
- Broadcast New Zealand Coastal Navigation warnings;
 - Rocket Lab's website www.rocketlabusa.com/missions/launch-safety; and
 - Notice boards at local boat ramps and within nearby ports and marinas not less than 48 hours before a launch attempt begins.
16. To ensure the safety of persons, all vessels must maintain a listening watch on VHF Channel 07 while within the active Precautionary Rocket Launch area and must remain outside the Launch Hazard Area while it is in effect unless prior permission is granted by Rocket Lab Range Control.

Launch Hazard Area Patrols

- Prior to conducting launch operations, the Launch Hazard Area may be patrolled by aircraft and surface vessels and monitored by radars and cameras to ensure no persons or vessels are within the Launch Hazard Area.
- Rocket Lab's Range Control Centre, patrol aircraft and surface vessels are equipped with marine band radios and will attempt to contact any vessel found within the Launch Hazard Area and may request that they leave the area.
- Any vessel being so warned must immediately leave the designated area until the conclusion of launch operations and must remain clear of the Launch Hazard Area to ensure that it will be safe from falling debris.
- Rocket Lab's Range Control Centre, patrol aircraft or surface vessels may attempt to contact any vessel approaching a Launch Hazard Area to advise it against entering the designated area.

Space Debris Hazard Area

- Temporary Space Debris Hazard Areas will be established to notify marine operators of the possibility of space debris falling in specific areas downrange.
- Due to the varying flight paths and times of each rocket launch, precise limits of temporary Space Debris Hazard Areas are not shown on nautical charts, and descriptions of these areas do not appear in this notice or *ADMIRALTY Sailing Directions, New Zealand Pilot* (NP51).
- Details of Space Debris Hazard Areas will be notified by:
 - Broadcast NAVAREA XIV navigation warnings via MF/HF Radio and EGC.
 - Rocket Lab's website www.rocketlabusa.com/missions/launch-safety
- To ensure the safety of persons, all vessels operating in a Space Debris Hazard Area while it is in effect should navigate with caution.



This page has been intentionally left blank

MARITIME CONTACTS

Port Operators276

Harbourmasters277

Maritime New Zealand Offices279

Useful Websites.....280

Port Operators

Port/Region	Port Operator/Website	Contact	Telephone
Auckland	Ports of Auckland www.poal.co.nz	PO Box 1281, Auckland 1140 customerservice@poal.co.nz	+64 9 348 5000
Bluff	South Port NZ Ltd. www.southport.co.nz	PO Box 1, Bluff 9842 reception@southport.co.nz	+64 3 212 8159
Chatham Islands	Chatham Islands Ports Ltd www.chathamislandsenterprise.co.nz	PO Box 65 Chatham Islands 8942 portsmanager@cietrust.co.nz	+64 3 3050 066 022 067 8795
Dunedin and Port Chalmers	Port Otago Ltd. www.portotago.co.nz Otago Harbour Control	PO Box 8, Port Chalmers 9050 portprotectionofficers@portotago.co.nz	+64 3 472 7890 +64 3 472 9882 021 229 8882
Gisborne	Eastland Port Ltd. www.eastlandport.nz	PO Box 1048, Gisborne 4040 port.services@eastland.nz port.protection@eastland.nz	+64 6 868 5129
Greymouth	Grey District Council www.greydc.govt.nz Port of Greymouth	PO Box 382, Greymouth 7840 port@greydc.govt.nz	+64 3 769 8600 +64 3 768 5666
Lyttelton	Lyttelton Port Company www.lpc.co.nz Harbour Radio Security	Private Bag 501, Lyttelton 8841 Waterfront House, 37-39 Gladstone Quay, Lyttelton 8082 office@lpc.co.nz securityteam@lpc.co.nz	+64 3 328 8198 +64 3 328 7917
Napier	Port of Napier Ltd. www.napierport.co.nz	PO Box 947, Napier 4140 info@napierport.co.nz	+64 6 833 4400
Nelson	Port Nelson Ltd. www.portnelson.co.nz	PO Box 844, Nelson 7040 info@portnelson.co.nz	+64 3 548 2099
Picton	Port Marlborough NZ Ltd. www.portmarlborough.co.nz	PO Box 111, Picton 7250 reception@pmnz.co.nz	+64 3 520 3399
Port Tarakohe	Tasman District Council www.tasman.govt.nz Port Manager	1011 Abel Tasman Drive, Pohara Golden Bay 7183 port.tarakohe@tasman.govt.nz	+64 3 525 8174 027 446 3891
Port Taranaki	Port Taranaki Ltd. www.porttaranaki.co.nz	PO Box 348 New Plymouth 4310 info@porttaranaki.co.nz	+64 6 751 0200
Tauranga	Port of Tauranga Ltd. www.port-tauranga.co.nz	Private Bag 12504 Tauranga 3143 reception@port-tauranga.co.nz	+64 7 572 8899
Timaru	PrimePort Timaru www.primeport.co.nz	PO Box 544, Timaru 7940 info@primeport.co.nz	+64 3 687 2700
Wellington	CentrePort Wellington www.centreport.co.nz	PO Box 794, Wellington 6140 duty.pilot@centreport.co.nz	+64 4 495 3800
Westport	Buller District Council www.westportharbour.co.nz	PO Box 21, Westport 7866 westportharbour@bdc.govt.nz	+64 3 788 8086 0800 497 8427
Whakatāne	Port Whakatāne www.whakatane.govt.nz	Private Bag 1002 Whakatāne 3158 info@whakatane.govt.nz	+64 7 306 0500
Whanganui	Whanganui Port www.whanganui.govt.nz	PO Box 637, Whanganui 4541 yourcouncil@whanganui.govt.nz	+64 6 349 0001
Whangārei and Marsden Point	Northport Ltd. www.northport.co.nz	PO Box 44, Ruakaka 0151 administrator@northport.co.nz	+64 9 432 5010

Harbourmasters

Port/Region	Address and Email	Telephone	Mobile
Auckland	Auckland Transport Private Bag 92250, Auckland 1142 harbourmaster@at.govt.nz Emergency 24 hour Duty Officer	+64 9 362 0397 + 64 9 362 0397 ext 0	
Chatham Islands	PO Box 24, Chatham Islands 8942 info@cic.govt.nz	+64 3 305 0033	
Gisborne	Gisborne District Council PO Box 747, Gisborne 4040 harbourmaster@gdc.govt.nz	0800 653 800 +64 6 867 2049	027 234 8057
Greymouth	Port of Greymouth 33 Lord St, Greymouth 7805 PO Box 382, Greymouth 7840 port@greydc.govt.nz	+64 3 768 5666	
Lyttelton, Timaru, Akaroa and Kaikōura	Environment Canterbury PO Box 345, Christchurch 8140 harbourmaster@ecan.govt.nz	+64 3 328 9168 0800 324 636	
Napier	Hawke's Bay Regional Council Private Bag 6006, Napier 4142 harbourmaster@hbrc.govt.nz	+64 6 835 9200 0800 108 838	
Nelson	Nelson City Council 110 Trafalgar St, Nelson, 7010 harbourmaster@ncc.govt.nz	0800 664 272 +64 3 548 2099	
Northland	Regional Harbourmaster 36 Water Street, Whangārei 0110 harbourmaster@nrc.govt.nz Emergency and 24 hour Duty Officer	+64 9 470 1200 0800 504 639	
Otago	Otago Regional Council 70 Stafford Street, Dunedin 9016 Private Bag 1954, Dunedin 9054 harbour.master@orc.govt.nz	+64 3 474 0827	027 583 5196 027 587 7708
Picton and Marlborough	Marlborough District Council Picton Customer Service Centre 67 High Street, Picton 7220 harbours@marlborough.govt.nz	+64 3 520 7400	
Queenstown and Wānaka	Queenstown Lakes District Council Private Bag 50072, Queenstown 9348 services@qldc.govt.nz	+64 3 441 0499	021 226 2851
Southland	Environment Southland Cnr. North Road and Price Street, Waikiwi Invercargill 9810, Southland Private Bag 90116, Invercargill 9840 habourmaster@es.govt.nz	+64 3 211 5115	021 673 043
Taharoa	Maritime New Zealand 2-8 Bayly Rd Moturoa New Plymouth 4310 PO Box 6091, New Plymouth 4344 David.Vicente@maritimenz.govt.nz	+64 6 751 3131	+64 27 653 0960
Taranaki	TRC Harbourmaster Taranaki Regional Council Private Bag 713 Stratford 4352, Taranaki harbourmaster@trc.govt.nz	+64 6 765 7127	027 544 6912

Harbourmasters

Port/Region	Address & Email	Telephone	Mobile
Tasman District	Tasman District Council Richmond Office 189 Queen Street, Private Bag 4 Richmond 7050 harbourmaster@tasman.govt.nz	+64 3 543 8400 +64 3 543 8433	027 246 1904
Taupō	Department of Internal Affairs Landing Reserve, Redoubt Street, Taupō 3330 PO Box 256, Taupō 3351 harbourmaster@dia.govt.nz	+64 7 378 7176	
Tauranga	Bay of Plenty Regional Council 1 Elizabeth Street, Tauranga 3110 PO Box 364, Whakatāne 3158 harbourmaster@boprc.govt.nz	0800 5KNOTS (0800 55 66 87)	027 519 3559
Waikato	Waikato Regional Council 401 Grey Street, Hamilton East, Hamilton 3216 Private Bag 3038, Waikato Mail Centre Hamilton 3240 HarbourmasterStaff@waikatoregion.govt.nz	+64 7 859 0999 0800 800 401	
Wellington	Greater Wellington Regional Council 100 Cuba Street, Wellington PO Box 11646, Manners Street Wellington 6142 harbours@gw.govt.nz After hours to Beacon Hill Station beacon.hill@gw.govt.nz	+64 4 830 4160 +64 4 388 5470 +64 4 388 1911	
Westport	Buller District Council PO Box 21, Westport 7866 Harbour.Master@bdc.govt.nz	0800 497 8427	021 959 279
Whakatāne	Bay of Plenty Regional Council 5 Quay Street, PO Box 364, Whakatāne 3158 harbourmaster@boprc.govt.nz	+64 7 308 8570 (24 hours) 0800 884 882	029 368 9415
Whanganui	Whanganui Port (2010) PO Box 623, Whanganui 4541 John.blaikie@whanganui.govt.nz	+64 6 344 7684	027 442 5489

Maritime New Zealand Offices

Location	Address	Telephone	Email
Rescue Co-ordination Centre New Zealand (RCCNZ)		0508 472 269 (NZ toll free) + 64 4 577 8030 (Calling from outside New Zealand)	RCCNZ1@maritimenz.govt.nz
Maritime Response Team	755 Te Atatu Road Auckland 0610 PO Box 45 209, Auckland 0651	0508 472 269 (NZ toll free) +64 9 834 3908 (Calling from outside New Zealand) Oil Spill Duty Officer (OSDO) +64 4 473 6369	
National Head Office	Level 11, 1 Grey Street Wellington 6011	0508 225 522 (NZ Toll free) +64 4 473 0111 (Calling from outside New Zealand)	enquiries@maritimenz.govt.nz

Useful Websites

Organisation	Website
Toitū Te Whenua Land Information New Zealand	www.linz.govt.nz
Maritime New Zealand	www.maritimenz.govt.nz
Department of Conservation	www.doc.govt.nz
Ministry for Primary Industries	www.mpi.govt.nz
Ministry for the Environment	www.environment.govt.nz
Royal New Zealand Navy	www.nzdf.mil.nz/navy
MetService	www.metservice.com
Water Safety New Zealand	www.watersafetynz.org
Yachting New Zealand	www.yachtingnz.org.nz
Coastguard Tautiaki Moana	www.coastguard.nz
Australian Maritime Safety Authority	www.amsa.gov.au
AMVER (Automated Mutual Assistance Vessel Rescue System)	www.amver.com
Australian Hydrographic Office	www.hydro.gov.au
United Kingdom Hydrographic Office	www.admiralty.co.uk
Naval Hydrographic and Oceanographic Service	www.shom.fr
International Hydrographic Organization	www.iho.int
International Maritime Organization	www.imo.org
PRIMAR	www.primar.org
International Centre for ENC's (IC-ENC)	www.ic-enc.org
National Tsunami Advisory and Warning Plan	www.civildefence.govt.nz
New Zealand Tsunami Gauge Network	www.geonet.org.nz/tsunami
Pacific Tsunami Warning Center	www.tsunami.gov

Coastal Distances (these distances are from Port to Port)

	Auckland	Awamui	Bluff	Coromandel	Foxton	Gisborne	Greymouth	Herekino	Hokianga	Hokitika	Kaikōura	Kaipara	Kawhia	Lytelton	Mangōnui	Napier	Nelson	Oamaru	Onehunga	Ōpōtiki	Pārenāgarenga	Pātea	Picton	Port Chalmers	Port Taranaki	Raglan	Russell	Tauranga	Thames	Timaru	Tokomaru Bay	Waitangi*	Wellington	Westport	Whakatāne	Whanganui	Whangāpē	Whangārei	Whangaroa	
		177	950	35	625	298	707	288	317	728	596	404	466	675	161	372	633	788	427	179	191	570	583	831	509	453	129	144	41	756	246	663	551	662	171	600	293	84	146	
Auckland																																								
Awamui	177		936	181	469	398	552	136	162	573	574	248	311	651	27	478	478	776	271	284	32	414	496	815	354	298	70	243	193	743	355	768	515	506	276	444	141	125	37	
Bluff	950	936		931	503	666	408	813	815	388	365	785	664	312	947	610	553	172	733	809	913	533	467	141	598	682	980	865	953	220	702	667	455	454	821	532	801	968	955	
Coromandel	35	181	931		589	280	706	290	320	728	578	402	468	662	166	361	632	774	431	163	190	570	564	812	511	455	131	130	27	742	236	656	533	661	154	599	295	82	152	
Foxton	625	469	503	589		332	261	342	343	283	135	319	198	218	480	267	105	335	267	464	446	54	76	377	132	216	513	520	612	301	358	489	75	212	476	36	334	570	488	
Gisborne	298	398	666	280	332		527	509	540	547	315	606	490	391	386	89	374	509	552	157	415	367	296	553	422	508	352	213	303	475	51	409	268	480	169	359	514	316	369	
Greymouth	707	552	408	706	261	527		433	440	20	339	425	319	426	563	471	214	545	380	680	529	240	268	545	251	337	595	725	728	513	562	691	287	59	680	261	428	658	572	
Herekino	288	136	813	290	342	509	433		34	457	444	118	181	524	147	572	357	645	141	393	116	290	374	694	224	168	182	352	302	612	463	801	393	395	385	323	8	234	156	
Hokianga	317	162	815	320	343	540	440	34		459	449	120	184	533	173	584	360	650	144	424	142	294	374	694	230	171	206	383	333	617	489	787	394	397	416	324	29	265	182	
Hokitika	728	573	388	728	283	547	20	457	459		359	443	333	441	584	491	233	559	400	688	550	256	282	524	265	351	617	744	734	525	582	710	303	74	700	277	451	666	592	
Kaikōura	596	574	365	578	135	315	339	444	449	359		423	302	85	585	259	184	207	371	456	551	167	102	249	234	320	618	512	601	173	350	437	89	290	468	163	439	615	593	
Kaipara	404	248	785	402	319	606	425	118	120	443	423		149	503	258	548	332	624	106	513	225	264	344	664	198	134	293	472	424	591	574	731	364	376	505	294	113	354	267	
Kawhia	466	311	664	468	198	490	319	181	184	333	302	149		382	322	430	210	503	85	579	288	143	224	544	72	25	355	538	483	470	518	651	243	268	571	173	176	414	330	
Lytelton	675	651	312	662	218	391	426	524	533	441	85	503	382		665	335	271	150	451	530	631	252	185	192	316	402	698	590	675	118	432	462	174	373	545	251	530	689	671	
Mangōnui	161	27	947	166	480	386	563	147	173	584	585	258	322	665		462	489	787	282	272	43	425	507	826	365	309	51	231	181	754	331	754	526	517	264	455	152	113	22	
Napier	372	478	610	361	267	89	471	572	584	491	259	548	430	335	462		321	453	496	232	489	305	236	491	362	448	427	288	377	419	123	405	212	427	244	295	577	391	447	
Nelson	633	478	553	632	105	374	214	357	360	233	184	332	210	271	489	321		391	280	515	455	104	88	432	145	228	522	571	654	354	413	511	105†	165	527	117	355	581	497	
Oamaru	788	776	172	774	335	509	545	645	650	559	207	624	503	150	787	453	391		572	650	753	372	302	50	435	521	820	707	797	52	544	540	292	496	662	361	640	809	795	
Onehunga	427	271	733	431	267	552	380	141	144	400	371	106	85	451	282	496	280	572		538	248	212	292	613	143	69	315	497	444	539	599	698	313	331	530	242	136	375	290	
Ōpōtiki	179	284	809	163	464	157	680	393	424	688	456	513	579	530	272	232	515	650	538		301	502	433	696	556	566	237	62	180	616	106	530	411	621	15	492	398	196	255	
Pārenāgarenga	191	32	913	190	446	415	529	116	142	550	551	225	288	631	43	489	455	753	248	301		391	473	792	331	275	79	260	210	720	360	784	492	483	293	421	121	142	53	
Pātea	570	414	533	570	54	367	240	290	294	256	167	264	143	252	425	305	104	372	212	502	391		96	413	77	161	458	558	592	335	396	522	115	186	514	28	285	518	433	
Picton	583	496	467	564	76	296	268	374	374	282	102	344	224	185	507	236	88	302	292	433	473	96		372	158	242	540	489	587	268	327	457	51	219	445	97	369	592	515	
Port Chalmers	831	815	141	812	377	553	545	694	694	524	249	664	544	192	826	491	432	50	613	696	792	413	372		478	561	860	746	835	98	588	559	334	538	706	412	689	853	834	
Port Taranaki	509	354	598	511	132	422	251	224	230	265	234	198	72	316	365	362	145	435	143	556	331	77	158	478		90	398	577	519	402	454	579	178	202	568	107	219	454	373	
Raglan	453	298	682	455	216	508	337	168	171	351	320	134	25	402	309	448	228	521	69	566	275	161	242	561		90	342	525	470	488	536	666	261	284	558	191	163	401	317	
Russell	129	70	980	131	513	352	595	182	206	617	618	293	355	698	51	427	522	820	315	237	79	458	540	860	398	342		203	146	787	302	719	560	551	229	488	187	78	36	
Tauranga	144	243	865	130	520	213	725	352	383	744	512	472	538	590	231	288	571	707	497	62	260	558	489	746	577	525	203		147	672	162	571	467	681	53	548	357	157	214	
Thames	41	193	953	27	612	303	728	302	333	734	601	424	483	675	181	377	654	797	444	180	210	592	587	835	519	470	146	147		765	251	668	556	684	172	621	307	102	164	
Timaru	756	743	220	742	301	475	513	612	617	525	173	591	470	118	754	419	354	52	539	616	720	335	268		98	402	488	787	672	765		510	526	260	464	628	327	607	775	762
Tokomaru Bay	246	355	702	236	358	51	562	463	489	582	350	574	518	432	331	123	413	544	599	106	360	396	327	588	454	536	302	162	251	510		432	303	515	118	386	469	265	322	
Waitangi*	663	768	667	656	489	409	691	801	787	710	437	731	651	462	754	405	511	540	698	530	784	522	457	559	579	666	719	571	668	526	432		419	644	537	513	794	677	739	
Wellington	551	515	455	533	75	268	287	393	394	303	89	364	243	174	526	212	126	292	313	411	492	115	51	334	178	261	560	467	556	260	303	419		238	423	112	394	570	534	
Westport	662	506	454	661	212	480	59	385	397	74	290	376	268	373	517	427	165	496	331	621	483	186	219	538	202	284	551	681	684	464	515	644		238	633	212	390	611	525	
Whakatāne	171	276	821	154	476	169	680	385	416	700	468	505	571	545	264	244	527	662	530	15	293	514	445	706	568	558	229	53	172	628	118	537	423	633		504	390	188	247	
Whangāpē	293	141	801	295	334	514	428	8	29	451	439	113	176	530	152	577	355	640	136	398	121	285	369	689	219	163	187	357	307	607	469	794		394	390	318	239	161		
Whangārei	84	125	968	82	570	316	658	234	265	666	615	354	414	689	113	391	581	809	375	196	142	518	592	853	454	401	78	157	102	775	265	677	570	611	188	551	239	96		
Whangaroa	146	37	955	152	488	369	572	156	182	592	593																													

This page has been intentionally left blank

Hydrographic Note

(For instructions, see next page)

Toitū Te Whenua Land Information New Zealand
New Zealand Hydrographic Authority
Level 7, 155 The Terrace
PO Box 5501
Wellington 6145
New Zealand

Phone: 0800 665 463 or +64 4 460 0110

Email: ntm@linz.govt.nz

Date Ref.No.....

Name and address of ship or sender

.....
.....

Tel/Email of sender.....

General locality

Subject

Position Lat.....Long.....

Position fixing system used

Datum

Charts affected Edition

Dated.....

Latest Notice to Mariners held.....

Publications affected (Edition No. and date of latest supplement, page no., ID no. etc)

Details:

A replacement copy of Chart No.
is required (see Instruction 4).

Signature of observer/reporter

Hydrographic Note

Forwarding Information for Charts and Hydrographic Publications

Note: An acknowledgement of receipt will be sent and the information then used to the best advantage, which may mean immediate action or inclusion in a revision in due course. When a Notice to Mariners is issued, the sender's ship or name is quoted as authority unless (as sometimes happens) the information is also received in a foreign Notice to Mariners. An explanation of the use of contributions from all parts of the world would be too greater task and a further communication should only be expected when the information is of outstanding value or has unusual features.

Instructions:

1. Mariners are requested to notify the New Zealand Hydrographic Authority, Toitū Te Whenua Land Information New Zealand, Level 7, 155 The Terrace, PO Box 5501, Wellington 6145, New Zealand, when new or suspected dangers to navigation are discovered, changes observed in aids to navigation, or corrections to publications seem to be necessary. The Admiralty publication, *The Mariner's Handbook* (NP100), Chapter 4, gives general instructions.
2. This form and its instructions have been designed to help both the sender and the recipient. It should be used, or followed, closely, whenever appropriate. Copies of this form may be obtained gratis from the New Zealand Hydrographic Authority at the address above, or in PDF format directly from the Toitū Te Whenua LINZ website, www.linz.govt.nz/products-services/maritime-safety.
3. When a position is defined by sextant angles or bearings (true or magnetic being specified) more than two should be used in order to provide a check. Distances observed by radar should be quoted. However, when there is a series of fixes along a ship's course, only the method of fixing and the objects used need to be indicated. Latitude and longitude should only be used specifically to position the details when they have been fixed by astronomical observations or GPS and a full description of the method, equipment and datum used should be given.
4. Paper Charts: A cutting from the largest scale paper chart is the best medium for forwarding details, the alterations and additions being shown thereon in red. When requested, a new copy will be sent in replacement of a chart that has been used to forward information, or when extensive observations have involved defacement of the observer's chart. If it is preferred to show the amendments on a tracing of the largest scale chart (rather than the chart itself) these should be in red as above, but adequate detail from the chart must be traced in black ink to enable the amendments to be fitted correctly.

Electronic Navigational Charts (ENCs): A screen dump of the largest scale usage band ENC with the alterations and additions being shown thereon in red.
5. When soundings are obtained, *The Mariner's Handbook* (NP100) should be consulted. The echo sounding trace should be marked with times, depths, etc., and forwarded with the report. It is important to state whether the echo sounder is set to register depths below the surface, or below the keel; in the latter case the vessel's draught should be given. Time and date should be given in order that corrections for the height of the tide may be made where necessary. The make, name, and type of echo sounder set should also be given.
6. Modern echo sounders frequently record greater depths than the set's nominal range, e.g. with a set whose maximum is 500 metres a trace appearing at 50 metres may in fact be 550 metres or even 1,050 metres. Erroneous deep soundings beyond the set's nominal range can usually be recognised by the following:
 - (a) The trace being weaker than normal for the depth registered;
 - (b) The trace appearing to pass through the transmission line; or
 - (c) The "feathery" nature of the trace.
7. Reports which cannot be confirmed or are lacking in certain details should not be withheld. Shortcomings should be stressed and any firm expectation of being able to check the information on a succeeding voyage should be mentioned.
8. Reports of shoal soundings, uncharted dangers and navigational aids out of order should, at the mariner's discretion, also be made by radio to the nearest coast radio station. The draught of modern tankers is such that any uncharted depth under 30 metres or 15 fathoms may be of sufficient importance to justify a radio message.

International Code of Signals (IMO 1969)
Alphabetical flags, with single letter meanings, numeral pendants and morse code symbols.

Used on all Occasions when it is Required to Represent Numbers in Flag Signalling							
A 	I have a diver down; Keep well clear at slow speed.	K 	I wish to communicate with you.	U 	You are running into danger.	One 	Unaone
B 	I am taking in, or discharging, Or carrying dangerous goods.	L 	You should stop your vessel instantly.	V 	I require assistance.	Two 	Bisotwo
C 	Yes (affirmative or "the significance Of the previous group should be read in the affirmative").	M 	My vessel is stopped and making No way through the water.	W 	I require medical assistance.	Three 	Terrathree
D 	Keep clear of me; I am manoeuvring WITH DIFFICULTY.	N 	No (negative or "the significance Of the previous group should be read in the negative").	X 	Stop carrying out your intentions and watch for my signals.	Four 	Kartefour
E 	I am altering my course To starboard.	O 	Man overboard.	Y 	I am dragging my anchor.	Five 	Pantafive
F 	I am disabled; Communicate with me.	P 	In harbour: all persons should Report on board as the vessel is about to proceed to sea. At sea: it may be used by fishing Vessels to mean "my nets have come fast upon an obstruction".	Z 	I require a tug. When made by fishing vessels Operating in close proximity on The fishing grounds, it means "I am shooting nets".	Six 	Soxisix
G 	I require a pilot. When made by fishing vessels Operating in close proximity on the fishing grounds it means "I am hauling nets".	Q 	My vessel is heathly, and I Request free pratique.	1st substitute 	Used to repeat the first flag or pendant in the same hoist.	Seven 	Setteseven
H 	I have a pilot on board.	R 		2ND Substitute 	Used to repeat the second flag or pendant in the same hoist.	Eight 	Oktoeight
I 	I am altering my course to port.	S 	I am operating astern propulsion.	3RD Substitute 	Used to repeat the third flag or pendant in the same hoist.	Nine 	Novenine
J 	Keep well clear of me. I am on fire and have dangerous cargo on board, or I am leaking Dangerous cargo.	T 	Keep clear of me I am Engaged in pair trawling.	Code and Answer 	Used to acknowledge a signal.	Zero 	Nadazero

Note: Single letter signals may be made by any method of signalling. The letters B, C, D, E, G, H, I, S, T, Z when made by sound may only be made in compliance with the requirements of the international regulations for preventing collisions at sea, rules 34 and 35.